R[illegible]-1.13

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

GER LENGTH OF STAY



BY DIAGNOSIS BY OPERATION



UNITED STATES

Geriatric

1981

Geriatric Length of Stay by Diagnosis and Operation, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

- . . . by Diagnosis, United States, 1981
- . . . by Diagnosis, United States, North Central Region, 1981
- . . . by Diagnosis, United States, Northeastern Region, 1981
- . . . by Diagnosis, United States, Southern Region, 1981
- . . . by Diagnosis, United States, Western Region, 1981
- . . . by Diagnosis, Canada, 1981

- . . . by Operation, United States, 1981
- . . . by Operation, United States, North Central Region, 1981
- . . . by Operation, United States, Northeastern Region, 1981
- . . . by Operation, United States, Southern Region, 1981
- . . . by Operation, United States, Western Region, 1981
- . . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, this PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (witn middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

124

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54298	7.0	46	1	2	5	9	14	19	35
70-74	47166	7.3	48	1	2	5	9	14	19	36
75-79	36732	7.6	54	1	2	6	9	15	20	38
80-84	25551	7.9	57	1	2	6	10	16	21	40
85+	21564	8.2	59	1	2	6	10	16	21	41
B. *Operated*										
65-69 YRS	98888	6.7	43	1	2	4	9	14	19	31
70-74	81954	7.0	51	1	2	4	9	16	20	34
75-79	61245	7.4	59	1	2	4	10	17	22	37
80-84	36810	8.1	72	2	2	5	11	18	24	41
85+	25080	9.4	91	2	2	6	14	21	27	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	281864	8.9	63	2	2	7	11	17	23	42
70-74	290725	9.5	70	2	3	7	12	18	25	45
75-79	265895	10.1	78	2	3	8	13	20	26	49
80-84	207831	10.7	88	2	3	8	13	21	28	54
85+	187775	11.2	96	2	3	9	14	22	29	60
B. *Operated*										
65-69 YRS	207022	11.8	132	2	2	9	15	25	34	64
70-74	186367	12.8	146	2	2	10	17	27	37	68
75-79	148588	13.8	163	2	3	10	18	29	40	74
80-84	96121	15.0	181	2	3	12	20	32	43	80
85+	71722	16.3	193	2	3	13	22	34	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185311	7.4	51	1	2	6	9	15	20	37
B. *Operated*	303977	7.3	56	1	2	5	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	1234090	10.0	78	2	3	8	12	19	26	49
B. *Operated*	709820	13.4	157	2	2	10	18	28	39	72
1. SINGLE DX	489288	7.4	54	1	2	5	10	16	21	36
2. MULTIPLE DX	1943910	11.2	110	2	3	8	14	23	31	60
A. NOT OPERATED	1419401	9.6	75	2	3	7	12	19	25	47
B. OPERATED	1013797	11.6	135	2	2	8	15	25	34	64
TOTAL 65-69 YRS	642072	9.4	84	2	2	7	12	19	26	49
70-74	606212	10.0	93	2	2	7	13	21	28	53
75-79	512460	10.7	104	2	2	8	14	22	30	56
80-84	366313	11.4	114	2	3	8	14	24	32	62
85+	306141	12.0	122	2	3	9	15	25	34	67
GRAND TOTAL	**2433198**	**10.4**	**101**	**2**	**2**	**8**	**13**	**22**	**29**	**56**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	248	4.0	8	1	1	3	5	7	10	15
70-74	191	4.4	12	1	1	4	6	8	10	17
75-79	166	5.2	19	1	2	4	6	9	13	22
80-84	118	5.0	19	1	2	4	6	10	14	22
85+	107	5.1	18	1	2		6	10	16	21
B. *Operated*										
65-69 YRS	5	8.2	20	2	2	9	11	14	14	14
70-74	7	10.7	72	2	2	6	17	24	25	25
75-79	6	8.2	57	2	2	5	11	21	22	22
80-84	1	14.0		14	14	14	14	14	14	14
85+	3	22.0	259	4	4	27	33	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	996	6.0	27	2	2	5	7	11	14	23
70-74	1024	6.6	32	2	2	5	8	12	15	26
75-79	876	6.8	30	2	2	5	8	13	17	28
80-84	700	7.6	46	2	2	5	9	16	20	37
85+	664	7.9	51	2	3	6	10	15	20	34
B. *Operated*										
65-69 YRS	64	12.6	73	3	4	11	16	24	35	39
70-74	66	13.8	112	4	5	11	17	28	38	57
75-79	70	16.0	119	5	6	14	20	25	32	66
80-84	44	18.0	250	5	6	14	21	44	88	99+
85+	43	16.7	146	5	5	12	21	34	43	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	4.7	14	1	1	4	6	8	12	18
B. *Operated*	22	11.1	85	2	2	8	14	26	30	35
2. MULTIPLE DX										
A. *Not Operated*	4260	6.9	36	2	2	5	8	13	17	30
B. *Operated*	287	15.2	133	4	5	12	19	28	40	78
1. SINGLE DX	852	4.8	17	1	2	4	6	9	12	22
2. MULTIPLE DX	4547	7.4	46	2	2	5	9	14	19	35
A. NOT OPERATED	5090	6.5	33	2	2	5	8	12	16	29
B. OPERATED	309	14.9	130	4	5	12	19	28	39	75
TOTAL 65-69 YRS	1313	6.0	28	1	2	5	7	11	15	26
70-74	1288	6.7	36	2	2	5	8	13	17	30
75-79	1118	7.2	39	2	2	5	9	14	19	32
80-84	863	7.8	59	2	2	5	9	16	21	44
85+	817	8.1	58	2	2	6	10	16	21	37
GRAND TOTAL	**5399**	**7.0**	**42**	**2**	**2**	**5**	**8**	**14**	**18**	**34**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	14.6	143	2	2	14	19	30	42	51
70-74	24	10.4	61	3	3	7	14	21	29	29
75-79	32	11.9	112	3	3	8	15	25	42	44
80-84	21	14.7	100	<1	1	13	23	28	32	35
85+	21	14.9	76	4	5	13	22	27	29	30
B. *Operated*										
65-69 YRS	37	10.9	47	2	2	10	16	22	25	28
70-74	28	15.6	104	4	5	14	19	25	34	55
75-79	25	13.4	108	2	3	11	19	27	32	44
80-84	12	16.2	292	3	3	12	16	42	61	64
85+	10	15.3	116	6	6	11	24	32	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	133	15.2	165	3	4	11	19	32	44	61
70-74	126	17.5	224	3	4	14	21	38	49	90
75-79	115	16.4	137	3	4	13	21	34	43	50
80-84	92	18.3	200	4	6	15	23	33	52	74
85+	70	18.7	137	4	5	17	26	41	44	99+
B. *Operated*										
65-69 YRS	103	18.9	188	3	4	16	26	39	44	61
70-74	91	22.3	332	5	6	18	28	41	57	99
75-79	80	22.9	329	3	4	18	31	52	63	96
80-84	53	24.1	294	5	7	20	35	45	62	79
85+	28	22.5	269	7	7	15	35	43	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	13.2	104	2	3	10	19	29	30	46
B. *Operated*	112	13.6	107	3	3	11	17	26	32	58
2. MULTIPLE DX										
A. *Not Operated*	536	17.0	176	3	4	14	22	37	45	76
B. *Operated*	355	21.7	279	4	5	18	30	43	55	87
1. SINGLE DX	245	13.4	105	2	3	11	18	27	31	51
2. MULTIPLE DX	891	18.9	222	3	5	15	25	40	49	80
A. NOT OPERATED	669	16.2	154	3	4	14	21	34	44	72
B. OPERATED	467	19.8	250	3	5	15	26	41	53	79
TOTAL 65-69 YRS	308	15.9	161	3	4	12	21	35	43	59
70-74	269	18.3	244	3	5	15	22	36	53	96
75-79	252	17.6	206	3	4	14	24	40	46	77
80-84	178	19.5	229	3	5	15	26	39	55	75
85+	129	18.7	157	4	6	17	26	39	44	99+
GRAND TOTAL	**1136**	**17.7**	**202**	**3**	**4**	**14**	**23**	**37**	**45**	**76**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	7.9	55	2	2	4	13	20	20	20
70-74	4	11.0	133	1	1	8	20	26	26	26
75-79	3	14.7	30	11	11	12	19	21	21	21
80-84	1	87.0		87	87	87	87	87	87	87
85+	5	10.4	113	2	2	7	13	29	29	29
B. *Operated*										
65-69 YRS	9	20.4	902	<1	1	12	20	68	98	98
70-74	10	17.2	91	4	5	20	23	29	34	34
75-79	7	9.0	61	<1	<1	8	13	21	23	23
80-84	3	7.0	37	3	3	4	11	14	14	14
85+	3	13.3	64	5	5	14	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	14.1	179	2	3	10	16	41	46	46
70-74	16	15.2	228	3	4	11	19	33	54	62
75-79	6	14.5	112	2	2	14	20	29	30	30
80-84	13	12.4	193	2	3	9	12	26	50	56
85+	10	13.1	23	6	7	12	17	19	20	20
B. *Operated*										
65-69 YRS	27	25.5	526	3	4	19	36	75	87	99+
70-74	20	19.9	249	2	3	18	39	68	99+	99+
75-79	16	25.9	367	2	4	28	36	70	91	99+
80-84	18	34.3	655	6	11	29	59	83	94	99+
85+	6	26.7	271	7	9	33	47	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	13.8	351	1	2	8	19	27	55	87
B. *Operated*	32	15.0	302	<1	3	11	21	23	33	98
2. MULTIPLE DX										
A. *Not Operated*	64	13.9	155	2	3	10	17	30	46	61
B. *Operated*	87	26.2	446	2	5	21	42	78	99+	99+
1. SINGLE DX	53	14.5	316	1	2	10	20	24	33	98
2. MULTIPLE DX	151	21.0	358	2	4	15	32	57	83	99+
A. NOT OPERATED	85	13.9	200	2	3	10	17	29	46	78
B. OPERATED	119	23.2	429	2	4	19	34	71	98	99+
TOTAL 65-69 YRS	63	19.1	437	2	3	12	22	47	80	99+
70-74	50	17.1	198	2	3	14	24	44	61	99+
75-79	32	19.0	262	2	2	15	29	45	71	99+
80-84	35	25.3	646	2	3	16	40	77	87	99+
85+	24	16.0	134	4	6	14	20	40	62	99+
GRAND TOTAL	**204**	**19.3**	**354**	**2**	**3**	**14**	**24**	**53**	**78**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	5.2	11	2	2	4	7	10	13	13
70-74	8	5.4	2	4	4	5	6	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	5.6	7	2	3	5	8	10	11	11
70-74	26	7.2	31	2	3	5	8	13	20	26
75-79	20	6.8	14	2	2	6	10	12	13	14
80-84	6	10.2	68	3	3	7	19	22	22	22
85+	2	10.0	128	2	2	10	18	18	18	18
B. *Operated*										
65-69 YRS	2	8.0	50	3	3	8	13	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79	3	10.0	27	4	4	13	13	13	13	13
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	15.5	13	13	13	15	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.2	6	2	3	5	6	8	10	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	90	6.7	21	2	3	5	8	13	18	24
B. *Operated*	9	10.3	26	3	3	13	13	16	18	18
1. SINGLE DX	23	5.2	6	2	3	5	6	8	10	13
2. MULTIPLE DX	99	7.1	22	2	3	5	10	13	18	24
A. NOT OPERATED	113	6.4	18	2	3	5	8	12	14	23
B. OPERATED	9	10.3	26	3	3	13	13	16	18	18
TOTAL 65-69 YRS	49	5.6	9	2	2	5	8	10	11	13
70-74	35	6.7	24	2	3	5	7	13	17	26
75-79	24	7.0	16	2	3	6	11	13	14	14
80-84	8	9.6	52	3	3	7	15	21	22	22
85+	6	10.5	46	2	2	10	18	18	18	18
GRAND TOTAL	**122**	**6.7**	**20**	**2**	**3**	**5**	**8**	**13**	**15**	**23**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	8.8	41	1	3	7	11	15	19	35
70-74	53	11.5	51	3	4	10	15	21	27	34
75-79	62	11.3	44	3	4	10	15	18	20	40
80-84	52	11.7	37	4	5	10	15	20	25	31
85+	58	11.5	42	4	5	9	15	21	26	28
B. *Operated*										
65-69 YRS	2	30.0	288	18	18	30	42	42	42	42
70-74	2	10.5	13	8	8	10	13	13	13	13
75-79	3	48.0	228	34	34	46	59	64	64	64
80-84	5	16.8	207	5	5	14	23	41	41	41
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	677	13.6	98	4	5	11	17	24	31	57
70-74	877	14.1	107	5	6	11	17	24	33	60
75-79	976	15.2	126	5	6	12	18	28	37	64
80-84	821	16.2	163	5	6	13	19	29	41	79
85+	974	15.5	118	5	6	13	19	28	37	74
B. *Operated*										
65-69 YRS	183	24.4	293	7	9	20	29	49	69	99
70-74	219	27.2	371	8	10	23	36	65	93	99+
75-79	235	27.1	352	8	10	23	33	57	84	99+
80-84	166	26.3	278	8	9	22	35	56	73	99+
85+	169	25.2	224	9	11	21	33	46	55	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	11.1	43	3	4	10	15	19	25	34
B. *Operated*	13	25.7	331	5	7	18	41	50	61	64
2. MULTIPLE DX										
A. *Not Operated*	4325	15.0	123	5	6	12	18	27	36	66
B. *Operated*	972	26.2	310	8	10	21	34	54	73	99+
1. SINGLE DX	275	11.8	66	3	4	10	15	21	27	42
2. MULTIPLE DX	5297	17.0	176	5	6	13	20	33	44	84
A. NOT OPERATED	4587	14.8	120	4	6	12	17	26	35	64
B. OPERATED	985	26.2	310	8	10	21	34	54	73	99+
TOTAL 65-69 YRS	899	15.6	156	4	6	12	19	29	41	74
70-74	1151	16.4	182	5	6	13	19	32	46	93
75-79	1276	17.3	189	5	6	13	20	33	46	88
80-84	1044	17.6	190	5	6	14	21	34	45	80
85+	1202	16.7	141	5	6	14	20	31	41	73
GRAND TOTAL	**5572**	**16.8**	**172**	**5**	**6**	**13**	**20**	**32**	**44**	**83**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	8.5	39	2	3	5	12	20	21	25
70-74	24	7.7	26	2	3	7	9	13	20	24
75-79	15	8.5	26	4	4	6	10	18	19	19
80-84	11	7.9	23	2	3	6	10	16	18	18
85+	5	9.2	55	4	4	6	12	22	22	22
B. *Operated*										
65-69 YRS	6	7.5	15	<1	<1	9	10	11	11	11
70-74	8	14.0	161	1	2	10	20	35	40	40
75-79	3	8.7	24	3	3	11	12	12	12	12
80-84	9	13.6	132	1	2	8	26	29	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	147	11.6	85	3	4	9	14	23	30	56
70-74	130	11.9	127	3	4	8	14	22	37	83
75-79	130	13.2	124	3	4	10	17	24	31	61
80-84	90	11.3	46	4	4	10	14	21	26	36
85+	68	13.0	88	4	5	10	18	23	31	55
B. *Operated*										
65-69 YRS	50	20.4	236	7	8	17	26	43	69	99+
70-74	41	21.2	331	3	5	17	23	52	78	99+
75-79	47	19.3	137	6	7	17	26	37	48	99+
80-84	21	19.0	174	3	6	13	26	39	45	52
85+	11	24.3	323	8	9	21	31	47	68	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	8.2	31	2	3	6	10	18	21	25
B. *Operated*	26	11.7	101	1	1	9	16	28	32	40
2. MULTIPLE DX										
A. *Not Operated*	565	12.1	98	3	4	10	15	23	31	56
B. *Operated*	170	20.4	225	4	7	17	26	41	61	99+
1. SINGLE DX	120	9.0	48	2	3	6	11	19	23	33
2. MULTIPLE DX	735	14.0	139	4	4	11	17	28	37	76
A. NOT OPERATED	659	11.6	90	3	4	9	14	22	29	56
B. OPERATED	196	19.2	217	3	6	16	26	40	55	99+
TOTAL 65-69 YRS	242	12.8	123	3	4	9	16	26	36	70
70-74	203	13.3	173	3	4	9	16	28	44	89
75-79	195	14.2	127	3	4	12	18	26	36	74
80-84	131	12.4	78	3	4	11	14	25	30	42
85+	84	14.3	129	4	5	11	19	29	32	67
GRAND TOTAL	**855**	**13.3**	**129**	**3**	**4**	**10**	**17**	**26**	**36**	**72**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.0	6	2	2	4	6	7	7	7
70-74	6	7.7	26	2	2	7	10	15	16	16
75-79	4	10.0	39	2	2	10	14	17	17	17
80-84	2	12.0	50	7	7	12	17	17	17	17
85+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
65-69 YRS										
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	12.1	113	4	6	9	14	19	41	47
70-74	14	14.7	133	4	5	12	20	31	42	45
75-79	12	13.2	19	5	7	14	16	18	20	20
80-84	4	27.3	1081	7	7	13	47	76	76	76
85+	8	14.4	111	2	2	13	21	30	32	32
B. *Operated*										
65-69 YRS	5	11.4	9	8	8	10	14	15	15	15
70-74	4	50.3	928	23	23	49	76	80	80	80
75-79										
80-84										
85+	2	13.5	221	3	3	13	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.6	27	2	2	7	10	17	17	17
B. *Operated*	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	52	14.6	160	4	5	12	16	26	44	75
B. *Operated*	11	25.9	677	3	6	15	25	76	80	80
1. SINGLE DX	20	7.5	25	2	2	7	10	16	17	17
2. MULTIPLE DX	63	16.5	260	4	5	13	18	30	56	79
A. NOT OPERATED	70	12.8	134	2	3	10	16	22	32	70
B. OPERATED	13	22.9	619	3	3	14	24	74	79	80
TOTAL 65-69 YRS	23	10.5	79	2	4	9	13	15	27	47
70-74	26	17.9	395	3	3	11	23	43	74	80
75-79	16	12.4	24	3	5	13	16	17	19	20
80-84	6	22.2	721	7	7	12	18	70	76	76
85+	12	12.7	104	2	2	9	21	27	31	32
GRAND TOTAL	**83**	**14.3**	**218**	**2**	**3**	**10**	**16**	**25**	**46**	**79**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	171	6.8	28	1	2	5	9	12	16	27
70-74	167	7.0	35	2	2	5	9	14	16	36
75-79	148	8.0	44	2	3	6	10	14	18	34
80-84	119	7.7	28	2	2	6	10	16	18	25
85+	97	7.8	29	1	3	7	10	14	19	27
B. *Operated*										
65-69 YRS	13	7.3	34	1	1	6	10	16	20	21
70-74	12	10.6	133	1	2	9	12	23	41	44
75-79	7	9.3	17	3	3	10	13	14	14	14
80-84	4	18.8	110	7	7	19	27	29	29	29
85+	7	7.3	36	2	2	5	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	583	9.4	64	2	3	7	11	18	23	44
70-74	679	10.1	82	2	3	8	12	19	26	58
75-79	698	11.0	88	2	3	9	14	21	27	47
80-84	592	11.1	72	2	3	9	14	21	27	50
85+	522	12.5	116	3	3	9	16	25	31	64
B. *Operated*										
65-69 YRS	67	14.2	199	3	3	11	17	26	36	78
70-74	78	15.3	141	3	3	12	21	30	36	66
75-79	72	19.0	230	2	4	17	27	43	79	99+
80-84	45	17.7	206	4	6	12	26	38	49	62
85+	51	18.9	187	5	8	14	23	37	51	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	7.4	33	2	2	6	9	14	17	31
B. *Operated*	43	9.6	71	1	2	7	13	19	27	44
2. MULTIPLE DX										
A. *Not Operated*	3074	10.8	85	2	3	8	13	21	28	55
B. *Operated*	313	16.8	192	3	4	13	23	35	49	91
1. SINGLE DX	745	7.5	36	2	2	6	9	14	18	31
2. MULTIPLE DX	3387	11.3	98	3	3	9	14	22	30	58
A. NOT OPERATED	3776	10.1	77	2	3	8	12	19	26	51
B. OPERATED	356	16.0	183	2	3	12	21	34	44	85
TOTAL 65-69 YRS	834	9.2	70	2	3	7	11	17	23	44
70-74	936	10.0	83	2	3	8	12	19	27	56
75-79	925	11.1	97	2	3	9	14	22	29	61
80-84	760	11.0	78	2	3	9	14	22	28	50
85+	677	12.3	114	3	3	9	15	25	32	61
GRAND TOTAL	**4132**	**10.6**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	57	7.4	17	2	3	7	9	12	14	21
70-74	32	10.5	50	2	3	9	13	19	23	34
75-79	26	8.3	17	3	4	8	10	14	18	19
80-84	7	11.3	49	5	5	7	18	20	20	20
85+	6	7.7	14	5	5	6	12	13	13	13
B. *Operated*										
65-69 YRS	12	12.6	116	1	3	9	18	31	34	34
70-74	5	18.8	150	10	10	16	23	40	40	40
75-79	6	12.3	75	2	2	12	21	23	23	23
80-84	2	11.5	41	7	7	11	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	119	11.4	59	4	5	9	15	21	26	41
70-74	106	11.3	47	4	4	10	16	20	24	34
75-79	79	11.9	54	3	4	10	16	22	24	41
80-84	55	14.3	141	4	5	10	17	32	45	98
85+	43	13.3	81	4	6	12	15	24	34	48
B. *Operated*										
65-69 YRS	43	17.6	184	5	7	13	24	29	55	64
70-74	34	14.7	98	3	4	13	22	27	37	39
75-79	14	17.6	223	2	3	15	19	31	57	64
80-84	8	19.8	234	2	4	12	36	39	40	40
85+	6	23.0	979	2	2	12	70	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	8.6	28	2	3	8	11	17	19	25
B. *Operated*	25	13.7	102	2	4	11	18	30	35	40
2. MULTIPLE DX										
A. *Not Operated*	402	12.1	69	4	5	10	16	22	29	44
B. *Operated*	105	17.2	200	3	4	13	22	36	55	91
1. SINGLE DX	153	9.4	43	2	3	8	12	18	21	34
2. MULTIPLE DX	507	13.1	100	3	5	11	16	24	33	64
A. NOT OPERATED	530	11.2	61	3	4	9	14	20	25	42
B. OPERATED	130	16.5	182	2	4	13	22	34	40	87
TOTAL 65-69 YRS	231	11.6	84	3	4	9	14	23	28	55
70-74	177	12.0	62	3	4	10	16	22	27	40
75-79	125	11.8	70	3	4	10	15	22	23	47
80-84	72	14.6	140	4	5	10	18	36	43	92
85+	55	13.7	169	3	5	11	15	29	44	99
GRAND TOTAL	**660**	**12.3**	**89**	**3**	**4**	**10**	**16**	**23**	**30**	**58**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74										
75-79										
80-84										
85+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	7.4	10	4	4	7	8	12	14	14
70-74	3	8.7	16	4	4	11	11	11	11	11
75-79	5	7.4	32	2	2	7	12	15	15	15
80-84										
85+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
65-69 YRS	4	11.5	16	8	8	10	14	17	17	17
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	7.4	14	2	3	7	11	13	15	15
B. *Operated*	6	10.0	16	6	6	9	12	16	17	17
1. SINGLE DX	4	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX	24	8.0	15	2	4	7	11	14	16	17
A. NOT OPERATED	22	6.8	13	2	3	6	9	12	14	15
B. OPERATED	6	10.0	16	6	6	9	12	16	17	17
TOTAL 65-69 YRS	14	8.0	16	3	4	7	9	14	16	17
70-74	4	8.0	13	4	4	8	11	11	11	11
75-79	6	7.5	26	2	2	7	11	15	15	15
80-84										
85+	4	5.3	2	4	4	5	6	7	7	7
GRAND TOTAL	**28**	**7.5**	**15**	**2**	**3**	**7**	**10**	**13**	**15**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	29	3.5	9	1	1	2	4	7	8	15
70-74	9	3.3	4	1	1	2	5	6	7	7
75-79	8	3.0	3	<1	<1	3	5	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	5	10.0	24	4	4	11	14	15	15	15
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	36	5.9	36	2	2	4	8	11	20	30
70-74	21	7.3	86	1	2	3	7	22	31	37
75-79	15	4.1	16	1	2	3	4	5	15	18
80-84	4	4.8	20	<1	<1	3	8	11	11	11
85+	7	11.0	255	3	3	6	7	39	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	51	3.3	6	<1	1	2	4	7	7	15
2. MULTIPLE DX										
A. *Not Operated*	6	8.5	32	1	1	8	14	15	15	15
B. *Operated*	83	6.3	62	1	2	3	7	13	23	44
1. SINGLE DX	52	3.4	7	<1	1	2	5	7	7	15
2. MULTIPLE DX	89	6.5	60	1	2	4	7	14	22	43
A. NOT OPERATED	7	6.3	27	1	2	7	13	15	15	15
B. OPERATED	134	5.2	43	1	2	3	5	10	17	39
TOTAL 65-69 YRS	66	4.8	25	1	2	3	6	10	15	29
70-74	35	6.7	59	1	2	4	7	15	24	37
75-79	24	3.8	12	<1	1	3	5	6	10	18
80-84	6	3.7	15	<1	<1	2	5	10	11	11
85+	10	8.8	184	2	2	5	7	27	47	47
GRAND TOTAL	141	5.3	42	1	2	3	6	11	17	38

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	119	5.0	11	2	2	4	6	10	11	17
70-74	67	4.9	62	1	2	4	5	7	8	56
75-79	94	5.2	24	1	2	4	6	8	13	31
80-84	48	5.9	23	2	2	4	8	11	15	26
85+	60	4.5	11	1	1	4	6	9	13	91
B. *Operated*										
65-69 YRS	5	17.0	362	7	7	9	20	51	51	51
70-74	3	4.3	6	2	2	4	6	7	7	7
75-79	4	22.0	849	3	3	10	40	65	65	65
80-84										
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	592	6.8	41	2	2	5	8	12	16	32
70-74	647	7.1	41	2	2	5	9	13	17	32
75-79	594	7.4	31	2	3	6	9	14	18	32
80-84	477	8.2	51	2	3	6	10	15	18	45
85+	449	8.4	52	2	2	6	10	16	22	35
B. *Operated*										
65-69 YRS	52	11.6	48	2	4	11	15	20	25	38
70-74	52	11.8	75	2	4	10	14	21	26	53
75-79	35	14.2	180	4	4	12	17	22	38	77
80-84	24	14.5	63	3	6	12	21	27	29	29
85+	12	11.3	43	5	5	9	15	20	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	5.1	24	1	2	4	6	9	11	26
B. *Operated*	14	13.7	372	2	3	7	9	52	62	65
2. MULTIPLE DX										
A. *Not Operated*	2759	7.5	43	2	3	6	9	14	18	34
B. *Operated*	175	12.5	84	3	4	11	16	22	27	51
1. SINGLE DX	402	5.4	38	1	2	4	6	9	13	43
2. MULTIPLE DX	2934	7.8	47	2	3	6	9	15	19	35
A. NOT OPERATED	3147	7.2	41	2	2	5	9	14	18	33
B. OPERATED	189	12.6	104	3	4	11	16	23	28	61
TOTAL 65-69 YRS	768	6.9	41	2	2	5	8	13	17	32
70-74	769	7.2	47	2	2	5	9	14	18	33
75-79	727	7.5	44	2	3	6	9	15	19	35
80-84	549	8.3	51	2	3	6	10	15	19	45
85+	523	8.0	49	2	2	6	10	16	22	36
GRAND TOTAL	3336	7.5	46	2	2	6	9	14	19	35

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	5.7	11	1	2	5	8	11	12	12
70-74	4	7.5	17	4	4	7	11	12	12	12
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS										
70-74	1	6.0		6	6	6	6	6	6	6
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	10.8	107	2	2	9	11	28	35	35
70-74	13	8.5	30	3	3	8	10	19	19	19
75-79	6	10.0	64	2	2	7	16	22	23	23
80-84	8	7.5	5	5	5	7	9	11	11	11
85+	5	10.2	61	3	3	7	18	20	20	20
B. *Operated*										
65-69 YRS	3	31.3	380	9	9	40	44	45	45	45
70-74	2	20.5	365	7	7	20	34	34	34	34
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	6.5	11	1	2	5	10	11	12	12
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	40	9.2	45	2	3	8	11	19	21	35
B. *Operated*	7	22.3	278	7	7	13	38	44	45	45
1. SINGLE DX	18	6.4	11	1	2	6	10	11	12	12
2. MULTIPLE DX	47	11.1	97	3	3	8	12	22	36	45
A. NOT OPERATED	57	8.4	36	2	3	7	10	17	20	34
B. OPERATED	8	20.3	271	6	6	11	37	43	45	45
TOTAL 65-69 YRS	22	11.0	151	1	2	7	10	36	42	45
70-74	20	9.4	55	3	3	7	11	19	27	34
75-79	7	9.7	54	2	2	8	14	22	23	23
80-84	9	7.4	5	5	5	7	9	11	11	11
85+	7	10.6	42	3	3	10	16	19	20	20
GRAND TOTAL	65	9.8	77	2	3	7	10	19	34	44

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	6.9	24	1	1	7	11	14	14	14
70-74	17	6.4	35	<1	1	6	9	17	19	19
75-79	9	7.7	69	1	1	4	16	20	22	22
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	6	12.2	57	2	2	14	19	20	20	20
70-74	5	12.0	79	2	2	14	18	23	23	23
75-79	5	5.6	12	2	2	6	7	11	11	11
80-84	3	4.7	22	<1	<1	3	8	10	10	10
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	6.9	27	1	1	5	10	16	19	99+
70-74	45	14.3	160	3	4	11	17	28	41	68
75-79	32	9.8	76	1	2	8	14	18	21	45
80-84	22	12.2	62	1	2	13	20	22	24	26
85+	14	10.1	79	1	2	7	17	24	29	31
B. *Operated*										
65-69 YRS	22	9.0	71	2	2	6	10	23	29	34
70-74	21	22.3	321	3	4	18	29	49	65	71
75-79	14	12.0	54	2	3	13	19	25	81	99+
80-84	9	12.8	53	3	4	10	19	22	23	23
85+	6	12.7	72	3	3	13	14	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	6.5	38	1	1	4	9	17	19	22
B. *Operated*	20	9.0	49	1	2	6	14	19	21	23
2. MULTIPLE DX										
A. *Not Operated*	146	10.9	95	1	2	8	15	22	28	69
B. *Operated*	72	14.2	162	2	3	12	19	29	40	93
1. SINGLE DX	57	7.3	42	1	1	5	11	18	20	23
2. MULTIPLE DX	218	12.0	119	2	2	9	17	24	34	80
A. NOT OPERATED	183	10.0	86	1	1	8	15	21	25	60
B. OPERATED	92	13.1	141	2	3	10	19	26	37	88
TOTAL 65-69 YRS	68	8.0	44	1	2	6	12	18	22	87
70-74	88	14.6	193	1	2	10	19	31	41	70
75-79	60	9.6	65	1	2	8	16	19	23	94
80-84	36	11.3	58	1	1	10	18	22	23	26
85+	23	9.8	73	1	2	7	14	24	28	31
GRAND TOTAL	275	11.0	106	1	2	8	16	22	30	70

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	7.5	26	1	1	6	11	13	18	20
70-74	14	9.1	59	1	2	5	14	20	25	27
75-79	4	10.3	11	7	7	10	13	14	14	14
80-84	2	9.0	72	3	3	9	15	15	15	15
85+	3	7.0	19	4	4	5	10	12	12	12
B. *Operated*										
65-69 YRS	28	13.7	188	2	3	9	13	38	45	58
70-74	18	8.6	32	1	2	8	10	16	21	23
75-79	9	8.7	91	3	3	5	10	24	33	33
80-84	6	7.3	31	1	1	7	10	15	16	16
85+	3	10.0	93	3	3	6	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	11.4	74	4	5	8	13	21	27	47
70-74	80	11.9	110	3	3	9	13	22	32	61
75-79	52	11.5	137	2	3	8	13	22	38	59
80-84	46	12.9	90	3	4	10	15	26	34	47
85+	40	11.1	52	2	3	10	14	22	26	32
B. *Operated*										
65-69 YRS	68	15.4	384	1	2	8	19	47	74	99+
70-74	58	18.5	350	2	2	13	26	51	69	98
75-79	25	17.6	224	3	5	13	22	37	47	67
80-84	14	15.3	95	3	4	13	22	29	33	34
85+	12	15.9	456	3	4	9	15	41	75	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	8.4	36	1	3	6	12	17	20	27
B. *Operated*	64	10.6	112	2	2	8	11	21	36	56
2. MULTIPLE DX										
A. *Not Operated*	308	11.7	92	3	4	9	14	22	29	53
B. *Operated*	177	16.8	328	2	3	11	21	42	70	99+
1. SINGLE DX	101	9.8	85	1	2	8	11	19	26	51
2. MULTIPLE DX	485	13.6	184	2	3	9	15	29	42	82
A. NOT OPERATED	345	11.4	87	3	4	9	14	22	28	51
B. OPERATED	241	15.1	277	2	2	10	18	40	66	99+
TOTAL 65-69 YRS	200	12.7	195	2	3	8	14	30	45	94
70-74	170	13.6	191	2	3	10	15	30	42	80
75-79	90	12.9	157	2	3	9	14	29	40	64
80-84	68	12.8	87	3	4	10	16	26	34	45
85+	58	11.8	132	2	3	10	15	22	26	77
GRAND TOTAL	**586**	**12.9**	**168**	**2**	**3**	**9**	**15**	**27**	**42**	**78**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS										
70-74	1	24.0		24	24	24	24	24	24	24
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	8.1	12	3	4	8	11	12	12	12
70-74	3	7.3	6	5	5	7	9	10	10	10
75-79	10	12.5	137	<1	1	10	16	29	41	41
80-84	7	9.1	5	7	7	9	11	12	12	12
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS	8	19.5	203	6	7	14	26	44	48	48
70-74										
75-79	5	10.0	2	8	8	10	11	12	12	12
80-84	1	28.0		28	28	28	28	28	28	28
85+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.8	20	1	1	6	9	10	10	10
B. *Operated*	2	12.5	265	1	1	12	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	30	9.6	52	3	4	8	12	15	18	41
B. *Operated*	15	17.0	133	6	8	12	20	34	44	48
1. SINGLE DX	6	8.0	77	1	1	6	10	23	24	24
2. MULTIPLE DX	45	12.1	89	3	5	10	13	21	36	48
A. NOT OPERATED	34	9.2	49	1	3	8	11	15	18	41
B. OPERATED	17	16.5	135	3	6	12	22	33	43	48
TOTAL 65-69 YRS	17	13.2	133	3	4	11	13	31	43	48
70-74	4	11.5	74	5	5	8	17	24	24	24
75-79	18	10.3	86	<1	1	9	14	17	32	41
80-84	9	11.3	43	7	7	10	11	22	28	28
85+	3	11.3	72	5	5	8	18	21	21	21
GRAND TOTAL	**51**	**11.6**	**87**	**1**	**3**	**10**	**12**	**22**	**34**	**48**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	6.9	24	3	3	6	8	15	17	17
70-74	3	10.7	2	9	9	11	12	12	12	12
75-79	6	8.0	58	2	2	4	15	19	20	20
80-84	1	15.0		15	15	15	15	15	15	15
85+	3	10.0	9	7	7	10	12	13	13	13
B. *Operated*										
65-69 YRS	13	6.6	7	2	3	8	9	9	10	10
70-74	20	6.8	21	1	2	6	10	12	16	20
75-79	8	13.3	78	3	4	11	18	28	30	30
80-84	1	28.0		28	28	28	28	28	28	28
85+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	9.3	38	2	3	8	13	16	22	30
70-74	50	13.9	137	3	4	11	17	28	31	73
75-79	34	9.1	32	3	3	8	12	17	21	25
80-84	24	10.3	96	3	4	7	12	18	30	50
85+	23	16.7	233	4	4	14	18	32	49	74
B. *Operated*										
65-69 YRS	34	16.1	193	2	3	11	27	35	37	62
70-74	33	16.5	174	3	3	13	21	33	36	66
75-79	17	20.5	152	5	6	17	25	41	47	90
80-84	8	13.4	176	3	3	8	17	35	43	43
85+	4	10.3	6	9	9	9	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.7	28	2	2	8	12	16	18	20
B. *Operated*	43	9.1	57	2	2	7	10	20	29	35
2. MULTIPLE DX										
A. *Not Operated*	179	11.6	102	3	4	9	15	22	30	66
B. *Operated*	96	16.5	170	3	3	13	21	35	41	64
1. SINGLE DX	63	8.9	47	2	2	7	11	18	24	34
2. MULTIPLE DX	275	13.3	131	3	4	10	17	28	35	65
A. NOT OPERATED	199	11.3	96	3	3	9	14	20	29	62
B. OPERATED	139	14.2	146	2	3	10	18	33	37	62
TOTAL 65-69 YRS	102	11.1	97	2	3	8	13	27	34	49
70-74	106	13.2	133	2	3	10	15	28	33	69
75-79	65	12.5	93	3	3	10	16	25	31	49
80-84	34	11.7	114	3	4	8	15	22	40	90
85+	31	15.8	193	4	4	13	18	32	35	74
GRAND TOTAL	338	12.5	118	3	3	9	15	27	34	62

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	3	7.0	108	1	1	1	15	19	19	19
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	12.0	120	2	3	11	13	24	41	44
70-74	16	9.5	62	2	3	7	12	20	28	32
75-79	4	5.3	10	3	3	4	7	10	10	10
80-84	8	10.3	25	5	5	9	14	18	19	19
85+										
B. *Operated*										
65-69 YRS	9	15.0	48	5	7	15	17	26	29	29
70-74	8	18.8	243	2	2	19	28	42	46	46
75-79	4	20.5	364	9	9	12	31	49	49	49
80-84	2	14.0	8	12	12	14	16	16	16	16
85+	2	12.5	5	11	11	12	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	5	6.4	56	1	1	4	10	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	40	10.0	67	2	3	8	13	18	26	44
B. *Operated*	25	16.8	140	3	5	14	20	34	47	49
1. SINGLE DX	6	5.7	48	1	1	3	7	18	19	19
2. MULTIPLE DX	65	12.6	104	3	3	11	15	22	36	49
A. NOT OPERATED	41	9.8	67	2	3	7	12	18	25	44
B. OPERATED	30	15.1	139	1	2	13	19	31	46	49
TOTAL 65-69 YRS	24	12.2	86	2	4	11	15	22	33	44
70-74	27	12.0	131	1	2	7	19	30	36	46
75-79	8	12.9	227	3	3	9	12	38	49	49
80-84	10	11.0	23	5	5	11	15	17	19	19
85+	2	12.5	5	11	11	12	14	14	14	14
GRAND TOTAL	71	12.0	103	2	3	10	15	21	34	48

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	6.9	72	1	1	4	8	16	31	77
70-74	60	6.7	35	1	1	5	8	16	22	25
75-79	54	6.1	32	1	2	4	7	11	16	32
80-84	24	9.9	88	3	3	7	12	16	32	45
85+	12	4.5	13	1	1	3	6	11	12	12
B. *Operated*										
65-69 YRS	449	6.4	51	1	2	4	8	15	18	35
70-74	320	7.3	78	1	2	4	8	18	26	48
75-79	281	6.7	84	1	2	4	7	14	23	54
80-84	120	6.7	60	1	1	4	7	16	24	42
85+	85	5.7	22	1	2	4	8	14	16	72
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	9.8	144	1	1	5	13	26	33	71
70-74	180	9.2	116	1	2	6	11	18	28	66
75-79	157	7.8	52	1	2	6	9	17	21	37
80-84	69	12.6	161	2	3	8	15	26	43	64
85+	65	11.7	126	2	2	8	15	28	41	48
B. *Operated*										
65-69 YRS	705	14.9	251	2	2	9	19	35	51	81
70-74	508	14.0	213	2	2	9	18	35	47	86
75-79	347	14.4	282	2	2	9	17	38	54	92
80-84	213	13.4	181	2	2	9	17	32	48	79
85+	139	13.1	187	2	2	9	15	26	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	6.8	53	1	1	5	8	14	25	42
B. *Operated*	1255	6.7	64	1	2	4	8	16	22	47
2. MULTIPLE DX										
A. *Not Operated*	721	9.7	118	1	2	6	12	21	32	57
B. *Operated*	1912	14.3	234	2	2	9	18	35	49	82
1. SINGLE DX	1493	6.7	62	1	2	4	8	15	22	46
2. MULTIPLE DX	2633	13.0	206	2	2	8	16	32	45	79
A. NOT OPERATED	959	9.0	103	1	2	6	11	20	30	54
B. OPERATED	3167	11.3	180	1	2	6	14	27	41	75
TOTAL 65-69 YRS	1492	11.0	177	1	2	6	14	27	40	75
70-74	1068	10.8	156	1	2	6	13	26	38	73
75-79	839	10.1	170	1	2	6	12	23	38	74
80-84	426	11.2	146	2	2	7	14	27	40	64
85+	301	10.4	131	2	2	7	13	23	37	66
GRAND TOTAL	4126	10.7	163	1	2	6	13	26	38	73

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	7.4	26	1	3	6	9	12	14	30
70-74	39	7.8	65	1	2	6	9	16	18	49
75-79	39	7.1	66	1	2	5	9	13	25	42
80-84	23	8.6	96	2	3	6	19	15	30	49
85+	11	14.4	180	2	2	8	28	35	37	37
B. *Operated*										
65-69 YRS	135	14.6	140	2	3	12	21	28	37	81
70-74	94	14.7	208	2	3	9	21	34	42	69
75-79	60	13.7	171	2	2	10	19	29	41	63
80-84	46	13.0	162	2	3	9	15	37	43	58
85+	17	19.5	378	2	2	10	39	47	56	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	148	12.0	123	2	3	9	15	26	30	61
70-74	127	10.5	103	1	2	7	13	25	35	49
75-79	92	10.9	102	2	3	8	13	26	30	52
80-84	71	11.4	100	2	3	8	15	24	38	43
85+	41	11.7	211	2	3	9	14	28	60	99+
B. *Operated*										
65-69 YRS	268	19.9	234	3	4	17	27	41	50	73
70-74	246	17.7	244	2	3	14	24	37	47	92
75-79	187	21.5	247	2	4	19	29	45	55	96
80-84	102	21.5	350	3	5	16	29	47	72	96
85+	49	24.1	333	6	8	17	35	56	59	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	8.1	68	1	2	6	9	14	27	48
B. *Operated*	352	14.5	177	2	2	10	20	32	43	65
2. MULTIPLE DX										
A. *Not Operated*	479	11.3	117	2	3	8	14	25	35	58
B. *Operated*	852	20.1	261	2	4	16	27	43	55	92
1. SINGLE DX	507	12.6	152	2	2	8	17	28	39	62
2. MULTIPLE DX	1331	16.9	227	2	3	12	23	38	49	75
A. NOT OPERATED	634	10.5	107	2	2	7	13	22	33	52
B. OPERATED	1204	18.4	243	2	3	15	25	40	51	79
TOTAL 65-69 YRS	594	15.8	186	2	3	12	22	33	45	69
70-74	506	14.6	200	2	3	10	20	33	42	66
75-79	378	16.2	210	2	3	12	22	39	49	68
80-84	242	15.7	240	2	3	10	20	38	47	81
85+	118	18.2	307	2	3	10	26	48	59	89
GRAND TOTAL	1838	15.7	210	2	3	11	21	36	47	72

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	7.2	72	1	1	5	8	19	23	45
70-74	58	6.0	22	1	2	4	7	14	17	21
75-79	50	8.7	60	2	2	6	11	20	27	36
80-84	39	9.4	99	1	1	6	13	19	29	52
85+	38	9.2	74	1	2	7	10	24	29	39
B. *Operated*										
65-69 YRS	134	15.5	90	4	6	14	20	27	30	46
70-74	150	17.8	170	3	4	16	22	33	43	79
75-79	113	16.3	112	1	3	15	21	27	37	60
80-84	84	17.0	94	3	4	16	23	30	33	43
85+	59	16.0	132	2	3	14	22	33	39	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	301	8.3	71	1	1	6	10	18	24	40
70-74	251	10.6	102	1	2	7	14	24	33	49
75-79	252	9.3	70	1	2	7	13	18	27	42
80-84	195	11.6	112	2	3	9	15	22	28	61
85+	173	12.3	111	2	3	9	15	26	33	54
B. *Operated*										
65-69 YRS	617	21.3	223	5	7	18	26	39	52	86
70-74	613	21.3	197	5	8	18	26	42	51	80
75-79	613	22.0	202	5	8	19	28	39	47	81
80-84	365	23.7	231	6	8	20	30	47	55	97
85+	269	23.8	252	5	8	21	31	47	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	7.9	62	1	2	6	9	18	24	40
B. *Operated*	540	16.6	122	2	4	15	21	30	35	61
2. MULTIPLE DX										
A. *Not Operated*	1172	10.2	92	1	2	7	13	21	29	49
B. *Operated*	2477	22.1	216	5	8	19	28	42	53	86
1. SINGLE DX	773	14.0	120	1	3	12	19	28	33	58
2. MULTIPLE DX	3649	18.3	207	2	4	15	24	37	48	78
A. NOT OPERATED	1405	9.8	88	1	2	7	13	21	29	48
B. OPERATED	3017	21.1	204	5	7	18	27	39	50	82
TOTAL 65-69 YRS	1100	16.4	194	1	3	13	22	32	42	78
70-74	1072	17.5	188	2	4	15	23	34	47	70
75-79	1028	17.6	185	2	4	15	23	35	42	70
80-84	683	18.6	205	3	4	16	25	37	49	72
85+	539	18.2	213	3	4	14	25	37	49	80
GRAND TOTAL	**4422**	**17.5**	**195**	**2**	**4**	**14**	**23**	**35**	**46**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	14	3	3	4	8	10	10	10
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	3	8.7	37	2	2	10	13	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	17	15.6	33	9	10	14	19	24	28	29
70-74	9	19.3	45	9	11	22	24	27	28	28
75-79	3	14.3	14	10	10	16	17	17	17	17
80-84	3	24.3	30	19	19	24	28	30	30	30
85+	2	30.5	61	25	25	30	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.9	15	2	3	5	7	10	16	18
70-74	20	8.4	37	3	3	5	13	19	20	20
75-79	10	11.8	201	1	2	9	10	33	50	50
80-84	12	9.0	47	2	2	7	13	21	21	21
85+	10	22.1	630	3	3	11	37	63	80	80
B. *Operated*										
65-69 YRS	86	20.5	175	6	8	17	27	39	52	87
70-74	72	23.8	264	9	10	20	28	38	59	95
75-79	57	26.0	291	8	9	21	35	49	63	78
80-84	37	24.6	164	8	9	22	34	44	50	51
85+	17	25.4	164	6	13	24	28	44	55	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	22	1	1	4	10	13	14	14
B. *Operated*	34	18.1	49	9	10	17	24	28	30	36
2. MULTIPLE DX										
A. *Not Operated*	67	10.5	162	2	3	6	11	20	38	75
B. *Operated*	269	23.4	223	8	9	20	30	44	57	81
1. SINGLE DX	42	15.8	66	3	4	15	22	27	29	36
2. MULTIPLE DX	336	20.8	237	4	5	17	27	42	52	80
A. NOT OPERATED	75	10.0	149	2	3	6	11	20	33	72
B. OPERATED	303	22.8	206	8	9	19	28	42	53	80
TOTAL 65-69 YRS	121	17.6	157	4	5	14	24	35	46	75
70-74	103	20.0	237	4	5	17	24	34	50	89
75-79	73	22.9	289	3	7	17	31	48	60	77
80-84	52	21.0	171	3	5	19	29	40	48	51
85+	29	24.6	303	3	4	23	30	47	61	80
GRAND TOTAL	**378**	**20.3**	**220**	**3**	**5**	**17**	**28**	**39**	**51**	**80**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	7.0	45	1	2	5	8	14	20	39
70-74	100	7.1	51	1	2	5	8	13	16	43
75-79	101	7.9	53	1	2	6	9	16	26	35
80-84	61	9.6	105	1	2	6	10	28	34	44
85+	45	8.6	83	2	3	6	9	18	24	55
B. *Operated*										
65-69 YRS	831	13.8	44	5	8	13	16	21	26	40
70-74	803	14.8	55	5	8	14	18	22	28	40
75-79	640	16.6	79	7	9	15	19	26	34	50
80-84	431	16.8	64	4	5	16	21	27	32	43
85+	273	18.9	121	4	9	17	22	31	42	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	741	9.5	86	2	2	7	12	20	26	53
70-74	721	9.7	80	2	2	7	12	20	28	45
75-79	626	10.2	91	2	3	7	13	21	28	54
80-84	478	11.4	103	2	3	8	14	23	34	53
85+	418	11.0	105	2	3	8	14	24	32	48
B. *Operated*										
65-69 YRS	2872	18.8	116	7	9	16	23	31	39	67
70-74	3151	19.5	133	7	9	17	24	33	42	74
75-79	2882	20.9	150	8	10	18	25	36	46	73
80-84	2112	22.7	169	8	11	20	28	39	50	76
85+	1400	24.0	188	9	11	21	30	42	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	7.8	62	1	2	5	9	15	25	43
B. *Operated*	2978	15.6	67	5	8	14	18	25	31	46
2. MULTIPLE DX										
A. *Not Operated*	2984	10.2	92	2	3	7	13	22	29	51
B. *Operated*	12417	20.7	148	8	10	18	25	36	45	75
1. SINGLE DX	3388	14.6	73	3	5	13	18	24	30	46
2. MULTIPLE DX	15401	18.7	155	4	6	16	24	34	43	72
A. NOT OPERATED	3394	9.9	89	2	2	7	12	21	29	49
B. OPERATED	15395	19.7	137	7	9	17	24	34	43	71
TOTAL 65-69 YRS	4547	16.1	111	3	5	14	20	28	36	61
70-74	4775	17.0	125	3	5	15	21	30	38	63
75-79	4249	18.3	146	4	6	16	23	33	43	67
80-84	3082	19.9	163	4	6	17	25	36	45	70
85+	2136	20.5	190	4	6	18	27	39	47	87
GRAND TOTAL	**18789**	**17.9**	**142**	**3**	**6**	**16**	**22**	**32**	**41**	**67**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.6	20	1	1	5	7	11	12	26
70-74	84	7.1	82	1	2	5	7	13	19	57
75-79	57	7.9	55	1	2	5	10	20	23	34
80-84	40	10.7	158	1	2	6	11	26	46	54
85+	34	6.5	43	1	2	5	7	11	22	34
B. *Operated*										
65-69 YRS	605	14.6	53	3	4	14	19	24	27	37
70-74	536	15.4	81	2	4	14	20	25	31	45
75-79	454	15.5	95	2	3	15	20	28	33	52
80-84	298	16.5	141	3	4	15	21	31	38	54
85+	215	16.4	136	3	3	15	23	33	37	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	393	10.6	136	1	2	7	12	23	37	56
70-74	454	10.8	126	2	3	7	13	22	33	63
75-79	358	11.3	108	2	3	8	15	26	35	58
80-84	276	11.0	95	2	3	8	14	21	28	41
85+	252	11.6	129	2	3	8	14	24	35	61
B. *Operated*										
65-69 YRS	1584	19.7	149	4	7	17	25	35	43	76
70-74	1665	20.0	148	5	8	18	25	35	43	74
75-79	1342	21.3	184	5	7	19	27	39	51	90
80-84	920	23.4	250	5	7	20	30	46	57	85
85+	670	23.4	240	4	7	20	30	43	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	7.2	66	1	2	5	9	13	23	48
B. *Operated*	2108	15.4	90	2	4	14	20	27	32	46
2. MULTIPLE DX										
A. *Not Operated*	1733	11.0	120	2	2	7	14	24	34	57
B. *Operated*	6181	21.1	184	4	7	19	26	38	48	84
1. SINGLE DX	2414	14.4	95	2	3	13	19	26	32	47
2. MULTIPLE DX	7914	18.9	187	3	5	16	25	36	46	79
A. NOT OPERATED	2039	10.4	114	2	2	7	13	22	33	56
B. OPERATED	8289	19.6	166	4	6	17	25	35	45	77
TOTAL 65-69 YRS	2673	16.7	137	2	4	15	22	30	39	64
70-74	2739	17.2	144	3	4	15	22	32	40	63
75-79	2211	18.1	168	3	4	16	24	34	44	82
80-84	1534	19.5	225	3	4	16	25	38	51	81
85+	1171	19.1	220	3	4	16	26	39	47	83
GRAND TOTAL	**10328**	**17.8**	**169**	**3**	**4**	**16**	**23**	**34**	**43**	**73**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	8.4	39	2	2	7	11	17	21	28
70-74	36	8.9	92	2	2	5	11	18	33	47
75-79	46	11.6	201	2	3	8	13	26	35	87
80-84	16	8.4	30	2	2	7	10	17	20	21
85+	10	5.5	11	1	1	5	8	10	11	11
B. *Operated*										
65-69 YRS	107	17.4	190	2	4	14	22	35	50	64
70-74	88	15.4	101	2	3	14	20	27	32	54
75-79	55	18.5	250	2	4	14	24	34	51	80
80-84	41	16.7	151	2	3	15	21	36	38	53
85+	18	18.1	157	1	4	17	22	40	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	10.3	109	1	2	7	13	23	31	44
70-74	174	10.8	84	2	3	8	13	21	30	49
75-79	137	12.1	85	2	4	10	15	22	29	52
80-84	115	10.9	80	3	3	8	13	22	30	43
85+	90	12.3	114	2	3	9	15	30	35	48
B. *Operated*										
65-69 YRS	385	22.0	216	5	8	18	28	41	53	79
70-74	385	21.8	212	5	8	18	26	39	53	74
75-79	332	22.0	194	7	9	19	27	38	53	76
80-84	212	22.5	208	6	8	19	28	44	50	80
85+	146	22.3	189	7	9	19	27	41	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	9.3	99	2	2	7	11	19	26	47
B. *Operated*	309	17.0	167	2	3	14	21	33	40	65
2. MULTIPLE DX										
A. *Not Operated*	687	11.2	94	2	3	8	14	22	31	48
B. *Operated*	1460	22.1	206	6	8	19	27	41	51	76
1. SINGLE DX	461	14.4	157	2	3	11	19	30	37	64
2. MULTIPLE DX	2147	18.6	196	3	5	15	24	36	47	73
A. NOT OPERATED	839	10.8	95	2	3	8	13	22	30	47
B. OPERATED	1769	21.2	202	5	8	18	26	40	51	75
TOTAL 65-69 YRS	707	17.6	204	2	4	14	23	36	46	72
70-74	683	17.5	185	3	4	15	23	34	45	69
75-79	570	18.4	193	3	5	15	24	34	50	75
80-84	384	17.8	185	3	4	14	24	38	47	72
85+	264	18.0	180	3	4	15	23	35	44	68
GRAND TOTAL	2608	17.8	191	3	4	15	23	35	46	70

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	8.7	70	1	1	5	12	21	25	39
70-74	58	9.7	56	1	2	8	13	22	25	34
75-79	50	8.9	45	1	2	7	13	19	23	28
80-84	32	8.9	37	2	3	7	12	16	16	32
85+	27	9.4	144	1	2	7	10	15	23	66
B. *Operated*										
65-69 YRS	102	19.2	149	3	5	18	24	36	42	59
70-74	96	20.4	166	5	6	18	27	36	45	67
75-79	59	17.8	104	4	8	16	24	30	39	47
80-84	45	21.2	198	3	7	21	28	38	50	65
85+	24	21.3	205	4	7	18	30	41	48	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	327	9.0	61	1	2	7	12	18	26	38
70-74	346	10.7	125	1	2	8	15	22	28	57
75-79	271	11.9	100	2	2	9	16	24	34	49
80-84	184	11.4	94	2	3	8	16	23	28	50
85+	120	12.8	133	3	4	10	15	27	38	82
B. *Operated*										
65-69 YRS	598	22.5	192	7	9	19	28	39	52	78
70-74	609	22.8	165	7	10	20	28	40	53	69
75-79	483	22.6	158	8	10	20	28	38	51	67
80-84	279	23.8	194	8	10	21	31	40	55	73
85+	186	22.9	155	7	10	20	30	41	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	9.0	65	1	2	7	12	19	23	38
B. *Operated*	326	19.7	156	3	6	18	26	35	44	65
2. MULTIPLE DX										
A. *Not Operated*	1248	10.8	100	1	2	8	14	22	29	54
B. *Operated*	2155	22.8	173	7	10	20	28	39	52	69
1. SINGLE DX	592	14.9	143	2	3	12	21	30	38	63
2. MULTIPLE DX	3403	18.4	180	3	4	16	24	35	44	68
A. NOT OPERATED	1514	10.5	95	1	2	8	14	22	28	52
B. OPERATED	2481	22.4	172	7	9	20	28	39	50	68
TOTAL 65-69 YRS	1126	17.1	180	2	3	14	23	34	42	66
70-74	1109	18.1	180	2	4	16	24	34	45	69
75-79	863	18.1	157	3	4	16	24	34	43	61
80-84	540	18.5	188	3	5	15	24	38	44	67
85+	357	18.4	177	4	5	15	24	36	44	66
GRAND TOTAL	3995	17.9	176	3	4	15	24	35	43	66

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	671	6.8	58	1	1	4	8	16	21	43
70-74	496	7.9	84	1	1	5	10	17	25	41
75-79	277	8.6	66	1	2	6	11	18	23	45
80-84	137	9.5	69	2	2	7	13	20	25	42
85+	70	9.8	76	1	2	8	12	19	32	42
B. *Operated*										
65-69 YRS	1382	11.9	81	2	2	10	16	22	28	43
70-74	1071	12.5	102	2	3	10	17	24	30	52
75-79	623	12.7	100	2	2	11	17	24	34	51
80-84	242	11.2	78	2	2	10	16	23	29	42
85+	92	13.3	197	2	2	10	17	24	41	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3135	10.3	99	1	2	7	14	22	31	49
70-74	2611	10.8	93	2	2	8	14	23	31	47
75-79	1685	12.0	111	2	3	9	16	26	34	53
80-84	835	11.3	106	2	3	8	14	23	32	58
85+	416	12.9	127	3	4	9	16	27	36	61
B. *Operated*										
65-69 YRS	4390	16.2	151	3	4	13	21	31	40	66
70-74	3555	16.8	152	3	4	14	22	32	41	63
75-79	2152	17.0	164	3	4	14	23	34	44	69
80-84	895	16.8	164	3	4	14	21	33	45	68
85+	357	17.1	123	3	5	16	22	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1651	7.8	70	1	1	5	10	17	23	42
B. *Operated*	3410	12.2	94	2	2	10	16	23	30	50
2. MULTIPLE DX										
A. *Not Operated*	8682	11.0	102	2	2	8	14	24	32	50
B. *Operated*	11349	16.6	154	3	4	14	22	32	42	66
1. SINGLE DX	5061	10.8	90	1	2	9	15	22	28	47
2. MULTIPLE DX	20031	14.2	139	2	3	11	19	29	38	61
A. NOT OPERATED	10333	10.5	98	1	2	7	14	23	31	49
B. OPERATED	14759	15.6	144	2	4	13	20	30	39	63
TOTAL 65-69 YRS	9578	13.0	127	2	2	10	17	27	35	59
70-74	7733	13.6	130	2	3	11	18	28	36	57
75-79	4737	14.2	139	2	3	11	19	29	39	58
80-84	2109	13.5	133	2	3	10	18	28	37	61
85+	935	14.3	133	2	3	11	19	28	38	62
GRAND TOTAL	**25092**	**13.5**	**131**	**2**	**3**	**10**	**18**	**28**	**36**	**58**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	7.4	131	1	1	3	8	17	22	70
70-74	46	7.7	87	1	1	4	10	23	30	40
75-79	18	5.7	19	1	2	4	9	11	15	17
80-84	10	14.6	242	3	4	8	15	42	52	52
85+	5	8.6	51	2	2	5	14	19	19	19
B. *Operated*										
65-69 YRS	458	7.6	80	1	1	3	12	18	24	39
70-74	303	7.8	71	1	1	3	13	19	26	41
75-79	215	7.5	110	1	1	3	12	18	28	42
80-84	83	7.7	95	1	1	3	11	18	27	50
85+	37	6.5	127	1	2	3	8	15	23	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	115	9.1	124	1	2	6	10	21	31	61
70-74	118	8.3	72	1	2	6	10	17	25	69
75-79	78	13.7	254	1	2	9	16	36	52	99+
80-84	34	13.5	159	2	2	9	16	34	40	52
85+	21	16.0	230	3	3	7	24	43	48	47
B. *Operated*										
65-69 YRS	539	14.9	169	2	2	13	21	31	43	92
70-74	396	15.6	223	2	2	13	21	34	47	84
75-79	245	14.3	167	2	2	12	19	29	37	79
80-84	117	16.7	286	2	2	11	24	40	52	81
85+	69	15.7	267	2	2	11	24	43	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	7.9	106	1	1	4	9	18	30	56
B. *Operated*	1096	7.6	86	1	1	3	12	18	25	41
2. MULTIPLE DX										
A. *Not Operated*	366	10.6	149	1	2	7	13	24	38	78
B. *Operated*	1366	15.2	199	2	2	13	21	33	45	86
1. SINGLE DX	1223	7.7	88	1	1	3	12	18	25	41
2. MULTIPLE DX	1732	14.2	192	2	2	11	20	32	44	85
A. NOT OPERATED	493	9.9	139	1	2	6	11	22	37	71
B. OPERATED	2462	11.8	163	1	2	8	17	28	37	69
TOTAL 65-69 YRS	1160	11.1	140	1	2	8	16	26	34	64
70-74	863	11.5	156	1	2	8	16	27	37	69
75-79	556	11.3	163	1	2	8	16	25	36	79
80-84	244	13.1	215	1	2	8	17	34	44	62
85+	132	12.9	228	2	2	6	19	38	46	75
GRAND TOTAL	**2955**	**11.5**	**159**	**1**	**2**	**8**	**16**	**27**	**37**	**70**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	6.2	30	<1	1	5	7	13	18	25
70-74	26	7.8	77	1	2	5	10	18	24	43
75-79	19	5.9	32	1	1	5	6	16	19	21
80-84	20	4.5	19	1	1	3	6	11	14	17
85+	4	8.3	46	1	1	8	14	15	15	15
B. Operated										
65-69 YRS	148	11.8	191	2	2	7	13	28	41	78
70-74	130	8.9	76	1	2	6	12	19	26	48
75-79	90	8.9	85	1	2	6	12	18	26	51
80-84	67	9.9	70	1	2	8	14	24	29	35
85+	54	11.2	163	<1	1	5	18	28	40	55
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	105	8.2	45	2	3	6	11	17	22	36
70-74	76	10.8	93	1	2	8	14	25	35	87
75-79	80	9.7	78	1	2	7	13	24	29	42
80-84	49	15.0	251	1	3	11	18	31	61	78
85+	32	10.9	139	2	2	7	15	21	33	60
B. Operated										
65-69 YRS	156	17.6	244	3	4	13	23	35	49	89
70-74	141	15.4	179	2	3	12	20	35	46	74
75-79	139	16.3	200	2	4	13	22	34	48	99+
80-84	99	15.7	196	2	3	11	22	35	42	70
85+	67	14.2	204	2	2	9	18	36	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	6.3	42	1	1	4	7	15	18	36
B. Operated	489	10.2	122	1	2	7	13	24	31	54
2. MULTIPLE DX										
A. Not Operated	342	10.4	109	1	2	7	13	22	30	61
B. Operated	602	16.1	206	2	3	12	21	35	46	87
1. SINGLE DX	580	9.6	111	1	2	6	12	21	30	52
2. MULTIPLE DX	944	14.0	177	2	3	10	18	30	40	82
A. NOT OPERATED	433	9.5	94	1	2	6	12	20	29	60
B. OPERATED	1091	13.5	177	2	2	9	18	30	40	77
TOTAL 65-69 YRS	431	12.7	182	2	2	8	16	28	39	81
70-74	373	11.7	127	2	2	9	16	26	37	63
75-79	328	12.1	142	1	2	8	16	28	36	84
80-84	235	12.9	168	1	2	9	17	29	37	68
85+	157	12.4	173	1	2	8	17	28	40	60
GRAND TOTAL	1524	12.3	157	1	2	8	16	28	37	72

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	5.7	21	2	2	4	6	11	18	22
70-74	18	4.3	7	1	2	4	4	7	11	13
75-79	11	10.7	69	2	3	8	13	25	29	29
80-84	5	5.0	21	2	2	4	6	13	13	13
85+	4	4.0	3	2	2	4	5	6	6	6
B. Operated										
65-69 YRS	184	7.1	34	1	2	6	9	14	19	30
70-74	157	6.3	28	1	2	5	8	13	16	29
75-79	126	7.8	54	1	2	6	10	17	22	39
80-84	68	7.9	28	2	2	7	11	13	15	28
85+	53	5.8	33	1	1	4	8	11	18	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	7.9	67	1	2	5	9	16	22	49
70-74	61	9.5	106	1	2	6	11	19	26	59
75-79	47	8.6	42	3	3	9	11	19	21	29
80-84	30	12.0	284	2	2	8	11	19	61	87
85+	23	13.2	107	2	3	12	17	24	34	90
B. Operated										
65-69 YRS	179	10.1	64	2	2	8	13	21	27	88
70-74	155	11.1	109	2	2	9	14	19	31	61
75-79	146	12.2	99	2	2	10	17	25	33	40
80-84	83	13.7	156	2	3	10	20	28	31	71
85+	64	11.1	116	2	2	8	15	23	32	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	6.0	27	2	2	4	6	12	18	28
B. Operated	588	7.0	36	1	2	5	9	14	18	31
2. MULTIPLE DX										
A. Not Operated	241	9.4	104	2	2	6	11	18	24	96
B. Operated	627	11.4	101	2	2	9	15	23	31	57
1. SINGLE DX	657	6.9	35	1	2	5	9	14	18	30
2. MULTIPLE DX	868	10.9	103	2	2	8	14	22	30	96
A. NOT OPERATED	310	8.7	89	2	2	5	11	18	22	53
B. OPERATED	1215	9.3	75	2	2	7	12	20	26	43
TOTAL 65-69 YRS	474	8.2	52	2	2	6	11	18	22	30
70-74	391	8.6	77	1	2	6	11	17	22	49
75-79	330	9.9	76	2	2	7	13	21	26	39
80-84	186	11.1	133	2	2	9	13	23	29	70
85+	144	9.3	89	1	2	6	13	21	25	61
GRAND TOTAL	1525	9.2	78	2	2	7	12	19	25	48

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	5.9	61	<1	<1	2	8	20	25	26
70-74	13	9.8	171	1	2	5	12	24	45	50
75-79	14	5.9	30	<1	1	4	7	14	19	21
80-84	5	13.4	163	1	1	8	22	33	33	33
85+	10	10.5	103	3	3	7	12	27	36	36
B. Operated										
65-69 YRS	603	3.3	17	<1	1	2	3	6	10	20
70-74	664	3.6	22	<1	1	2	4	7	11	25
75-79	530	3.9	22	<1	1	2	4	8	12	25
80-84	419	3.7	17	<1	1	2	4	7	11	19
85+	431	4.4	25	<1	1	2	6	10	13	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	35	7.6	58	<1	1	5	11	18	24	35
70-74	49	10.3	122	1	2	6	13	23	39	47
75-79	54	11.4	149	1	1	7	15	34	41	49
80-84	43	9.2	62	2	2	7	13	23	28	99+
85+	55	12.5	217	1	2	7	15	37	57	98
B. Operated										
65-69 YRS	659	5.7	45	<1	1	3	7	13	19	35
70-74	729	6.6	75	1	1	3	8	14	22	44
75-79	673	7.2	80	1	1	4	9	15	23	45
80-84	609	7.7	92	1	2	4	9	17	23	53
85+	596	8.0	69	1	2	5	10	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	8.3	94	<1	1	5	10	19	31	49
B. Operated	2647	3.7	21	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. Not Operated	236	10.5	131	1	2	6	14	27	40	70
B. Operated	3256	7.0	73	1	1	4	8	15	22	44
1. SINGLE DX	2703	3.8	23	<1	1	2	4	8	12	25
2. MULTIPLE DX	3502	7.2	77	1	1	4	9	16	23	46
A. NOT OPERATED	292	10.0	124	1	1	6	13	25	38	64
B. OPERATED	5913	5.5	52	<1	1	3	6	13	18	38
TOTAL 65-69 YRS	1311	4.6	34	<1	1	2	5	10	16	33
70-74	1455	5.4	56	<1	1	3	6	12	18	40
75-79	1271	6.0	62	<1	1	3	7	14	20	40
80-84	1076	6.2	66	1	1	3	7	14	21	48
85+	1092	6.9	64	1	1	4	9	15	22	43
GRAND TOTAL	6298	5.7	56	<1	1	3	7	13	19	40

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	129	6.4	61	1	1	4	7	15	21	39
70-74	106	7.0	58	1	1	4	9	18	25	36
75-79	69	7.5	60	1	1	5	9	16	24	40
80-84	47	8.4	90	1	1	6	10	16	38	41
85+	29	12.2	156	2	2	7	18	32	37	47
B. Operated										
65-69 YRS	1809	8.1	19	2	3	8	10	13	15	24
70-74	1472	8.5	21	2	4	8	10	13	18	23
75-79	1115	8.6	22	3	4	8	10	13	16	22
80-84	660	8.5	26	2	3	8	11	14	17	27
85+	494	8.3	29	2	3	8	10	14	17	36
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	896	10.7	108	1	2	8	14	24	33	51
70-74	829	10.6	106	1	2	7	14	23	30	53
75-79	569	10.8	112	1	2	7	14	24	32	65
80-84	380	12.8	166	2	3	9	16	29	41	83
85+	228	13.2	162	2	3	9	16	28	39	95
B. Operated										
65-69 YRS	2719	11.4	67	3	5	9	13	20	26	44
70-74	2437	12.3	90	4	5	10	14	21	28	56
75-79	1936	12.4	78	4	5	10	15	22	29	52
80-84	1270	12.7	95	4	5	10	15	23	30	61
85+	880	12.7	100	3	4	10	15	23	30	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	7.5	72	1	1	5	8	17	26	42
B. Operated	5550	8.4	22	2	4	8	10	13	16	24
2. MULTIPLE DX										
A. Not Operated	2902	11.2	121	1	2	8	14	24	33	60
B. Operated	9242	12.2	83	3	5	10	14	21	28	55
1. SINGLE DX	5930	8.3	25	2	3	8	10	13	16	27
2. MULTIPLE DX	12144	11.9	92	3	4	10	14	22	29	57
A. NOT OPERATED	3282	10.8	117	1	2	7	14	24	32	58
B. OPERATED	14792	10.7	53	3	4	9	13	18	24	45
TOTAL 65-69 YRS	5553	10.1	60	2	3	8	12	18	24	42
70-74	4844	10.7	74	2	4	9	13	19	25	49
75-79	3689	10.9	69	3	4	9	13	20	26	49
80-84	2357	11.5	90	3	4	9	14	20	28	61
85+	1631	11.4	92	3	4	9	14	22	29	59
GRAND TOTAL	18074	10.7	73	2	4	9	13	19	26	49

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	136	4.2	12	1	2	4	4	6	8	22
70-74	76	4.6	9	2	2	4	5	8	12	17
75-79	51	4.4	9	1	1	4	5	8	9	19
80-84	41	5.3	31	1	2	4	5	9	18	31
85+	24	4.1	7	1	2	3	5	8	10	11
B. *Operated*										
65-69 YRS	159	6.9	42	1	2	5	9	15	19	35
70-74	111	6.2	36	2	2	4	8	12	15	39
75-79	92	6.4	23	2	2	5	8	13	19	21
80-84	37	5.8	32	2	2	3	7	15	18	25
85+	29	6.7	45	2	3	4	7	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	7.6	49	2	2	5	10	15	21	34
70-74	146	9.1	80	2	2	6	12	20	25	52
75-79	112	10.8	149	2	3	6	11	25	38	61
80-84	65	11.0	136	2	2	7	15	24	33	60
85+	78	10.7	96	2	2	7	13	27	32	42
B. *Operated*										
65-69 YRS	267	12.6	185	2	3	9	15	26	41	76
70-74	216	12.4	130	2	3	9	15	29	40	53
75-79	161	14.4	220	2	3	9	19	32	47	89
80-84	88	13.1	138	2	3	9	21	29	34	60
85+	51	15.5	263	2	3	10	16	42	52	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.4	13	1	2	4	5	7	10	20
B. *Operated*	428	6.5	36	2	2	4	8	13	18	34
2. MULTIPLE DX										
A. *Not Operated*	553	9.5	95	2	2	6	12	21	29	54
B. *Operated*	783	13.2	177	2	3	9	16	30	42	69
1. SINGLE DX	756	5.6	27	1	2	4	6	11	16	31
2. MULTIPLE DX	1336	11.6	146	2	3	8	14	26	36	63
A. NOT OPERATED	881	7.6	71	1	2	5	9	17	25	46
B. OPERATED	1211	10.8	137	2	2	7	13	23	35	62
TOTAL 65-69 YRS	714	8.7	102	2	2	5	11	18	26	50
70-74	549	9.2	89	2	2	6	11	20	29	50
75-79	416	10.4	145	2	2	6	12	22	34	68
80-84	231	10.0	111	2	2	6	12	24	31	56
85+	182	10.6	136	2	2	6	12	26	36	59
GRAND TOTAL	**2092**	**9.5**	**111**	**2**	**2**	**6**	**11**	**21**	**31**	**55**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	176	4.6	41	1	2	3	5	6	12	48
70-74	115	5.0	33	1	2	4	4	7	15	36
75-79	78	4.8	26	2	2	4	5	8	11	32
80-84	43	6.7	60	2	3	4	7	15	21	45
85+	18	7.6	26	3	3	6	11	15	19	21
B. *Operated*										
65-69 YRS	745	6.8	21	1	2	7	9	12	15	21
70-74	482	7.0	38	1	2	7	9	12	15	23
75-79	296	7.8	38	1	2	7	10	14	16	32
80-84	177	9.3	75	2	2	8	11	16	21	56
85+	89	7.9	33	2	2	7	11	15	20	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	248	7.1	75	1	2	4	8	16	21	49
70-74	167	9.3	114	1	2	6	10	23	32	61
75-79	147	10.1	86	2	3	7	12	27	33	99+
80-84	112	8.6	49	2	2	6	11	19	27	59
85+	81	13.1	169	3	3	10	16	26	37	72
B. *Operated*										
65-69 YRS	1317	9.9	61	2	2	8	12	18	24	40
70-74	1023	11.3	87	2	2	9	14	21	28	53
75-79	660	12.0	99	2	3	10	14	22	32	56
80-84	347	12.8	131	2	3	10	16	25	34	62
85+	192	14.8	179	2	3	11	19	29	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	5.1	38	1	2	4	5	9	15	36
B. *Operated*	1789	7.3	35	1	2	7	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	755	9.1	95	1	2	6	11	21	31	64
B. *Operated*	3539	11.2	91	2	2	9	14	21	28	55
1. SINGLE DX	2219	6.9	36	1	2	6	9	13	16	28
2. MULTIPLE DX	4294	10.8	92	2	2	9	13	21	29	55
A. NOT OPERATED	1185	7.6	78	1	2	4	9	17	27	51
B. OPERATED	5328	9.9	75	2	2	8	12	19	25	47
TOTAL 65-69 YRS	2486	8.3	52	1	2	7	10	16	21	38
70-74	1787	9.5	78	2	2	8	12	18	26	50
75-79	1181	10.2	82	2	2	8	12	20	28	53
80-84	679	10.8	103	2	2	8	14	20	30	58
85+	380	12.5	144	2	3	10	16	25	37	72
GRAND TOTAL	**6513**	**9.5**	**77**	**2**	**2**	**8**	**12**	**18**	**25**	**47**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	302	2.8	10	1	1	2	3	5	8	21
70-74	179	3.2	13	1	1	2	3	8	12	17
75-79	105	3.8	19	1	1	2	4	11	14	21
80-84	51	5.7	75	1	1	3	6	12	16	50
85+	17	10.1	116	<1	1	5	18	26	33	37
B. *Operated*										
65-69 YRS	106	12.6	54	2	5	11	17	22	28	36
70-74	86	12.0	32	3	6	11	16	20	23	27
75-79	50	16.0	88	7	8	13	21	28	34	53
80-84	21	15.2	87	4	7	12	20	26	34	43
85+	10	20.3	197	4	5	16	30	42	48	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	561	5.4	42	1	1	3	6	12	19	35
70-74	459	6.0	60	1	1	3	8	14	22	41
75-79	278	7.5	95	1	1	4	9	19	26	64
80-84	139	10.7	147	1	2	7	13	25	29	73
85+	84	11.5	165	1	2	8	13	30	42	63
B. *Operated*										
65-69 YRS	525	19.1	175	6	7	15	24	36	49	83
70-74	424	18.2	145	7	8	15	22	31	46	72
75-79	316	21.3	179	8	9	18	26	38	47	88
80-84	200	22.0	138	9	10	20	27	36	47	65
85+	102	23.4	163	10	12	20	29	40	52	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	3.5	22	1	1	2	3	7	12	23
B. *Operated*	273	13.5	64	3	6	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	1521	6.8	77	1	1	3	8	16	24	44
B. *Operated*	1567	19.9	164	7	8	17	25	36	47	75
1. SINGLE DX	927	6.4	55	1	1	3	10	16	22	35
2. MULTIPLE DX	3088	13.5	164	1	2	10	19	29	40	68
A. NOT OPERATED	2175	5.8	62	1	1	3	7	14	21	42
B. OPERATED	1840	19.0	155	6	8	16	23	35	46	70
TOTAL 65-69 YRS	1494	10.2	131	1	1	6	15	24	34	64
70-74	1148	10.5	120	1	1	8	15	24	30	58
75-79	749	13.4	171	1	2	10	19	30	39	71
80-84	411	15.8	170	1	2	13	22	31	41	65
85+	213	17.5	195	2	3	14	24	37	47	63
GRAND TOTAL	**4015**	**11.8**	**148**	**1**	**1**	**9**	**17**	**27**	**36**	**62**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.7	15	1	2	4	5	12	15	15
70-74	20	5.4	46	2	2	3	6	9	21	32
75-79	16	9.6	208	1	2	5	9	18	48	61
80-84	14	8.6	222	2	2	4	5	20	50	59
85+	6	8.7	92	<1	<1	6	10	25	27	27
B. *Operated*										
65-69 YRS	70	8.3	86	2	2	4	9	24	29	46
70-74	57	7.4	48	2	2	5	10	19	23	30
75-79	68	11.0	111	2	2	7	16	26	30	49
80-84	59	10.7	96	2	2	6	14	24	31	45
85+	37	10.0	131	2	2	8	12	17	21	70
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	8.2	102	1	1	5	8	19	29	57
70-74	54	7.5	53	1	2	5	11	16	20	39
75-79	44	11.6	172	2	3	6	15	26	32	76
80-84	26	10.3	68	1	4	8	12	24	29	33
85+	19	10.1	58	1	3	10	11	21	28	33
B. *Operated*										
65-69 YRS	107	18.5	271	2	3	15	23	35	63	98
70-74	132	16.5	208	2	3	14	23	37	42	93
75-79	124	19.1	290	3	4	14	24	44	56	83
80-84	94	15.4	150	2	3	11	22	32	46	81
85+	70	16.1	288	3	3	11	18	33	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.0	108	2	2	4	6	14	25	61
B. *Operated*	291	9.5	93	2	2	6	13	23	29	47
2. MULTIPLE DX										
A. *Not Operated*	193	9.3	96	1	2	6	11	20	29	49
B. *Operated*	527	17.3	241	2	3	13	23	36	47	92
1. SINGLE DX	365	9.0	97	2	2	5	11	22	28	51
2. MULTIPLE DX	720	15.1	214	2	3	11	20	33	45	83
A. NOT OPERATED	267	8.6	100	1	2	5	11	19	28	59
B. OPERATED	818	14.5	202	2	2	10	19	32	44	79
TOTAL 65-69 YRS	245	12.5	193	2	2	8	17	29	38	76
70-74	263	11.9	151	2	2	7	17	29	38	72
75-79	252	15.0	230	2	2	10	19	33	45	78
80-84	193	12.8	133	2	3	9	18	30	38	59
85+	132	13.2	209	2	3	9	15	28	44	79
GRAND TOTAL	**1085**	**13.1**	**183**	**2**	**2**	**9**	**17**	**30**	**39**	**76**

37: Malignant neoplasm of prostate (185)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	6.4	46	1	1	4	8	14	21	41
70-74	219	6.1	37	1	1	4	8	12	19	34
75-79	136	6.9	78	1	1	5	7	14	22	55
80-84	79	7.1	50	1	2	5	9	14	20	82
85+	63	8.1	105	1	2	5	9	15	21	58
B. *Operated*										
65-69 YRS	1691	7.7	34	2	2	7	10	15	18	28
70-74	1767	7.3	26	2	2	6	9	14	17	24
75-79	1379	8.1	34	2	2	7	10	14	18	30
80-84	809	8.6	39	2	3	8	11	14	19	32
85+	480	10.1	56	3	4	9	12	16	21	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	939	8.7	88	1	2	6	10	18	24	51
70-74	1226	9.7	92	2	2	7	12	20	28	52
75-79	1218	10.0	85	2	2	8	13	20	27	49
80-84	868	11.4	125	2	2	8	14	24	35	64
85+	707	11.2	103	2	3	9	14	24	33	74
B. *Operated*										
65-69 YRS	3077	11.4	89	2	3	9	14	22	29	52
70-74	3818	11.2	81	2	3	9	14	21	28	49
75-79	3480	12.2	99	3	4	9	15	24	31	57
80-84	2423	12.9	99	3	4	10	16	24	31	57
85+	1676	14.4	114	4	5	12	18	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	6.6	56	1	1	5	8	14	20	42
B. *Operated*	6126	8.0	35	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	4958	10.1	98	2	2	7	13	21	29	53
B. *Operated*	14474	12.1	95	3	4	9	15	23	30	55
1. SINGLE DX	6780	7.9	37	2	2	7	10	14	18	30
2. MULTIPLE DX	19432	11.6	96	2	3	9	15	23	30	55
A. NOT OPERATED	5612	9.7	94	1	2	7	12	20	28	53
B. OPERATED	20600	10.9	81	2	3	9	14	21	27	49
TOTAL 65-69 YRS	5864	9.8	75	2	2	8	12	19	25	45
70-74	7030	9.8	71	2	3	8	12	19	25	45
75-79	6213	10.8	85	2	3	8	13	21	28	52
80-84	4179	11.6	95	2	3	9	14	22	29	53
85+	2926	12.8	105	3	4	10	16	24	33	59
GRAND TOTAL	**26212**	**10.6**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**50**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	6	3	3	6	7	8	8	8
70-74	3	4.7	14	2	2	3	7	9	9	9
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	30	5.2	13	<1	1	4	6	11	13	14
70-74	18	5.8	23	1	1	4	8	14	16	16
75-79	17	9.2	45	3	4	5	13	21	23	23
80-84	10	11.2	75	3	3	8	15	25	31	31
85+	9	12.1	396	2	3	7	7	42	65	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	10.0	97	2	2	7	17	21	21	21
70-74	11	5.4	8	1	1	5	7	9	11	11
75-79	6	9.3	25	4	4	7	14	17	17	17
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	47	10.4	89	2	2	9	12	20	23	57
70-74	38	12.4	146	2	3	9	15	20	40	63
75-79	27	15.3	327	2	3	10	14	41	53	86
80-84	17	11.2	56	3	4	9	14	21	29	33
85+	18	16.2	116	2	3	16	20	34	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	9	2	2	5	8	9	9	9
B. *Operated*	84	7.6	71	1	2	5	9	15	20	53
2. MULTIPLE DX										
A. *Not Operated*	22	7.2	24	1	2	7	7	15	19	21
B. *Operated*	147	12.6	148	2	3	9	15	22	36	64
1. SINGLE DX	90	7.4	67	1	2	5	8	15	19	51
2. MULTIPLE DX	169	11.9	135	2	3	9	14	21	35	62
A. NOT OPERATED	28	6.8	21	2	2	6	8	13	17	21
B. OPERATED	231	10.8	125	2	2	8	13	20	33	63
TOTAL 65-69 YRS	83	8.3	63	1	2	6	10	15	21	49
70-74	70	9.3	98	1	2	7	12	18	21	61
75-79	50	12.5	200	2	4	9	14	22	42	86
80-84	28	11.0	59	3	4	8	14	21	31	33
85+	28	14.5	197	2	3	9	18	34	41	65
GRAND TOTAL	**259**	**10.4**	**115**	**2**	**2**	**8**	**13**	**19**	**31**	**62**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	5.3	31	<1	1	4	6	12	17	29
70-74	83	5.2	37	1	1	3	6	13	16	35
75-79	74	6.9	103	1	1	3	7	16	27	56
80-84	35	11.5	184	2	2	6	15	34	45	52
85+	36	8.2	43	1	2	6	10	15	26	29
B. *Operated*										
65-69 YRS	1882	5.7	33	1	2	4	7	13	18	28
70-74	1926	5.6	31	1	2	4	6	12	16	28
75-79	1530	6.0	40	1	2	4	7	12	18	33
80-84	1056	6.1	31	2	2	5	7	11	15	32
85+	746	6.9	39	2	2	5	8	14	18	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	303	7.9	70	1	1	5	10	18	24	46
70-74	323	9.8	112	1	2	6	13	21	28	55
75-79	330	10.0	104	2	2	7	12	23	31	47
80-84	262	10.8	110	1	2	8	13	25	36	64
85+	246	10.5	95	2	3	7	14	21	31	50
B. *Operated*										
65-69 YRS	2242	10.1	110	2	2	6	13	22	31	55
70-74	2509	9.9	96	2	2	7	13	22	30	50
75-79	2353	10.0	100	2	2	7	12	22	30	54
80-84	1625	11.0	116	2	3	8	14	23	30	55
85+	1349	11.2	102	2	3	8	14	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	6.6	70	1	1	4	7	15	23	47
B. *Operated*	7140	5.9	35	1	2	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	1464	9.8	99	1	2	7	13	21	30	53
B. *Operated*	10078	10.3	104	2	2	7	13	22	30	54
1. SINGLE DX	7462	6.0	36	1	2	4	7	12	17	31
2. MULTIPLE DX	11542	10.3	104	2	2	7	13	22	30	54
A. NOT OPERATED	1786	9.2	95	1	2	6	12	20	28	52
B. OPERATED	17218	8.5	80	2	2	6	10	19	25	46
TOTAL 65-69 YRS	4521	8.0	78	1	2	5	10	18	25	45
70-74	4841	8.1	75	1	2	5	10	18	25	44
75-79	4287	8.5	82	2	2	5	10	19	26	46
80-84	2978	9.2	92	2	2	6	11	19	27	51
85+	2377	9.8	85	2	2	7	12	20	26	49
GRAND TOTAL	**19004**	**8.6**	**81**	**2**	**2**	**6**	**10**	**19**	**26**	**47**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	5.5	45	<1	1	4	6	14	24	29
70-74	28	7.0	52	2	2	4	8	17	28	28
75-79	23	5.6	15	1	2	4	8	12	14	15
80-84	7	6.6	11	2	2	7	8	11	12	12
85+	8	10.8	94	1	1	7	18	26	28	28
B. *Operated*										
65-69 YRS	241	12.2	43	2	4	12	15	20	24	30
70-74	188	12.2	53	2	3	11	15	21	26	37
75-79	124	13.3	67	2	3	13	17	23	28	43
80-84	71	13.2	96	2	3	10	18	27	34	45
85+	33	12.4	62	2	2	12	18	22	27	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	9.9	70	2	2	8	13	19	27	53
70-74	200	10.1	88	1	2	7	13	22	27	51
75-79	144	11.5	139	2	3	8	14	24	29	66
80-84	101	12.7	142	1	3	9	17	30	55	99+
85+	61	11.6	59	2	4	10	15	22	28	34
B. *Operated*										
65-69 YRS	573	16.8	133	4	6	14	21	29	40	63
70-74	585	16.5	112	3	6	14	20	31	38	60
75-79	411	18.7	167	4	7	16	23	32	47	78
80-84	235	19.5	163	5	7	17	25	36	45	81
85+	155	18.1	160	3	5	15	24	35	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.6	42	1	2	4	8	15	22	29
B. *Operated*	657	12.5	57	2	3	12	16	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	673	10.9	100	2	2	8	14	23	29	62
B. *Operated*	1959	17.6	141	4	6	15	22	32	41	67
1. SINGLE DX	745	11.8	59	2	2	11	15	21	27	36
2. MULTIPLE DX	2632	15.8	139	3	4	13	20	30	39	66
A. NOT OPERATED	761	10.4	95	2	2	8	14	22	28	59
B. OPERATED	2616	16.3	124	3	5	14	20	29	37	64
TOTAL 65-69 YRS	1003	14.3	108	2	4	12	18	26	31	57
70-74	1001	14.2	103	2	3	12	18	27	33	54
75-79	702	15.9	152	2	4	14	20	28	38	74
80-84	414	16.5	155	3	4	14	22	34	43	99+
85+	257	15.6	130	2	4	13	21	31	36	51
GRAND TOTAL	**3377**	**15.0**	**124**	**2**	**4**	**13**	**19**	**28**	**36**	**63**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	5.6	6	4	4	5	6	10	10	10
75-79	1	2.0		2	2	2	2	2	2	2
80-84	3	8.0	21	3	3	9	11	12	12	12
85+	1	49.0		49	49	49	49	49	49	49
B. *Operated*										
65-69 YRS	27	4.0	5	<1	2	4	5	8	8	9
70-74	25	4.2	6	1	2	3	5	7	8	12
75-79	15	5.9	43	1	2	4	4	13	23	26
80-84	9	5.4	39	2	2	3	4	15	22	22
85+	7	7.0	48	2	2	4	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.7	123	2	2	6	9	23	39	41
70-74	11	8.4	35	1	3	7	12	17	22	22
75-79	7	3.9	6	1	1	3	6	7	7	7
80-84	8	8.5	11	6	6	7	12	13	13	13
85+	4	11.3	86	2	2	9	17	24	24	24
B. *Operated*										
65-69 YRS	26	7.7	35	2	2	7	9	13	23	27
70-74	17	10.8	75	2	3	8	18	25	27	28
75-79	20	9.9	98	<1	1	5	19	25	29	33
80-84	7	7.0	75	1	1	5	7	22	26	26
85+	12	12.8	153	2	3	7	20	34	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.3	196	2	2	5	10	30	49	49
B. *Operated*	83	4.8	19	1	2	4	5	8	14	25
2. MULTIPLE DX										
A. *Not Operated*	41	8.0	53	1	2	6	10	13	23	41
B. *Operated*	82	9.6	78	1	2	6	11	25	27	36
1. SINGLE DX	93	5.4	39	2	2	4	5	10	16	39
2. MULTIPLE DX	123	9.0	70	1	2	6	11	23	27	39
A. NOT OPERATED	51	8.5	78	2	2	6	10	13	24	49
B. OPERATED	165	7.2	54	1	2	4	8	19	26	33
TOTAL 65-69 YRS	64	6.3	39	1	2	4	8	10	16	39
70-74	58	7.0	38	1	2	5	8	16	23	28
75-79	43	7.3	66	1	2	4	7	22	26	33
80-84	27	7.0	36	2	2	6	9	13	23	26
85+	24	12.4	164	2	2	7	17	33	41	49
GRAND TOTAL	**216**	**7.5**	**60**	**1**	**2**	**5**	**9**	**19**	**25**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	66	12.7	123	2	3	8	18	32	38	44
70-74	65	14.2	215	2	3	9	18	43	63	99+
75-79	38	13.8	236	2	3	8	19	25	33	90
80-84	15	17.8	431	3	5	11	20	29	72	87
85+	8	19.8	308	4	6	13	25	50	57	57
B. *Operated*										
65-69 YRS	122	20.0	197	4	7	16	24	38	45	75
70-74	88	21.0	218	3	7	17	27	41	53	69
75-79	40	20.9	206	7	8	18	27	46	62	99+
80-84	21	19.9	111	3	8	18	27	37	40	42
85+	6	25.0	617	9	9	15	22	70	75	75
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	163	15.0	216	2	3	10	19	36	49	71
70-74	129	18.1	317	3	4	11	23	47	59	90
75-79	87	17.4	298	3	4	13	22	38	74	94
80-84	42	17.0	164	4	5	14	24	31	39	71
85+	14	9.9	33	2	4	9	15	17	21	22
B. *Operated*										
65-69 YRS	168	29.4	450	7	10	23	40	67	77	98
70-74	112	27.5	344	7	11	22	40	65	89	99+
75-79	60	26.9	479	6	8	20	30	66	85	99+
80-84	32	28.7	309	7	8	25	38	57	59	74
85+	7	26.6	316	3	6	26	47	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	14.1	206	2	3	9	18	32	44	95
B. *Operated*	277	20.5	204	4	7	16	27	40	53	74
2. MULTIPLE DX										
A. *Not Operated*	435	16.4	253	3	3	11	21	39	56	85
B. *Operated*	379	28.3	406	7	10	23	37	64	79	99+
1. SINGLE DX	469	17.9	214	3	4	14	23	38	51	86
2. MULTIPLE DX	814	22.0	359	3	5	16	28	53	69	99+
A. NOT OPERATED	627	15.7	239	3	3	10	20	38	54	88
B. OPERATED	656	25.0	335	6	8	20	31	56	70	99+
TOTAL 65-69 YRS	519	20.6	317	3	4	15	27	46	64	88
70-74	394	20.8	306	3	5	15	28	49	65	99+
75-79	225	19.9	337	3	5	15	25	40	74	99+
80-84	110	21.1	251	5	6	17	27	42	56	79
85+	35	18.1	274	3	4	14	23	55	70	99+
GRAND TOTAL	**1283**	**20.5**	**310**	**3**	**4**	**15**	**27**	**47**	**65**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	11.7	82	2	2	13	18	20	20	20
70-74	2	18.0	242	7	7	18	29	29	29	29
75-79	3	4.0	1	3	3	4	5	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	3	14.7	180	5	5	9	25	30	30	30
70-74	5	29.6	872	8	8	20	40	81	81	81
75-79	2	19.5	85	13	13	19	26	26	26	26
80-84	2	26.0	578	9	9	26	43	43	43	43
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	9	16.0	656	2	2	8	13	57	83	83
75-79	7	10.9	40	2	3	10	16	19	19	19
80-84	5	15.6	131	6	6	10	27	29	29	29
85+	2	34.0	162	25	25	34	43	43	43	43
B. *Operated*										
65-69 YRS	18	28.0	389	5	7	20	42	59	62	64
70-74	23	21.8	252	5	6	21	31	65	99+	99+
75-79	10	25.1	344	12	12	18	25	57	71	71
80-84	3	38.3	849	11	11	35	60	69	69	69
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	9.6	75	2	2	6	13	24	29	29
B. *Operated*	13	23.4	415	5	7	20	27	51	75	81
2. MULTIPLE DX										
A. *Not Operated*	24	15.7	306	2	3	10	18	30	55	83
B. *Operated*	54	25.4	337	5	7	21	37	64	70	99+
1. SINGLE DX	23	17.4	306	3	4	13	25	33	56	81
2. MULTIPLE DX	78	22.4	344	4	6	17	28	59	70	99+
A. NOT OPERATED	34	13.9	241	2	3	8	18	29	40	83
B. OPERATED	67	25.0	347	5	7	20	33	62	71	99+
TOTAL 65-69 YRS	25	23.8	346	4	5	19	32	59	60	64
70-74	39	21.3	398	3	5	16	27	71	91	99+
75-79	22	17.2	231	3	4	14	20	31	54	71
80-84	11	22.8	409	6	6	11	33	53	68	69
85+	4	24.0	220	7	7	23	34	43	43	43
GRAND TOTAL	**101**	**21.3**	**336**	**3**	**5**	**16**	**27**	**57**	**70**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	3.9	8	1	1	3	5	8	10	11
70-74	17	5.8	47	<1	<1	3	7	12	23	29
75-79	17	9.7	207	1	2	3	10	32	48	54
80-84	6	9.7	56	5	5	6	12	23	24	24
85+	3	5.7	10	2	2	7	8	8	8	8
B. *Operated*										
65-69 YRS	55	6.7	17	2	4	5	9	12	15	19
70-74	46	7.6	22	3	3	6	9	16	17	22
75-79	36	8.5	41	3	3	5	10	21	23	25
80-84	10	9.1	20	4	4	8	11	16	17	17
85+	3	34.7	1874	3	3	17	67	84	84	84
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	45	8.7	123	1	2	5	12	17	24	65
70-74	50	7.9	53	<1	<1	5	13	17	31	99
75-79	29	9.2	53	1	2	7	14	17	21	34
80-84	27	9.1	24	3	3	9	13	17	17	18
85+	13	11.6	42	4	5	10	15	21	25	26
B. *Operated*										
65-69 YRS	133	13.5	199	3	4	8	16	27	49	66
70-74	84	15.2	185	3	4	9	23	32	41	65
75-79	85	15.3	280	4	5	10	15	32	58	85
80-84	35	17.1	223	2	4	11	26	35	49	67
85+	20	23.7	481	3	4	15	30	65	72	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.8	83	<1	1	3	7	14	27	52
B. *Operated*	150	8.1	64	3	3	6	10	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	164	8.8	66	1	2	7	13	17	20	61
B. *Operated*	357	15.2	235	3	4	10	18	32	51	74
1. SINGLE DX	209	7.8	69	2	2	5	9	16	20	43
2. MULTIPLE DX	521	13.2	191	2	3	8	16	29	42	74
A. NOT OPERATED	223	8.3	71	1	1	6	12	17	21	57
B. OPERATED	507	13.1	195	3	4	8	15	27	41	74
TOTAL 65-69 YRS	249	10.5	143	2	3	7	12	21	31	63
70-74	197	10.8	115	1	3	7	15	27	32	65
75-79	167	12.2	189	2	3	8	14	22	35	82
80-84	78	12.7	128	3	4	10	16	27	33	63
85+	39	19.1	416	3	4	13	20	53	73	84
GRAND TOTAL	**730**	**11.7**	**162**	**2**	**3**	**7**	**14**	**24**	**35**	**72**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	323	8.5	74	1	2	6	10	21	27	41
70-74	297	9.2	101	1	2	6	11	23	32	49
75-79	230	8.8	68	1	2	7	11	17	23	42
80-84	108	10.4	96	2	3	7	14	22	29	51
85+	73	10.3	78	1	2	9	14	21	27	43
B. *Operated*										
65-69 YRS	484	9.4	95	1	2	6	12	21	27	47
70-74	401	9.5	80	1	2	7	14	20	26	43
75-79	307	9.6	68	1	2	8	13	21	27	39
80-84	172	10.0	121	1	1	7	14	22	36	54
85+	122	8.7	83	1	2	6	11	16	25	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4161	10.6	105	2	2	7	14	23	31	50
70-74	3868	11.2	107	2	2	8	15	24	32	49
75-79	2852	11.9	116	2	3	8	16	25	33	56
80-84	1849	12.4	128	2	3	9	15	27	35	60
85+	1217	12.9	129	3	3	9	17	26	35	60
B. *Operated*										
65-69 YRS	3714	15.5	181	2	3	12	20	32	43	75
70-74	3234	15.9	183	2	3	12	21	34	43	73
75-79	2315	15.8	167	2	3	13	22	33	41	66
80-84	1244	16.5	177	3	4	13	22	34	43	74
85+	763	16.1	170	3	4	13	22	34	43	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	9.1	83	1	2	6	11	20	28	45
B. *Operated*	1486	9.5	87	1	2	7	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*	13947	11.5	114	2	3	8	15	25	33	54
B. *Operated*	11270	15.8	178	2	3	12	21	33	43	73
1. SINGLE DX	2517	9.3	86	1	2	6	12	21	27	46
2. MULTIPLE DX	25217	13.4	147	2	3	10	18	29	38	63
A. NOT OPERATED	14978	11.3	112	2	3	8	15	24	32	53
B. OPERATED	12756	15.1	171	2	3	12	20	32	41	71
TOTAL 65-69 YRS	8682	12.5	142	2	2	9	16	27	36	62
70-74	7800	13.0	143	2	3	9	17	28	36	60
75-79	5704	13.2	138	2	3	10	17	28	37	60
80-84	3373	13.7	150	2	3	10	18	29	39	63
85+	2175	13.7	143	2	3	10	18	29	38	66
GRAND TOTAL	**27734**	**13.0**	**143**	**2**	**3**	**9**	**17**	**28**	**37**	**61**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	7.2	139	<1	1	3	5	18	37	54
70-74	33	8.4	61	1	1	7	12	18	24	34
75-79	15	13.5	244	<1	1	10	19	25	53	62
80-84	7	9.0	38	2	3	6	14	18	19	19
85+	5	10.2	89	2	2	9	14	26	26	26
B. *Operated*										
65-69 YRS	60	9.3	42	2	2	8	13	19	23	92
70-74	49	11.0	111	2	3	8	12	27	31	53
75-79	31	14.5	287	3	4	10	15	26	49	89
80-84	14	12.2	63	3	3	11	17	20	30	33
85+	5	11.4	25	6	6	12	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	8.2	58	<1	1	7	10	17	20	39
70-74	64	11.5	145	1	3	8	14	24	37	62
75-79	60	10.9	82	2	2	9	14	19	30	49
80-84	20	11.0	79	1	2	8	14	27	31	32
85+	17	7.8	99	1	1	4	12	21	32	37
B. *Operated*										
65-69 YRS	101	19.3	211	4	5	16	25	35	46	77
70-74	84	16.7	97	3	4	17	22	32	40	81
75-79	55	20.7	233	3	5	17	28	36	48	76
80-84	22	23.3	228	5	7	22	30	38	53	72
85+	16	20.5	280	8	9	17	21	31	64	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.1	116	1	1	6	12	22	27	59
B. *Operated*	159	11.2	113	2	3	9	14	20	29	85
2. MULTIPLE DX										
A. *Not Operated*	233	10.0	93	1	2	7	13	20	31	50
B. *Operated*	278	19.2	187	4	5	17	25	35	43	77
1. SINGLE DX	245	10.4	115	1	2	8	14	20	29	63
2. MULTIPLE DX	511	15.0	165	2	3	12	20	32	38	71
A. NOT OPERATED	319	9.8	99	1	1	7	13	21	31	52
B. OPERATED	437	16.3	174	3	4	13	21	33	40	79
TOTAL 65-69 YRS	259	12.7	149	1	2	10	17	29	35	70
70-74	230	12.8	116	2	3	10	17	27	33	55
75-79	161	15.2	202	2	3	11	18	33	42	75
80-84	63	15.3	154	2	3	11	22	31	36	68
85+	43	13.2	182	1	1	11	18	26	34	78
GRAND TOTAL	**756**	**13.5**	**153**	**1**	**2**	**10**	**18**	**29**	**36**	**71**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	52	5.7	31	<1	1	4	8	13	17	29
70-74	56	6.7	45	<1	1	4	9	13	18	37
75-79	54	8.6	86	1	2	6	11	18	24	57
80-84	33	7.4	49	1	2	5	9	17	24	29
85+	22	8.3	101	<1	1	6	12	14	28	48
B. *Operated*										
65-69 YRS	36	6.5	54	1	2	4	7	14	28	33
70-74	45	8.4	58	1	2	6	11	18	27	32
75-79	33	7.5	28	2	2	6	10	13	17	27
80-84	14	11.7	231	2	2	6	14	28	52	59
85+	7	10.9	51	2	2	15	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	8.4	68	1	1	6	11	17	24	37
70-74	281	10.6	138	1	2	7	14	21	30	73
75-79	300	9.0	60	1	2	7	12	18	24	36
80-84	232	10.3	100	2	2	8	13	21	27	57
85+	194	10.3	100	1	2	8	13	19	27	48
B. *Operated*										
65-69 YRS	162	13.9	158	2	3	10	17	32	37	52
70-74	218	14.5	164	3	4	10	18	32	42	69
75-79	160	14.2	155	3	4	10	19	31	42	57
80-84	101	14.7	169	3	4	11	18	29	43	89
85+	77	14.3	167	2	3	11	19	27	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	7.2	58	1	1	5	10	15	20	41
B. *Operated*	135	8.1	67	2	2	5	10	18	26	37
2. MULTIPLE DX										
A. *Not Operated*	1260	9.7	93	1	2	7	13	20	26	49
B. *Operated*	718	14.3	161	2	4	10	18	31	40	70
1. SINGLE DX	352	7.6	62	1	2	5	10	17	24	37
2. MULTIPLE DX	1978	11.4	122	1	2	8	14	24	33	59
A. NOT OPERATED	1477	9.3	88	1	2	7	12	19	25	48
B. OPERATED	853	13.3	151	2	3	9	17	29	37	65
TOTAL 65-69 YRS	503	9.8	101	1	1	7	12	21	32	49
70-74	600	11.5	138	1	2	8	14	25	34	64
75-79	547	10.4	94	2	2	7	14	23	28	55
80-84	380	11.3	122	2	2	8	14	22	31	67
85+	300	11.2	119	1	2	9	15	24	29	71
GRAND TOTAL	**2330**	**10.8**	**115**	**1**	**2**	**8**	**14**	**23**	**32**	**56**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	6.6	58	1	1	4	9	15	21	40
70-74	137	6.0	87	<1	1	3	6	15	24	52
75-79	83	6.9	52	1	1	4	9	15	22	37
80-84	78	5.4	50	<1	<1	3	7	13	18	38
85+	36	6.1	25	1	2	5	8	12	18	21
B. *Operated*										
65-69 YRS	79	15.3	177	2	2	10	24	35	42	53
70-74	62	15.1	293	2	3	9	18	36	61	76
75-79	43	15.8	292	2	4	7	24	41	54	65
80-84	26	12.4	59	4	5	11	14	22	31	36
85+	15	13.0	127	2	3	10	14	20	42	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	294	7.9	75	1	1	5	10	18	27	39
70-74	308	8.5	70	1	1	6	12	18	24	42
75-79	311	7.1	60	1	1	5	9	16	21	44
80-84	234	8.7	103	1	1	5	11	20	28	53
85+	149	9.3	112	1	1	6	13	20	32	58
B. *Operated*										
65-69 YRS	216	22.3	418	2	3	16	33	54	73	99+
70-74	205	19.6	361	3	4	14	28	55	80	99+
75-79	190	17.7	243	3	4	13	24	37	50	90
80-84	112	16.4	275	3	5	11	19	31	43	94
85+	93	15.7	182	4	5	12	19	25	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	6.2	61	<1	1	4	8	14	21	41
B. *Operated*	225	14.8	212	2	3	10	19	35	49	66
2. MULTIPLE DX										
A. *Not Operated*	1296	8.2	80	1	1	5	11	18	26	47
B. *Operated*	816	19.0	320	3	4	13	25	44	64	99+
1. SINGLE DX	676	9.1	128	1	1	5	11	22	34	59
2. MULTIPLE DX	2112	12.3	200	1	2	8	15	30	42	84
A. NOT OPERATED	1747	7.7	76	1	1	5	10	17	25	44
B. OPERATED	1041	18.1	299	3	4	12	24	42	60	98
TOTAL 65-69 YRS	706	12.9	233	1	1	8	16	34	46	81
70-74	712	11.8	205	1	1	7	14	30	44	88
75-79	627	10.9	154	1	2	7	14	27	36	66
80-84	450	10.3	148	1	1	7	13	22	31	71
85+	293	11.1	135	1	2	8	14	22	36	60
GRAND TOTAL	**2788**	**11.6**	**185**	**1**	**1**	**7**	**14**	**28**	**40**	**80**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	346	7.0	66	1	1	4	9	18	24	33
70-74	325	7.5	57	1	1	5	9	18	23	36
75-79	266	8.3	106	1	1	5	11	20	27	55
80-84	161	8.1	78	1	1	5	9	19	23	37
85+	68	9.5	100	1	2	7	13	19	24	58
B. *Operated*										
65-69 YRS	555	9.8	73	2	2	8	13	20	27	44
70-74	438	10.3	94	2	2	8	13	23	30	49
75-79	322	11.2	95	2	2	9	15	23	29	56
80-84	185	11.8	88	2	3	9	16	23	30	48
85+	89	8.7	38	2	3	8	11	19	23	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1038	9.2	88	1	1	6	12	21	28	44
70-74	1095	9.9	100	1	2	7	12	22	30	50
75-79	906	10.8	112	1	2	8	14	23	31	58
80-84	579	11.5	131	1	2	8	14	28	39	60
85+	283	10.9	131	1	2	8	13	22	34	63
B. *Operated*										
65-69 YRS	1003	16.9	204	3	4	12	22	35	47	83
70-74	1007	18.0	219	3	4	14	23	38	50	78
75-79	778	17.5	202	3	4	14	23	35	48	87
80-84	496	19.1	237	3	4	15	25	39	49	85
85+	246	17.5	209	4	5	14	22	33	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	7.7	77	1	1	5	10	19	25	41
B. *Operated*	1589	10.4	83	2	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*	3901	10.2	107	1	2	7	13	23	31	55
B. *Operated*	3530	17.7	213	3	4	14	23	37	49	83
1. SINGLE DX	2755	9.3	82	1	2	7	12	21	27	44
2. MULTIPLE DX	7431	13.8	171	1	2	10	18	30	41	72
A. NOT OPERATED	5067	9.7	101	1	1	7	12	22	30	54
B. OPERATED	5119	15.4	184	2	3	12	20	32	43	78
TOTAL 65-69 YRS	2942	11.7	137	1	2	8	15	26	35	60
70-74	2865	12.5	152	1	2	9	17	28	39	65
75-79	2272	12.8	151	1	2	10	17	28	37	73
80-84	1421	13.8	172	2	2	10	18	31	42	64
85+	686	12.9	156	2	3	10	16	27	37	77
GRAND TOTAL	**10186**	**12.6**	**151**	**1**	**2**	**9**	**17**	**28**	**38**	**65**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS	284	3.8	4	1	2	3	5	6	8	12
70-74	179	4.3	6	1	2	4	5	7	9	15
75-79	108	4.2	5	2	2	4	5	6	9	14
80-84	53	4.3	6	2	2	4	6	8	9	12
85+	20	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.8	12	<1	<1	3	6	8	8	8
70-74	2	2.0		2	2	2	2	2	2	2
75-79	2	6.0	32	2	2	6	10	10	10	10
80-84	1	17.0		17	17	17	17	17	17	17
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	153	5.2	14	2	2	4	6	9	13	22
70-74	172	6.5	47	2	2	5	7	11	17	40
75-79	95	6.5	23	2	2	5	8	14	16	24
80-84	47	7.3	34	2	2	6	9	16	20	31
85+	19	7.6	33	3	3	5	9	17	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	644	4.1	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	10	5.3	26	<1	<1	4	8	13	17	17
B. *Operated*	486	6.2	30	2	2	5	7	11	16	30
1. SINGLE DX	648	4.1	5	2	2	4	5	7	9	12
2. MULTIPLE DX	496	6.2	30	2	2	5	7	11	16	29
A. NOT OPERATED	14	4.6	20	<1	<1	3	5	11	16	17
B. OPERATED	1130	5.0	17	2	2	4	6	9	12	22
TOTAL 65-69 YRS	442	4.3	8	1	2	4	5	7	9	15
70-74	353	5.4	27	2	2	4	6	9	12	31
75-79	205	5.3	15	2	2	4	6	10	14	19
80-84	102	5.8	22	2	2	5	7	10	16	27
85+	42	5.6	20	1	2	4	6	10	16	24
GRAND TOTAL	**1144**	**5.0**	**17**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	3.1	11	1	1	2	4	7	9	20
70-74	99	3.0	9	<1	1	2	4	6	9	18
75-79	71	3.2	6	1	1	2	4	7	9	11
80-84	45	4.9	57	1	1	3	5	10	16	48
85+	13	4.8	25	1	1	3	5	15	16	16
B. *Operated*										
65-69 YRS	875	4.0	19	1	1	2	4	10	13	21
70-74	746	4.3	27	1	1	2	4	11	15	24
75-79	470	4.6	32	1	1	2	5	11	15	27
80-84	266	5.4	52	1	1	3	5	14	18	28
85+	97	6.0	35	1	1	4	8	14	16	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	260	5.0	18	1	1	4	6	11	13	21
70-74	220	5.0	22	1	1	4	7	11	13	16
75-79	211	5.8	36	1	1	4	7	11	15	34
80-84	125	6.7	39	1	2	5	8	14	19	35
85+	102	7.1	30	1	2	6	9	13	16	31
B. *Operated*										
65-69 YRS	1433	7.6	62	1	1	5	11	17	22	38
70-74	1390	8.1	66	1	2	5	11	18	25	42
75-79	1091	9.0	90	1	2	6	12	21	27	44
80-84	609	9.6	90	1	2	7	13	21	28	40
85+	302	11.4	109	2	2	9	15	24	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	3.4	16	1	1	2	4	7	10	18
B. *Operated*	2454	4.4	28	1	1	2	5	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	918	5.6	28	1	1	4	7	11	15	26
B. *Operated*	4825	8.6	77	1	2	6	12	19	25	41
1. SINGLE DX	2784	4.3	27	1	1	2	5	11	14	25
2. MULTIPLE DX	5743	8.1	70	1	2	5	11	18	24	39
A. NOT OPERATED	1248	5.0	26	1	1	3	7	11	14	23
B. OPERATED	7279	7.2	65	1	1	4	10	17	23	37
TOTAL 65-69 YRS	2670	6.0	45	1	1	3	8	14	19	32
70-74	2455	6.5	52	1	1	3	9	15	21	36
75-79	1843	7.3	70	1	1	4	10	17	24	39
80-84	1045	8.0	77	1	2	5	10	17	25	37
85+	514	9.4	83	1	2	7	12	20	27	45
GRAND TOTAL	**8527**	**6.9**	**59**	**1**	**1**	**4**	**9**	**16**	**22**	**37**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.0	1	1	1	2	2	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	93	5.8	51	<1	1	3	7	17	20	35
70-74	85	4.4	22	<1	1	2	5	10	15	23
75-79	34	3.8	14	<1	1	2	4	11	13	15
80-84	16	3.9	27	1	1	2	4	8	18	22
85+	8	3.1	2	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7	4	1	1	2	4	5	5	5
70-74	7	4.9	10	1	1	5	7	9	10	10
75-79	4	14.8	350	2	2	7	27	42	42	42
80-84	2	12.5	41	8	8	12	17	17	17	17
85+	3	10.3	4	8	8	11	12	12	12	12
B. *Operated*										
65-69 YRS	108	10.3	72	2	2	8	16	21	26	39
70-74	80	8.5	63	1	2	6	13	17	26	37
75-79	64	11.8	195	1	2	7	15	25	36	71
80-84	20	14.0	154	1	2	8	25	33	35	37
85+	12	8.4	25	2	2	8	11	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	1	1	1	2	3	4	4	4
B. *Operated*	236	4.8	32	<1	1	2	5	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	19	8.3	87	1	1	6	11	15	31	42
B. *Operated*	284	10.3	102	1	2	7	15	23	28	47
1. SINGLE DX	245	4.7	31	<1	1	2	5	12	17	26
2. MULTIPLE DX	303	10.2	101	1	2	7	14	23	28	46
A. NOT OPERATED	28	6.3	67	1	1	3	8	12	19	42
B. OPERATED	520	7.8	78	1	1	4	11	19	25	40
TOTAL 65-69 YRS	210	7.9	65	1	1	4	11	19	22	36
70-74	173	6.3	44	1	1	3	9	15	19	32
75-79	103	9.2	151	1	1	4	12	24	28	71
80-84	39	9.4	114	1	1	4	15	26	33	37
85+	23	6.8	21	2	2	6	11	12	15	19
GRAND TOTAL	**548**	**7.7**	**77**	**1**	**1**	**4**	**11**	**19**	**25**	**41**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	2.9	11	<1	<1	1	3	8	11	12
70-74	13	5.3	34	1	1	3	8	12	20	22
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	3	3.7	8	2	2	2	6	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	690	3.2	8	<1	1	2	4	6	8	15
70-74	402	3.6	16	<1	1	2	4	6	9	24
75-79	243	4.5	24	<1	1	3	5	9	14	26
80-84	83	3.8	8	1	1	3	4	7	9	17
85+	41	4.4	21	1	1	2	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.9	27	1	1	5	6	12	20	22
70-74	26	6.1	25	<1	1	5	7	16	17	18
75-79	31	6.5	23	1	1	5	9	14	18	18
80-84	19	6.3	18	1	2	5	9	13	14	15
85+	10	7.2	36	1	2	5	7	18	18	18
B. *Operated*										
65-69 YRS	608	5.4	26	1	2	4	6	11	16	27
70-74	403	6.3	41	1	2	4	8	14	19	30
75-79	212	7.1	56	2	2	4	8	15	20	40
80-84	127	8.0	79	1	2	4	11	21	25	46
85+	60	7.7	49	2	2	5	12	17	21	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.8	19	<1	1	2	6	8	11	22
B. *Operated*	1459	3.6	14	<1	1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	118	6.3	24	1	1	5	8	14	18	21
B. *Operated*	1410	6.2	41	1	2	4	7	14	19	34
1. SINGLE DX	1494	3.6	14	<1	1	3	4	7	9	20
2. MULTIPLE DX	1528	6.2	40	1	2	4	7	14	19	32
A. NOT OPERATED	153	5.7	24	1	1	4	7	13	17	22
B. OPERATED	2869	4.9	29	1	2	3	5	10	15	28
TOTAL 65-69 YRS	1345	4.2	18	1	1	3	5	9	12	24
70-74	844	5.0	30	1	1	3	5	11	16	28
75-79	489	5.7	39	1	2	4	6	13	18	36
80-84	232	6.3	51	1	2	3	7	15	22	39
85+	112	6.4	39	1	2	4	10	16	18	63
GRAND TOTAL	**3022**	**4.9**	**29**	**1**	**1**	**3**	**5**	**11**	**16**	**28**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.6	6	2	2	2	5	8	8	8
70-74	5	6.8	51	1	1	2	14	16	16	16
75-79	4	5.3	27	2	2	3	8	13	13	13
80-84	4	6.0	13	3	3	5	8	11	11	11
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	192	3.5	18	<1	<1	2	4	7	9	20
70-74	144	3.5	14	<1	1	2	4	7	11	21
75-79	100	4.9	53	<1	1	2	4	9	23	37
80-84	54	3.9	14	1	1	3	4	8	10	22
85+	28	3.9	21	<1	<1	2	4	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	9.5	94	<1	1	6	11	25	32	37
70-74	14	6.2	11	2	2	6	9	10	12	12
75-79	16	12.1	72	2	3	9	16	26	29	30
80-84	17	6.6	17	2	2	7	9	15	66	99+
85+	15	12.9	168	1	2	9	15	34	46	50
B. *Operated*										
65-69 YRS	258	6.2	66	<1	1	4	7	12	18	48
70-74	169	7.6	95	1	1	3	9	19	30	43
75-79	136	8.8	127	1	1	4	11	24	37	50
80-84	72	8.6	93	<1	1	5	11	21	25	56
85+	46	10.6	152	1	2	6	13	27	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.9	20	1	2	3	6	13	14	16
B. *Operated*	518	3.8	23	<1	1	2	4	8	11	28
2. MULTIPLE DX										
A. *Not Operated*	81	9.5	77	1	2	7	12	24	32	84
B. *Operated*	681	7.6	95	1	1	4	9	17	28	49
1. SINGLE DX	540	3.9	23	<1	1	2	4	8	12	27
2. MULTIPLE DX	762	7.3	94	1	1	4	9	18	29	50
A. NOT OPERATED	103	8.5	68	1	2	7	11	17	27	73
B. OPERATED	1199	6.0	68	<1	1	3	7	14	22	43
TOTAL 65-69 YRS	476	5.2	49	<1	1	3	6	11	16	39
70-74	332	5.7	59	<1	1	3	6	13	21	38
75-79	256	7.4	97	<1	1	3	9	19	32	46
80-84	147	6.6	57	1	1	4	9	15	24	65
85+	91	8.7	121	<1	1	4	10	20	35	54
GRAND TOTAL	**1302**	**6.2**	**68**	**<1**	**1**	**3**	**7**	**14**	**23**	**45**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84	2	2.5	1	2	2	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	190	2.7	2	1	2	2	3	4	6	10
70-74	119	2.8	2	1	2	2	3	4	6	8
75-79	76	3.0	3	1	2	3	4	6	6	9
80-84	40	2.8	2	<1	1	2	3	5	6	8
85+	20	3.6	13	1	2	2	4	5	12	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	38	<1	<1	2	8	14	14	14
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84	2	3.0	2	2	2	3	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	203	3.9	9	1	2	3	4	8	11	15
70-74	140	4.4	16	2	2	3	5	9	13	25
75-79	72	5.2	20	2	2	3	7	11	17	21
80-84	38	6.2	14	2	2	5	8	12	14	17
85+	22	5.2	24	1	2	4	6	9	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	445	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	8	4.6	23	<1	<1	2	7	13	14	14
B. *Operated*	475	4.5	14	2	2	3	5	9	12	20
1. SINGLE DX	448	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX	483	4.5	14	2	2	3	5	9	12	20
A. NOT OPERATED	11	3.9	18	<1	1	2	4	12	14	14
B. OPERATED	920	3.7	9	1	2	3	4	7	10	17
TOTAL 65-69 YRS	398	3.3	6	1	2	2	3	6	9	14
70-74	260	3.7	10	2	2	3	4	7	10	18
75-79	148	4.1	12	2	2	3	5	8	10	20
80-84	82	4.4	11	1	2	3	5	9	12	16
85+	43	4.4	18	1	2	3	5	8	12	24
GRAND TOTAL	**931**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**10**	**17**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.0	3	4	4	6	6	9	9	9
70-74	3	3.3		3	3	3	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	55	6.6	13	2	2	7	9	12	13	16
70-74	29	7.4	28	1	2	7	9	13	16	26
75-79	8	8.1	54	2	2	7	9	20	25	25
80-84	6	10.8	17	5	5	11	14	16	16	16
85+	7	7.1	23	<1	<1	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	8.8	69	2	2	6	11	20	29	31
70-74	16	6.5	16	1	1	6	9	12	14	15
75-79	15	4.8	9	2	2	4	6	10	11	12
80-84	14	7.9	30	1	2	7	13	14	18	19
85+	13	7.5	53	1	2	5	8	20	26	27
B. *Operated*										
65-69 YRS	374	10.0	44	2	5	8	11	17	22	36
70-74	221	10.4	30	2	5	9	13	18	21	29
75-79	143	11.3	44	3	5	10	14	20	24	34
80-84	57	10.7	53	2	2	9	13	22	28	31
85+	36	13.7	110	5	5	11	17	23	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.1	4	3	3	5	6	8	9	9
B. *Operated*	105	7.2	21	1	2	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	71	7.0	34	1	2	5	9	14	18	30
B. *Operated*	831	10.5	44	2	5	9	13	18	22	35
1. SINGLE DX	116	7.0	20	2	2	7	9	13	15	25
2. MULTIPLE DX	902	10.3	44	2	3	9	12	18	22	34
A. NOT OPERATED	82	6.8	30	1	2	5	9	13	17	30
B. OPERATED	936	10.2	43	2	3	9	12	18	22	33
TOTAL 65-69 YRS	448	9.5	42	2	3	8	11	16	21	35
70-74	269	9.8	31	2	3	9	12	16	21	28
75-79	167	10.6	44	2	3	9	13	19	24	33
80-84	78	10.1	47	2	2	9	13	20	25	30
85+	56	11.4	93	2	3	8	14	22	28	55
GRAND TOTAL	**1018**	**9.9**	**43**	**2**	**3**	**8**	**12**	**17**	**22**	**32**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	17	4.4	12	1	1	2	8	9	10	11
70-74	8	3.6	8	1	1	3	5	8	9	9
75-79	3	4.7	21	2	2	2	8	10	10	10
80-84	3	3.3		3	3	3	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	3	7.7	16	4	4	7	11	12	12	12
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	26	6.3	30	1	2	3	10	15	18	21
70-74	14	7.6	19	2	2	7	12	14	15	15
75-79	14	8.4	26	2	2	8	12	14	18	19
80-84	7	7.3	42	1	1	4	12	17	18	18
85+	2	7.0	8	5	5	7	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	32	4.1	9	1	1	3	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	4	5.0	22	1	1	5	9	12	12	12
B. *Operated*	63	7.2	26	1	2	7	10	14	17	21
1. SINGLE DX	33	4.1	9	1	1	3	7	9	10	11
2. MULTIPLE DX	67	7.1	26	1	2	7	10	14	17	21
A. NOT OPERATED	5	5.4	18	1	1	4	8	12	12	12
B. OPERATED	95	6.1	23	1	2	4	9	13	16	20
TOTAL 65-69 YRS	44	5.5	23	1	2	3	9	10	16	21
70-74	22	6.1	18	1	2	5	9	13	14	15
75-79	20	7.8	23	2	2	8	11	13	16	19
80-84	10	6.1	31	1	1	4	8	16	18	18
85+	4	5.0	11	1	1	5	7	9	9	9
GRAND TOTAL	**100**	**6.1**	**22**	**1**	**2**	**4**	**9**	**13**	**15**	**20**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	3	12.7	177	4	4	6	22	28	28	28
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	95	8.6	11	5	6	8	10	11	13	24
70-74	65	9.5	26	5	6	8	10	14	21	34
75-79	32	10.6	73	5	6	8	11	15	17	54
80-84	15	10.8	23	6	6	10	14	18	19	19
85+	11	16.3	521	3	4	10	14	43	80	84
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	16.0	50	11	11	16	21	21	21	21
85+	2	11.0	18	8	8	11	14	14	14	14
B. *Operated*										
65-69 YRS	236	11.4	33	6	6	10	13	19	23	32
70-74	197	12.3	44	6	7	10	14	21	25	42
75-79	112	12.6	34	7	7	11	15	20	22	37
80-84	80	16.0	63	8	9	13	20	25	27	50
85+	38	17.7	121	7	8	15	19	36	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.3	105	1	1	3	6	26	28	28
B. *Operated*	218	9.7	51	5	6	8	10	14	17	42
2. MULTIPLE DX										
A. *Not Operated*	7	10.6	30	5	5	9	13	20	21	21
B. *Operated*	663	12.8	48	6	7	11	15	21	26	41
1. SINGLE DX	224	9.6	52	5	6	8	10	14	17	41
2. MULTIPLE DX	670	12.8	48	6	7	11	15	21	26	41
A. NOT OPERATED	13	9.1	62	1	2	6	12	22	27	28
B. OPERATED	881	12.0	51	6	6	10	14	20	24	41
TOTAL 65-69 YRS	334	10.6	29	6	6	9	12	17	20	31
70-74	266	11.6	42	6	6	10	13	19	24	40
75-79	145	12.1	43	6	7	10	15	19	22	40
80-84	98	15.0	60	6	7	13	19	25	27	46
85+	51	17.2	196	6	7	14	18	35	48	84
GRAND TOTAL	**894**	**12.0**	**51**	**6**	**6**	**10**	**14**	**20**	**25**	**41**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	12	5.0	13	2	2	3	7	11	13	13
70-74	13	3.0	7	<1	1	2	3	7	9	9
75-79	5	2.6	1	2	2	2	3	4	4	4
80-84	5	4.6	10	1	1	5	7	9	9	9
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	16	6.6	22	1	2	6	10	14	15	15
70-74	9	5.1	21	2	2	4	6	13	16	16
75-79	12	8.0	19	3	3	7	10	15	16	16
80-84	3	9.0	3	8	8	8	10	11	11	11
85+	6	13.7	148	1	1	13	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	37	3.8	9	1	1	2	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	46	7.7	39	1	2	6	11	16	23	26
1. SINGLE DX	37	3.8	9	1	1	2	6	9	10	13
2. MULTIPLE DX	48	7.5	38	2	2	6	10	16	22	26
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	83	6.0	29	1	2	4	8	13	16	26
TOTAL 65-69 YRS	29	5.8	18	2	2	4	9	13	14	15
70-74	23	3.8	13	<1	1	2	5	8	11	16
75-79	17	6.4	20	2	2	5	9	14	16	16
80-84	8	6.3	12	1	1	7	9	10	11	11
85+	8	11.1	129	1	1	4	24	26	26	26
GRAND TOTAL	85	5.9	29	1	2	4	8	13	16	26

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	25	3.3	6	<1	<1	3	4	9	9	9
70-74	9	4.2	10	1	1	4	5	9	12	12
75-79	11	3.5	4	2	2	3	4	7	8	8
80-84	3	3.7	8	2	2	2	6	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	22	4.7	14	1	2	3	5	11	14	16
70-74	14	5.2	12	1	2	4	8	10	12	13
75-79	16	8.1	58	<1	1	5	15	19	22	23
80-84	11	9.6	81	2	2	7	12	25	30	31
85+	2	17.5	265	6	6	17	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	48	3.6	6	<1	1	3	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	65	6.9	45	1	2	4	9	16	21	31
1. SINGLE DX	49	3.5	6	<1	1	3	4	8	9	12
2. MULTIPLE DX	66	6.8	45	1	1	4	8	16	21	31
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	113	5.5	31	1	1	3	7	12	18	30
TOTAL 65-69 YRS	49	3.8	10	<1	1	3	4	9	10	16
70-74	23	4.8	11	1	2	4	7	10	12	13
75-79	27	6.2	40	1	1	3	8	18	20	23
80-84	14	8.4	70	2	2	6	9	22	29	31
85+	2	17.5	265	6	6	17	29	29	29	29
GRAND TOTAL	115	5.4	31	1	1	3	7	12	18	30

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	65	3.3	8	1	1	3	4	5	9	16
70-74	65	3.0	7	<1	1	2	3	6	8	14
75-79	42	3.1	4	1	1	3	4	6	8	9
80-84	26	4.3	16	<1	1	3	6	12	14	15
85+	19	4.2	11	1	1	3	6	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	10.5	25	7	7	10	14	14	14	14
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	84	5.2	19	1	2	4	6	11	15	21
70-74	86	6.5	40	2	2	4	8	15	21	33
75-79	62	7.5	76	1	2	4	9	17	30	45
80-84	45	7.7	59	1	2	6	9	15	27	37
85+	21	10.9	88	1	2	7	18	26	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	217	3.4	8	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	7	6.7	16	2	2	6	8	13	14	14
B. *Operated*	298	6.8	49	1	2	4	8	15	22	36
1. SINGLE DX	219	3.4	8	1	1	2	4	6	9	15
2. MULTIPLE DX	305	6.8	48	1	2	4	8	15	21	35
A. NOT OPERATED	9	5.6	17	1	1	6	7	12	14	14
B. OPERATED	515	5.4	35	1	2	3	6	13	16	31
TOTAL 65-69 YRS	153	4.4	14	1	1	3	5	10	13	18
70-74	153	5.0	28	1	1	3	6	10	15	28
75-79	106	5.8	51	1	2	4	6	13	18	40
80-84	71	6.4	45	1	1	4	8	14	16	36
85+	41	7.8	60	1	1	4	9	22	26	30
GRAND TOTAL	**524**	**5.4**	**34**	**1**	**2**	**3**	**6**	**13**	**16**	**31**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	3.5	2	2	2	3	5	5	5	5
70-74	4	2.3	1	1	1	2	3	3	3	3
75-79	9	7.0	98	2	2	4	5	23	33	33
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	3.0	8	<1	<1	2	5	5	5	5
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	9	2.6	2	<1	<1	2	3	5	6	6
80-84	6	4.8	9	2	2	4	8	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	22	4.5	43	1	1	3	4	6	17	33
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*	20	3.5	6	<1	<1	3	5	8	9	9
1. SINGLE DX	22	4.5	43	1	1	3	4	6	17	33
2. MULTIPLE DX	22	3.6	6	<1	1	3	5	8	9	9
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	42	4.0	25	<1	1	3	4	7	9	33
TOTAL 65-69 YRS	9	3.7	3	<1	1	4	5	6	6	6
70-74	7	3.3	5	1	1	3	4	7	8	8
75-79	18	4.8	52	<1	1	3	4	7	23	33
80-84	7	4.4	9	2	2	4	7	9	9	9
85+	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**44**	**4.0**	**24**	**1**	**1**	**3**	**5**	**7**	**8**	**33**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	6.5	41	1	1	4	8	18	21	22
70-74	10	6.1	23	2	2	4	7	14	17	17
75-79	12	6.3	18	2	2	5	10	12	15	15
80-84	9	7.4	13	2	2	7	10	12	14	14
85+	9	12.1	190	5	5	7	10	35	48	48
B. *Operated*										
65-69 YRS	118	18.0	161	2	4	16	23	33	50	83
70-74	75	17.0	210	3	5	13	20	37	46	82
75-79	47	21.5	212	5	9	18	28	36	51	74
80-84	17	17.6	88	4	8	15	23	33	36	36
85+	8	20.4	289	3	3	15	32	46	52	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	8.6	82	2	3	6	9	14	21	53
70-74	61	11.7	144	2	3	8	15	19	40	68
75-79	62	11.0	75	2	3	8	14	24	33	38
80-84	70	14.9	228	4	4	10	18	25	45	84
85+	43	13.4	112	3	3	10	21	43	99+	99+
B. *Operated*										
65-69 YRS	171	26.3	346	6	9	20	36	55	68	98
70-74	139	27.7	320	7	10	22	40	55	73	99+
75-79	106	31.9	566	6	9	24	46	80	91	99+
80-84	33	25.4	347	4	7	20	35	52	70	80
85+	19	18.7	148	3	5	16	26	36	44	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	7.4	52	2	2	6	9	15	18	46
B. *Operated*	265	18.4	183	3	5	15	23	34	47	75
2. MULTIPLE DX										
A. *Not Operated*	270	12.3	139	2	3	9	16	24	39	96
B. *Operated*	468	27.6	386	6	9	22	38	56	77	99+
1. SINGLE DX	322	16.5	177	2	3	13	22	32	47	74
2. MULTIPLE DX	738	22.0	350	3	5	17	30	51	71	99+
A. NOT OPERATED	327	11.4	127	2	3	8	14	22	36	87
B. OPERATED	733	24.3	331	4	7	19	32	52	69	99+
TOTAL 65-69 YRS	340	20.6	282	3	4	17	27	48	59	92
70-74	285	20.7	294	3	4	16	29	45	57	97
75-79	227	22.7	419	3	4	16	29	50	79	99
80-84	129	17.4	249	3	4	13	22	36	52	82
85+	79	15.3	148	3	4	12	22	40	50	99+
GRAND TOTAL	**1060**	**20.3**	**304**	**3**	**4**	**15**	**26**	**46**	**59**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	193	4.7	4	3	3	4	5	6	9	13
70-74	125	5.4	7	3	3	5	6	8	11	16
75-79	59	5.1	5	3	3	5	6	8	10	12
80-84	13	6.5	6	4	4	7	8	10	11	11
85+	3	6.0	19	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	6.1	14	1	1	5	9	11	13	13
70-74	4	8.5	129	1	1	4	16	25	25	25
75-79	5	8.8	5	6	6	8	10	12	12	12
80-84	4	12.5	103	3	3	11	21	24	24	24
85+	6	5.7	9	1	1	5	8	10	10	10
B. *Operated*										
65-69 YRS	155	7.6	53	3	3	6	8	13	19	34
70-74	101	7.6	19	3	4	6	9	15	17	21
75-79	79	7.7	28	4	4	6	9	15	21	27
80-84	30	8.6	33	4	4	6	13	18	21	23
85+	13	9.2	19	4	5	8	11	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	5	2	2	3	3	8	8	8
B. *Operated*	393	5.1	5	3	3	5	6	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	30	7.6	37	1	1	6	10	15	24	25
B. *Operated*	378	7.7	36	3	4	6	9	15	19	31
1. SINGLE DX	399	5.0	5	3	3	5	6	7	10	14
2. MULTIPLE DX	408	7.7	36	3	4	6	9	15	19	30
A. NOT OPERATED	36	6.9	33	1	1	5	9	13	22	25
B. OPERATED	771	6.4	22	3	3	5	7	11	15	24
TOTAL 65-69 YRS	361	6.0	27	3	3	5	6	10	13	31
70-74	232	6.4	15	3	3	5	7	12	15	21
75-79	144	6.6	19	3	3	5	7	11	16	24
80-84	47	8.4	31	4	4	6	10	18	21	24
85+	23	7.6	18	2	3	7	9	14	17	19
GRAND TOTAL	**807**	**6.4**	**22**	**3**	**3**	**5**	**7**	**11**	**15**	**25**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	23	1	1	6	10	12	12	12
70-74	2	5.5	1	5	5	5	6	6	6	6
75-79	1	65.0		65	65	65	65	65	65	65
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	59	9.5	48	3	4	7	11	18	23	39
70-74	36	11.1	57	4	4	9	15	23	28	33
75-79	22	16.3	284	4	5	9	25	32	57	76
80-84	7	12.0	42	6	6	12	14	23	25	25
85+	3	11.0	28	7	7	9	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	8.4	22	2	3	8	11	14	17	19
70-74	16	10.7	68	2	3	9	13	22	31	34
75-79	9	11.6	28	5	6	11	12	20	24	24
80-84	9	16.6	364	2	3	14	17	47	65	65
85+	4	9.0	24	5	5	8	13	15	15	15
B. *Operated*										
65-69 YRS	101	12.4	128	3	4	8	15	27	37	82
70-74	77	18.5	229	3	4	15	23	41	51	95
75-79	40	16.7	154	4	4	13	28	38	44	99+
80-84	12	17.7	224	3	4	9	28	39	48	50
85+	10	15.0	140	5	5	9	22	34	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	12.9	456	1	1	5	10	49	65	65
B. *Operated*	127	11.3	94	4	4	8	14	24	26	52
2. MULTIPLE DX										
A. *Not Operated*	60	10.8	87	2	3	9	13	17	23	62
B. *Operated*	240	15.4	175	4	4	10	22	35	45	99+
1. SINGLE DX	135	11.4	112	3	4	8	14	24	28	67
2. MULTIPLE DX	300	14.5	160	3	4	10	19	34	43	90
A. NOT OPERATED	68	11.0	125	2	3	9	13	18	25	65
B. OPERATED	367	14.0	150	4	4	9	18	31	41	80
TOTAL 65-69 YRS	186	10.9	90	3	4	8	13	21	31	65
70-74	131	15.3	173	3	4	11	21	34	44	84
75-79	72	16.6	208	4	5	11	25	36	47	94
80-84	28	15.9	214	3	5	11	21	33	51	65
85+	18	12.3	95	3	5	8	17	29	35	37
GRAND TOTAL	**435**	**13.5**	**147**	**3**	**4**	**9**	**17**	**30**	**40**	**77**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	3.3	6	1	1	3	5	6	6	6
75-79	4	5.8	12	4	4	4	8	11	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	76	5.5	12	1	2	4	8	10	11	14
70-74	31	5.6	13	1	1	6	9	11	12	13
75-79	26	4.7	7	1	2	4	6	8	11	11
80-84	16	5.3	14	2	2	4	7	10	13	15
85+	8	4.3	5	<1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	3.0		3	3	3	3	3	3	3
75-79	5	2.8		2	2	3	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	108	7.3	19	2	2	7	10	14	16	18
70-74	76	8.7	73	2	2	7	10	14	18	57
75-79	39	9.5	52	2	2	8	12	19	25	35
80-84	15	7.8	60	2	2	6	10	17	27	31
85+	7	11.0	69	2	2	10	15	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.9	8	1	2	4	6	9	11	11
B. *Operated*	157	5.3	11	1	2	4	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	9	3.4	7	1	1	3	3	7	10	10
B. *Operated*	245	8.2	45	2	2	7	10	15	18	35
1. SINGLE DX	166	5.3	11	1	2	4	8	10	11	14
2. MULTIPLE DX	254	8.0	44	2	2	7	10	15	17	35
A. NOT OPERATED	18	4.2	7	1	1	3	4	9	11	11
B. OPERATED	402	7.1	34	2	2	6	9	13	16	28
TOTAL 65-69 YRS	185	6.5	17	1	2	6	9	12	14	18
70-74	112	7.6	56	1	2	7	9	14	15	49
75-79	74	7.2	36	2	2	5	9	13	20	33
80-84	33	6.5	35	2	2	5	9	11	17	31
85+	16	7.4	42	1	2	6	9	16	23	26
GRAND TOTAL	**420**	**6.9**	**33**	**1**	**2**	**6**	**9**	**13**	**16**	**27**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	6	6.2	19	1	1	5	9	13	13	13
75-79	7	5.0	16	1	1	3	8	11	11	11
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	165	5.8	32	<1	1	3	8	13	16	26
70-74	166	5.0	23	1	2	3	6	10	16	25
75-79	102	6.3	54	1	1	3	7	15	22	38
80-84	67	5.5	29	1	1	3	6	13	16	28
85+	43	5.0	13	<1	1	3	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.3	14	<1	1	5	9	11	12	12
70-74	14	6.6	21	1	2	5	11	12	16	17
75-79	12	16.8	375	1	2	9	25	45	64	67
80-84	5	14.6	150	5	5	11	18	36	36	36
85+	6	11.3	70	3	3	9	15	25	26	26
B. *Operated*										
65-69 YRS	274	9.5	66	2	2	7	13	20	25	37
70-74	289	10.0	117	2	2	7	13	19	27	63
75-79	203	8.4	69	2	2	6	12	18	22	34
80-84	126	10.6	86	2	2	8	14	23	28	48
85+	82	10.6	151	2	2	8	13	19	28	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.8	15	1	1	3	8	11	12	13
B. *Operated*	543	5.6	32	1	1	3	7	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	46	10.7	142	1	3	8	11	26	36	67
B. *Operated*	974	9.6	91	2	2	7	13	19	26	52
1. SINGLE DX	559	5.5	31	1	1	3	7	13	16	29
2. MULTIPLE DX	1020	9.7	94	2	2	7	13	19	26	54
A. NOT OPERATED	62	9.2	115	1	1	6	11	19	30	63
B. OPERATED	1517	8.2	74	1	2	5	11	17	24	40
TOTAL 65-69 YRS	450	8.0	55	1	2	5	11	18	24	29
70-74	475	8.1	85	1	2	5	11	17	22	55
75-79	324	8.0	77	1	2	5	11	17	24	37
80-84	198	9.0	74	1	2	6	12	19	26	41
85+	132	8.7	108	1	2	6	11	17	22	60
GRAND TOTAL	**1579**	**8.2**	**75**	**1**	**2**	**5**	**11**	**17**	**24**	**40**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	5.2	31	1	1	4	6	12	15	30
70-74	139	7.1	109	1	1	4	8	12	19	64
75-79	98	6.0	35	<1	1	3	7	14	19	29
80-84	73	6.3	33	1	1	4	8	15	20	24
85+	57	6.8	89	<1	1	4	8	14	17	58
B. *Operated*										
65-69 YRS	580	5.7	47	1	1	3	7	13	18	32
70-74	533	5.7	38	1	1	3	7	13	20	28
75-79	386	6.2	51	1	2	3	8	15	19	35
80-84	190	6.4	50	1	1	4	8	13	19	40
85+	122	6.2	38	1	1	4	9	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	372	7.7	71	1	2	6	10	16	21	39
70-74	451	7.8	55	1	2	6	10	15	20	30
75-79	439	8.7	94	1	2	6	11	18	24	51
80-84	343	10.6	125	1	2	8	12	21	34	65
85+	329	10.0	87	1	2	8	13	19	24	45
B. *Operated*										
65-69 YRS	902	10.1	98	2	2	7	13	22	27	50
70-74	873	10.5	103	2	2	8	14	22	30	55
75-79	734	11.8	117	2	2	9	16	25	31	61
80-84	418	11.7	122	2	2	9	16	25	32	88
85+	300	14.9	178	2	3	11	19	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	6.3	62	1	1	4	8	14	19	50
B. *Operated*	1811	5.9	45	1	1	3	7	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	1934	8.8	86	1	2	7	11	17	23	49
B. *Operated*	3227	11.2	116	2	2	8	15	23	31	57
1. SINGLE DX	2287	6.0	48	1	1	3	7	14	19	34
2. MULTIPLE DX	5161	10.3	106	2	2	7	13	21	29	55
A. NOT OPERATED	2410	8.3	82	1	2	6	10	17	22	49
B. OPERATED	5038	9.3	97	1	2	6	12	20	28	49
TOTAL 65-69 YRS	1963	8.1	78	1	2	5	10	18	24	43
70-74	1996	8.4	79	1	2	5	11	18	23	47
75-79	1657	9.3	96	1	2	6	12	20	27	47
80-84	1024	9.9	108	1	2	7	13	22	30	59
85+	808	11.0	124	1	2	8	14	23	33	56
GRAND TOTAL	**7448**	**9.0**	**92**	**1**	**2**	**6**	**12**	**19**	**26**	**49**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	4.3	8	1	2	4	5	8	10	14
70-74	8	2.5	3	1	1	2	3	5	6	6
75-79	8	4.3	16	1	1	2	8	10	10	10
80-84	8	5.9	15	2	2	5	8	12	13	13
85+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
65-69 YRS	236	5.3	5	3	3	5	6	8	10	14
70-74	149	5.5	10	3	3	5	6	8	10	20
75-79	61	7.0	27	3	3	5	8	11	18	30
80-84	20	5.2	7	2	3	5	6	9	11	12
85+	9	7.2	9	3	3	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	6.4	25	2	2	5	8	13	15	29
70-74	75	6.5	14	2	3	5	9	11	14	18
75-79	61	7.5	21	2	3	6	10	13	16	25
80-84	36	7.8	21	3	3	7	10	15	19	21
85+	26	12.9	334	3	4	8	14	19	42	98
B. *Operated*										
65-69 YRS	258	7.6	40	3	3	6	9	13	17	36
70-74	161	9.3	67	3	4	7	11	16	24	53
75-79	100	8.8	41	3	4	7	10	14	18	41
80-84	40	9.9	90	2	3	6	12	22	32	45
85+	15	19.1	72	6	11	18	24	31	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.3	10	1	1	3	6	9	10	14
B. *Operated*	475	5.6	10	3	3	5	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	266	7.5	53	2	3	6	9	14	16	28
B. *Operated*	574	8.7	55	3	4	6	10	15	22	40
1. SINGLE DX	525	5.5	10	2	3	5	6	9	11	18
2. MULTIPLE DX	840	8.3	55	3	3	6	10	15	20	37
A. NOT OPERATED	316	7.0	47	2	2	5	9	13	15	27
B. OPERATED	1049	7.3	37	3	3	6	8	13	17	35
TOTAL 65-69 YRS	586	6.4	24	3	3	5	7	11	14	28
70-74	393	7.2	37	2	3	5	8	12	16	34
75-79	230	7.8	32	3	3	6	10	13	17	31
80-84	104	8.0	46	2	3	6	9	15	20	41
85+	52	13.4	203	4	4	10	15	25	31	97
GRAND TOTAL	1365	7.2	39	3	3	5	8	13	17	34

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	6.4	19	2	2	5	9	11	15	23
70-74	68	8.1	33	2	3	7	10	15	21	29
75-79	39	6.7	23	2	2	5	9	15	17	19
80-84	31	9.3	49	1	2	7	13	20	22	29
85+	19	9.8	60	3	3	6	14	19	28	33
B. *Operated*										
65-69 YRS	88	5.5	7	3	3	5	6	9	11	15
70-74	38	7.2	27	3	3	5	8	14	18	28
75-79	19	7.0	68	3	3	5	7	10	27	40
80-84	4	7.0	22	2	2	6	10	13	13	13
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	563	9.7	68	2	3	8	11	17	23	49
70-74	505	10.7	100	2	3	8	13	22	30	54
75-79	476	11.2	83	3	4	9	13	20	27	46
80-84	331	12.4	115	3	4	10	16	23	32	87
85+	166	13.0	99	4	5	10	17	26	33	61
B. *Operated*										
65-69 YRS	192	11.8	111	3	4	9	14	23	30	76
70-74	142	13.4	115	4	4	11	17	26	37	50
75-79	89	18.4	322	4	5	12	23	49	73	99+
80-84	54	19.9	303	5	7	15	21	38	79	99
85+	33	19.4	409	4	6	15	21	60	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	7.5	31	2	2	6	10	15	19	29
B. *Operated*	150	6.2	20	3	3	5	7	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	2041	11.0	91	3	3	8	14	21	29	55
B. *Operated*	510	14.7	197	4	4	11	19	30	46	93
1. SINGLE DX	397	7.0	28	2	3	5	9	14	17	29
2. MULTIPLE DX	2551	11.7	114	3	4	9	14	22	31	68
A. NOT OPERATED	2288	10.6	85	2	3	8	13	20	27	52
B. OPERATED	660	12.8	170	3	4	9	15	27	38	88
TOTAL 65-69 YRS	933	9.4	70	2	3	7	11	17	23	50
70-74	753	10.8	95	2	3	8	14	22	30	52
75-79	623	11.8	121	3	3	9	14	22	31	71
80-84	420	13.1	140	3	4	11	16	24	35	89
85+	219	13.7	147	3	4	10	17	29	36	91
GRAND TOTAL	2948	11.1	105	3	3	8	14	21	30	63

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	627	7.3	19	2	3	6	9	13	15	21
70-74	525	7.3	19	2	3	6	9	12	15	22
75-79	348	8.3	31	3	3	7	10	15	19	28
80-84	209	8.8	33	2	3	7	11	16	21	30
85+	107	8.4	30	2	3	7	10	18	20	27
B. *Operated*										
65-69 YRS	14	7.8	24	2	2	6	11	14	17	18
70-74	9	13.6	56	5	5	12	22	23	24	24
75-79	5	7.8	58	2	2	5	10	21	21	21
80-84	4	11.0	23	8	8	9	14	18	18	18
85+	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4515	8.8	37	3	3	8	11	15	19	32
70-74	4289	9.7	60	3	4	8	12	17	22	43
75-79	3279	10.1	61	3	4	8	12	18	24	47
80-84	2068	10.7	75	3	4	9	13	20	27	53
85+	1258	11.7	112	3	4	9	14	21	31	79
B. *Operated*										
65-69 YRS	720	15.9	146	3	5	12	20	34	44	99+
70-74	584	16.7	170	3	5	13	22	33	42	94
75-79	381	17.7	152	3	6	15	22	33	41	77
80-84	238	18.2	153	5	7	15	23	35	47	73
85+	142	20.1	279	3	4	16	25	41	62	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1816	7.7	24	2	3	7	10	13	17	25
B. *Operated*	34	9.7	41	2	2	8	13	21	22	24
2. MULTIPLE DX										
A. *Not Operated*	15409	9.8	60	3	4	8	12	17	23	45
B. *Operated*	2065	17.0	165	3	5	14	22	34	44	88
1. SINGLE DX	1850	7.8	24	2	3	7	10	14	17	25
2. MULTIPLE DX	17474	10.7	78	3	4	8	13	20	27	52
A. NOT OPERATED	17225	9.6	57	3	3	8	12	17	22	42
B. OPERATED	2099	16.9	164	3	5	14	22	34	44	88
TOTAL 65-69 YRS	5876	9.5	54	3	3	8	11	17	22	42
70-74	5407	10.2	73	3	4	8	12	19	25	50
75-79	4013	10.6	72	3	4	8	13	20	26	52
80-84	2519	11.2	84	3	4	9	14	21	29	53
85+	1509	12.3	129	3	4	9	15	22	34	83
GRAND TOTAL	**19324**	**10.4**	**74**	**3**	**4**	**8**	**12**	**19**	**26**	**51**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	8.8	29	2	3	8	11	16	20	26
70-74	124	8.2	25	2	3	7	10	14	16	30
75-79	94	9.2	43	2	3	7	11	17	22	34
80-84	46	9.2	40	2	3	8	11	19	22	33
85+	27	12.2	129	2	3	9	15	28	34	54
B. *Operated*										
65-69 YRS	2	34.0	338	21	21	34	47	47	47	47
70-74	2	7.0	32	3	3	7	11	11	11	11
75-79	1	26.0		26	26	26	26	26	26	26
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	605	11.3	60	3	4	10	14	19	25	45
70-74	556	11.8	90	4	4	9	15	21	29	56
75-79	477	13.3	107	3	4	11	17	25	34	57
80-84	326	13.6	115	4	5	11	17	25	34	74
85+	249	14.3	112	3	5	12	18	25	31	48
B. *Operated*										
65-69 YRS	83	22.6	248	6	7	18	28	44	55	98
70-74	65	26.3	262	8	9	21	35	54	61	69
75-79	47	27.6	338	7	10	23	39	52	66	99+
80-84	42	21.6	117	9	11	18	28	39	42	50
85+	22	30.2	488	7	10	25	43	70	77	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	9.0	38	2	3	8	11	16	21	33
B. *Operated*	5	21.6	281	3	3	21	31	47	47	47
2. MULTIPLE DX										
A. *Not Operated*	2213	12.5	93	3	4	10	15	23	30	54
B. *Operated*	259	24.9	270	7	9	20	35	48	61	98
1. SINGLE DX	440	9.1	42	2	3	8	11	16	21	33
2. MULTIPLE DX	2472	13.8	125	4	4	11	17	27	36	62
A. NOT OPERATED	2648	11.9	85	3	4	10	15	22	29	52
B. OPERATED	264	24.8	269	7	9	20	35	48	60	97
TOTAL 65-69 YRS	834	12.0	88	3	4	10	15	21	29	51
70-74	747	12.4	114	3	4	9	15	24	34	62
75-79	619	13.8	132	3	4	11	17	29	38	59
80-84	414	13.9	115	4	5	11	17	27	36	64
85+	298	15.2	158	3	5	12	18	28	34	77
GRAND TOTAL	**2912**	**13.1**	**116**	**3**	**4**	**10**	**16**	**28**	**34**	**60**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	780	7.6	23	3	3	7	9	13	16	23
70-74	612	8.1	34	2	3	7	10	14	19	27
75-79	465	8.7	30	3	4	7	11	15	18	31
80-84	211	8.9	28	2	3	8	11	15	18	26
85+	109	9.2	48	2	3	7	12	18	25	65
B. *Operated*										
65-69 YRS	142	7.6	87	1	2	3	9	19	28	44
70-74	120	7.8	143	2	2	3	8	17	25	71
75-79	78	5.2	40	1	2	4	5	12	16	38
80-84	30	8.4	89	2	2	5	10	20	23	47
85+	11	8.6	67	2	2	6	11	22	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5637	9.8	50	3	4	8	12	17	22	38
70-74	5163	10.4	61	3	4	9	13	18	24	42
75-79	3834	10.9	64	3	4	9	13	20	25	45
80-84	2290	11.5	78	3	4	9	14	20	27	51
85+	1232	12.2	103	3	4	10	14	22	30	84
B. *Operated*										
65-69 YRS	2082	20.9	288	3	5	16	28	46	58	99+
70-74	1807	21.6	291	3	5	17	30	50	68	99+
75-79	1241	22.9	309	3	5	19	32	52	74	99+
80-84	686	23.8	362	4	6	19	34	55	81	99+
85+	398	22.4	285	3	6	18	30	53	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2177	8.2	30	2	3	7	10	14	17	27
B. *Operated*	381	7.3	95	2	2	4	8	17	26	48
2. MULTIPLE DX										
A. *Not Operated*	18156	10.6	64	3	4	9	13	19	24	44
B. *Operated*	6214	21.9	302	3	5	17	30	50	67	99+
1. SINGLE DX	2558	8.0	39	2	3	7	10	14	18	32
2. MULTIPLE DX	24370	13.5	149	3	4	10	16	28	40	85
A. NOT OPERATED	20333	10.4	61	3	4	8	13	18	24	43
B. OPERATED	6595	21.1	301	3	4	17	29	49	65	99+
TOTAL 65-69 YRS	8641	12.3	130	3	4	9	14	25	36	67
70-74	7702	12.8	138	3	4	9	15	26	38	82
75-79	5618	13.3	142	3	4	10	16	28	40	86
80-84	3217	13.9	162	3	4	10	17	28	41	90
85+	1750	14.3	161	3	4	11	18	30	44	99+
GRAND TOTAL	**26928**	**13.0**	**141**	**3**	**4**	**9**	**15**	**27**	**39**	**79**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	7.0		7	7	7	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	2	9.5	145	<1	<1	9	18	18	18	18
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+	2	7.5	41	3	3	7	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	7.0		7	7	7	7	7	7	7
B. *Operated*	6	8.7	39	<1	<1	9	12	17	18	18
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	8	8.3	29	<1	1	7	11	16	18	18
A. NOT OPERATED	3	6.3	1	5	5	7	7	7	7	7
B. OPERATED	6	8.7	39	<1	<1	9	12	17	18	18
TOTAL 65-69 YRS	3	8.0	79	<1	<1	5	15	18	18	18
70-74	1	7.0		7	7	7	7	7	7	7
75-79	3	8.3	5	7	7	7	10	11	11	11
80-84										
85+	2	7.5	41	3	3	7	12	12	12	12
GRAND TOTAL	**9**	**7.9**	**26**	**<1**	**1**	**7**	**11**	**16**	**18**	**18**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	5.1	21	1	1	4	7	11	13	25
70-74	113	6.3	35	1	1	5	7	13	17	31
75-79	82	6.4	63	1	1	4	8	12	16	52
80-84	48	6.6	22	2	2	5	9	15	17	18
85+	56	6.6	21	2	2	6	10	13	17	18
B. *Operated*										
65-69 YRS	32	7.0	13	2	3	6	8	12	16	18
70-74	27	10.0	51	3	4	7	13	19	26	33
75-79	6	6.8	49	3	3	4	5	19	21	21
80-84	3	18.7	241	6	6	14	30	36	36	36
85+	1	51.0		51	51	51	51	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1050	7.6	42	1	2	6	9	14	20	36
70-74	1090	8.5	69	2	2	6	10	17	23	44
75-79	1045	8.6	61	2	2	7	11	17	21	36
80-84	727	8.8	51	2	3	7	12	17	23	33
85+	552	8.5	45	2	2	7	11	18	22	34
B. *Operated*										
65-69 YRS	185	16.0	219	3	4	11	20	35	45	88
70-74	163	16.1	170	4	4	12	22	36	42	83
75-79	106	20.5	255	5	6	17	30	44	89	99+
80-84	65	21.1	308	5	5	15	29	47	64	96
85+	30	22.4	276	3	4	15	31	48	51	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	6.0	33	1	1	4	8	13	16	27
B. *Operated*	69	9.3	69	3	3	7	11	18	25	48
2. MULTIPLE DX										
A. *Not Operated*	4464	8.4	55	2	2	6	10	17	22	37
B. *Operated*	549	17.9	229	4	5	13	24	41	51	99+
1. SINGLE DX	495	6.5	39	1	2	5	8	13	17	32
2. MULTIPLE DX	5013	9.4	83	2	2	7	11	19	26	48
A. NOT OPERATED	4890	8.2	53	2	2	6	10	16	22	36
B. OPERATED	618	16.9	218	4	5	12	23	39	48	99+
TOTAL 65-69 YRS	1394	8.5	72	1	2	6	10	17	25	45
70-74	1393	9.3	84	2	2	7	11	19	27	47
75-79	1239	9.5	89	2	2	7	11	19	26	51
80-84	843	9.7	81	2	3	7	12	20	28	47
85+	639	9.1	65	2	2	7	11	19	24	46
GRAND TOTAL	5508	9.1	79	2	2	7	11	19	26	47

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	7.2	23	1	2	6	9	13	19	20
70-74	20	9.8	32	2	3	9	15	18	20	21
75-79	18	6.6	22	2	2	6	7	15	17	17
80-84	8	11.5	360	2	2	5	8	43	58	58
85+	11	9.2	13	4	5	8	13	14	14	14
B. *Operated*										
65-69 YRS	2	9.0		9	9	9	9	9	9	9
70-74	5	12.4	284	<1	<1	7	17	42	42	42
75-79	4	5.3	16	1	1	5	8	10	10	10
80-84	3	5.3	2	4	4	5	6	7	7	7
85+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	244	13.7	117	3	4	10	17	28	36	61
70-74	280	14.3	192	4	4	10	17	27	42	83
75-79	341	12.9	121	3	4	10	15	25	37	76
80-84	349	12.8	120	3	4	10	15	24	34	84
85+	391	12.7	112	3	4	10	16	24	31	79
B. *Operated*										
65-69 YRS	60	23.7	242	4	7	22	33	47	62	97
70-74	76	22.1	252	4	7	19	28	46	71	99+
75-79	72	24.2	387	4	8	18	34	63	90	99+
80-84	54	21.8	374	6	7	16	27	64	89	99+
85+	61	20.3	374	3	4	16	26	41	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	8.6	60	2	2	7	10	16	19	51
B. *Operated*	16	7.9	91	<1	1	6	9	10	32	42
2. MULTIPLE DX										
A. *Not Operated*	1605	13.2	130	3	4	10	16	26	35	77
B. *Operated*	323	22.5	321	4	7	18	29	52	76	99+
1. SINGLE DX	85	8.5	65	2	2	7	9	16	19	52
2. MULTIPLE DX	1928	14.8	174	3	4	11	18	29	42	98
A. NOT OPERATED	1674	13.0	128	3	4	10	16	25	34	75
B. OPERATED	339	21.8	320	4	6	17	28	51	74	99+
TOTAL 65-69 YRS	318	15.3	154	3	4	11	21	32	42	73
70-74	381	15.6	207	3	4	11	19	31	51	88
75-79	435	14.5	180	3	4	11	18	29	43	95
80-84	414	13.9	165	3	4	10	16	27	38	99
85+	465	13.6	150	3	4	11	17	26	35	97
GRAND TOTAL	2013	14.5	171	3	4	11	18	29	42	95

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	8.6	35	2	3	7	11	17	19	29
70-74	40	9.3	57	1	3	7	11	17	24	41
75-79	24	9.7	36	2	3	8	12	19	23	26
80-84	17	9.2	18	3	3	11	12	15	16	17
85+	9	8.2	39	2	3	6	9	19	22	22
B. *Operated*										
65-69 YRS	27	10.2	86	2	2	7	11	22	35	40
70-74	10	10.5	40	3	4	9	16	20	22	22
75-79	3	26.7	1752	2	2	3	57	75	75	75
80-84	1	20.0		20	20	20	20	20	20	20
85+	3	14.7	376	2	2	5	29	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	3	8.0	9	5	5	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	157	9.0	39	2	3	7	11	17	21	30
B. *Operated*	44	11.9	179	2	2	8	15	24	38	75
1. SINGLE DX	5	5.6	16	1	1	5	9	11	11	11
2. MULTIPLE DX	201	9.6	70	2	3	7	12	18	23	40
A. NOT OPERATED	159	8.9	39	2	3	7	11	17	21	30
B. OPERATED	47	11.7	169	2	2	8	13	23	37	75
TOTAL 65-69 YRS	96	9.0	49	2	2	7	11	18	22	37
70-74	52	9.4	53	1	3	7	12	19	22	41
75-79	27	11.6	196	2	2	8	12	21	33	75
80-84	18	9.8	24	3	3	11	12	16	19	20
85+	13	9.7	97	2	2	6	10	25	35	37
GRAND TOTAL	**206**	**9.5**	**69**	**2**	**3**	**7**	**11**	**18**	**22**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	6.1	21	1	1	5	8	13	14	21
70-74	40	5.1	25	<1	<1	4	6	11	14	27
75-79	29	4.9	10	<1	<1	4	7	10	10	11
80-84	36	5.7	37	<1	<1	4	7	11	23	27
85+	19	7.1	68	1	1	6	8	12	27	38
B. *Operated*										
65-69 YRS	60	7.3	52	1	1	6	10	15	20	37
70-74	43	7.3	50	1	2	5	10	15	18	40
75-79	30	10.5	141	1	2	6	11	27	43	47
80-84	10	4.4	14	1	1	3	5	11	12	12
85+	5	5.4	29	2	2	3	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	307	9.8	72	2	3	8	12	19	26	48
70-74	291	9.5	50	2	3	8	12	19	24	38
75-79	224	8.6	44	2	3	7	11	17	21	31
80-84	175	10.0	114	2	3	7	12	18	25	70
85+	149	9.6	62	2	3	8	12	18	26	53
B. *Operated*										
65-69 YRS	184	13.2	142	2	3	10	17	28	34	72
70-74	146	13.5	122	2	2	10	20	30	39	56
75-79	104	14.1	152	2	3	10	19	34	40	86
80-84	68	15.4	182	3	4	11	20	30	41	68
85+	36	16.2	126	3	6	13	22	36	38	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	5.7	29	<1	1	4	7	11	14	27
B. *Operated*	148	7.7	67	1	1	5	10	16	23	43
2. MULTIPLE DX										
A. *Not Operated*	1146	9.5	66	2	3	8	12	18	24	46
B. *Operated*	538	13.9	142	2	3	10	19	30	38	70
1. SINGLE DX	308	6.6	48	<1	1	5	8	13	20	39
2. MULTIPLE DX	1684	10.9	95	2	3	8	14	22	30	53
A. NOT OPERATED	1306	9.0	63	2	3	7	11	18	24	43
B. OPERATED	686	12.6	132	2	2	9	17	29	37	66
TOTAL 65-69 YRS	587	10.4	93	2	2	8	13	22	29	56
70-74	520	10.1	74	2	2	8	13	21	27	44
75-79	387	10.0	85	2	3	7	12	21	29	47
80-84	289	10.6	126	1	2	7	13	22	29	66
85+	209	10.4	80	2	3	8	13	22	32	49
GRAND TOTAL	**1992**	**10.3**	**90**	**2**	**2**	**8**	**13**	**21**	**29**	**50**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	5.5	19	1	2	5	7	9	12	27
70-74	83	6.0	16	2	2	5	8	11	12	23
75-79	41	4.8	9	1	2	4	5	10	12	14
80-84	37	5.5	12	2	2	4	7	11	13	17
85+	21	5.8	9	2	3	5	7	10	13	14
B. *Operated*										
65-69 YRS	18	5.1	15	<1	1	4	7	9	14	17
70-74	14	6.1	24	1	2	5	9	12	17	19
75-79	6	4.2	21	<1	<1	2	5	12	13	13
80-84	6	7.7	23	3	3	6	13	14	14	14
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	338	7.7	28	2	3	7	10	14	18	26
70-74	381	7.6	36	2	3	6	9	14	20	30
75-79	309	8.2	47	2	3	7	10	13	18	40
80-84	229	8.6	54	2	3	7	11	15	22	35
85+	150	9.5	54	2	3	8	12	18	24	43
B. *Operated*										
65-69 YRS	61	10.6	75	2	3	9	15	22	41	99+
70-74	65	13.8	133	2	3	11	17	29	34	65
75-79	42	12.5	89	2	3	10	16	27	32	43
80-84	40	17.5	218	4	6	13	19	37	51	74
85+	16	11.3	78	4	4	9	11	23	34	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.6	15	1	2	4	7	10	12	20
B. *Operated*	46	5.5	19	1	2	4	7	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	1407	8.1	41	2	3	7	10	14	20	37
B. *Operated*	224	13.2	124	2	3	10	17	28	39	80
1. SINGLE DX	304	5.6	15	1	2	4	7	11	12	19
2. MULTIPLE DX	1631	8.8	56	2	3	7	11	17	23	41
A. NOT OPERATED	1665	7.7	38	2	3	6	10	14	18	35
B. OPERATED	270	11.9	114	2	3	9	16	24	34	73
TOTAL 65-69 YRS	493	7.7	34	2	3	6	10	15	20	36
70-74	543	8.1	49	2	3	6	10	15	22	35
75-79	398	8.2	50	2	3	7	10	14	20	40
80-84	312	9.4	79	2	3	7	11	17	25	49
85+	189	9.2	52	2	3	7	11	17	24	43
GRAND TOTAL	**1935**	**8.3**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**40**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	5.4	23	1	1	4	7	10	11	31
70-74	118	6.7	38	1	2	5	8	14	18	34
75-79	136	6.4	38	1	2	5	7	12	15	35
80-84	124	8.0	44	2	2	7	10	15	18	62
85+	171	8.3	63	2	3	7	10	16	20	50
B. *Operated*										
65-69 YRS	4	15.3	171	3	3	13	25	32	32	32
70-74	5	17.0	57	8	8	15	23	27	27	27
75-79	2	16.5	61	11	11	16	22	22	22	22
80-84	3	21.7	152	8	8	28	66	99+	99+	99+
85+	2	16.0	32	12	12	16	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2176	8.8	64	2	3	7	11	17	23	41
70-74	2777	9.4	67	2	3	7	12	18	24	47
75-79	3268	10.2	78	3	3	8	13	19	26	49
80-84	3328	10.8	85	3	4	8	13	20	28	56
85+	4197	11.4	91	3	4	9	14	22	29	72
B. *Operated*										
65-69 YRS	253	16.5	187	2	4	13	22	33	42	67
70-74	280	19.1	184	4	6	16	26	38	52	99+
75-79	278	22.4	298	5	7	18	31	42	64	95
80-84	260	22.1	236	6	8	19	29	44	60	99+
85+	260	23.7	303	7	8	18	31	51	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	7.1	44	1	2	5	8	13	18	37
B. *Operated*	16	17.3	81	4	7	19	25	32	76	99+
2. MULTIPLE DX										
A. *Not Operated*	15746	10.3	80	3	3	8	13	20	27	52
B. *Operated*	1331	20.8	248	4	6	17	27	42	59	99+
1. SINGLE DX	682	7.3	47	1	2	5	9	14	20	45
2. MULTIPLE DX	17077	11.1	101	3	3	8	14	22	30	62
A. NOT OPERATED	16412	10.2	79	2	3	8	13	19	27	52
B. OPERATED	1347	20.7	246	4	6	17	27	42	59	99+
TOTAL 65-69 YRS	2550	9.4	80	2	3	7	11	19	26	44
70-74	3180	10.2	84	2	3	7	13	20	28	51
75-79	3684	11.0	104	2	3	8	13	21	30	60
80-84	3715	11.5	103	3	4	9	14	22	31	63
85+	4630	11.9	110	3	4	9	15	23	32	77
GRAND TOTAL	**17759**	**11.0**	**99**	**2**	**3**	**8**	**13**	**21**	**30**	**62**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.2	9	1	2	4	7	9	11	14
70-74	115	5.5	10	1	1	5	7	10	11	15
75-79	116	5.4	15	1	1	5	7	10	14	19
80-84	112	5.8	16	1	2	5	7	11	14	21
85+	105	5.2	11	1	1	5	7	9	12	15
B. *Operated*										
65-69 YRS	30	8.8	35	3	4	7	10	17	22	29
70-74	37	7.7	19	2	2	7	11	14	16	18
75-79	32	8.8	28	3	3	8	12	16	16	25
80-84	24	8.3	25	2	3	7	10	15	21	22
85+	20	9.8	40	3	4	7	14	20	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	819	7.6	31	2	2	7	9	14	16	26
70-74	1074	7.7	30	2	3	7	10	14	18	29
75-79	1201	8.3	49	2	3	7	10	16	19	33
80-84	1213	8.5	41	2	3	7	11	16	20	34
85+	1328	8.6	61	2	2	7	11	16	21	48
B. *Operated*										
65-69 YRS	391	11.4	53	4	5	10	14	19	24	40
70-74	430	11.5	52	3	5	10	15	21	27	41
75-79	495	12.6	83	4	5	10	15	21	31	48
80-84	421	13.9	111	4	5	11	17	24	31	50
85+	372	14.9	160	5	6	12	17	29	38	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.4	12	1	1	5	7	10	12	16
B. *Operated*	143	8.6	28	2	3	7	11	16	20	25
2. MULTIPLE DX										
A. *Not Operated*	5635	8.2	44	2	3	7	10	15	19	33
B. *Operated*	2109	12.8	92	4	5	10	15	22	30	50
1. SINGLE DX	682	6.1	17	1	2	5	8	11	14	21
2. MULTIPLE DX	7744	9.5	61	2	3	8	12	17	22	41
A. NOT OPERATED	6174	8.0	42	2	2	7	10	15	19	32
B. OPERATED	2252	12.6	89	4	5	10	15	22	29	49
TOTAL 65-69 YRS	1331	8.6	39	2	3	7	11	15	20	29
70-74	1656	8.5	37	2	3	7	11	16	20	33
75-79	1844	9.3	60	2	3	7	12	17	22	42
80-84	1770	9.6	62	2	3	8	12	18	23	39
85+	1825	9.7	86	2	3	7	12	18	24	54
GRAND TOTAL	**8426**	**9.2**	**59**	**2**	**3**	**7**	**11**	**17**	**22**	**40**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	6	3	3	4	7	8	8	8
70-74										
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	13.3	58	5	6	10	18	25	27	27
70-74	4	8.3	11	5	5	8	11	12	12	12
75-79	5	8.8	44	3	3	7	12	20	20	20
80-84										
85+	4	17.8	377	5	5	10	30	46	46	46
B. *Operated*										
65-69 YRS	6	11.3	75	4	4	8	13	26	28	28
70-74	2	29.5	1	29	29	29	30	30	30	30
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.3	4	3	3	5	7	8	8	8
B. *Operated*	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	20	12.1	102	4	5	9	15	23	36	46
B. *Operated*	8	15.9	125	4	5	11	28	30	30	30
1. SINGLE DX	10	5.3	4	3	3	5	7	8	8	8
2. MULTIPLE DX	28	13.1	107	4	5	9	17	29	32	46
A. NOT OPERATED	28	10.1	83	3	3	7	11	20	29	46
B. OPERATED	10	13.8	117	4	4	8	28	29	30	30
TOTAL 65-69 YRS	18	10.3	56	3	3	8	13	25	28	28
70-74	7	14.1	116	5	5	10	25	30	30	30
75-79	7	7.7	33	3	3	6	8	18	20	20
80-84	1	4.0		4	4	4	4	4	4	4
85+	5	15.6	306	5	5	7	23	46	46	46
GRAND TOTAL	38	11.1	91	3	4	7	13	28	30	46

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	314	4.3	38	<1	1	2	6	9	12	26
70-74	352	3.5	14	<1	1	2	5	8	10	19
75-79	365	4.5	22	<1	1	3	6	10	12	26
80-84	406	4.1	24	1	1	2	5	9	12	17
85+	355	4.7	27	<1	1	3	6	9	13	22
B. *Operated*										
65-69 YRS	88	11.0	103	3	3	8	13	20	25	62
70-74	114	9.1	42	2	2	8	13	17	20	35
75-79	117	8.5	32	2	3	7	11	16	20	27
80-84	95	10.6	79	2	3	8	12	18	26	55
85+	75	9.9	54	2	3	8	13	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1509	6.6	50	1	1	5	9	14	18	35
70-74	1867	7.1	54	1	1	5	9	15	19	35
75-79	2126	7.7	60	1	1	5	10	17	22	39
80-84	1962	8.4	79	1	2	6	11	17	22	52
85+	2175	8.4	66	1	2	6	11	17	23	42
B. *Operated*										
65-69 YRS	641	13.3	92	3	4	11	17	25	32	66
70-74	791	13.3	116	3	4	11	16	24	33	64
75-79	885	14.0	115	3	4	11	18	26	35	60
80-84	721	14.3	126	3	4	11	18	28	35	64
85+	609	15.6	160	3	5	12	19	31	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1792	4.2	25	<1	1	3	6	9	12	22
B. *Operated*	489	9.7	60	2	3	8	12	17	23	45
2. MULTIPLE DX										
A. *Not Operated*	9639	7.7	63	1	1	6	10	16	21	40
B. *Operated*	3647	14.0	121	3	4	11	18	27	35	63
1. SINGLE DX	2281	5.4	37	<1	1	3	7	12	16	28
2. MULTIPLE DX	13286	9.4	87	1	2	7	12	20	26	49
A. NOT OPERATED	11431	7.2	58	1	1	5	9	15	20	38
B. OPERATED	4136	13.5	116	3	4	11	17	25	34	62
TOTAL 65-69 YRS	2552	8.1	71	1	1	6	11	17	23	45
70-74	3124	8.3	74	1	1	6	11	17	23	41
75-79	3493	9.0	79	1	2	6	12	19	26	45
80-84	3184	9.2	92	1	2	7	12	19	26	55
85+	3214	9.4	90	1	2	7	12	19	27	52
GRAND TOTAL	15567	8.9	82	1	1	6	12	19	25	48

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	9.0		9	9	9	9	9	9	9
80-84	3	11.3	136	<1	<1	9	20	24	24	24
85+										
B. *Operated*										
65-69 YRS										
70-74	1	29.0		29	29	29	29	29	29	29
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	5	5.2	10	2	2	4	8	9	9	9
75-79	1	8.0		8	8	8	8	8	8	8
80-84	5	12.2	39	5	5	11	18	20	20	20
85+	1	25.0		25	25	25	25	25	25	25
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.0	85	<1	<1	9	13	24	24	24
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	14	9.1	49	2	3	8	11	20	24	25
B. *Operated*	2	8.0	2	7	7	8	9	9	9	9
1. SINGLE DX	6	12.3	134	<1	<1	9	24	28	29	29
2. MULTIPLE DX	16	8.9	43	2	3	8	10	20	23	25
A. NOT OPERATED	19	9.1	54	1	2	8	11	22	25	25
B. OPERATED	3	15.0	148	7	7	9	24	29	29	29
TOTAL 65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	8	8.3	79	2	2	6	9	23	29	29
75-79	2	8.5	1	8	8	8	9	9	9	9
80-84	8	11.9	61	<1	1	10	18	23	24	24
85+	1	25.0		25	25	25	25	25	25	25
GRAND TOTAL	22	9.9	65	1	2	8	11	24	27	29

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	4.8	30	<1	<1	3	7	12	13	31
70-74	86	5.2	31	<1	<1	3	8	12	15	29
75-79	85	4.8	17	1	1	4	7	10	14	18
80-84	40	6.6	45	<1	<1	4	9	17	21	26
85+	33	6.8	49	1	1	5	9	15	25	30
B. *Operated*										
65-69 YRS	81	9.6	59	2	3	8	12	17	21	42
70-74	68	9.4	34	2	3	8	12	17	21	28
75-79	54	8.4	46	2	2	7	11	20	25	30
80-84	31	11.8	69	1	2	11	16	24	30	33
85+	26	10.0	24	4	5	9	12	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	523	7.8	47	1	1	6	10	15	22	39
70-74	506	8.4	59	1	2	6	11	18	24	38
75-79	522	8.2	62	1	2	6	11	17	23	40
80-84	335	9.2	85	1	2	6	12	20	30	46
85+	267	10.3	129	2	2	8	13	18	29	58
B. *Operated*										
65-69 YRS	393	13.7	132	3	4	10	18	28	39	53
70-74	382	14.1	154	3	4	10	18	30	41	99
75-79	355	15.5	163	3	4	12	20	29	42	66
80-84	221	18.7	172	4	5	12	19	31	43	76
85+	136	16.1	176	3	4	12	20	35	45	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.3	31	<1	<1	3	7	12	16	27
B. *Operated*	260	9.6	48	2	2	8	12	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	2153	8.6	70	1	2	6	11	18	23	42
B. *Operated*	1487	14.8	155	3	4	11	18	30	41	69
1. SINGLE DX	597	7.2	43	<1	1	6	10	15	20	32
2. MULTIPLE DX	3640	11.1	114	1	2	8	14	23	32	57
A. NOT OPERATED	2490	8.1	66	1	1	6	10	17	22	41
B. OPERATED	1747	14.0	143	3	4	10	18	28	40	67
TOTAL 65-69 YRS	1090	9.8	87	1	2	7	12	20	27	46
70-74	1042	10.3	99	1	2	8	13	22	31	60
75-79	1016	10.5	107	1	2	8	13	22	29	51
80-84	627	11.5	123	1	2	8	15	24	33	63
85+	462	11.7	139	2	2	8	14	23	36	63
GRAND TOTAL	4237	10.5	106	1	2	8	13	22	31	53

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	3	1	1	2	4	5	5	5
70-74	5	3.6	2	2	2	3	4	6	6	6
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74	4	7.0	29	1	1	7	11	12	12	12
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	6.6	19	1	2	7	8	12	16	16
70-74	5	5.8	33	2	2	4	7	16	16	16
75-79	5	4.8	6	1	1	5	7	7	7	7
80-84	2	6.5	1	6	6	6	7	7	7	7
85+	5	6.2	16	2	2	6	9	12	12	12
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	4	7.8	38	4	4	5	11	17	17	17
75-79	2	35.0	1458	8	8	35	62	62	62	62
80-84	1	4.0		4	4	4	4	4	4	4
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	2	1	1	3	4	5	6	6
B. *Operated*	4	7.0	29	1	1	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	27	6.0	16	1	2	6	8	11	16	16
B. *Operated*	8	13.8	399	4	4	5	12	48	62	62
1. SINGLE DX	14	4.4	11	1	1	3	5	11	12	12
2. MULTIPLE DX	35	7.8	105	1	2	5	8	16	17	62
A. NOT OPERATED	37	5.3	13	1	2	4	7	9	14	16
B. OPERATED	12	11.5	273	1	3	5	11	30	57	62
TOTAL 65-69 YRS	15	5.5	16	1	1	5	8	9	14	16
70-74	18	5.9	23	1	2	4	6	15	17	17
75-79	7	13.4	464	1	2	7	8	51	62	62
80-84	3	5.7	2	4	4	6	7	7	7	7
85+	6	5.8	14	2	2	5	8	12	12	12
GRAND TOTAL	**49**	**6.8**	**80**	**1**	**2**	**5**	**8**	**12**	**16**	**62**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.3	7	3	3	4	7	9	9	9
70-74	4	5.0	7	<1	<1	6	7	7	7	7
75-79	7	4.3	9	<1	<1	3	6	9	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	30	4.5	26	1	2	3	5	11	13	26
70-74	15	5.0	67	<1	1	2	5	6	27	34
75-79	15	3.3	5	1	1	3	4	8	9	9
80-84	5	6.4	26	1	1	6	11	13	13	13
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	6.4	24	1	1	4	10	13	16	17
70-74	14	6.4	44	<1	1	5	6	19	23	24
75-79	5	4.8	7	3	3	3	7	9	9	9
80-84	4	8.5	34	3	3	7	13	16	16	16
85+	3	9.7	1	9	9	9	11	11	11	11
B. *Operated*										
65-69 YRS	34	6.6	15	2	2	6	9	10	14	19
70-74	26	7.0	34	1	2	5	9	19	20	20
75-79	31	9.2	71	1	2	6	11	22	29	37
80-84	8	10.8	85	1	1	7	17	25	28	28
85+	5	7.8	34	3	3	4	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.8	7	<1	1	5	6	9	10	10
B. *Operated*	66	4.5	30	1	1	3	5	10	13	33
2. MULTIPLE DX										
A. *Not Operated*	39	6.7	28	1	1	5	9	14	18	24
B. *Operated*	104	7.8	43	1	2	6	9	17	20	33
1. SINGLE DX	83	4.6	25	1	1	3	5	9	12	31
2. MULTIPLE DX	143	7.5	39	1	2	6	9	17	20	30
A. NOT OPERATED	56	6.1	22	<1	1	5	8	11	17	24
B. OPERATED	170	6.6	40	1	2	5	9	14	20	33
TOTAL 65-69 YRS	81	5.7	20	1	2	4	8	11	14	24
70-74	59	6.2	42	<1	1	5	6	17	20	33
75-79	58	6.7	48	1	1	5	9	13	22	36
80-84	18	8.6	52	1	1	7	13	17	24	28
85+	10	8.4	16	3	3	8	11	14	16	16
GRAND TOTAL	**226**	**6.4**	**36**	**1**	**2**	**5**	**9**	**13**	**19**	**30**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	11.7	104	<1	2	8	23	30	66	99+
70-74	20	18.2	488	2	3	11	18	48	77	91
75-79	16	12.3	140	2	3	7	16	37	39	39
80-84	14	14.1	283	1	2	10	20	28	57	65
85+	11	10.0	59	<1	3	6	15	21	27	28
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	11.8	111	2	2	9	16	27	31	50
70-74	92	10.9	107	2	3	8	14	25	30	88
75-79	93	14.0	181	2	3	10	18	24	48	69
80-84	64	12.5	164	3	3	9	15	24	37	79
85+	62	8.3	51	1	2	7	10	18	19	43
B. *Operated*										
65-69 YRS	7	15.1	36	9	9	13	20	24	25	25
70-74	13	15.3	166	4	5	11	19	35	46	48
75-79	15	13.2	55	4	6	12	18	26	28	29
80-84	8	18.3	198	6	6	12	28	40	45	45
85+	2	13.5	85	7	7	13	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	13.7	230	1	2	10	18	30	50	97
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	401	11.7	128	2	3	9	15	23	32	65
B. *Operated*	45	15.0	104	5	6	12	19	29	35	48
1. SINGLE DX	81	13.5	228	1	2	9	18	29	49	97
2. MULTIPLE DX	446	12.0	126	2	3	9	16	25	32	60
A. NOT OPERATED	481	12.0	145	2	3	9	15	24	35	74
B. OPERATED	46	14.8	104	5	6	12	19	29	35	48
TOTAL 65-69 YRS	116	12.0	104	2	2	8	17	27	32	68
70-74	125	12.6	177	2	3	9	16	27	36	93
75-79	125	13.6	158	2	3	10	18	25	41	64
80-84	86	13.3	184	2	3	9	16	26	41	77
85+	75	8.7	53	1	2	7	11	18	21	41
GRAND TOTAL	**527**	**12.3**	**142**	**2**	**3**	**9**	**16**	**25**	**35**	**72**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	304	13.6	207	2	2	9	17	33	49	71
70-74	489	12.1	127	2	2	9	16	28	37	70
75-79	580	13.6	215	2	3	9	17	28	43	82
80-84	516	11.8	153	2	3	8	15	25	36	89
85+	463	11.5	135	1	2	8	15	26	38	99+
B. *Operated*										
65-69 YRS	15	14.4	177	4	5	9	21	30	46	52
70-74	21	9.5	60	2	2	6	12	21	26	32
75-79	7	15.3	159	4	5	13	29	83	99+	99+
80-84	7	10.6	41	6	6	8	12	22	24	24
85+	8	11.8	92	1	1	9	18	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1278	13.7	159	3	3	10	17	28	42	89
70-74	2178	13.8	165	3	4	10	17	29	43	99+
75-79	3038	13.7	162	3	4	10	17	28	41	91
80-84	2838	13.0	148	3	4	9	16	28	42	99+
85+	2973	13.0	158	2	3	9	16	28	43	99+
B. *Operated*										
65-69 YRS	131	20.6	232	4	5	16	32	47	63	99+
70-74	220	23.5	312	4	6	18	32	53	66	99+
75-79	262	23.3	308	4	7	19	34	52	84	99+
80-84	232	22.6	287	5	8	19	36	71	99+	99+
85+	204	22.9	286	6	9	19	35	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2352	12.5	167	2	3	8	16	27	40	82
B. *Operated*	58	11.9	102	2	3	9	15	26	37	96
2. MULTIPLE DX										
A. *Not Operated*	12305	13.4	158	3	3	10	17	28	42	99+
B. *Operated*	1049	22.8	290	4	7	19	34	56	93	99+
1. SINGLE DX	2410	12.5	165	2	3	8	16	27	40	82
2. MULTIPLE DX	13354	14.1	175	3	4	10	18	31	46	99+
A. NOT OPERATED	14657	13.2	160	2	3	10	17	28	42	99+
B. OPERATED	1107	22.2	286	4	6	18	33	56	89	99+
TOTAL 65-69 YRS	1728	14.2	176	2	3	10	18	31	45	95
70-74	2908	14.2	176	2	3	10	18	32	45	99+
75-79	3887	14.3	186	3	4	10	18	31	44	99+
80-84	3593	13.5	163	3	3	10	17	30	46	99+
85+	3648	13.4	168	2	3	10	17	30	46	99+
GRAND TOTAL	**15764**	**13.5**	**174**	**2**	**3**	**10**	**17**	**31**	**45**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	12.5	124	2	3	9	15	31	38	42
70-74	17	12.3	90	3	4	10	14	29	33	35
75-79	25	12.2	43	4	5	12	16	18	24	31
80-84	20	16.7	365	2	4	9	17	48	63	77
85+	18	11.3	141	3	4	9	12	19	41	55
B. *Operated*										
65-69 YRS	1	18.0		18	18	18	18	18	18	18
70-74	2	13.0	72	7	7	13	19	19	19	19
75-79										
80-84	1	13.0		13	13	13	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	15.4	178	2	3	12	19	34	36	74
70-74	119	15.3	207	3	4	10	18	37	47	86
75-79	149	15.4	237	3	4	11	17	34	54	91
80-84	172	14.4	172	4	4	11	17	31	47	99+
85+	171	15.1	218	3	4	11	18	33	50	99
B. *Operated*										
65-69 YRS	6	18.7	197	2	2	21	29	35	36	36
70-74	6	22.8	85	5	7	25	29	30	30	30
75-79	11	24.1	618	4	5	11	31	70	75	75
80-84	18	25.9	418	6	10	21	28	74	90	99+
85+	15	29.3	462	5	7	27	38	63	79	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	13.0	147	3	4	10	15	26	40	67
B. *Operated*	4	14.3	30	7	7	15	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	667	15.1	204	3	4	11	17	34	47	99
B. *Operated*	56	25.4	395	4	5	22	29	66	76	99
1. SINGLE DX	101	13.1	142	3	4	10	15	25	38	66
2. MULTIPLE DX	723	15.9	226	3	4	11	18	35	53	99+
A. NOT OPERATED	764	14.8	197	3	4	11	17	33	47	97
B. OPERATED	60	24.6	378	4	6	20	29	65	76	98
TOTAL 65-69 YRS	80	15.1	164	2	3	12	19	33	36	67
70-74	144	15.2	188	3	4	10	20	35	44	81
75-79	185	15.5	235	3	5	11	17	33	54	88
80-84	211	15.6	217	4	4	12	18	35	60	99+
85+	204	15.8	242	3	4	11	20	37	53	99
GRAND TOTAL	824	15.5	216	3	4	11	18	35	49	98

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	9.0	76	1	2	5	11	22	29	37
70-74	49	6.3	29	2	2	5	7	11	17	33
75-79	12	9.0	69	1	2	7	12	23	27	28
80-84	6	8.5	78	1	1	6	7	24	26	26
85+	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	525	10.2	85	2	3	7	13	22	28	56
70-74	271	10.9	131	2	3	8	12	23	28	65
75-79	133	10.4	76	3	3	8	14	23	36	99+
80-84	36	12.9	89	3	4	10	19	27	30	42
85+	15	8.8	34	2	2	9	13	18	19	19
B. *Operated*										
65-69 YRS	42	28.0	551	5	7	20	41	59	89	94
70-74	27	19.6	176	5	6	15	31	44	51	99+
75-79	8	20.9	252	3	5	29	41	76	99+	99+
80-84	6	36.0	969	9	10	29	81	98	99+	99+
85+	4	20.5	186	7	7	18	31	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	8.1	62	1	2	5	9	20	27	35
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	980	10.5	96	2	3	7	13	22	28	59
B. *Operated*	87	25.0	424	5	6	19	39	57	93	99+
1. SINGLE DX	177	8.1	62	1	2	5	9	20	27	35
2. MULTIPLE DX	1067	11.7	138	2	3	8	14	25	35	92
A. NOT OPERATED	1156	10.1	92	2	3	7	13	22	28	56
B. OPERATED	88	24.7	424	4	6	19	39	57	93	99+
TOTAL 65-69 YRS	673	11.1	131	2	3	7	14	25	32	60
70-74	348	10.9	128	2	3	8	13	24	31	65
75-79	153	10.8	89	2	3	8	14	28	40	99+
80-84	48	15.3	243	3	4	11	21	30	59	99+
85+	22	10.0	80	1	2	8	14	20	30	38
GRAND TOTAL	1244	11.2	129	2	3	7	14	25	33	86

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	9.1	126	2	2	6	8	29	34	34
70-74	7	5.6	31	<1	<1	5	7	15	17	17
75-79	6	11.3	76	1	1	9	16	25	26	26
80-84	8	6.4	12	3	3	5	9	12	12	12
85+	8	8.4	99	<1	1	6	8	25	32	32
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	9.5	45	3	3	8	12	19	25	33
70-74	84	10.7	89	2	4	7	13	22	30	52
75-79	51	11.8	117	2	3	7	15	25	43	47
80-84	35	12.8	134	3	3	9	17	27	43	52
85+	31	9.4	119	1	2	6	12	21	37	50
B. *Operated*										
65-69 YRS	7	17.1	174	2	3	16	22	38	42	42
70-74	6	23.0	176	7	8	19	36	41	42	42
75-79	4	21.5	210	6	6	19	30	41	41	41
80-84										
85+	2	8.5	61	3	3	8	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	8.0	64	<1	1	6	9	17	30	34
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	267	10.7	93	2	3	7	13	22	30	50
B. *Operated*	19	19.0	166	2	4	19	22	41	42	42
1. SINGLE DX	37	8.1	62	<1	1	6	9	17	30	34
2. MULTIPLE DX	286	11.3	102	2	3	8	14	22	34	49
A. NOT OPERATED	303	10.4	90	2	3	7	13	22	31	49
B. OPERATED	20	18.6	161	2	4	17	22	41	42	42
TOTAL 65-69 YRS	80	10.1	65	2	3	8	12	21	27	40
70-74	97	11.1	100	2	3	7	14	23	33	52
75-79	61	12.4	121	2	3	9	16	27	42	47
80-84	43	11.6	117	3	3	7	14	22	37	52
85+	42	9.2	106	1	2	6	10	21	34	50
GRAND TOTAL	**323**	**10.9**	**98**	**2**	**3**	**7**	**14**	**22**	**33**	**48**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	16.3	152	2	4	14	22	35	39	65
70-74	52	15.4	123	2	4	14	22	29	33	55
75-79	17	12.4	121	<1	1	9	16	27	37	42
80-84	11	13.4	122	3	4	7	24	30	33	33
85+	7	13.1	56	5	5	13	20	24	24	24
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	35.0		35	35	35	35	35	35	35
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	135	19.7	195	3	5	17	29	35	47	72
70-74	75	18.2	153	3	5	16	26	40	50	99+
75-79	52	18.7	224	4	6	14	24	37	67	99
80-84	11	18.7	90	5	7	19	22	33	38	39
85+	7	15.0	121	6	6	10	17	34	38	38
B. *Operated*										
65-69 YRS	6	39.8	1113	6	7	51	84	98	99+	99+
70-74	7	22.4	34	13	14	24	28	79	99+	99+
75-79	2	23.5	13	21	21	23	26	26	26	26
80-84	3	39.0	588	17	17	35	57	65	65	65
85+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	15.4	135	2	3	13	22	32	39	65
B. *Operated*	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	280	19.0	182	3	5	16	27	37	48	93
B. *Operated*	19	31.0	458	9	13	26	53	95	99+	99+
1. SINGLE DX	190	15.5	137	2	4	13	22	33	39	65
2. MULTIPLE DX	299	19.7	206	3	6	17	28	39	53	99+
A. NOT OPERATED	469	17.5	166	3	5	14	24	34	42	79
B. OPERATED	20	31.2	435	10	13	27	51	94	99+	99+
TOTAL 65-69 YRS	243	18.8	208	3	5	16	27	37	48	92
70-74	134	17.3	137	3	4	16	24	34	44	99+
75-79	72	17.6	201	3	5	14	24	35	51	94
80-84	25	18.8	202	4	5	17	27	35	45	65
85+	15	15.1	92	5	6	13	21	29	36	38
GRAND TOTAL	**489**	**18.1**	**183**	**3**	**5**	**15**	**25**	**35**	**47**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	22.0	89	11	11	23	30	33	33	33
70-74	3	13.0	277	1	1	6	25	32	32	32
75-79	2	15.5	85	9	9	15	22	22	22	22
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	12.5	115	2	2	11	17	30	34	34
70-74	4	12.3	67	5	5	11	19	22	22	22
75-79	3	16.0	9	13	13	16	18	19	19	19
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	17.2	124	1	4	14	27	32	33	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	12.4	74	1	2	11	17	22	30	34
B. *Operated*										
1. SINGLE DX	11	17.2	124	1	4	14	27	32	33	33
2. MULTIPLE DX	17	12.4	74	1	2	11	17	22	30	34
A. NOT OPERATED	28	14.3	96	1	2	12	22	31	33	34
B. OPERATED										
TOTAL 65-69 YRS	13	16.2	120	2	3	11	24	33	34	34
70-74	7	12.6	126	1	2	6	20	30	32	32
75-79	5	15.8	26	9	9	16	20	22	22	22
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	10.5	5	9	9	10	12	12	12	12
GRAND TOTAL	28	14.3	96	1	2	12	22	31	33	34

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	220	17.6	200	2	4	14	23	36	51	93
70-74	104	16.7	196	1	2	12	25	32	49	87
75-79	43	13.4	151	1	2	11	17	30	39	58
80-84	18	13.9	86	2	4	12	21	28	32	34
85+	9	15.1	214	2	2	5	27	36	41	41
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	18.9	237	3	5	15	25	37	50	91
70-74	175	17.1	177	4	5	14	22	35	53	66
75-79	88	17.3	182	4	5	14	25	32	36	78
80-84	44	20.8	248	3	3	16	29	44	56	62
85+	25	12.0	102	2	3	9	15	22	37	45
B. *Operated*										
65-69 YRS	20	32.0	594	7	8	26	57	76	92	99+
70-74	17	24.7	144	7	9	29	34	41	43	43
75-79	7	14.6	45	8	8	13	16	26	28	28
80-84	1	13.0		13	13	13	13	13	13	13
85+	3	35.3	1192	12	12	19	61	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	16.7	189	2	3	14	23	32	49	84
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	650	18.1	210	3	5	14	24	36	49	84
B. *Operated*	48	26.7	390	6	8	17	36	62	75	99+
1. SINGLE DX	394	16.7	189	2	3	14	23	32	49	84
2. MULTIPLE DX	698	18.6	227	3	5	15	25	37	51	87
A. NOT OPERATED	1044	17.5	203	3	4	14	24	35	49	84
B. OPERATED	48	26.7	390	6	8	17	36	62	75	99+
TOTAL 65-69 YRS	558	18.8	241	3	4	15	25	40	53	94
70-74	296	17.4	184	3	4	14	24	34	50	72
75-79	138	15.9	167	2	4	13	21	31	36	63
80-84	63	18.7	206	3	3	15	26	41	50	61
85+	37	14.6	222	2	2	11	19	34	44	75
GRAND TOTAL	1092	17.9	214	3	4	14	24	36	50	87

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	710	19.4	197	2	4	17	26	39	46	65
70-74	555	21.0	190	3	6	19	29	38	47	69
75-79	345	20.5	216	2	4	17	28	42	50	63
80-84	131	19.2	225	3	4	17	26	34	53	97
85+	43	20.3	316	3	4	14	26	48	54	88
B. *Operated*										
65-69 YRS	3	42.0	169	34	34	35	51	57	57	57
70-74	10	29.9	615	5	5	27	35	66	89	89
75-79	3	35.7	180	26	26	30	46	51	51	51
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1078	21.1	294	3	5	17	28	43	58	91
70-74	980	21.6	254	4	5	18	29	43	53	83
75-79	749	21.2	269	4	5	18	29	44	57	93
80-84	322	21.7	253	4	5	17	30	45	54	66
85+	117	19.4	218	3	5	16	26	35	46	87
B. *Operated*										
65-69 YRS	99	37.1	416	11	15	34	54	72	91	99+
70-74	88	34.1	393	7	10	30	52	65	69	92
75-79	54	28.4	283	7	10	27	35	59	84	99+
80-84	29	29.2	362	5	8	29	43	70	99	99+
85+	16	26.3	179	10	11	24	32	46	52	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1784	20.1	203	2	5	17	28	39	49	69
B. *Operated*	16	33.3	439	5	6	32	40	56	79	89
2. MULTIPLE DX										
A. *Not Operated*	3246	21.3	269	4	5	17	29	43	56	90
B. *Operated*	286	33.1	375	8	11	30	47	66	80	99+
1. SINGLE DX	1800	20.2	207	3	5	17	28	39	49	71
2. MULTIPLE DX	3532	22.2	288	4	5	18	30	46	59	92
A. NOT OPERATED	5030	20.9	246	3	5	17	28	42	52	83
B. OPERATED	302	33.1	377	8	10	30	46	66	80	99+
TOTAL 65-69 YRS	1890	21.3	278	3	5	18	29	43	57	90
70-74	1633	22.1	250	4	6	19	30	43	54	79
75-79	1151	21.3	256	3	5	18	29	44	56	90
80-84	482	21.5	256	3	5	18	29	45	55	86
85+	176	20.2	240	3	5	17	27	39	50	84
GRAND TOTAL	5332	21.6	261	3	5	18	29	44	56	87

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	306	19.1	210	2	4	16	25	35	46	79
70-74	180	19.3	163	4	5	16	26	38	44	59
75-79	85	19.9	254	4	6	15	24	42	52	83
80-84	37	19.8	186	2	3	18	27	34	46	63
85+	17	19.4	168	4	7	16	30	40	43	44
B. *Operated*										
65-69 YRS	7	22.7	94	10	11	20	28	38	40	40
70-74	2	17.0	18	14	14	17	20	20	20	20
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	423	19.8	218	4	5	16	25	40	52	88
70-74	278	21.5	215	4	6	18	29	42	50	76
75-79	151	22.4	299	5	7	18	29	43	70	79
80-84	64	17.0	114	4	6	15	22	33	40	93
85+	25	13.6	81	3	5	12	18	24	36	38
B. *Operated*										
65-69 YRS	41	24.6	199	6	9	24	32	56	75	99+
70-74	37	26.6	323	5	10	23	30	52	68	81
75-79	13	35.2	459	12	14	30	49	73	76	77
80-84	4	38.0	345	15	15	51	66	99+	99+	99+
85+	1	33.0		33	33	33	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	19.3	199	3	5	16	26	37	47	75
B. *Operated*	9	21.4	79	10	12	20	24	36	40	40
2. MULTIPLE DX										
A. *Not Operated*	941	20.4	222	4	6	17	26	41	50	83
B. *Operated*	96	27.5	292	7	10	24	35	59	75	99+
1. SINGLE DX	634	19.4	197	3	5	16	26	37	47	75
2. MULTIPLE DX	1037	21.0	232	4	6	17	28	42	53	87
A. NOT OPERATED	1566	20.0	213	4	5	16	26	39	49	79
B. OPERATED	105	27.0	276	8	10	24	34	55	72	99+
TOTAL 65-69 YRS	777	19.8	214	3	5	17	26	39	53	84
70-74	497	21.1	206	4	6	18	29	41	49	73
75-79	249	22.2	300	5	6	18	28	45	61	81
80-84	105	18.8	160	3	5	16	27	36	51	99+
85+	43	16.3	126	3	5	13	22	36	39	44
GRAND TOTAL	1671	20.4	219	4	6	17	27	40	51	81

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	174	14.6	214	1	2	10	20	35	42	68
70-74	196	12.8	112	1	2	10	19	28	34	49
75-79	135	13.6	130	2	3	10	20	31	37	62
80-84	88	13.5	202	1	2	9	19	30	40	70
85+	45	11.9	171	1	2	7	17	26	34	67
B. *Operated*										
65-69 YRS										
70-74	9	9.9	48	3	3	9	14	21	21	21
75-79	6	17.8	255	2	2	14	33	40	41	41
80-84	5	13.8	136	4	4	11	17	34	34	34
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	549	14.6	163	2	3	11	19	30	40	69
70-74	578	13.6	147	3	4	10	17	27	37	64
75-79	619	12.7	127	2	3	9	17	27	35	59
80-84	477	13.4	187	2	3	9	16	28	38	73
85+	372	11.0	100	2	3	8	13	22	35	56
B. *Operated*										
65-69 YRS	81	18.8	216	4	5	15	25	44	52	91
70-74	66	20.9	316	4	6	14	30	48	67	98
75-79	61	23.1	269	4	6	18	30	46	60	76
80-84	36	16.1	127	3	4	18	23	30	48	99+
85+	28	22.1	287	7	8	16	26	38	63	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	13.5	160	1	2	9	20	30	38	67
B. *Operated*	21	13.1	122	2	3	10	17	33	37	41
2. MULTIPLE DX										
A. *Not Operated*	2595	13.2	147	2	3	9	17	28	37	66
B. *Operated*	272	20.3	249	4	5	16	27	44	58	96
1. SINGLE DX	659	13.5	158	1	2	9	20	30	38	67
2. MULTIPLE DX	2867	13.8	161	2	3	10	18	29	40	71
A. NOT OPERATED	3233	13.2	150	2	3	9	17	28	38	66
B. OPERATED	293	19.7	243	4	5	15	26	42	56	93
TOTAL 65-69 YRS	904	15.0	181	2	3	11	20	31	42	70
70-74	849	14.0	155	2	3	10	18	29	39	66
75-79	821	13.7	146	2	3	10	18	30	38	63
80-84	606	13.6	185	2	3	9	18	29	39	73
85+	446	11.7	125	2	3	8	14	25	36	61
GRAND TOTAL	3526	13.8	161	2	3	10	18	29	40	70

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	6.4	77	1	1	4	7	12	22	52
70-74	76	5.2	21	1	1	4	7	11	16	21
75-79	54	6.2	45	1	1	4	7	14	25	30
80-84	26	5.6	21	1	1	5	7	9	17	21
85+	21	3.9	12	<1	1	3	4	8	13	16
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84	2	18.5	41	14	14	18	23	23	23	23
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	572	6.8	49	1	2	5	8	14	21	36
70-74	524	7.1	58	1	2	5	9	14	19	38
75-79	388	7.2	56	1	2	5	8	14	20	36
80-84	246	6.2	24	1	2	5	8	12	14	25
85+	118	5.3	13	1	2	5	7	10	12	17
B. *Operated*										
65-69 YRS	25	11.4	64	3	4	9	16	23	27	30
70-74	23	12.7	80	3	4	10	18	26	33	34
75-79	17	11.8	82	1	2	11	16	23	31	36
80-84	10	14.2	42	6	6	15	19	23	26	26
85+	2	27.5	41	23	23	27	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	5.8	47	1	1	4	7	11	18	35
B. *Operated*	4	11.5	83	2	2	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	1848	6.8	48	1	2	5	8	13	19	35
B. *Operated*	77	12.6	73	3	4	10	19	24	31	35
1. SINGLE DX	295	5.9	47	1	1	4	7	12	19	35
2. MULTIPLE DX	1925	7.0	50	1	2	5	9	14	20	35
A. NOT OPERATED	2139	6.7	48	1	2	5	8	13	19	35
B. OPERATED	81	12.6	72	3	4	10	19	24	31	35
TOTAL 65-69 YRS	712	6.9	55	1	2	5	8	14	22	39
70-74	624	7.1	56	1	2	5	9	15	20	35
75-79	459	7.3	56	1	2	5	9	15	21	36
80-84	284	6.5	28	1	2	5	9	13	17	26
85+	141	5.4	20	1	2	4	7	10	13	24
GRAND TOTAL	**2220**	**6.9**	**50**	**1**	**2**	**5**	**8**	**14**	**20**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	403	14.8	134	2	3	12	21	32	38	52
70-74	285	14.8	135	3	4	11	19	33	41	52
75-79	161	15.8	224	2	4	12	20	33	44	78
80-84	60	13.5	136	2	3	9	20	31	36	53
85+	29	9.2	37	2	2	8	13	18	21	21
B. *Operated*										
65-69 YRS	2	24.0	18	21	21	24	27	27	27	27
70-74	4	11.5	66	4	4	9	16	23	23	23
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	57.0		57	57	57	57	57	57	57
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	974	13.1	141	3	3	9	17	28	36	57
70-74	788	12.5	124	2	3	9	15	26	37	58
75-79	576	12.5	116	3	4	9	15	26	34	51
80-84	286	11.8	117	3	3	8	14	23	33	67
85+	131	13.2	134	3	3	10	16	28	40	58
B. *Operated*										
65-69 YRS	83	20.4	215	4	6	17	28	41	51	93
70-74	56	22.2	305	5	6	16	31	44	54	94
75-79	33	22.8	264	5	6	21	27	41	62	76
80-84	21	22.3	350	4	6	16	26	45	64	84
85+	9	25.7	175	4	10	27	32	44	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	14.7	148	2	3	11	20	32	40	54
B. *Operated*	8	19.9	293	4	5	15	25	48	57	57
2. MULTIPLE DX										
A. *Not Operated*	2755	12.6	128	3	3	9	16	27	36	57
B. *Operated*	202	21.7	257	5	6	18	29	42	54	90
1. SINGLE DX	946	14.7	149	2	3	11	20	32	40	54
2. MULTIPLE DX	2957	13.3	142	3	3	10	17	28	38	60
A. NOT OPERATED	3693	13.2	134	3	3	10	17	28	37	56
B. OPERATED	210	21.6	257	4	6	18	29	42	57	89
TOTAL 65-69 YRS	1462	14.0	146	3	3	10	19	30	39	60
70-74	1133	13.5	140	2	3	10	17	30	39	58
75-79	771	13.6	150	3	4	10	17	28	38	64
80-84	368	12.8	144	3	3	9	16	26	36	68
85+	169	13.2	129	2	3	10	16	28	33	55
GRAND TOTAL	**3903**	**13.6**	**144**	**3**	**3**	**10**	**17**	**30**	**39**	**59**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	12.6	281	1	1	7	15	30	46	82
70-74	62	9.7	151	1	1	5	11	20	47	56
75-79	30	9.8	113	1	2	7	12	15	45	45
80-84	12	14.8	114	1	2	12	23	31	34	34
85+	9	6.0	21	1	1	5	9	13	14	14
B. *Operated*										
65-69 YRS	22	5.3	13	1	2	4	7	8	14	18
70-74	10	3.4	4	1	1	3	4	6	8	8
75-79	7	8.4	20	4	4	8	8	16	18	18
80-84	4	6.3	54	1	1	3	11	17	17	17
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	257	11.4	121	1	2	8	15	26	36	64
70-74	211	11.3	115	2	3	8	15	26	31	71
75-79	154	11.3	108	2	3	8	15	24	33	52
80-84	88	9.7	78	2	2	7	13	20	31	83
85+	57	10.8	89	3	3	8	14	24	35	42
B. *Operated*										
65-69 YRS	55	9.9	117	3	3	7	10	20	36	64
70-74	33	14.7	176	3	3	10	17	38	44	46
75-79	22	19.7	314	3	4	12	31	49	55	59
80-84	6	13.8	84	3	3	15	22	23	23	23
85+	4	13.8	128	2	2	12	21	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	11.0	187	1	1	7	13	26	45	74
B. *Operated*	44	5.5	16	1	2	4	7	9	17	18
2. MULTIPLE DX										
A. *Not Operated*	767	11.1	109	2	3	8	15	25	34	63
B. *Operated*	120	13.3	176	3	3	9	15	37	44	61
1. SINGLE DX	227	9.9	158	1	2	6	12	23	36	63
2. MULTIPLE DX	887	11.4	119	2	3	8	15	26	35	62
A. NOT OPERATED	950	11.1	124	2	2	8	14	26	35	64
B. OPERATED	164	11.2	145	2	3	7	12	29	38	58
TOTAL 65-69 YRS	404	11.1	144	1	2	7	14	26	36	72
70-74	316	11.1	128	1	2	8	14	26	34	59
75-79	213	11.9	133	2	3	8	15	27	38	55
80-84	110	10.4	83	2	2	7	14	23	31	74
85+	71	10.3	83	1	3	8	13	23	31	41
GRAND TOTAL	**1114**	**11.1**	**127**	**2**	**2**	**7**	**14**	**26**	**35**	**61**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	552	10.3	94	1	2	6	19	27	28	37
70-74	207	10.9	96	1	1	7	19	28	30	42
75-79	81	7.8	56	<1	1	5	9	21	26	30
80-84	16	3.9	11	<1	<1	3	5	8	11	13
85+	9	8.4	57	3	4	7	8	20	28	28
B. *Operated*										
65-69 YRS	3	10.0	93	3	3	13	60	99+	99+	99+
70-74	1	27.0		27	27	27	27	27	27	27
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2540	12.1	104	2	3	8	19	28	31	45
70-74	1323	11.8	107	2	3	8	19	26	30	45
75-79	508	11.5	98	2	3	8	17	26	30	44
80-84	177	10.6	113	1	2	7	13	25	29	78
85+	51	11.4	148	1	2	7	15	27	30	71
B. *Operated*										
65-69 YRS	159	19.9	138	5	7	19	27	33	42	69
70-74	76	19.8	147	5	7	18	28	35	38	60
75-79	35	18.1	147	1	4	16	27	33	49	99+
80-84	7	29.9	748	1	3	22	48	74	78	78
85+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	10.1	90	1	2	6	16	27	28	37
B. *Operated*	4	14.3	134	3	3	21	45	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4599	11.9	105	2	3	8	18	27	31	45
B. *Operated*	278	19.8	157	3	6	19	27	34	44	76
1. SINGLE DX	869	10.1	90	1	2	6	17	27	28	37
2. MULTIPLE DX	4877	12.3	111	2	3	8	19	28	31	47
A. NOT OPERATED	5464	11.6	103	2	2	8	18	27	30	44
B. OPERATED	282	19.8	156	3	6	19	27	34	45	92
TOTAL 65-69 YRS	3254	12.2	107	2	3	8	20	28	31	46
70-74	1607	12.1	110	2	3	8	20	27	31	45
75-79	624	11.4	99	2	2	8	17	26	30	48
80-84	200	10.8	140	1	2	7	13	25	31	83
85+	61	10.8	133	1	2	7	15	27	29	67
GRAND TOTAL	**5746**	**12.0**	**109**	**2**	**3**	**8**	**19**	**28**	**31**	**46**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.0	28	2	2	4	10	12	12	12
70-74										
75-79	1	16.0		16	16	16	16	16	16	16
80-84	2	9.0	50	4	4	9	14	14	14	14
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	13.3	84	4	7	10	14	26	35	38
70-74	2	29.0	98	22	22	29	36	36	36	36
75-79	2	11.5	145	3	3	11	20	20	20	20
80-84	2	5.0	2	4	4	5	6	6	6	6
85+	2	8.5	41	4	4	8	13	13	13	13
B. *Operated*										
65-69 YRS	2	10.0	32	6	6	10	14	14	14	14
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.7	36	2	2	8	14	16	16	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	13.4	97	3	4	10	18	28	37	38
B. *Operated*	2	10.0	32	6	6	10	14	14	14	14
1. SINGLE DX	6	8.7	36	2	2	8	14	16	16	16
2. MULTIPLE DX	25	13.1	91	3	4	10	16	26	36	38
A. NOT OPERATED	29	12.4	87	3	3	10	15	25	36	38
B. OPERATED	2	10.0	32	6	6	10	14	14	14	14
TOTAL 65-69 YRS	20	11.9	74	2	3	10	13	25	32	38
70-74	2	29.0	98	22	22	29	36	36	36	36
75-79	3	13.0	79	3	3	16	19	20	20	20
80-84	4	7.0	23	4	4	5	10	14	14	14
85+	2	8.5	41	4	4	8	13	13	13	13
GRAND TOTAL	**31**	**12.3**	**82**	**3**	**3**	**10**	**14**	**25**	**35**	**38**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	8.8	56	2	2	7	13	21	21	21
70-74	2	11.5	221	<1	<1	11	22	22	22	22
75-79	3	12.3	140	5	5	6	21	26	26	26
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	14.8	108	3	4	14	19	23	36	52
70-74	26	12.2	74	2	3	9	17	28	28	28
75-79	12	15.3	171	3	3	12	19	31	48	51
80-84	6	15.3	142	4	4	13	16	36	38	38
85+	7	17.9	120	6	6	16	23	34	37	37
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	34.0		34	34	34	34	34	34	34
80-84										
85+	2	16.0	338	3	3	16	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.4	83	<1	1	6	21	24	26	26
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	77	14.3	106	3	4	13	19	28	35	52
B. *Operated*	3	22.0	277	3	3	29	33	34	34	34
1. SINGLE DX	10	10.4	83	<1	1	6	21	24	26	26
2. MULTIPLE DX	80	14.6	111	3	3	13	20	28	35	52
A. NOT OPERATED	87	13.9	104	2	3	12	19	27	35	52
B. OPERATED	3	22.0	277	3	3	29	33	34	34	34
TOTAL 65-69 YRS	31	13.9	102	2	3	13	19	22	32	52
70-74	28	12.1	77	1	2	9	19	27	28	28
75-79	16	15.9	169	3	3	12	21	33	46	51
80-84	6	15.3	142	4	4	13	16	36	38	38
85+	9	17.4	133	3	4	16	25	34	37	37
GRAND TOTAL	**90**	**14.1**	**109**	**2**	**3**	**12**	**20**	**28**	**34**	**52**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.0	5	<1	<1	2	4	7	7	9
70-74	32	5.2	49	1	1	3	5	12	21	34
75-79	10	2.7	2	1	1	3	4	5	5	5
80-84	4	2.5	3	1	1	2	4	5	5	5
85+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	122	5.9	30	1	1	4	8	12	17	26
70-74	104	4.7	21	1	1	4	6	10	14	25
75-79	51	5.2	22	<1	1	3	8	13	16	17
80-84	20	3.8	6	1	1	3	5	8	9	10
85+	14	4.2	9	1	1	4	6	9	10	10
B. *Operated*										
65-69 YRS	13	9.7	209	1	2	5	9	23	50	56
70-74	8	8.4	38	2	3	7	11	18	21	21
75-79	4	6.8	91	1	1	2	12	21	21	21
80-84	3	6.7	44	<1	<1	5	12	14	14	14
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.7	22	<1	1	2	4	7	9	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	311	5.2	24	1	1	4	7	11	15	24
B. *Operated*	28	8.6	118	1	1	5	10	19	25	56
1. SINGLE DX	85	3.7	22	<1	1	2	4	7	9	29
2. MULTIPLE DX	339	5.5	32	1	1	4	7	12	16	25
A. NOT OPERATED	396	4.9	24	1	1	3	6	10	15	25
B. OPERATED	28	8.6	118	1	1	5	10	19	25	56
TOTAL 65-69 YRS	171	5.6	40	1	1	4	7	12	15	30
70-74	144	5.0	28	1	1	3	6	10	16	26
75-79	65	4.9	23	<1	1	3	6	12	16	20
80-84	27	3.9	10	1	1	3	5	9	11	14
85+	17	3.8	8	1	1	3	5	9	10	10
GRAND TOTAL	**424**	**5.1**	**30**	**1**	**1**	**3**	**7**	**11**	**15**	**25**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.0	20	1	1	5	8	13	14	14
70-74	2	7.5	1	7	7	7	8	8	8	8
75-79	4	6.5	42	2	2	4	10	16	16	16
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	10.4	68	3	3	9	14	19	29	39
70-74	32	10.7	66	3	3	8	15	25	29	30
75-79	18	8.7	56	2	2	6	13	18	25	30
80-84	9	10.0	117	1	2	7	11	27	37	37
85+	6	6.8	9	4	4	6	10	11	11	11
B. *Operated*										
65-69 YRS	3	22.7	30	19	19	20	27	29	29	29
70-74	2	19.5	421	5	5	19	34	34	34	34
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.3	19	1	2	5	8	14	16	16
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	94	9.9	64	2	3	7	13	19	29	38
B. *Operated*	8	18.5	131	5	5	19	28	32	34	34
1. SINGLE DX	14	6.1	19	1	2	5	8	14	16	16
2. MULTIPLE DX	102	10.6	74	2	3	8	14	25	29	38
A. NOT OPERATED	107	9.5	60	2	3	7	13	18	29	38
B. OPERATED	9	16.8	141	3	4	19	28	32	34	34
TOTAL 65-69 YRS	38	10.7	71	2	3	9	14	20	29	39
70-74	36	11.0	75	3	3	8	15	28	30	34
75-79	23	8.2	80	2	2	5	12	17	22	30
80-84	12	8.7	92	1	2	6	10	20	35	37
85+	7	9.9	71	4	4	6	11	28	28	28
GRAND TOTAL	**116**	**10.1**	**69**	**2**	**3**	**7**	**14**	**21**	**29**	**38**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	5.5	24	1	1	4	8	12	15	24
70-74	37	4.5	9	1	2	4	6	8	11	14
75-79	21	4.0	4	<1	1	4	6	7	7	7
80-84	16	5.1	4	2	2	5	6	8	9	9
85+	5	6.2	19	1	1	6	10	11	11	11
B. *Operated*										
65-69 YRS	4	8.8	3	7	7	8	10	11	11	11
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	14.5	145	6	6	14	23	23	23	23
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	205	6.4	31	2	2	5	8	12	16	30
70-74	219	6.7	22	2	2	6	9	12	15	25
75-79	166	6.4	32	1	2	5	7	12	18	29
80-84	93	7.0	35	2	3	5	8	14	20	30
85+	54	6.8	37	2	2	5	8	13	16	41
B. *Operated*										
65-69 YRS	17	8.1	21	1	2	9	12	14	15	15
70-74	15	14.5	210	3	5	10	18	28	52	60
75-79	17	20.4	382	6	6	14	23	39	70	86
80-84	7	7.9	15	2	3	8	11	13	13	13
85+	2	26.0	98	19	19	26	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.9	13	1	1	4	7	10	12	17
B. *Operated*	8	9.3	35	4	5	7	10	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	737	6.6	30	2	2	5	8	13	16	28
B. *Operated*	58	13.9	201	2	4	10	17	27	38	84
1. SINGLE DX	134	5.2	16	1	1	4	7	10	12	23
2. MULTIPLE DX	795	7.1	45	2	2	5	8	14	19	33
A. NOT OPERATED	863	6.4	28	2	2	5	8	12	16	27
B. OPERATED	66	13.4	182	2	4	9	17	24	35	82
TOTAL 65-69 YRS	273	6.4	29	1	2	5	8	13	15	27
70-74	272	6.8	34	2	2	6	8	12	17	27
75-79	206	7.4	73	1	2	5	8	15	23	41
80-84	116	6.8	30	2	2	5	8	13	19	29
85+	62	7.3	47	2	2	5	8	14	18	41
GRAND TOTAL	**929**	**6.9**	**42**	**2**	**2**	**5**	**8**	**13**	**18**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	9.3	90	1	1	5	13	25	33	36
70-74	40	12.8	98	1	2	10	19	30	34	99+
75-79	34	10.6	174	1	2	6	14	41	54	99+
80-84	26	9.2	105	1	1	6	10	26	35	43
85+	16	9.9	114	1	2	8	11	14	37	47
B. *Operated*										
65-69 YRS										
70-74	1	27.0		27	27	27	27	27	27	27
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	220	10.2	109	2	2	7	13	21	33	60
70-74	173	9.5	86	1	2	7	13	20	25	56
75-79	137	11.4	124	2	3	9	13	27	35	53
80-84	92	10.8	163	1	2	7	11	28	39	71
85+	51	10.8	141	1	2	8	13	21	26	78
B. *Operated*										
65-69 YRS	9	21.3	434	3	4	12	30	57	62	62
70-74	12	19.4	157	3	4	17	28	37	44	45
75-79	7	17.4	105	8	8	12	27	33	33	33
80-84	3	23.7	184	8	8	31	32	32	32	32
85+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	10.3	110	1	1	7	14	28	35	83
B. *Operated*	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	673	10.4	116	2	2	7	13	21	30	61
B. *Operated*	32	20.0	203	3	6	16	30	37	49	62
1. SINGLE DX	187	10.4	111	1	1	7	14	28	35	83
2. MULTIPLE DX	705	10.9	123	2	2	8	13	23	32	62
A. NOT OPERATED	859	10.4	114	1	2	7	13	22	32	61
B. OPERATED	33	20.2	199	4	6	17	29	36	49	62
TOTAL 65-69 YRS	299	10.4	117	1	2	7	13	22	33	60
70-74	226	10.7	97	2	2	7	15	25	30	58
75-79	178	11.5	133	2	3	8	14	28	39	74
80-84	121	10.8	153	1	2	7	11	29	37	68
85+	68	10.8	132	1	2	8	13	21	26	73
GRAND TOTAL	**892**	**10.8**	**121**	**1**	**2**	**7**	**13**	**24**	**33**	**62**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	240	13.4	125	1	3	10	19	30	37	57
70-74	192	13.0	113	2	3	10	17	25	37	52
75-79	118	13.9	129	2	3	11	20	27	35	55
80-84	57	10.1	109	2	2	7	12	21	38	49
85+	32	14.4	306	3	4	8	19	27	29	99
B. *Operated*										
65-69 YRS	9	15.3	152	2	2	9	28	31	32	32
70-74	6	22.5	468	3	3	15	48	50	50	50
75-79	3	9.0	39	4	4	7	14	16	16	16
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	775	12.5	140	2	3	8	16	29	38	58
70-74	720	11.6	120	2	3	8	14	25	34	57
75-79	559	10.8	99	2	3	8	13	22	31	57
80-84	330	13.0	167	3	3	8	15	30	43	67
85+	204	10.3	88	2	2	8	12	20	27	57
B. *Operated*										
65-69 YRS	79	18.8	295	2	5	13	27	50	59	69
70-74	76	17.7	220	4	5	12	26	40	50	71
75-79	59	23.0	340	4	5	13	32	58	64	98
80-84	24	19.9	407	4	5	16	24	53	97	99+
85+	17	13.4	67	3	4	10	18	28	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	13.1	130	2	3	10	18	28	36	55
B. *Operated*	22	15.4	208	2	3	8	22	37	49	50
2. MULTIPLE DX										
A. *Not Operated*	2588	11.8	125	2	3	8	14	26	35	58
B. *Operated*	255	19.2	282	3	5	13	26	45	59	95
1. SINGLE DX	661	13.2	132	2	3	10	18	28	37	55
2. MULTIPLE DX	2843	12.4	144	2	3	8	15	28	37	62
A. NOT OPERATED	3227	12.0	127	2	3	8	15	26	35	58
B. OPERATED	277	18.9	276	3	4	13	26	44	58	92
TOTAL 65-69 YRS	1103	13.2	150	2	3	9	18	30	39	61
70-74	994	12.4	131	2	3	9	15	27	37	57
75-79	739	12.3	134	2	3	9	15	27	34	63
80-84	413	13.0	175	3	3	8	15	30	43	69
85+	255	11.0	116	2	3	8	14	22	28	62
GRAND TOTAL	**3504**	**12.6**	**142**	**2**	**3**	**9**	**16**	**28**	**37**	**61**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	1	46.0		46	46	46	46	46	46	46
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	11.6	44	1	3	11	17	25	66	99+
70-74	9	11.0	42	2	2	13	16	19	20	20
75-79	5	17.0	362	4	4	7	27	49	49	49
80-84	6	11.3	65	3	3	9	20	22	22	22
85+										
B. *Operated*										
65-69 YRS	3	21.7	940	2	2	6	44	57	57	57
70-74										
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*	1	46.0		46	46	46	46	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	38	12.1	81	2	3	11	17	23	38	99+
B. *Operated*	4	19.0	655	2	2	11	68	99+	99+	99+
1. SINGLE DX	3	19.7	522	5	5	8	36	46	46	46
2. MULTIPLE DX	42	12.8	125	2	3	11	18	27	70	99+
A. NOT OPERATED	40	11.9	79	2	3	11	17	23	38	99+
B. OPERATED	5	24.4	637	2	2	28	57	96	99+	99+
TOTAL 65-69 YRS	23	14.3	180	1	2	11	17	47	70	99+
70-74	9	11.0	42	2	2	14	17	60	99+	99+
75-79	5	17.0	362	4	4	7	27	49	49	49
80-84	8	10.5	51	3	3	9	16	21	22	22
85+										
GRAND TOTAL	**45**	**13.2**	**143**	**2**	**3**	**11**	**18**	**42**	**63**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	12.4	97	2	2	12	16	22	35	43
70-74	17	17.8	231	5	6	13	19	48	56	57
75-79	4	13.5	15	10	10	12	16	19	19	19
80-84	5	11.0	62	2	2	10	15	23	23	23
85+										
B. *Operated*										
65-69 YRS	17	17.8	133	1	3	14	26	37	39	39
70-74	9	17.9	526	2	2	10	22	56	75	75
75-79	6	13.2	153	1	1	9	26	30	30	30
80-84	2	18.5	113	11	11	18	26	26	26	26
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	15.7	146	3	5	12	20	32	47	53
70-74	64	16.7	113	3	4	15	21	34	39	43
75-79	42	23.0	212	5	8	22	28	42	52	73
80-84	31	17.1	135	4	4	14	22	33	39	56
85+	21	17.7	124	3	5	18	24	29	38	47
B. *Operated*										
65-69 YRS	46	26.6	413	2	2	21	44	56	64	82
70-74	33	31.3	488	4	9	28	41	68	79	88
75-79	28	34.9	514	5	6	39	59	85	99+	99+
80-84	11	32.3	529	9	11	27	46	64	84	86
85+	4	33.0	670	4	4	30	49	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	14.4	138	2	2	12	16	24	46	57
B. *Operated*	34	17.0	222	1	2	13	26	31	39	75
2. MULTIPLE DX										
A. *Not Operated*	216	17.8	150	4	4	15	23	34	42	55
B. *Operated*	122	30.5	468	3	4	28	47	67	81	99+
1. SINGLE DX	78	15.6	174	2	2	13	19	28	41	70
2. MULTIPLE DX	338	22.4	301	4	4	18	32	49	61	89
A. NOT OPERATED	260	17.2	149	3	4	14	23	33	43	56
B. OPERATED	156	27.6	444	2	4	22	43	64	76	99+
TOTAL 65-69 YRS	139	19.1	252	2	3	14	26	45	52	70
70-74	123	20.9	292	3	4	17	28	41	54	83
75-79	80	25.9	349	4	6	23	39	61	74	99+
80-84	49	19.9	251	4	5	15	26	41	50	86
85+	25	20.1	220	3	4	21	27	31	52	67
GRAND TOTAL	416	21.1	284	3	4	16	28	48	57	87

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	11.1	65	3	4	9	14	21	29	38
70-74	249	12.4	98	3	4	10	16	23	29	44
75-79	204	11.8	98	3	4	9	16	25	29	67
80-84	91	11.0	70	2	3	9	15	19	26	48
85+	33	9.4	32	3	4	7	14	18	19	26
B. *Operated*										
65-69 YRS	12	14.9	225	1	3	7	23	37	48	50
70-74	8	12.6	233	5	5	7	10	38	50	50
75-79	5	20.2	503	3	3	9	34	57	57	57
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	784	12.1	91	3	4	10	15	23	29	56
70-74	1243	13.1	129	3	4	10	16	26	35	67
75-79	1216	14.0	149	3	4	11	17	28	41	74
80-84	750	13.9	151	3	4	11	17	27	36	78
85+	351	12.8	108	3	4	10	16	27	36	98
B. *Operated*										
65-69 YRS	119	20.2	256	5	6	17	27	53	82	99+
70-74	177	22.4	306	4	7	18	29	48	82	99+
75-79	160	22.7	267	4	7	19	31	51	64	99+
80-84	77	22.2	339	4	7	16	30	56	83	99+
85+	33	24.6	360	4	8	18	38	58	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	808	11.6	83	3	4	9	15	22	28	44
B. *Operated*	26	14.8	256	3	4	7	17	48	52	57
2. MULTIPLE DX										
A. *Not Operated*	4344	13.3	130	3	4	10	16	26	36	74
B. *Operated*	566	22.1	292	4	7	18	30	53	77	99+
1. SINGLE DX	834	11.7	88	3	4	9	15	22	29	50
2. MULTIPLE DX	4910	14.3	157	3	4	11	18	29	42	92
A. NOT OPERATED	5152	13.0	123	3	4	10	16	26	34	73
B. OPERATED	592	21.8	293	4	6	17	30	51	76	99+
TOTAL 65-69 YRS	1146	12.8	111	3	4	10	16	25	32	77
70-74	1677	14.0	152	3	4	10	18	28	41	94
75-79	1585	14.6	163	3	4	11	18	29	44	76
80-84	919	14.3	165	3	4	11	18	28	39	87
85+	417	13.4	134	3	4	10	16	31	44	99+
GRAND TOTAL	5744	13.9	148	3	4	11	17	28	40	89

1,409 Hospitals, United States, January–December 1981

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	12.8	267	1	3	10	14	19	33	99
70-74	7	7.1	15	3	3	6	11	13	13	13
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84										
85+	2	18.0	2	17	17	18	19	19	19	19
B. *Operated*										
65-69 YRS	3	8.0	39	1	1	10	12	13	13	13
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84	1	25.0		25	25	25	25	25	25	25
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	12.8	119	3	4	10	18	25	32	99+
70-74	63	12.7	146	3	3	10	15	26	40	96
75-79	26	14.6	89	5	5	11	23	30	34	35
80-84	7	8.3	32	3	3	6	11	18	19	19
85+	3	18.3	537	3	3	7	35	45	45	45
B. *Operated*										
65-69 YRS	44	22.3	407	2	3	14	32	55	72	81
70-74	17	15.4	76	3	5	17	27	99+	99+	99+
75-79	11	21.1	280	1	6	17	26	50	57	58
80-84	1	12.0		12	12	12	12	12	12	12
85+	2	10.5	113	3	3	10	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	11.9	212	2	3	10	14	18	22	99
B. *Operated*	5	10.8	84	1	1	10	16	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	211	12.9	124	3	4	10	16	26	34	99+
B. *Operated*	75	20.1	304	2	4	15	30	57	78	99+
1. SINGLE DX	52	11.8	198	1	3	10	14	19	24	98
2. MULTIPLE DX	286	14.8	180	3	4	11	19	32	54	99+
A. NOT OPERATED	258	12.7	139	3	4	10	15	25	33	99+
B. OPERATED	80	19.5	294	2	3	14	29	55	76	99+
TOTAL 65-69 YRS	195	14.9	223	2	3	11	18	31	48	99
70-74	88	12.7	123	3	4	10	16	30	72	99+
75-79	39	16.0	146	5	5	12	22	32	40	58
80-84	9	10.6	55	3	3	9	14	23	25	25
85+	7	16.0	212	3	3	17	19	40	45	45
GRAND TOTAL	338	14.3	183	3	4	11	18	31	47	99+

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	130	5.2	26	1	1	3	7	11	15	28
70-74	121	6.4	43	1	2	4	7	13	21	35
75-79	68	4.9	12	1	2	4	6	10	13	16
80-84	36	4.8	14	<1	1	3	6	10	13	17
85+	13	5.9	28	1	1	6	7	12	19	21
B. *Operated*										
65-69 YRS	4	7.8	56	4	4	4	12	19	19	19
70-74	1	2.0		2	2	2	2	2	2	2
75-79	7	6.6	5	4	4	7	8	10	10	10
80-84	2	5.5	5	4	4	5	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	726	9.0	80	2	2	7	11	18	26	59
70-74	615	8.4	66	2	2	6	10	17	24	44
75-79	496	8.1	66	2	2	6	10	15	20	37
80-84	324	9.5	81	2	3	7	11	18	24	53
85+	227	9.1	72	2	2	7	12	19	26	99+
B. *Operated*										
65-69 YRS	79	14.5	163	2	3	11	20	35	40	92
70-74	55	17.8	226	3	4	13	22	41	54	62
75-79	43	19.1	293	3	5	15	23	35	76	99+
80-84	22	18.5	98	4	5	19	26	35	59	99+
85+	17	22.6	429	2	3	15	35	59	62	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.5	28	1	2	4	7	11	15	30
B. *Operated*	14	6.4	18	2	3	5	7	11	17	19
2. MULTIPLE DX										
A. *Not Operated*	2388	8.7	73	2	2	6	10	17	24	51
B. *Operated*	216	17.3	221	3	4	14	22	38	56	99+
1. SINGLE DX	382	5.5	28	1	2	4	7	11	15	29
2. MULTIPLE DX	2604	9.5	91	2	2	7	11	19	27	59
A. NOT OPERATED	2756	8.3	68	2	2	6	10	17	23	45
B. OPERATED	230	16.7	215	3	4	13	22	37	54	99+
TOTAL 65-69 YRS	939	9.0	83	2	2	6	11	19	26	58
70-74	792	8.7	80	2	2	6	10	18	26	45
75-79	614	8.5	84	2	2	6	10	17	23	44
80-84	384	9.5	82	2	2	7	11	19	25	54
85+	257	9.9	104	2	2	7	12	20	34	96
GRAND TOTAL	2986	9.0	84	2	2	6	11	18	26	56

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	342	8.2	61	1	2	6	10	16	24	40
70-74	337	8.3	54	2	2	6	10	18	22	35
75-79	255	9.6	119	2	2	7	11	17	27	67
80-84	147	8.9	67	2	3	7	10	17	24	64
85+	94	10.1	136	2	2	7	12	20	26	72
B. *Operated*										
65-69 YRS	247	9.7	131	1	2	6	13	23	28	59
70-74	183	11.3	120	2	2	8	16	24	33	50
75-79	160	12.1	188	1	2	8	16	28	34	79
80-84	83	12.1	96	2	3	8	17	26	30	43
85+	28	11.9	328	2	2	6	10	30	64	79
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1563	12.6	148	2	3	9	16	27	39	81
70-74	1818	12.9	138	3	3	10	16	27	36	72
75-79	1839	13.3	146	3	4	10	17	28	38	81
80-84	1338	13.0	121	3	4	10	16	26	36	66
85+	931	13.2	126	3	4	10	17	26	37	99+
B. *Operated*										
65-69 YRS	800	17.1	287	2	3	11	22	43	58	99
70-74	796	17.9	261	2	3	13	25	41	56	89
75-79	728	19.2	277	2	3	14	27	43	57	97
80-84	358	21.8	367	3	5	16	31	57	73	99+
85+	208	17.4	229	3	4	13	24	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1175	8.8	79	2	2	6	11	17	24	47
B. *Operated*	701	11.0	145	1	2	7	14	25	33	61
2. MULTIPLE DX										
A. *Not Operated*	7489	13.0	137	3	4	10	16	27	37	77
B. *Operated*	2890	18.4	285	2	3	13	25	44	59	99+
1. SINGLE DX	1876	9.6	104	2	2	7	12	21	28	56
2. MULTIPLE DX	10379	14.5	185	3	3	10	18	32	45	89
A. NOT OPERATED	8664	12.4	131	2	3	9	15	26	35	74
B. OPERATED	3591	17.0	266	2	3	12	23	40	56	98
TOTAL 65-69 YRS	2952	13.1	182	2	3	9	16	29	43	85
70-74	3134	13.5	168	2	3	10	17	29	41	74
75-79	2982	14.4	186	2	3	10	18	32	44	84
80-84	1926	14.3	175	3	4	10	18	31	44	89
85+	1261	13.7	151	3	4	10	17	28	42	99+
GRAND TOTAL	**12255**	**13.8**	**175**	**2**	**3**	**10**	**17**	**30**	**43**	**84**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	4.0	7	1	2	3	5	8	10	12
70-74	31	4.6	9	1	1	4	6	9	10	11
75-79	25	4.2	8	1	2	3	6	8	10	12
80-84	5	2.6	3	1	1	2	4	5	5	5
85+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
65-69 YRS	13	5.1	8	2	2	4	8	9	10	10
70-74	6	5.5	21	2	2	4	7	13	14	14
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	5.9	16	2	2	5	5	11	14	18
70-74	95	6.2	20	2	2	5	7	13	16	22
75-79	59	6.4	19	1	2	5	9	12	16	19
80-84	35	5.4	12	1	2	6	7	9	12	17
85+	24	8.1	35	1	2	8	10	14	20	28
B. *Operated*										
65-69 YRS	17	6.8	17	2	3	6	9	14	16	16
70-74	15	10.1	35	3	4	8	13	20	21	22
75-79	15	16.9	563	2	3	11	18	35	81	97
80-84	3	15.7	20	11	11	16	19	20	20	20
85+	2	12.5	25	9	9	12	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.2	7	1	2	3	5	9	10	12
B. *Operated*	23	4.9	10	1	2	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	392	6.1	18	2	2	5	8	12	15	20
B. *Operated*	52	11.4	188	3	3	8	14	19	22	96
1. SINGLE DX	140	4.3	8	1	2	3	6	9	10	12
2. MULTIPLE DX	444	6.7	41	2	2	5	9	13	16	24
A. NOT OPERATED	509	5.7	16	1	2	5	7	11	14	19
B. OPERATED	75	9.4	142	2	2	7	11	19	20	81
TOTAL 65-69 YRS	263	5.5	14	2	2	4	7	10	13	17
70-74	147	6.3	21	2	2	5	8	13	17	22
75-79	102	7.3	108	1	2	5	9	13	18	68
80-84	44	5.8	19	1	1	5	7	11	16	20
85+	28	8.1	33	1	2	8	11	15	17	28
GRAND TOTAL	**584**	**6.2**	**34**	**1**	**2**	**5**	**8**	**12**	**15**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	4.3	11	1	1	4	5	9	13	13
70-74	7	3.4	6	1	1	3	5	7	8	8
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	946	2.5	3	1	1	2	3	4	5	9
70-74	754	2.6	3	1	1	2	3	4	6	9
75-79	604	2.7	5	1	1	2	3	4	5	13
80-84	318	2.8	5	<1	1	2	3	5	7	13
85+	139	2.8	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	4.7	11	1	1	4	7	10	11	13
70-74	35	4.6	14	<1	<1	3	7	9	11	18
75-79	18	7.3	44	<1	1	5	9	18	21	23
80-84	14	5.9	19	<1	1	5	9	12	14	15
85+	11	8.6	39	1	3	8	11	19	22	22
B. *Operated*										
65-69 YRS	701	3.9	15	1	2	3	4	8	12	20
70-74	546	4.0	24	1	2	3	4	8	11	22
75-79	420	4.4	20	1	2	3	5	9	13	25
80-84	229	4.7	29	1	2	3	5	10	15	26
85+	109	5.4	22	1	2	4	7	11	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.5	7	1	1	3	5	6	9	13
B. *Operated*	2761	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	126	5.5	21	<1	1	4	8	11	15	22
B. *Operated*	2005	4.2	21	1	2	3	4	9	12	23
1. SINGLE DX	2788	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX	2131	4.3	21	1	2	3	5	9	12	22
A. NOT OPERATED	153	5.2	19	<1	1	4	7	11	13	22
B. OPERATED	4766	3.3	12	1	1	2	3	6	9	18
TOTAL 65-69 YRS	1706	3.2	9	1	1	2	3	5	8	16
70-74	1342	3.2	13	1	1	2	3	6	8	16
75-79	1046	3.5	13	1	1	2	4	6	9	20
80-84	564	3.6	16	1	1	2	4	7	11	19
85+	261	4.1	16	1	1	3	4	9	11	22
GRAND TOTAL	**4919**	**3.3**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	269	7.0	48	1	2	5	8	15	21	30
70-74	247	7.3	48	1	2	5	9	14	20	37
75-79	158	7.5	50	2	2	5	10	16	20	35
80-84	78	8.3	103	2	3	6	8	16	22	68
85+	38	8.3	31	2	2	7	12	16	17	24
B. *Operated*										
65-69 YRS	644	4.5	20	1	2	3	5	10	13	21
70-74	383	4.7	24	1	2	3	5	9	12	31
75-79	232	5.5	33	1	2	3	6	13	19	35
80-84	101	6.0	31	1	2	4	8	12	18	28
85+	51	5.4	20	2	2	3	8	11	16	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	925	9.5	76	2	3	7	12	19	27	50
70-74	866	9.4	67	2	3	7	12	18	24	41
75-79	678	10.4	100	2	3	8	12	21	28	51
80-84	451	10.1	95	2	3	8	12	20	26	57
85+	272	10.5	74	2	3	8	13	21	28	45
B. *Operated*										
65-69 YRS	689	9.6	124	2	2	6	11	23	32	69
70-74	514	11.8	137	2	2	8	16	29	40	96
75-79	301	14.1	226	2	2	9	19	34	50	99+
80-84	159	13.4	151	2	3	10	17	30	37	69
85+	71	15.1	184	2	3	11	22	30	48	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	7.4	53	2	2	5	9	15	20	36
B. *Operated*	1411	4.8	24	1	2	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	3192	9.8	81	2	3	7	12	19	26	50
B. *Operated*	1734	11.6	154	2	2	7	15	29	39	84
1. SINGLE DX	2201	5.8	36	1	2	4	7	12	18	31
2. MULTIPLE DX	4926	10.5	107	2	3	7	13	22	31	62
A. NOT OPERATED	3982	9.3	77	2	3	7	11	19	25	48
B. OPERATED	3145	8.6	107	2	2	5	10	20	30	65
TOTAL 65-69 YRS	2527	8.0	76	2	2	5	10	17	25	52
70-74	2010	8.9	80	2	2	6	11	19	28	49
75-79	1369	10.1	119	2	2	7	12	23	32	67
80-84	789	10.1	103	2	3	7	12	21	28	62
85+	432	10.5	88	2	3	8	13	22	29	48
GRAND TOTAL	**7127**	**9.0**	**90**	**2**	**2**	**6**	**11**	**19**	**28**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	7	1	1	3	5	8	8	8
70-74	13	5.0	12	<1	<1	5	7	10	12	12
75-79	6	3.8	8	<1	<1	3	5	9	9	9
80-84	2	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	753	5.0	6	2	2	5	6	8	9	14
70-74	498	5.5	8	2	3	5	7	9	11	14
75-79	286	5.5	7	2	3	5	7	9	10	14
80-84	127	5.5	5	2	3	5	7	8	9	13
85+	51	5.2	5	2	2	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.0	11	<1	1	3	5	9	11	13
70-74	15	3.9	7	1	1	3	6	7	9	10
75-79	5	6.0	47	1	1	3	8	18	18	18
80-84	3	1.7	1	1	1	1	3	3	3	3
85+	6	2.5	1	<1	<1	2	3	4	4	4
B. *Operated*										
65-69 YRS	669	5.9	13	2	2	5	7	10	13	18
70-74	558	6.5	16	2	3	5	8	11	14	22
75-79	399	6.5	14	3	3	6	8	11	14	21
80-84	172	6.8	23	2	3	5	8	13	16	29
85+	70	7.9	34	2	3	7	10	14	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.3	9	<1	<1	3	6	9	10	12
B. *Operated*	1715	5.3	7	2	2	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	47	3.8	11	1	1	3	5	8	10	18
B. *Operated*	1868	6.4	16	2	3	5	8	11	14	21
1. SINGLE DX	1742	5.3	7	2	2	5	7	8	10	14
2. MULTIPLE DX	1915	6.3	16	2	3	5	8	11	14	21
A. NOT OPERATED	74	4.0	10	<1	1	3	5	8	10	17
B. OPERATED	3583	5.8	12	2	3	5	7	10	12	18
TOTAL 65-69 YRS	1446	5.4	9	2	2	5	7	9	11	17
70-74	1084	6.0	12	2	3	5	7	10	12	19
75-79	696	6.1	12	2	3	5	7	10	13	19
80-84	304	6.2	16	2	3	5	7	10	13	23
85+	127	6.5	23	2	3	5	8	12	14	30
GRAND TOTAL	3657	5.8	12	2	3	5	7	10	12	18

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	2.2	2	<1	1	2	3	4	5	7
70-74	36	2.6	4	1	1	3	3	4	6	11
75-79	34	2.9	4	1	1	[illegible]	4	5	7	10
80-84	23	3.3	5	<1	1	[illegible]	4	7	8	9
85+	14	4.6	16	1	1	3	6	10	15	16
B. *Operated*										
65-69 YRS	578	3.3	5	1	2	3	4	6	8	12
70-74	536	3.1	5	1	2	3	4	5	7	10
75-79	461	3.3	5	1	2	3	4	6	7	13
80-84	238	3.5	6	1	2	3	4	7	9	14
85+	87	3.7	6	1	1	3	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	4.9	17	1	1	4	7	9	12	20
70-74	41	3.6	10	1	1	2	5	7	11	16
75-79	43	3.8	7	1	1	3	5	8	9	13
80-84	27	5.4	17	1	1	4	8	12	14	15
85+	24	4.8	12	1	2	4	6	11	12	12
B. *Operated*										
65-69 YRS	402	4.8	17	1	2	3	6	9	13	21
70-74	406	4.7	14	2	2	3	6	9	12	20
75-79	3[illegible]4	4.9	18	1	2	3	6	10	13	22
80-84	2[illegible]7	5.4	22	2	2	4	6	11	14	25
85+	1[illegible]2	5.6	41	2	2	4	7	9	11	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.9	5	1	1	2	3	5	7	11
B. *Operated*	1900	3.3	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	168	4.4	12	1	1	3	6	10	12	16
B. *Operated*	1591	4.9	19	2	2	3	6	10	13	23
1. SINGLE DX	2047	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX	1759	4.9	19	1	2	3	6	10	13	21
A. NOT OPERATED	315	3.7	9	1	1	3	5	8	10	15
B. OPERATED	3491	4.0	12	1	2	3	5	8	11	19
TOTAL 65-69 YRS	1053	3.8	10	1	2	3	4	8	10	17
70-74	1019	3.8	9	1	2	3	4	7	9	15
75-79	922	3.9	11	1	2	3	4	7	11	17
80-84	545	4.4	15	1	2	3	5	9	12	21
85+	267	4.8	26	1	2	4	6	9	11	32
GRAND TOTAL	3806	4.0	12	1	2	3	5	8	10	18

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.1	9	1	1	2	4	8	10	11
70-74	15	2.1	2	1	1	2	3	4	5	6
75-79	15	3.1	5	<1	1	3	5	7	7	7
80-84	9	3.0	4	1	1	2	4	6	7	7
85+	8	1.8	1	1	1	2	2	3	4	4
B. *Operated*										
65-69 YRS	299	3.3	6	1	1	3	4	6	8	14
70-74	259	3.3	5	1	2	3	4	6	8	13
75-79	205	3.1	5	1	1	2	4	5	7	11
80-84	117	2.9	2	1	1	3	3	5	6	8
85+	53	3.7	12	1	2	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	5.0	20	1	1	4	6	10	14	22
70-74	40	5.0	14	<1	1	4	8	10	12	16
75-79	33	7.8	152	1	1	4	7	12	37	64
80-84	26	7.7	45	1	2	6	12	15	22	30
85+	28	4.8	13	2	2	4	6	9	11	18
B. *Operated*										
65-69 YRS	247	4.9	28	1	2	3	6	10	14	29
70-74	237	5.0	20	1	2	3	6	9	13	25
75-79	197	5.2	33	1	2	3	5	10	15	27
80-84	136	5.3	24	2	2	4	6	11	15	25
85+	97	5.9	26	1	2	4	8	15	18	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	5	1	1	2	4	6	7	11
B. *Operated*	933	3.2	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	161	6.0	49	1	1	4	7	12	15	40
B. *Operated*	914	5.1	26	1	2	3	6	11	15	26
1. SINGLE DX	994	3.2	5	1	1	3	4	6	8	13
2. MULTIPLE DX	1075	5.3	30	1	2	4	6	11	15	29
A. NOT OPERATED	222	5.1	39	1	1	3	6	10	13	33
B. OPERATED	1847	4.2	17	1	2	3	5	8	12	21
TOTAL 65-69 YRS	594	4.1	17	1	2	3	4	8	11	20
70-74	551	4.1	13	1	2	3	5	8	11	19
75-79	450	4.3	30	1	1	3	5	8	12	25
80-84	288	4.5	19	1	2	3	5	8	13	24
85+	186	5.0	20	1	2	3	6	12	16	24
GRAND TOTAL	**2069**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**12**	**22**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	2.4	5	<1	<1	1	3	4	6	14
70-74	57	2.6	5	<1	1	2	3	5	7	12
75-79	50	2.5	6	<1	<1	2	3	5	6	16
80-84	40	2.7	4	<1	1	2	3	5	7	11
85+	31	2.2	1	<1	<1	2	3	4	4	6
B. *Operated*										
65-69 YRS	12265	2.7	2	2	2	2	3	4	5	8
70-74	14514	2.8	3	2	2	3	3	4	5	8
75-79	14133	2.9	2	2	2	3	3	4	5	8
80-84	10054	2.9	3	2	2	3	3	4	5	9
85+	6402	3.1	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	283	2.9	14	<1	<1	2	3	6	8	21
70-74	363	3.0	10	<1	1	2	3	6	10	17
75-79	384	3.0	17	<1	1	2	3	7	9	16
80-84	267	3.3	15	<1	1	2	4	8	11	21
85+	223	3.5	25	1	1	2	4	7	10	22
B. *Operated*										
65-69 YRS	9679	3.4	9	2	2	3	4	5	7	15
70-74	12023	3.6	10	2	2	3	4	5	8	16
75-79	12173	3.7	10	2	2	3	4	6	8	16
80-84	8985	3.8	11	2	2	3	4	6	9	17
85+	6077	4.0	14	2	2	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.5	4	<1	<1	2	3	4	6	12
B. *Operated*	57368	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1520	3.1	16	<1	1	2	3	7	10	18
B. *Operated*	48937	3.7	10	2	2	3	4	6	8	17
1. SINGLE DX	57599	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX	50457	3.7	11	2	2	3	4	6	8	17
A. NOT OPERATED	1751	3.0	14	<1	1	2	3	6	9	17
B. OPERATED	106305	3.2	6	2	2	3	4	5	6	13
TOTAL 65-69 YRS	22280	3.1	5	2	2	3	3	4	6	11
70-74	26957	3.1	6	2	2	3	3	5	6	12
75-79	26740	3.2	6	2	2	3	4	5	6	12
80-84	19346	3.4	7	2	2	3	4	5	7	14
85+	12733	3.5	9	2	2	3	4	5	8	15
GRAND TOTAL	**108056**	**3.2**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	183	2.4	1	<1	1	2	3	4	4	7
70-74	154	2.2	1	<1	1	2	3	3	4	7
75-79	165	2.3	2	<1	1	2	3	4	5	8
80-84	101	2.2	1	<1	1	2	2	3	4	6
85+	76	2.4	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	5	1.4		1	1	1	2	2	2	2
75-79	3	3.3	10	<1	<1	2	6	7	7	7
80-84	3	3.3	6	1	1	3	5	6	6	6
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	171	3.0	5	1	2	2	3	5	7	18
70-74	180	2.9	3	1	2	2	3	4	6	11
75-79	176	3.3	9	1	2	3	4	5	7	21
80-84	144	3.3	10	1	1	2	4	5	8	16
85+	88	3.4	5	1	2	3	4	6	10	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	679	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	2.2	3	<1	1	2	2	6	7	7
B. *Operated*	759	3.1	6	1	2	2	3	5	7	15
1. SINGLE DX	683	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX	774	3.1	6	1	2	2	3	5	7	15
A. NOT OPERATED	19	2.3	3	<1	1	2	3	5	7	7
B. OPERATED	1438	2.7	4	1	1	2	3	4	6	12
TOTAL 65-69 YRS	356	2.7	3	1	1	2	3	4	5	12
70-74	340	2.5	2	1	1	2	3	4	5	9
75-79	346	2.8	6	1	1	2	3	4	6	11
80-84	249	2.8	6	1	1	2	3	4	6	14
85+	166	2.9	4	1	1	2	3	5	7	13
GRAND TOTAL	1457	2.7	4	1	1	2	3	4	6	12

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.8	7	1	2	5	7	9	10	10
70-74	14	5.5	16	<1	1	4	9	12	13	13
75-79	18	4.1	3	1	2	4	6	7	7	7
80-84	5	4.6	3	3	3	4	6	7	7	7
85+										
B. *Operated*										
65-69 YRS	77	2.4	2	1	1	2	3	4	6	8
70-74	41	2.9	6	1	2	2	3	4	8	13
75-79	30	3.2	9	1	1	2	3	7	12	13
80-84	21	2.3	1	1	1	2	3	4	5	6
85+	12	2.2	4	<1	1	2	2	26	86	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	7.2	30	1	2	6	10	15	19	25
70-74	54	6.7	22	1	2	5	9	13	19	22
75-79	50	7.2	34	2	2	5	10	13	14	35
80-84	28	8.3	38	1	2	6	13	19	21	22
85+	17	5.2	8	<1	<1	5	7	9	10	10
B. *Operated*										
65-69 YRS	72	4.1	15	1	2	2	5	9	14	19
70-74	72	4.3	16	1	2	2	5	11	13	19
75-79	40	5.1	27	2	2	3	6	13	18	23
80-84	15	5.3	30	<1	2	3	9	11	18	21
85+	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.7	8	1	2	4	6	9	10	13
B. *Operated*	181	2.6	4	1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	218	7.1	28	1	2	6	10	14	18	24
B. *Operated*	201	4.5	18	1	2	2	5	11	14	21
1. SINGLE DX	237	3.1	6	1	1	2	3	6	9	13
2. MULTIPLE DX	419	5.8	25	1	2	4	8	13	16	22
A. NOT OPERATED	274	6.6	25	1	2	5	9	13	16	24
B. OPERATED	382	3.6	13	1	1	2	3	8	12	21
TOTAL 65-69 YRS	237	4.5	18	1	1	3	6	10	14	21
70-74	181	4.8	17	1	2	3	6	12	13	21
75-79	138	5.3	24	1	2	3	6	12	14	24
80-84	69	5.6	29	1	1	3	7	13	19	22
85+	31	5.8	8	<1	1	3	7	8	10	99+
GRAND TOTAL	656	4.8	20	1	2	3	6	11	14	22

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	53	5.2	14	<1	1	5	8	10	14	15
70-74	49	5.7	12	1	2	5	7	10	11	19
75-79	50	5.2	15	1	1	5	7	11	13	15
80-84	31	6.6	29	1	2	5	9	15	16	25
85+	37	8.8	56	1	2	7	10	21	26	32
B. Operated										
65-69 YRS	787	2.4	2	<1	1	2	3	4	6	9
70-74	782	2.5	3	<1	1	2	3	4	6	9
75-79	686	2.7	11	<1	1	2	3	5	5	11
80-84	461	2.7	4	<1	1	2	3	5	7	11
85+	346	2.7	4	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	115	5.6	33	1	1	4	6	11	16	32
70-74	116	6.2	25	1	2	5	9	12	15	27
75-79	109	6.9	34	1	1	6	8	14	21	30
80-84	89	6.9	52	<1	1	6	9	13	15	44
85+	101	7.3	44	1	1	5	10	14	19	37
B. Operated										
65-69 YRS	868	3.4	8	1	1	3	4	6	8	15
70-74	842	3.7	14	1	1	3	4	7	9	18
75-79	824	4.1	26	1	2	3	5	7	10	20
80-84	551	4.3	17	1	2	3	5	8	11	20
85+	442	4.3	15	1	2	3	5	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	6.1	24	1	1	5	8	12	15	26
B. Operated	3062	2.6	5	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	530	6.5	37	1	1	5	8	12	18	29
B. Operated	3527	3.9	16	1	1	3	5	7	10	19
1. SINGLE DX	3282	2.8	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	4057	4.2	19	1	1	3	5	8	11	22
A. NOT OPERATED	750	6.4	33	1	1	5	8	12	17	28
B. OPERATED	6589	3.3	11	1	1	2	4	6	8	16
TOTAL 65-69 YRS	1823	3.2	8	1	1	2	4	6	8	15
70-74	1789	3.4	11	1	1	2	4	6	9	16
75-79	1669	3.7	21	1	1	2	4	7	10	21
80-84	1132	3.9	16	1	1	3	4	8	10	20
85+	926	4.2	18	1	1	3	5	8	12	23
GRAND TOTAL	7339	3.6	14	1	1	2	4	7	9	19

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	85	4.3	11	1	1	4	6	7	10	18
70-74	80	4.3	9	1	1	3	6	9	10	16
75-79	48	4.4	11	1	1	4	6	8	12	16
80-84	38	4.8	12	1	1	4	6	11	12	18
85+	27	6.4	19	1	2	5	9	14	15	18
B. Operated										
65-69 YRS	662	3.0	7	1	1	2	3	5	7	15
70-74	665	2.9	5	1	1	2	3	5	7	13
75-79	607	2.9	3	1	2	2	3	5	6	11
80-84	376	3.0	5	1	2	2	3	5	6	16
85+	216	3.2	8	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	245	6.1	20	1	1	5	8	12	18	23
70-74	216	7.2	61	1	2	6	9	13	16	33
75-79	174	6.9	27	1	2	6	8	13	16	24
80-84	124	6.9	30	1	2	5	9	15	19	24
85+	86	7.9	113	1	2	6	9	15	19	70
B. Operated										
65-69 YRS	847	4.7	25	1	2	3	5	10	14	23
70-74	818	4.8	24	1	2	3	5	10	13	31
75-79	700	4.5	29	1	2	3	5	9	12	27
80-84	459	4.6	25	1	2	3	5	9	14	29
85+	249	5.5	29	1	2	3	7	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	278	4.6	12	1	1	4	6	9	12	16
B. Operated	2526	3.0	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	845	6.8	43	1	2	5	9	13	16	27
B. Operated	3073	4.7	26	1	2	3	5	10	14	27
1. SINGLE DX	2804	3.1	6	1	1	2	3	5	8	14
2. MULTIPLE DX	3918	5.2	31	1	2	3	6	11	14	27
A. NOT OPERATED	1123	6.3	36	1	2	5	8	12	16	25
B. OPERATED	5599	3.9	18	1	2	3	4	8	11	21
TOTAL 65-69 YRS	1839	4.3	18	1	2	3	5	9	12	21
70-74	1779	4.3	23	1	2	3	5	9	12	29
75-79	1529	4.2	20	1	2	3	5	8	11	20
80-84	997	4.3	19	1	2	3	5	9	13	23
85+	578	5.0	36	1	1	3	6	12	16	26
GRAND TOTAL	6722	4.3	21	1	2	3	5	9	12	23

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.8	15	1	1	4	6	10	14	16
70-74	17	4.8	6	2	3	4	6	8	10	11
75-79	20	3.5	4	<1	1	3	5	6	7	7
80-84	13	4.1	8	1	1	3	6	8	10	10
85+	6	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	34	3.4	10	1	1	2	4	6	9	18
70-74	27	3.7	5	1	2	3	4	7	9	9
75-79	20	2.9	2	1	1	2	4	5	6	7
80-84	8	2.5	1	1	1	2	3	4	4	4
85+	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	5.0	13	2	2	4	7	10	12	20
70-74	82	6.6	24	2	2	6	8	13	16	26
75-79	72	7.7	68	2	2	5	9	14	19	45
80-84	42	7.8	36	2	2	6	10	17	20	28
85+	25	8.7	35	1	3	8	13	14	22	24
B. *Operated*										
65-69 YRS	77	5.6	35	2	2	3	6	14	19	30
70-74	71	5.2	32	2	2	4	6	10	13	38
75-79	51	6.5	98	1	2	3	7	14	21	67
80-84	44	6.3	32	1	2	4	8	12	20	28
85+	24	6.5	28	2	2	5	8	15	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.2	8	1	1	3	5	8	10	15
B. *Operated*	95	3.3	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	299	6.8	35	2	2	5	9	13	17	33
B. *Operated*	267	5.8	44	2	2	4	7	12	18	31
1. SINGLE DX	173	3.7	7	1	1	3	4	7	9	15
2. MULTIPLE DX	566	6.3	40	2	2	4	8	13	17	31
A. NOT OPERATED	377	6.3	31	2	2	5	8	12	16	28
B. OPERATED	362	5.2	36	1	2	3	6	10	16	28
TOTAL 65-69 YRS	211	4.9	21	1	2	3	6	10	15	23
70-74	197	5.5	23	2	2	4	7	11	14	25
75-79	163	6.2	64	1	2	4	7	11	17	46
80-84	107	6.3	30	1	2	4	8	12	18	28
85+	61	6.6	30	2	2	4	9	14	18	24
GRAND TOTAL	**739**	**5.7**	**33**	**1**	**2**	**4**	**7**	**11**	**16**	**28**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.3	14	1	1	3	8	10	10	10
70-74	9	5.2	5	2	2	6	6	9	10	10
75-79	5	4.8	11	2	2	3	7	10	10	10
80-84	5	3.8	6	1	1	4	5	7	7	7
85+	4	3.3	4	2	2	3	4	6	6	6
B. *Operated*										
65-69 YRS	239	2.2	1	1	1	2	3	3	4	5
70-74	108	2.2	2	1	1	2	3	3	4	9
75-79	69	2.4	2	1	1	2	3	4	4	12
80-84	28	2.2	3	<1	<1	2	3	5	6	8
85+	20	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	37	1	2	5	9	15	19	33
70-74	56	5.7	13	1	2	5	7	11	14	16
75-79	53	8.3	54	1	2	7	11	16	19	44
80-84	33	11.8	187	2	3	7	12	29	45	64
85+	37	9.3	55	2	3	7	11	19	24	37
B. *Operated*										
65-69 YRS	294	3.3	16	1	2	2	3	5	7	20
70-74	159	3.8	13	1	2	3	4	9	13	19
75-79	75	4.6	68	1	1	2	4	9	13	56
80-84	35	3.4	13	1	1	3	3	5	10	21
85+	13	3.4	20	1	1	2	3	7	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.4	7	1	1	4	6	9	10	10
B. *Operated*	464	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	241	8.0	61	1	2	6	9	16	21	45
B. *Operated*	576	3.6	22	1	1	2	3	6	11	20
1. SINGLE DX	494	2.3	2	1	1	2	3	3	5	9
2. MULTIPLE DX	817	4.9	37	1	2	3	5	11	15	35
A. NOT OPERATED	271	7.6	56	1	2	6	9	15	19	44
B. OPERATED	1040	3.0	13	1	1	2	3	4	7	17
TOTAL 65-69 YRS	602	3.2	14	1	1	2	3	5	9	20
70-74	332	3.7	10	1	1	3	4	8	11	16
75-79	202	4.8	45	1	1	3	5	11	15	34
80-84	101	5.8	83	<1	1	3	5	12	21	55
85+	74	5.8	44	<1	1	3	8	16	19	34
GRAND TOTAL	**1311**	**3.9**	**25**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	10.1	90	1	2	6	14	27	28	28
70-74	7	6.6	20	2	2	6	10	13	14	14
75-79	8	5.3	3	2	3	5	6	7	8	8
80-84	5	6.2	7	4	4	5	8	10	10	10
85+	6	7.8	25	3	3	6	14	14	14	14
B. *Operated*										
65-69 YRS	48	4.1	15	1	1	3	5	9	12	21
70-74	30	3.5	8	<1	1	3	5	8	10	10
75-79	22	6.0	42	<1	1	4	7	13	20	29
80-84	16	4.7	14	2	2	3	6	12	13	13
85+	9	5.9	13	2	2	5	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	8.8	79	3	4	6	10	14	23	58
70-74	51	11.0	117	2	3	7	12	25	40	55
75-79	37	8.9	53	2	2	7	10	21	24	33
80-84	24	8.9	60	1	2	6	13	16	23	36
85+	25	12.8	122	2	2	11	15	23	42	43
B. *Operated*										
65-69 YRS	72	7.3	67	2	2	4	8	18	26	41
70-74	57	8.3	69	1	2	5	10	18	26	42
75-79	51	15.3	254	1	2	8	23	41	49	59
80-84	24	16.8	302	2	3	9	26	46	60	62
85+	13	12.5	215	1	2	7	15	35	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.5	37	2	2	6	8	14	23	28
B. *Operated*	125	4.5	18	1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	192	9.9	88	2	3	7	12	22	29	50
B. *Operated*	217	10.8	157	1	2	5	14	27	41	59
1. SINGLE DX	162	5.2	24	1	1	4	6	11	14	28
2. MULTIPLE DX	409	10.4	125	2	2	6	13	24	36	58
A. NOT OPERATED	229	9.6	80	2	2	7	11	20	27	46
B. OPERATED	342	8.5	116	1	2	4	9	21	32	57
TOTAL 65-69 YRS	186	7.1	61	1	2	4	8	15	22	40
70-74	145	8.2	77	1	2	6	9	17	26	43
75-79	118	10.9	149	1	2	6	13	27	39	58
80-84	69	10.5	151	2	2	6	13	26	36	61
85+	53	11.0	118	2	2	7	14	23	40	52
GRAND TOTAL	**571**	**8.9**	**101**	**1**	**2**	**5**	**11**	**21**	**30**	**54**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	393	3.8	10	1	1	3	4	7	9	17
70-74	363	4.0	7	1	2	3	5	8	9	14
75-79	252	4.5	11	1	2	3	6	8	12	17
80-84	152	5.1	15	1	2	4	6	10	14	21
85+	73	5.1	19	1	2	4	6	9	11	27
B. *Operated*										
65-69 YRS	63	3.6	3	1	2	3	5	6	7	10
70-74	51	5.0	11	2	2	4	6	10	13	17
75-79	23	4.2	4	2	2	4	5	7	8	9
80-84	11	4.5	16	2	2	3	5	12	13	13
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1308	5.6	15	2	2	5	7	11	13	20
70-74	1300	5.6	14	2	2	5	7	10	13	19
75-79	1107	6.0	20	2	2	5	8	12	14	21
80-84	728	6.7	25	2	2	5	8	12	17	26
85+	462	7.2	31	2	3	6	9	14	18	29
B. *Operated*										
65-69 YRS	117	8.3	31	2	3	7	12	15	17	30
70-74	68	8.5	23	2	3	8	11	15	18	22
75-79	78	11.2	68	3	4	8	15	20	23	48
80-84	30	8.5	31	3	3	7	11	16	17	27
85+	26	11.8	41	4	4	12	15	21	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1233	4.2	11	1	2	3	5	8	10	17
B. *Operated*	149	4.3	8	2	2	3	5	7	11	13
2. MULTIPLE DX										
A. *Not Operated*	4905	6.0	19	2	2	5	8	11	14	22
B. *Operated*	319	9.3	41	2	3	8	13	17	20	33
1. SINGLE DX	1382	4.2	11	1	2	3	5	8	10	17
2. MULTIPLE DX	5224	6.2	21	2	2	5	8	12	15	23
A. NOT OPERATED	6138	5.7	18	2	2	5	7	11	14	22
B. OPERATED	468	7.7	36	2	2	6	11	16	18	27
TOTAL 65-69 YRS	1881	5.3	16	1	2	4	7	10	13	20
70-74	1782	5.4	14	2	2	4	7	10	13	19
75-79	1460	6.0	23	2	2	5	8	12	15	22
80-84	921	6.4	24	2	2	5	8	12	16	26
85+	562	7.1	32	2	2	6	9	14	18	29
GRAND TOTAL	**6606**	**5.8**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	<1	<1	2	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	327	2.5	1	1	1	3	3	4	4	6
70-74	180	2.6	1	1	1	3	3	4	4	7
75-79	95	2.6	1	1	2	2	3	3	4	7
80-84	40	2.4	1	1	1	2	3	3	4	5
85+	11	3.0	3	1	1	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.5	17	1	1	2	6	10	11	11
70-74	3	5.7	2	4	4	6	7	7	7	7
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	3	5.7	2	4	4	6	7	7	7	7
85+	3	8.3	6	6	6	8	10	11	11	11
B. *Operated*										
65-69 YRS	96	3.4	12	2	2	2	3	5	7	23
70-74	66	3.3	5	1	2	3	3	6	8	13
75-79	26	2.7	1	1	2	3	3	4	19	99+
80-84	12	3.2	2	2	2	3	4	5	7	7
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*	653	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	19	4.7	12	<1	1	4	7	10	11	11
B. *Operated*	201	3.3	7	2	2	3	3	5	7	22
1. SINGLE DX	658	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX	220	3.4	8	1	2	3	3	6	8	20
A. NOT OPERATED	24	4.1	11	<1	1	3	7	9	11	11
B. OPERATED	854	2.7	3	1	1	3	3	4	5	8
TOTAL 65-69 YRS	434	2.7	4	1	1	2	3	4	5	10
70-74	250	2.8	2	1	2	3	3	4	6	8
75-79	124	2.5	1	1	2	2	3	3	4	31
80-84	55	2.7	2	1	1	3	3	4	6	7
85+	15	4.1	8	1	2	3	6	8	10	11
GRAND TOTAL	**878**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	3.8	6	1	1	4	4	6	8	12
70-74	35	3.7	8	1	1	3	4	8	12	13
75-79	13	3.0	5	<1	1	3	4	5	8	9
80-84	11	4.9	8	2	2	4	7	9	11	11
85+	6	4.0	4	1	1	4	5	7	7	7
B. *Operated*										
65-69 YRS	238	2.6	5	1	1	2	3	4	5	11
70-74	124	2.9	8	1	1	2	3	4	10	16
75-79	68	2.5	2	1	1	2	3	3	4	10
80-84	24	2.7	5	<1	1	2	3	3	7	13
85+	9	2.9	3	2	2	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	4.9	11	1	2	4	7	9	11	18
70-74	74	6.0	28	2	2	5	8	9	14	32
75-79	39	5.7	22	1	1	4	7	11	13	26
80-84	35	7.9	35	1	2	7	10	15	18	30
85+	29	7.7	66	1	2	5	9	14	17	45
B. *Operated*										
65-69 YRS	268	3.6	10	1	2	3	4	6	8	19
70-74	143	3.5	14	1	1	3	3	6	9	20
75-79	78	3.4	6	1	2	3	3	6	9	14
80-84	26	4.5	15	1	2	3	5	12	13	15
85+	8	5.0	34	2	2	3	5	15	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.8	6	1	1	3	4	7	9	13
B. *Operated*	463	2.7	5	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*	260	6.1	27	1	2	5	8	11	15	30
B. *Operated*	523	3.6	11	1	2	3	4	6	9	19
1. SINGLE DX	577	2.9	6	1	1	2	3	4	7	13
2. MULTIPLE DX	783	4.4	18	1	2	3	5	8	12	20
A. NOT OPERATED	374	5.4	22	1	1	4	7	10	13	28
B. OPERATED	986	3.2	9	1	1	2	3	5	8	16
TOTAL 65-69 YRS	638	3.4	8	1	1	3	4	6	8	16
70-74	376	3.8	15	1	1	3	4	8	11	20
75-79	198	3.5	9	1	1	3	4	7	9	15
80-84	96	5.3	23	1	2	3	7	12	15	24
85+	52	6.0	45	1	2	4	7	12	15	44
GRAND TOTAL	**1360**	**3.8**	**13**	**1**	**1**	**3**	**4**	**8**	**10**	**19**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	12.0	162	3	3	12	21	21	21	21
70-74	4	10.5	15	5	5	11	13	14	14	14
75-79	1	53.0		53	53	53	53	53	53	53
80-84	2	10.0	8	8	8	10	12	12	12	12
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	11.7	111	3	4	8	14	23	26	67
70-74	54	10.4	53	3	4	9	12	17	31	36
75-79	42	10.8	103	2	3	8	12	23	33	54
80-84	33	13.5	210	3	3	7	15	40	47	64
85+	9	8.4	22	2	3	9	10	15	18	18
B. *Operated*										
65-69 YRS	20	14.9	76	3	4	14	20	29	30	30
70-74	15	20.7	291	3	3	15	35	47	50	51
75-79	6	17.7	77	6	7	17	21	31	32	32
80-84	4	19.5	86	7	7	22	26	27	27	27
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	15.0	203	3	4	11	14	37	53	53
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	201	11.3	106	3	3	8	13	22	31	59
B. *Operated*	45	17.6	147	3	4	15	24	32	46	51
1. SINGLE DX	12	12.9	190	2	3	11	13	31	50	53
2. MULTIPLE DX	246	12.5	119	3	4	9	15	27	33	54
A. NOT OPERATED	211	11.5	110	3	3	9	13	22	31	58
B. OPERATED	47	16.9	150	3	3	15	23	32	46	51
TOTAL 65-69 YRS	86	12.3	103	3	4	9	17	24	29	58
70-74	74	12.4	114	3	4	10	14	30	37	50
75-79	49	12.5	136	3	3	9	15	31	35	54
80-84	39	13.9	188	3	3	11	16	35	45	64
85+	10	8.7	20	2	3	9	11	15	18	18
GRAND TOTAL	**258**	**12.5**	**121**	**3**	**3**	**9**	**15**	**27**	**33**	**54**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	6.9	27	1	2	5	10	14	19	20
70-74	19	10.4	38	3	4	8	13	20	23	26
75-79	18	9.2	21	3	4	9	13	16	16	16
80-84	9	6.0	10	3	3	5	8	11	12	12
85+	4	6.3	11	4	4	5	8	11	11	11
B. *Operated*										
65-69 YRS	125	8.4	65	2	2	4	14	19	26	33
70-74	49	10.9	118	2	2	9	19	22	25	59
75-79	16	16.5	99	1	2	18	22	28	33	35
80-84	4	7.0	11	2	2	8	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	559	9.1	51	2	3	7	12	17	22	38
70-74	552	10.0	77	2	3	8	13	19	25	47
75-79	423	10.9	81	3	3	8	14	21	28	44
80-84	236	10.8	86	3	3	9	13	20	27	55
85+	137	10.0	48	3	4	8	13	19	23	32
B. *Operated*										
65-69 YRS	605	13.6	174	2	2	11	19	29	40	79
70-74	344	14.9	158	2	2	12	20	29	45	63
75-79	154	14.5	201	2	2	11	18	31	42	75
80-84	32	18.8	257	4	5	14	28	47	68	99+
85+	21	21.5	326	5	6	11	31	48	59	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	8.1	27	2	3	7	11	15	19	24
B. *Operated*	194	9.7	84	2	2	5	15	22	26	35
2. MULTIPLE DX										
A. *Not Operated*	1907	10.0	70	2	3	8	12	19	25	43
B. *Operated*	1156	14.4	179	2	2	12	19	31	44	71
1. SINGLE DX	273	9.2	68	2	2	6	14	20	26	34
2. MULTIPLE DX	3063	11.7	115	2	3	9	15	24	32	57
A. NOT OPERATED	1986	10.0	68	2	3	8	12	19	25	42
B. OPERATED	1350	13.7	168	2	2	11	19	29	41	69
TOTAL 65-69 YRS	1318	11.0	114	2	2	8	14	23	31	57
70-74	964	11.8	112	2	2	9	15	24	32	54
75-79	611	11.9	112	2	3	9	15	25	31	51
80-84	281	11.5	108	3	3	9	14	22	33	67
85+	162	11.4	97	3	4	8	14	22	28	53
GRAND TOTAL	**3336**	**11.5**	**112**	**2**	**2**	**9**	**15**	**23**	**31**	**57**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	541	5.2	13	1	2	4	6	9	11	18
70-74	445	5.2	13	1	2	4	7	10	12	18
75-79	290	5.4	18	1	2	4	7	10	14	21
80-84	138	5.7	18	2	2	5	7	10	15	22
85+	90	6.1	24	1	2	5	8	10	14	31
B. *Operated*										
65-69 YRS	37	6.2	44	1	1	4	8	13	18	34
70-74	24	6.5	37	1	2	4	9	17	20	20
75-79	13	6.7	29	2	2	5	8	12	20	22
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4438	7.1	30	2	3	6	9	13	16	28
70-74	3808	7.5	35	2	3	6	9	14	18	29
75-79	3085	8.2	55	2	3	6	10	15	20	40
80-84	1981	8.6	65	2	3	7	10	16	22	45
85+	1310	8.8	70	2	3	7	11	16	22	51
B. *Operated*										
65-69 YRS	712	11.1	98	2	3	9	14	21	28	54
70-74	520	13.4	152	2	3	10	17	26	36	82
75-79	366	13.8	107	3	4	11	18	28	34	65
80-84	175	14.4	104	3	4	12	19	29	37	53
85+	113	15.2	216	2	3	10	21	32	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1504	5.3	15	1	2	4	7	10	12	20
B. *Operated*	76	6.5	37	1	1	4	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	14622	7.8	45	2	3	6	9	14	19	34
B. *Operated*	1886	12.8	124	2	3	10	16	25	34	68
1. SINGLE DX	1580	5.4	16	1	2	4	7	10	13	21
2. MULTIPLE DX	16508	8.4	57	2	3	6	10	16	21	40
A. NOT OPERATED	16126	7.6	43	2	3	6	9	14	18	33
B. OPERATED	1962	12.6	122	2	3	10	16	25	33	67
TOTAL 65-69 YRS	5728	7.4	39	2	2	6	9	14	18	31
70-74	4797	7.9	50	2	2	6	10	15	20	36
75-79	3754	8.5	60	2	3	7	10	16	21	40
80-84	2295	8.9	68	2	3	7	11	17	23	44
85+	1514	9.1	82	2	3	7	11	18	25	54
GRAND TOTAL	**18088**	**8.1**	**54**	**2**	**3**	**6**	**10**	**15**	**20**	**38**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	215	6.6	21	2	3	5	8	12	14	26
70-74	240	7.5	59	2	2	6	9	13	18	37
75-79	179	7.5	34	2	3	6	9	13	19	32
80-84	151	7.6	37	2	3	6	9	14	21	31
85+	105	7.4	22	2	3	6	9	12	16	26
B. *Operated*										
65-69 YRS	32	4.2	13	1	2	3	6	10	12	16
70-74	7	5.1	19	1	1	3	9	12	12	12
75-79	9	7.2	15	2	3	7	9	13	15	15
80-84	2	5.5	25	2	2	5	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2939	9.1	50	3	3	7	11	17	21	37
70-74	3417	9.9	63	3	3	8	12	18	24	42
75-79	3271	10.5	64	3	4	8	13	20	26	41
80-84	2504	10.8	82	3	4	9	13	20	27	56
85+	1879	11.6	103	3	4	9	14	22	30	60
B. *Operated*										
65-69 YRS	462	13.6	128	2	3	11	18	28	37	63
70-74	435	16.0	166	2	4	13	20	33	42	76
75-79	343	18.2	195	5	6	14	23	35	48	81
80-84	284	19.0	205	5	6	15	24	39	56	91
85+	153	18.7	243	4	6	15	22	35	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	7.3	37	2	3	6	9	13	17	30
B. *Operated*	50	4.9	15	1	2	3	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	14010	10.3	70	3	3	8	13	19	26	46
B. *Operated*	1677	16.5	179	3	4	13	21	33	44	77
1. SINGLE DX	940	7.2	36	2	3	6	9	12	17	30
2. MULTIPLE DX	15687	10.9	85	3	4	8	13	21	28	53
A. NOT OPERATED	14900	10.1	68	3	3	8	12	19	25	45
B. OPERATED	1727	16.2	178	2	4	13	20	33	43	77
TOTAL 65-69 YRS	3648	9.5	61	2	3	7	12	18	24	43
70-74	4099	10.4	77	3	3	8	13	20	26	47
75-79	3802	11.0	79	3	4	8	14	22	28	51
80-84	2941	11.4	98	3	4	9	14	22	30	63
85+	2137	11.9	114	3	4	9	14	23	31	53
GRAND TOTAL	**16627**	**10.7**	**83**	**3**	**3**	**8**	**13**	**21**	**27**	**52**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	8.8	57	2	2	6	13	18	24	35
70-74	33	9.0	45	2	3	7	11	17	25	29
75-79	22	7.5	19	2	3	7	10	14	16	18
80-84	19	9.6	59	3	3	6	13	23	27	29
85+	15	12.9	219	3	4	8	14	17	52	64
B. *Operated*										
65-69 YRS	51	9.5	55	2	2	8	14	17	25	39
70-74	26	11.6	121	<1	<1	8	20	31	34	35
75-79	17	11.6	70	3	3	8	19	24	26	27
80-84	7	12.3	218	<1	<1	4	23	36	38	38
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	356	11.0	69	2	2	8	15	22	28	38
70-74	371	11.3	99	2	3	9	14	22	26	54
75-79	319	12.2	88	3	3	10	16	25	30	53
80-84	249	13.9	151	3	4	10	17	27	49	73
85+	214	14.9	234	3	4	10	19	28	46	95
B. *Operated*										
65-69 YRS	335	17.6	268	2	3	13	24	37	51	91
70-74	227	17.1	204	3	4	13	21	37	49	66
75-79	134	20.7	267	3	3	16	29	51	57	99+
80-84	59	25.2	453	2	4	16	39	58	66	83
85+	33	17.1	127	2	5	14	22	39	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	9.2	66	2	2	7	12	17	25	39
B. *Operated*	101	10.6	83	1	2	8	15	24	29	38
2. MULTIPLE DX										
A. *Not Operated*	1509	12.4	119	2	3	9	16	24	33	69
B. *Operated*	788	18.5	261	2	3	14	24	41	54	82
1. SINGLE DX	236	9.8	73	2	2	7	14	22	27	38
2. MULTIPLE DX	2297	14.5	176	2	3	10	18	30	41	73
A. NOT OPERATED	1644	12.1	115	2	3	9	15	24	32	67
B. OPERATED	889	17.6	247	2	3	13	23	39	52	80
TOTAL 65-69 YRS	788	13.6	164	2	3	9	17	29	38	70
70-74	657	13.2	141	2	3	10	17	26	35	63
75-79	492	14.3	149	3	3	11	18	29	39	70
80-84	334	15.6	219	2	4	11	19	38	50	79
85+	262	15.0	219	3	4	10	19	30	41	94
GRAND TOTAL	**2533**	**14.0**	**169**	**2**	**3**	**10**	**18**	**29**	**40**	**72**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2619	12.6	23	6	7	12	15	18	21	27
70-74	2041	12.5	24	5	7	12	15	19	21	29
75-79	1387	12.7	26	6	7	12	15	19	22	29
80-84	796	13.7	42	6	8	13	16	21	25	36
85+	458	13.3	37	6	7	12	16	21	24	34
B. *Operated*										
65-69 YRS	162	14.9	52	2	7	14	17	26	29	36
70-74	87	16.7	71	2	9	15	19	29	36	40
75-79	56	15.3	52	4	7	14	19	25	29	37
80-84	28	20.0	119	9	10	17	25	31	43	57
85+	7	25.6	160	14	15	20	33	47	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11431	14.2	45	6	7	13	17	22	26	39
70-74	10992	14.6	51	6	8	13	17	22	27	41
75-79	8780	15.2	61	6	8	14	18	24	30	46
80-84	5887	15.8	76	6	8	14	19	26	32	51
85+	3864	16.4	93	6	8	14	19	27	34	58
B. *Operated*										
65-69 YRS	1781	19.3	151	5	9	16	23	34	43	80
70-74	1468	21.0	145	7	10	18	26	37	46	75
75-79	1063	22.3	144	9	11	19	27	39	47	70
80-84	629	23.1	173	9	11	20	28	40	51	97
85+	364	23.3	173	10	11	20	29	42	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7301	12.8	27	6	7	12	15	19	22	29
B. *Operated*	340	16.0	68	3	8	14	19	27	31	41
2. MULTIPLE DX										
A. *Not Operated*	40954	14.9	59	6	8	14	18	23	29	45
B. *Operated*	5305	21.1	154	8	10	18	26	37	46	90
1. SINGLE DX	7641	12.9	29	6	7	12	15	19	22	31
2. MULTIPLE DX	46259	15.7	74	6	8	14	19	25	31	50
A. NOT OPERATED	48255	14.6	55	6	8	13	17	23	28	43
B. OPERATED	5645	20.8	150	7	10	18	25	37	45	78
TOTAL 65-69 YRS	15993	14.5	57	6	8	13	17	22	27	44
70-74	14588	14.9	62	6	8	14	18	23	29	46
75-79	11286	15.6	69	6	8	14	18	25	31	49
80-84	7340	16.2	85	6	8	14	19	26	34	53
85+	4693	16.6	98	6	8	14	20	28	35	59
GRAND TOTAL	**53900**	**15.3**	**69**	**6**	**8**	**14**	**18**	**24**	**30**	**49**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	854	4.7	10	2	2	4	6	8	10	16
70-74	728	4.8	12	1	2	4	6	8	12	17
75-79	511	5.1	17	1	2	4	7	9	11	18
80-84	331	5.1	15	1	2	4	6	9	12	20
85+	182	4.7	12	1	2	4	6	9	11	16
B. *Operated*										
65-69 YRS	154	4.8	23	1	2	2	7	10	13	22
70-74	92	5.5	38	1	1	3	7	15	17	31
75-79	29	7.3	34	2	2	6	8	17	22	23
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	3	6.0	4	4	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7429	6.3	19	2	2	5	8	11	14	22
70-74	7383	6.6	23	2	2	5	8	12	15	24
75-79	6220	6.9	26	2	2	6	9	13	16	26
80-84	4044	7.2	36	2	2	6	9	13	17	30
85+	2461	7.3	36	2	3	6	9	13	18	31
B. *Operated*										
65-69 YRS	2640	9.1	70	2	2	7	13	19	24	40
70-74	1548	10.5	94	2	2	8	14	23	29	43
75-79	660	12.9	116	2	2	11	17	26	34	54
80-84	287	14.1	167	2	3	11	17	26	39	82
85+	140	14.3	104	4	4	12	19	28	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2606	4.9	13	1	2	4	6	9	11	17
B. *Operated*	280	5.3	29	1	2	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	27537	6.7	26	2	2	6	8	12	15	25
B. *Operated*	5275	10.4	91	2	2	8	14	22	28	48
1. SINGLE DX	2886	4.9	14	1	2	4	6	9	12	18
2. MULTIPLE DX	32812	7.3	38	2	2	6	9	14	18	32
A. NOT OPERATED	30143	6.6	25	2	2	5	8	12	15	25
B. OPERATED	5555	10.2	90	2	2	8	14	21	28	47
TOTAL 65-69 YRS	11077	6.8	32	2	2	5	9	13	17	29
70-74	9751	7.0	36	2	2	5	9	13	18	31
75-79	7420	7.3	37	2	2	6	9	14	18	32
80-84	4664	7.5	45	2	2	6	9	14	18	34
85+	2786	7.5	40	2	2	6	9	14	19	33
GRAND TOTAL	**35698**	**7.1**	**37**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	743	6.1	14	2	2	5	8	11	13	19
70-74	653	6.1	15	2	2	5	8	11	13	20
75-79	483	6.4	22	2	3	5	8	11	14	25
80-84	269	6.2	16	2	2	5	7	11	14	20
85+	147	6.6	21	2	2	5	8	12	16	24
B. *Operated*										
65-69 YRS	125	8.9	45	2	2	8	13	19	22	30
70-74	84	8.8	38	2	2	8	11	17	19	34
75-79	15	8.5	38	1	2	8	12	17	20	21
80-84	6	5.7	7	3	3	5	9	9	9	9
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6016	7.8	26	2	3	7	10	14	17	27
70-74	5902	8.2	31	2	3	7	10	15	18	27
75-79	4884	8.5	33	3	3	7	11	15	19	29
80-84	3194	8.9	43	3	3	7	11	16	21	34
85+	1903	9.2	46	3	3	8	12	17	21	37
B. *Operated*										
65-69 YRS	1472	13.2	96	2	3	11	18	25	31	49
70-74	885	14.7	113	2	4	13	18	26	34	56
75-79	530	16.4	123	3	5	14	21	31	38	58
80-84	207	17.1	135	5	6	14	21	33	48	99+
85+	111	18.5	141	5	6	15	26	37	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2295	6.2	16	2	2	5	8	11	14	21
B. *Operated*	231	8.7	41	2	2	8	12	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	21899	8.4	33	3	3	7	10	15	19	29
B. *Operated*	3205	14.6	111	2	3	13	19	27	35	56
1. SINGLE DX	2526	6.4	19	2	2	5	8	12	14	22
2. MULTIPLE DX	25104	9.1	48	2	3	7	11	17	22	36
A. NOT OPERATED	24194	8.2	32	2	3	7	10	15	18	29
B. OPERATED	3436	14.2	109	2	3	12	18	27	34	56
TOTAL 65-69 YRS	8356	8.6	43	2	3	7	11	16	21	33
70-74	7524	8.8	44	2	3	7	11	16	20	34
75-79	5912	9.1	45	3	3	7	11	17	21	35
80-84	3676	9.2	51	3	3	7	11	17	22	39
85+	2162	9.5	53	2	3	8	12	18	23	43
GRAND TOTAL	**27630**	**8.9**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	543	5.6	18	1	2	5	7	11	13	19
70-74	431	6.2	25	2	2	5	8	11	14	18
75-79	387	6.6	30	1	2	5	8	12	16	27
80-84	255	7.1	30	2	2	6	9	14	17	27
85+	205	6.6	27	2	2	5	8	12	16	29
B. *Operated*										
65-69 YRS	2289	7.6	46	2	2	5	12	16	20	28
70-74	1015	8.3	58	1	2	6	13	17	22	34
75-79	286	9.1	58	2	2	8	14	18	23	37
80-84	48	10.4	114	2	2	9	14	22	27	60
85+	14	11.1	74	2	2	9	14	21	31	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8068	7.9	39	2	3	7	10	15	18	30
70-74	8842	8.4	40	2	3	7	11	15	20	33
75-79	8292	9.0	52	2	3	7	11	16	22	38
80-84	6622	9.7	60	2	3	8	12	19	24	40
85+	5681	10.5	80	3	3	8	13	20	27	50
B. *Operated*										
65-69 YRS	6567	10.5	91	2	2	9	15	22	27	47
70-74	3737	12.4	112	2	2	11	17	25	33	51
75-79	1692	14.1	137	2	2	12	18	28	38	59
80-84	833	16.0	164	2	4	13	21	32	44	64
85+	597	17.2	156	4	6	14	22	32	42	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1821	6.3	25	2	2	5	8	12	15	24
B. *Operated*	3652	7.9	51	2	2	5	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	37505	9.0	53	2	3	7	11	17	22	38
B. *Operated*	13426	12.1	114	2	2	10	16	24	32	53
1. SINGLE DX	5473	7.4	43	2	2	5	11	16	19	29
2. MULTIPLE DX	50931	9.8	71	2	3	8	12	19	25	44
A. NOT OPERATED	39326	8.9	52	2	3	7	11	16	22	37
B. OPERATED	17078	11.2	103	2	2	10	15	23	30	50
TOTAL 65-69 YRS	17467	8.8	61	2	2	7	12	18	23	37
70-74	14025	9.4	63	2	2	7	12	19	24	40
75-79	10657	9.7	68	2	3	7	12	18	25	42
80-84	7758	10.3	74	2	3	8	13	20	26	47
85+	6497	11.0	89	3	3	8	14	21	28	53
GRAND TOTAL	**56404**	**9.6**	**69**	**2**	**2**	**8**	**12**	**19**	**25**	**42**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	234	11.2	18	5	6	11	13	16	19	24
70-74	189	11.5	29	4	5	11	14	18	20	31
75-79	164	11.6	29	5	6	11	14	18	22	29
80-84	76	13.3	45	5	7	12	15	21	27	40
85+	61	12.3	33	5	6	12	16	20	23	30
B. *Operated*										
65-69 YRS	37	14.1	41	3	4	15	19	21	24	29
70-74	27	12.6	35	4	5	13	15	20	22	30
75-79	17	14.8	38	6	6	13	20	23	26	27
80-84	4	12.5	177	1	1	9	22	31	31	31
85+	7	16.6	68	10	10	14	18	31	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1145	13.6	51	6	7	12	16	22	27	41
70-74	1273	14.3	64	6	7	13	17	23	28	46
75-79	1024	15.0	78	6	7	13	18	24	31	53
80-84	684	16.5	102	7	8	14	20	27	33	64
85+	471	16.2	81	6	7	14	20	27	35	59
B. *Operated*										
65-69 YRS	295	18.5	116	7	9	15	23	33	42	58
70-74	272	19.8	147	8	9	17	24	33	45	79
75-79	190	20.4	151	7	9	17	26	39	43	68
80-84	102	23.5	252	6	8	18	31	46	55	77
85+	77	24.3	313	8	9	18	34	51	69	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	724	11.7	28	5	6	11	14	18	21	30
B. *Operated*	92	13.9	44	3	5	14	17	22	27	33
2. MULTIPLE DX										
A. *Not Operated*	4597	14.8	72	6	7	13	18	24	30	50
B. *Operated*	936	20.3	165	7	9	17	25	38	47	71
1. SINGLE DX	816	11.9	30	4	6	11	14	19	22	31
2. MULTIPLE DX	5533	15.7	92	6	7	13	19	27	34	56
A. NOT OPERATED	5321	14.4	67	6	7	13	17	23	29	48
B. OPERATED	1028	19.7	158	7	9	16	24	37	45	67
TOTAL 65-69 YRS	1711	14.1	62	6	7	12	17	23	29	45
70-74	1761	14.9	78	6	7	13	18	25	30	51
75-79	1395	15.3	87	6	7	13	18	26	33	56
80-84	866	17.0	121	7	8	14	20	29	39	63
85+	616	16.8	114	6	7	14	20	28	41	77
GRAND TOTAL	**6349**	**15.2**	**86**	**6**	**7**	**13**	**18**	**25**	**33**	**56**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	36.0	302	4	9	36	51	55	55	55
70-74	14	21.4	205	4	5	20	32	38	50	53
75-79	8	39.8	795	6	9	35	60	82	84	84
80-84	4	15.5	139	3	3	16	25	27	27	27
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	1	44.0		44	44	44	44	44	44	44
70-74	4	35.3	216	14	14	40	45	46	46	46
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	99	31.6	201	9	13	31	43	48	55	84
70-74	85	29.9	209	5	9	30	37	46	56	72
75-79	76	31.7	184	12	15	30	40	47	58	74
80-84	47	30.2	349	7	10	28	40	55	94	99+
85+	19	36.1	178	13	17	36	44	52	59	64
B. *Operated*										
65-69 YRS	37	36.7	234	5	23	35	46	58	69	99+
70-74	38	41.5	188	25	28	39	49	61	68	78
75-79	23	40.3	252	20	22	38	54	63	87	99+
80-84	15	47.2	534	8	14	50	76	96	99+	99+
85+	6	37.2	213	22	22	32	51	58	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	27.8	408	4	5	26	36	53	73	84
B. *Operated*	6	33.5	215	14	14	40	44	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	326	31.2	218	8	13	30	42	49	58	95
B. *Operated*	119	40.3	261	15	24	37	52	64	79	99+
1. SINGLE DX	40	28.7	377	4	5	27	43	53	66	84
2. MULTIPLE DX	445	33.7	245	9	14	32	43	55	64	99+
A. NOT OPERATED	360	30.9	236	7	12	30	42	49	58	94
B. OPERATED	125	39.9	259	15	23	37	51	62	78	99+
TOTAL 65-69 YRS	144	33.2	215	7	14	32	44	54	58	99+
70-74	141	32.3	237	6	11	32	42	52	59	78
75-79	108	33.9	251	13	16	31	43	55	69	91
80-84	66	33.2	440	7	9	30	48	78	99+	99+
85+	26	35.5	192	13	15	35	44	53	60	64
GRAND TOTAL	**485**	**33.2**	**257**	**7**	**13**	**32**	**43**	**55**	**64**	**99+**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	3.6	20	1	1	3	4	7	9	12
70-74	134	3.3	5	1	1	3	4	7	8	11
75-79	89	4.0	16	1	1	3	5	8	11	24
80-84	66	4.8	14	1	1	4	7	11	12	17
85+	30	4.2	10	1	1	3	5	9	10	14
B. *Operated*										
65-69 YRS	5	5.6	7	1	1	6	7	8	8	8
70-74	5	6.6	8	2	2	5	8	9	9	9
75-79	1	23.0		23	23	23	23	23	23	23
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	808	5.4	17	1	2	4	7	10	13	20
70-74	712	6.0	24	1	2	5	8	12	14	23
75-79	577	6.4	21	1	2	5	8	12	15	22
80-84	371	6.9	42	1	2	5	9	13	17	45
85+	233	7.1	27	2	2	6	9	13	15	28
B. *Operated*										
65-69 YRS	57	11.6	65	3	4	9	15	22	25	48
70-74	48	12.0	46	5	6	10	14	21	25	36
75-79	34	13.1	76	2	3	11	17	23	30	44
80-84	26	15.2	103	4	4	14	18	22	38	53
85+	16	12.8	60	5	6	11	16	24	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	3.8	14	1	1	3	5	7	10	14
B. *Operated*	12	7.8	30	1	2	7	9	14	22	23
2. MULTIPLE DX										
A. *Not Operated*	2701	6.1	24	1	2	5	8	12	15	23
B. *Operated*	181	12.6	67	3	5	10	16	22	27	47
1. SINGLE DX	523	3.9	15	1	1	3	5	8	10	14
2. MULTIPLE DX	2882	6.5	30	1	2	5	8	13	16	27
A. NOT OPERATED	3212	5.7	23	1	2	4	8	11	14	23
B. OPERATED	193	12.3	66	3	5	10	16	22	27	47
TOTAL 65-69 YRS	1062	5.4	23	1	1	4	7	10	14	23
70-74	899	5.9	25	1	2	5	8	12	15	24
75-79	701	6.4	26	1	2	5	8	12	16	25
80-84	464	7.1	46	1	2	5	9	14	17	45
85+	279	7.1	29	1	2	6	9	14	18	28
GRAND TOTAL	**3405**	**6.1**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	620	3.7	9	1	1	3	5	7	9	14
70-74	450	4.1	11	1	1	3	5	8	11	16
75-79	400	4.2	10	1	1	3	5	8	9	16
80-84	223	5.5	19	1	2	5	7	11	13	24
85+	156	5.0	11	1	2	4	7	10	12	18
B. *Operated*										
65-69 YRS	18	4.6	8	2	2	4	6	8	11	13
70-74	19	4.8	12	<1	1	4	7	8	13	16
75-79	16	6.2	19	1	2	5	9	14	15	15
80-84	14	9.9	36	3	3	8	13	18	22	23
85+	7	14.0	438	3	3	6	10	51	61	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3902	6.6	31	1	2	5	8	13	16	27
70-74	4272	7.2	34	2	2	6	9	14	17	27
75-79	3928	8.0	47	2	2	6	10	15	20	36
80-84	2995	8.4	54	2	3	7	10	16	21	39
85+	2573	9.4	72	2	3	7	11	18	25	52
B. *Operated*										
65-69 YRS	394	13.3	131	2	3	11	16	27	35	69
70-74	445	14.6	115	3	4	12	18	26	35	60
75-79	430	15.4	146	3	5	12	19	30	45	78
80-84	361	16.7	158	4	5	14	20	32	43	69
85+	278	17.3	211	4	6	13	21	35	51	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1849	4.2	12	1	1	3	6	8	11	17
B. *Operated*	74	6.9	60	2	2	5	8	13	17	52
2. MULTIPLE DX										
A. *Not Operated*	17670	7.8	46	2	2	6	10	15	19	35
B. *Operated*	1908	15.3	149	3	5	12	19	30	39	75
1. SINGLE DX	1923	4.3	14	1	1	3	6	8	11	17
2. MULTIPLE DX	19578	8.5	61	2	2	6	11	16	22	42
A. NOT OPERATED	19519	7.4	44	1	2	6	9	14	19	33
B. OPERATED	1982	15.0	148	3	4	12	18	29	38	73
TOTAL 65-69 YRS	4934	6.7	41	1	2	5	8	14	18	32
70-74	5186	7.6	44	1	2	6	10	15	19	32
75-79	4774	8.3	59	2	2	6	10	16	22	41
80-84	3593	9.0	69	2	3	7	11	18	23	47
85+	3014	9.9	89	2	3	7	12	19	27	57
GRAND TOTAL	**21501**	**8.1**	**58**	**1**	**2**	**6**	**10**	**16**	**21**	**40**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	588	5.0	17	1	1	4	6	10	13	20
70-74	496	5.2	16	1	1	4	7	9	12	21
75-79	398	5.1	11	1	2	4	7	9	11	17
80-84	276	6.1	27	1	2	4	8	12	15	31
85+	227	6.1	20	1	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	400	7.4	25	2	3	6	9	14	16	27
70-74	498	7.5	21	2	3	6	10	14	16	21
75-79	558	7.5	21	3	3	6	9	14	16	26
80-84	449	8.0	27	2	3	7	10	15	19	25
85+	377	8.9	38	3	3	7	11	17	19	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4984	7.3	38	2	2	6	9	14	18	31
70-74	5215	7.7	38	2	2	6	10	15	19	31
75-79	4660	8.3	45	2	3	7	10	16	21	34
80-84	3404	8.7	50	2	3	7	11	17	22	37
85+	2833	9.0	54	2	3	7	11	17	22	39
B. *Operated*										
65-69 YRS	2104	11.6	90	3	4	9	14	21	28	57
70-74	2731	11.8	78	3	4	10	15	22	29	47
75-79	3148	12.6	96	3	4	10	15	23	30	52
80-84	2682	13.2	92	4	5	11	16	24	31	50
85+	2202	13.6	106	4	5	11	17	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1985	5.3	17	1	1	4	7	10	13	21
B. *Operated*	2282	7.8	26	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	21096	8.1	44	2	3	6	10	15	20	34
B. *Operated*	12867	12.6	92	3	4	10	15	23	30	51
1. SINGLE DX	4267	6.7	23	1	2	5	9	13	16	24
2. MULTIPLE DX	33963	9.8	67	2	3	8	12	19	25	43
A. NOT OPERATED	23081	7.9	42	2	2	6	10	15	19	33
B. OPERATED	15149	11.8	85	3	4	9	15	22	28	49
TOTAL 65-69 YRS	8076	8.3	53	2	2	6	10	16	21	36
70-74	8940	8.8	52	2	3	7	11	17	22	38
75-79	8764	9.6	66	2	3	8	12	18	24	42
80-84	6811	10.3	69	2	3	8	13	20	25	43
85+	5639	10.7	78	2	3	8	13	20	26	46
GRAND TOTAL	**38230**	**9.4**	**63**	**2**	**3**	**7**	**12**	**18**	**24**	**41**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	785	7.5	29	2	3	6	9	14	17	30
70-74	1115	7.6	29	2	3	6	10	14	18	29
75-79	1272	7.9	37	2	3	6	10	14	18	32
80-84	1240	8.2	44	2	3	7	10	15	19	40
85+	1309	8.4	46	2	3	7	10	16	20	37
B. *Operated*										
65-69 YRS	26	10.1	71	2	2	8	12	25	27	30
70-74	32	11.3	54	2	3	10	15	20	29	32
75-79	32	13.8	63	2	5	13	18	23	28	38
80-84	11	12.5	22	6	6	14	16	17	18	18
85+	20	19.0	194	5	6	14	27	39	48	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14067	10.0	56	3	4	8	12	18	23	40
70-74	18394	10.4	64	3	4	8	13	19	25	43
75-79	19896	10.9	71	3	4	9	13	20	27	46
80-84	18180	11.3	80	3	4	9	14	21	28	50
85+	18516	11.9	95	3	4	9	15	22	30	59
B. *Operated*										
65-69 YRS	1552	17.5	158	4	5	15	22	34	43	71
70-74	1815	18.8	196	5	6	15	23	36	48	84
75-79	1840	19.4	170	6	7	16	25	36	47	76
80-84	1588	20.4	187	6	7	17	26	39	52	99+
85+	1435	21.5	246	5	7	18	27	45	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5721	8.0	38	2	3	6	10	15	19	33
B. *Operated*	121	13.1	86	2	3	11	16	26	31	44
2. MULTIPLE DX										
A. *Not Operated*	89053	10.9	75	3	4	9	14	20	27	47
B. *Operated*	8230	19.5	192	5	7	16	25	38	50	88
1. SINGLE DX	5842	8.1	39	2	3	7	10	15	19	33
2. MULTIPLE DX	97283	11.7	90	3	4	9	14	22	29	54
A. NOT OPERATED	94774	10.8	73	3	4	8	13	20	26	47
B. OPERATED	8351	19.4	191	5	7	16	25	38	49	88
TOTAL 65-69 YRS	16430	10.6	70	3	4	8	13	20	26	44
70-74	21356	11.0	80	3	4	8	14	21	27	48
75-79	23040	11.4	83	3	4	9	14	22	29	50
80-84	21019	11.8	93	3	4	9	14	23	30	55
85+	21280	12.3	109	3	4	9	15	23	32	66
GRAND TOTAL	**103125**	**11.5**	**88**	**3**	**4**	**9**	**14**	**22**	**29**	**53**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	242	7.2	37	2	2	6	9	14	20	30
70-74	232	7.2	41	2	2	6	9	13	18	28
75-79	156	6.9	21	2	2	6	9	13	15	23
80-84	73	7.8	42	2	3	7	9	14	20	40
85+	58	7.7	61	2	2	6	9	13	21	48
B. *Operated*										
65-69 YRS	403	7.6	68	2	2	3	12	18	21	43
70-74	207	7.6	51	2	2	4	13	18	23	27
75-79	91	9.3	83	2	2	4	15	24	27	38
80-84	33	9.5	63	2	2	8	14	21	26	30
85+	5	10.2	28	2	2	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2705	9.5	58	2	3	7	12	18	24	39
70-74	2611	9.8	58	2	3	8	12	19	24	38
75-79	2115	10.1	66	3	3	8	12	20	26	43
80-84	1686	10.3	72	3	3	8	13	19	25	43
85+	1298	11.2	99	3	3	8	14	21	29	62
B. *Operated*										
65-69 YRS	1810	12.2	120	2	2	10	17	25	32	52
70-74	1260	13.4	142	2	2	11	18	29	36	61
75-79	727	15.0	172	2	2	12	20	31	42	79
80-84	305	17.4	204	2	4	14	23	40	49	99+
85+	153	17.4	206	3	5	13	23	40	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	7.2	37	2	2	6	9	13	18	29
B. *Operated*	739	7.9	65	2	2	4	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*	10415	10.0	67	2	3	8	12	19	25	42
B. *Operated*	4255	13.6	147	2	2	11	18	29	37	62
1. SINGLE DX	1500	7.6	51	2	2	5	10	16	21	32
2. MULTIPLE DX	14670	11.1	93	2	3	8	14	22	29	50
A. NOT OPERATED	11176	9.8	66	2	3	8	12	19	24	42
B. OPERATED	4994	12.8	139	2	2	10	17	27	35	61
TOTAL 65-69 YRS	5160	10.2	82	2	2	8	13	21	27	43
70-74	4310	10.6	85	2	2	8	14	22	29	45
75-79	3089	11.1	94	2	3	8	14	22	30	51
80-84	2097	11.2	96	2	3	9	14	22	28	55
85+	1514	11.7	112	2	3	9	14	23	31	63
GRAND TOTAL	**16170**	**10.7**	**90**	**2**	**2**	**8**	**14**	**22**	**28**	**50**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	6.9	46	2	2	5	8	14	17	35
70-74	45	7.6	37	2	3	6	9	13	17	38
75-79	45	8.1	47	1	2	6	11	17	23	35
80-84	36	6.3	19	2	2	5	9	12	15	20
85+	34	7.2	50	2	2	5	9	18	26	30
B. *Operated*										
65-69 YRS	24	6.7	36	1	2	3	11	14	21	21
70-74	14	9.6	32	2	2	10	15	16	19	20
75-79	13	7.0	57	2	2	3	10	20	25	26
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	3	8.0	49	3	3	5	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1171	8.3	42	2	3	7	10	16	21	36
70-74	1558	9.2	61	2	3	7	11	17	22	44
75-79	1698	10.0	73	2	3	8	12	19	25	49
80-84	1526	10.6	98	2	3	8	13	20	28	61
85+	1527	11.1	112	2	3	8	13	21	30	68
B. *Operated*										
65-69 YRS	336	10.9	101	2	2	9	14	23	32	51
70-74	312	14.6	128	2	4	12	19	29	36	56
75-79	280	15.4	160	3	4	12	19	30	39	77
80-84	201	16.4	182	3	5	13	21	31	43	78
85+	171	19.1	183	5	6	15	25	38	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	7.3	39	2	2	6	9	14	19	35
B. *Operated*	56	7.5	38	2	2	5	11	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	7480	9.9	80	2	3	8	12	19	25	52
B. *Operated*	1300	14.7	150	2	3	12	19	29	38	67
1. SINGLE DX	245	7.3	39	2	2	5	10	15	20	35
2. MULTIPLE DX	8780	10.6	93	2	3	8	13	21	28	55
A. NOT OPERATED	7669	9.9	79	2	3	8	12	19	25	51
B. OPERATED	1356	14.4	147	2	3	12	18	29	37	66
TOTAL 65-69 YRS	1560	8.8	56	2	2	7	11	17	23	39
70-74	1929	10.0	75	2	3	8	12	20	25	48
75-79	2036	10.7	88	2	3	8	13	21	28	52
80-84	1765	11.2	109	2	3	8	13	22	30	61
85+	1735	11.8	124	2	3	9	14	23	33	67
GRAND TOTAL	**9025**	**10.5**	**92**	**2**	**3**	**8**	**13**	**21**	**28**	**54**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	8.9	87	<1	<1	6	14	24	30	30
70-74	7	13.7	198	1	1	8	22	36	39	39
75-79	3	21.0	1029	1	1	4	44	58	58	58
80-84	6	24.7	187	9	10	22	26	48	50	50
85+	2	26.5	265	15	15	26	38	38	38	38
B. *Operated*										
65-69 YRS	13	26.2	380	2	7	21	33	59	67	69
70-74	12	24.8	175	3	6	25	37	55	92	99+
75-79	6	21.3	140	5	6	22	23	39	41	41
80-84	1	15.0		15	15	15	15	15	15	15
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	17.6	183	1	3	16	24	35	43	63
70-74	47	20.2	224	3	4	16	26	41	50	75
75-79	27	24.8	196	<1	4	29	36	45	53	99+
80-84	21	24.6	560	2	3	20	35	79	98	99+
85+	15	20.3	257	1	3	15	33	40	52	56
B. *Operated*										
65-69 YRS	79	36.4	504	9	14	30	58	78	90	99+
70-74	57	31.7	402	8	12	26	49	64	76	99
75-79	28	41.6	390	15	23	36	58	72	79	88
80-84	16	40.3	346	14	15	44	56	66	88	99+
85+	4	22.0	203	10	10	18	32	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	16.0	241	1	1	11	23	39	51	58
B. *Operated*	33	24.1	235	3	7	22	35	45	67	99+
2. MULTIPLE DX										
A. *Not Operated*	148	21.0	259	2	4	18	30	43	53	99+
B. *Operated*	184	35.8	443	10	14	31	54	73	83	99+
1. SINGLE DX	61	20.4	250	1	2	19	31	42	57	96
2. MULTIPLE DX	332	29.2	414	4	8	25	41	64	78	99+
A. NOT OPERATED	176	20.2	258	1	3	17	30	42	52	99
B. OPERATED	217	34.0	428	8	12	30	51	70	81	99+
TOTAL 65-69 YRS	140	28.4	466	2	5	23	39	69	79	99+
70-74	123	25.6	331	3	8	20	37	53	71	99+
75-79	64	31.7	371	2	5	31	39	61	75	98
80-84	44	30.1	466	4	7	24	50	66	97	99+
85+	22	20.8	220	2	5	15	34	41	48	56
GRAND TOTAL	**393**	**27.8**	**398**	**2**	**6**	**23**	**39**	**62**	**76**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	19.3	149	6	6	22	28	30	30	30
70-74	2	15.0	18	12	12	15	18	18	18	18
75-79	2	46.0	1352	20	20	46	72	72	72	72
80-84	2	37.5	761	18	18	37	57	57	57	57
85+										
B. *Operated*										
65-69 YRS	9	54.4	722	20	26	56	90	99	99+	99+
70-74	4	39.5	756	1	1	51	74	99+	99+	99+
75-79	1	22.0		22	22	22	22	22	22	22
80-84	2	20.5	85	14	14	27	82	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	28.3	478	6	8	20	37	66	72	72
B. *Operated*	16	44.4	719	7	16	51	84	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	38.6	670	5	13	35	66	99	99+	99+
A. NOT OPERATED	9	28.3	478	6	8	20	37	66	72	72
B. OPERATED	16	44.4	719	7	16	51	84	99+	99+	99+
TOTAL 65-69 YRS	12	45.7	805	8	17	36	73	98	99+	99+
70-74	6	31.3	617	1	3	41	61	93	99+	99+
75-79	3	38.0	868	20	20	22	59	72	72	72
80-84	4	29.0	378	14	14	27	68	99+	99+	99+
85+										
GRAND TOTAL	**25**	**38.6**	**670**	**5**	**13**	**35**	**66**	**99**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	15.5	260	1	1	12	20	32	46	83
70-74	41	12.0	157	1	2	8	16	36	44	99+
75-79	48	14.4	104	4	4	11	18	30	36	46
80-84	38	10.8	44	1	4	10	16	23	27	99+
85+	33	14.9	162	1	3	12	21	29	62	99+
B. *Operated*										
65-69 YRS	68	17.1	254	5	6	13	19	35	48	91
70-74	88	15.3	187	4	5	12	16	30	55	93
75-79	72	15.5	99	3	6	13	21	31	41	99+
80-84	39	18.8	162	5	7	15	25	33	41	67
85+	25	16.0	57	7	8	15	21	27	30	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	178	18.4	247	2	4	14	24	43	49	90
70-74	258	18.9	261	3	4	14	25	36	53	95
75-79	217	17.8	180	3	4	15	24	36	51	81
80-84	153	19.9	191	4	6	17	27	40	50	99
85+	153	21.3	256	5	6	18	28	43	50	94
B. *Operated*										
65-69 YRS	176	26.0	329	6	9	21	35	56	79	99+
70-74	176	25.3	298	7	8	20	35	57	65	99+
75-79	137	28.5	398	8	9	22	39	65	78	99+
80-84	108	27.8	301	7	9	23	39	57	81	99+
85+	67	27.3	252	8	11	25	36	46	53	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	13.5	144	1	2	10	18	30	38	99+
B. *Operated*	292	16.3	166	4	6	13	20	32	46	97
2. MULTIPLE DX										
A. *Not Operated*	959	19.1	228	3	5	15	25	39	50	95
B. *Operated*	664	26.7	322	7	9	21	37	57	74	99+
1. SINGLE DX	491	15.2	159	2	4	12	19	30	43	99+
2. MULTIPLE DX	1623	22.2	281	4	6	18	30	48	60	99+
A. NOT OPERATED	1158	18.1	218	2	4	14	24	38	50	95
B. OPERATED	956	23.6	297	6	8	19	33	51	67	99+
TOTAL 65-69 YRS	461	20.9	296	4	5	15	28	45	60	99
70-74	563	19.8	270	3	5	15	26	46	58	99
75-79	474	20.2	251	4	6	16	27	44	58	99+
80-84	338	21.3	232	5	6	18	29	46	59	99+
85+	278	21.5	240	5	7	18	28	43	50	91
GRAND TOTAL	**2114**	**20.6**	**261**	**4**	**6**	**16**	**27**	**45**	**58**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	26.4	310	8	8	22	34	47	63	93
70-74	66	26.1	231	4	7	25	36	49	64	99+
75-79	99	25.4	259	8	9	21	34	49	62	95
80-84	67	25.9	237	6	8	24	32	50	70	99+
85+	49	23.9	172	7	9	21	31	38	49	64
B. *Operated*										
65-69 YRS	26	44.5	810	4	8	45	70	95	99+	99+
70-74	44	37.4	441	13	15	30	54	69	78	79
75-79	26	37.0	600	10	15	33	48	85	91	99+
80-84	15	37.5	587	10	19	31	44	84	94	97
85+	16	32.2	209	9	11	32	45	49	50	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	347	25.6	245	6	9	22	34	48	62	99+
B. *Operated*	127	38.1	534	8	14	34	52	79	89	99+
1. SINGLE DX										
2. MULTIPLE DX	474	29.0	352	7	10	25	37	58	77	99+
A. NOT OPERATED	347	25.6	245	6	9	22	34	48	62	99+
B. OPERATED	127	38.1	534	8	14	34	52	79	89	99+
TOTAL 65-69 YRS	92	31.5	512	7	8	24	43	66	89	99+
70-74	110	30.6	343	5	11	27	45	60	73	99+
75-79	125	27.8	348	8	10	23	36	56	76	99+
80-84	82	28.0	315	6	9	26	34	52	84	99+
85+	65	25.9	191	8	10	23	34	48	49	64
GRAND TOTAL	**474**	**29.0**	**352**	**7**	**10**	**25**	**37**	**58**	**77**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	5.3	50	2	2	3	6	9	15	45
70-74	56	5.8	59	2	2	3	6	11	16	44
75-79	44	5.1	50	1	1	4	6	9	11	47
80-84	20	5.9	11	<1	1	6	8	9	12	14
85+	7	5.4	11	2	2	4	8	10	11	11
B. *Operated*										
65-69 YRS	1319	7.4	26	2	2	6	9	14	18	24
70-74	1023	7.4	26	2	2	6	9	14	17	25
75-79	668	7.5	26	2	2	7	10	14	17	26
80-84	209	8.3	49	2	2	7	9	16	20	39
85+	56	7.8	42	2	2	5	8	19	22	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	293	7.4	36	1	2	6	10	15	18	31
70-74	313	7.8	52	2	2	6	10	15	22	39
75-79	271	8.2	55	2	2	6	10	16	24	40
80-84	196	10.8	108	2	3	8	13	20	29	77
85+	130	12.4	150	3	4	9	15	27	38	99+
B. *Operated*										
65-69 YRS	2705	10.2	74	2	3	8	13	20	25	46
70-74	2389	10.6	75	2	3	8	14	21	26	44
75-79	1502	11.6	89	2	3	9	15	23	29	51
80-84	517	12.6	103	2	3	10	16	26	34	47
85+	156	14.6	169	2	3	11	19	29	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	5.5	47	1	2	4	7	10	15	45
B. *Operated*	3275	7.5	27	2	2	6	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1203	8.8	71	2	2	7	11	17	25	45
B. *Operated*	7269	10.9	82	2	3	8	14	21	27	47
1. SINGLE DX	3489	7.3	29	2	2	6	9	14	17	26
2. MULTIPLE DX	8472	10.6	81	2	2	8	13	21	27	47
A. NOT OPERATED	1417	8.3	69	2	2	6	10	16	23	45
B. OPERATED	10544	9.8	68	2	2	8	12	19	24	43
TOTAL 65-69 YRS	4404	9.1	59	2	2	7	11	17	22	40
70-74	3781	9.4	62	2	2	7	12	18	23	40
75-79	2485	10.0	72	2	2	8	13	20	26	47
80-84	942	11.2	94	2	2	8	14	23	30	49
85+	349	12.5	144	2	3	9	16	26	35	82
GRAND TOTAL	**11961**	**9.6**	**68**	**2**	**2**	**8**	**12**	**19**	**24**	**44**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	14.3	152	1	2	13	20	47	85	99+
70-74	36	17.1	199	2	2	14	23	38	44	63
75-79	20	21.0	473	2	3	13	25	57	71	77
80-84	18	15.5	128	3	5	12	22	33	39	41
85+	17	16.6	90	5	6	15	24	31	35	37
B. *Operated*										
65-69 YRS	139	15.8	154	2	3	13	21	30	46	69
70-74	108	19.8	255	3	5	16	29	39	71	99+
75-79	77	20.5	241	2	4	18	32	42	63	99+
80-84	25	25.8	281	6	7	21	46	49	65	99+
85+	11	27.4	609	4	4	19	43	63	83	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	106	17.1	211	2	4	13	23	38	50	87
B. *Operated*	360	19.1	232	2	4	15	27	42	56	99+
1. SINGLE DX										
2. MULTIPLE DX	466	18.6	227	2	4	15	26	41	56	99+
A. NOT OPERATED	106	17.1	211	2	4	13	23	38	50	87
B. OPERATED	360	19.1	232	2	4	15	27	42	56	99+
TOTAL 65-69 YRS	154	15.6	153	2	3	13	20	30	49	98
70-74	144	19.1	241	2	4	15	27	39	64	99+
75-79	97	20.6	284	2	4	15	32	49	66	99+
80-84	43	21.5	239	4	5	18	36	49	51	99+
85+	28	20.9	307	4	5	15	26	43	52	85
GRAND TOTAL	**466**	**18.6**	**227**	**2**	**4**	**15**	**26**	**41**	**56**	**99+**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	200	10.3	72	2	3	8	14	21	26	37
70-74	258	10.8	96	2	3	8	13	21	30	65
75-79	245	14.0	206	3	3	9	16	32	47	91
80-84	183	13.3	116	3	4	10	17	28	35	54
85+	149	12.8	88	3	4	11	16	25	32	48
B. *Operated*										
65-69 YRS	54	11.7	221	2	3	7	14	23	40	88
70-74	47	11.5	255	1	2	7	10	15	60	70
75-79	33	13.4	143	2	2	10	20	37	45	99+
80-84	6	17.3	237	3	3	14	22	43	45	45
85+	4	13.5	30	9	9	12	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1580	13.8	129	3	4	10	17	29	39	65
70-74	1904	15.3	175	3	4	11	19	32	46	94
75-79	2071	15.9	174	4	5	12	20	33	45	83
80-84	1713	17.0	188	4	5	13	22	36	48	99+
85+	1405	16.9	190	4	5	14	21	36	52	99+
B. *Operated*										
65-69 YRS	369	18.4	265	3	5	13	23	41	62	99+
70-74	352	19.8	254	4	6	15	28	49	65	99+
75-79	308	22.1	369	3	5	15	32	58	82	99+
80-84	173	26.5	373	5	8	21	37	59	78	99+
85+	100	25.8	256	6	8	22	41	53	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1035	12.2	121	3	3	9	15	26	34	65
B. *Operated*	144	12.3	206	2	2	8	14	23	49	90
2. MULTIPLE DX										
A. *Not Operated*	8673	15.8	173	4	5	12	20	33	46	91
B. *Operated*	1302	21.3	308	3	6	16	30	52	70	99+
1. SINGLE DX	1179	12.2	132	2	3	9	15	25	35	67
2. MULTIPLE DX	9975	16.5	194	4	5	12	21	36	50	99+
A. NOT OPERATED	9708	15.4	169	3	4	12	19	32	44	89
B. OPERATED	1446	20.4	305	3	5	15	28	51	68	99+
TOTAL 65-69 YRS	2203	14.2	154	3	4	10	18	31	41	75
70-74	2561	15.4	184	3	4	11	19	33	50	99+
75-79	2657	16.4	204	4	5	12	20	36	50	96
80-84	2075	17.5	205	4	5	14	22	37	50	99+
85+	1658	17.1	191	4	5	14	22	36	52	99+
GRAND TOTAL	**11154**	**16.0**	**189**	**3**	**4**	**12**	**20**	**35**	**49**	**99+**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	643	19.7	249	4	6	15	26	43	53	91
70-74	848	20.5	226	5	6	17	27	42	56	99+
75-79	880	21.0	238	5	6	17	28	43	59	99+
80-84	790	21.7	225	5	7	18	28	43	58	99+
85+	625	21.3	240	5	8	17	27	40	58	99+
B. *Operated*										
65-69 YRS	135	28.2	385	7	9	22	40	63	89	99+
70-74	120	28.8	309	7	10	26	38	64	83	99+
75-79	121	30.2	446	8	11	24	41	68	85	99+
80-84	65	29.6	341	8	10	25	40	59	72	97
85+	36	24.5	173	8	12	21	33	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3786	20.9	235	5	6	17	28	43	57	99+
B. *Operated*	477	28.8	359	8	10	24	39	61	83	99+
1. SINGLE DX										
2. MULTIPLE DX	4263	21.8	255	5	7	18	29	45	60	99+
A. NOT OPERATED	3786	20.9	235	5	6	17	28	43	57	99+
B. OPERATED	477	28.8	359	8	10	24	39	61	83	99+
TOTAL 65-69 YRS	778	21.2	282	4	6	16	28	47	59	99+
70-74	968	21.6	244	5	7	18	29	46	62	99+
75-79	1001	22.1	272	5	7	18	30	44	61	99+
80-84	855	22.3	238	6	7	19	29	46	60	99+
85+	661	21.4	236	6	8	17	28	41	58	99+
GRAND TOTAL	**4263**	**21.8**	**255**	**5**	**7**	**18**	**29**	**45**	**60**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	766	4.6	9	1	2	4	6	9	10	15
70-74	934	4.9	14	1	2	4	6	9	12	17
75-79	891	5.2	15	1	2	4	7	9	12	20
80-84	750	5.7	29	1	2	4	7	11	14	28
85+	676	5.7	34	1	2	4	7	10	13	22
B. *Operated*										
65-69 YRS	368	5.5	24	1	2	4	7	10	14	25
70-74	307	6.1	32	1	2	5	8	12	16	31
75-79	185	6.1	21	1	2	5	7	13	17	22
80-84	68	6.6	23	2	2	5	9	13	17	23
85+	30	7.0	49	1	1	5	9	12	16	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4170	6.9	28	2	2	6	8	13	16	26
70-74	5592	7.4	36	2	2	6	9	14	18	31
75-79	6386	7.9	42	2	3	6	10	15	19	34
80-84	6061	8.5	67	2	3	7	10	16	21	53
85+	5654	9.1	77	2	3	7	11	17	24	59
B. *Operated*										
65-69 YRS	1395	9.8	66	2	2	8	12	19	24	44
70-74	1375	11.0	98	2	3	8	14	22	28	54
75-79	1074	12.5	106	2	3	10	16	24	32	57
80-84	657	14.0	158	2	4	11	17	28	40	90
85+	394	15.7	172	3	4	13	20	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4017	5.2	20	1	2	4	7	9	12	20
B. *Operated*	958	5.9	27	1	2	4	8	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	27863	8.0	52	2	3	6	10	15	20	39
B. *Operated*	4895	11.8	108	2	3	9	15	23	31	64
1. SINGLE DX	4975	5.3	21	1	2	4	7	10	13	21
2. MULTIPLE DX	32758	8.6	62	2	3	7	11	16	22	45
A. NOT OPERATED	31880	7.7	49	2	2	6	9	14	19	37
B. OPERATED	5853	10.8	99	2	2	8	14	22	29	58
TOTAL 65-69 YRS	6699	7.1	36	2	2	6	9	14	18	30
70-74	8208	7.7	47	2	2	6	9	15	19	35
75-79	8536	8.1	50	2	2	6	10	15	20	38
80-84	7536	8.7	74	2	2	6	11	16	22	54
85+	6754	9.1	82	2	3	7	11	18	25	62
GRAND TOTAL	**37733**	**8.1**	**58**	**2**	**2**	**6**	**10**	**15**	**21**	**42**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	674	11.4	114	2	3	9	14	23	31	61
70-74	846	12.4	133	2	3	9	16	26	40	85
75-79	875	12.5	136	2	3	9	16	25	35	64
80-84	793	14.0	152	2	3	10	18	31	43	82
85+	712	13.3	139	2	3	10	17	28	39	79
B. *Operated*										
65-69 YRS	97	11.1	95	2	2	8	15	23	29	52
70-74	103	13.9	206	2	2	10	17	36	41	94
75-79	79	16.3	272	2	3	12	22	34	62	98
80-84	34	19.7	339	2	5	14	25	61	77	99+
85+	16	18.7	221	7	8	14	20	34	56	66
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3501	14.7	164	3	4	11	18	30	42	82
70-74	4625	15.3	170	3	4	12	19	32	43	87
75-79	5216	15.7	170	3	4	12	20	33	45	95
80-84	4853	16.7	196	4	5	13	21	35	45	96
85+	4669	16.3	178	4	5	13	21	34	46	99+
B. *Operated*										
65-69 YRS	685	20.7	288	4	5	16	28	46	65	99+
70-74	726	22.2	344	4	6	17	30	55	77	99+
75-79	678	24.3	363	4	6	19	34	57	80	99+
80-84	469	25.8	321	6	8	22	36	61	77	99+
85+	367	25.9	279	8	9	23	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3900	12.7	136	2	3	9	16	27	38	72
B. *Operated*	329	14.5	209	2	2	11	18	32	40	93
2. MULTIPLE DX										
A. *Not Operated*	22864	15.8	177	3	5	12	20	33	45	94
B. *Operated*	2925	23.4	327	4	7	18	32	55	75	99+
1. SINGLE DX	4229	12.9	142	2	3	9	16	27	38	77
2. MULTIPLE DX	25789	16.7	199	3	5	13	21	35	49	99+
A. NOT OPERATED	26764	15.4	172	3	4	12	19	32	44	91
B. OPERATED	3254	22.5	322	4	6	18	31	53	73	99+
TOTAL 65-69 YRS	4957	15.0	180	3	4	11	19	32	44	85
70-74	6300	15.7	192	3	4	12	20	34	47	99
75-79	6848	16.2	195	3	4	12	21	35	48	99+
80-84	6149	17.0	208	3	5	13	22	36	51	99+
85+	5764	16.6	186	3	5	13	21	35	47	99+
GRAND TOTAL	**30018**	**16.1**	**193**	**3**	**4**	**12**	**21**	**34**	**48**	**99**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1488	19.2	250	4	5	15	26	41	58	98
70-74	1875	20.0	253	4	6	15	26	42	57	99+
75-79	2102	20.5	240	5	6	17	27	43	57	99+
80-84	1779	20.3	214	5	6	17	26	41	53	99
85+	1674	20.6	245	5	6	17	27	42	57	99+
B. *Operated*										
65-69 YRS	214	26.5	340	6	8	23	39	59	85	99+
70-74	284	30.1	431	6	9	26	41	65	81	99+
75-79	259	30.0	373	8	11	25	45	68	99+	99+
80-84	162	31.6	401	9	11	29	45	71	89	99+
85+	123	30.9	370	8	10	28	41	68	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8918	20.2	240	4	6	16	26	42	56	99+
B. *Operated*	1042	29.7	387	7	9	26	42	66	90	99+
1. SINGLE DX										
2. MULTIPLE DX	9960	21.2	264	4	6	17	28	45	61	99+
A. NOT OPERATED	8918	20.2	240	4	6	16	26	42	56	99+
B. OPERATED	1042	29.7	387	7	9	26	42	66	90	99+
TOTAL 65-69 YRS	1702	20.1	267	4	5	15	27	45	61	99+
70-74	2159	21.3	288	4	6	16	28	45	63	99+
75-79	2361	21.6	263	5	7	17	28	46	62	99+
80-84	1941	21.2	239	5	7	17	27	44	57	99+
85+	1797	21.3	260	5	7	17	28	44	60	99+
GRAND TOTAL	**9960**	**21.2**	**264**	**4**	**6**	**17**	**28**	**45**	**61**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	206	5.9	30	1	2	5	7	11	14	33
70-74	272	6.6	30	2	2	5	8	13	18	47
75-79	294	7.3	55	1	2	5	8	15	20	42
80-84	269	7.4	30	2	2	6	10	15	18	35
85+	213	7.8	57	2	2	6	9	15	22	46
B. *Operated*										
65-69 YRS	224	6.2	31	2	2	4	8	14	17	24
70-74	187	7.4	71	2	2	5	9	16	19	43
75-79	125	7.2	52	2	2	5	9	16	19	34
80-84	49	6.6	31	2	2	5	9	15	19	24
85+	14	10.9	332	2	2	6	10	19	61	73
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2071	10.3	111	2	3	7	12	20	29	60
70-74	3052	10.7	103	2	3	8	13	21	30	62
75-79	3599	11.2	121	2	3	8	13	23	32	63
80-84	3615	11.3	114	3	3	8	14	24	33	94
85+	3720	11.6	114	3	3	8	14	23	33	83
B. *Operated*										
65-69 YRS	764	12.9	178	2	2	9	16	27	40	91
70-74	742	13.8	176	2	3	10	17	32	42	99+
75-79	625	15.4	191	2	3	12	20	33	44	89
80-84	416	17.9	216	3	4	14	26	40	56	99+
85+	238	19.8	252	3	5	16	28	45	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1254	7.0	41	1	2	5	9	13	19	41
B. *Operated*	599	6.9	55	2	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	16057	11.1	113	2	3	8	13	22	32	70
B. *Operated*	2785	15.0	197	2	3	11	20	34	46	99+
1. SINGLE DX	1853	7.0	45	2	2	5	9	14	19	40
2. MULTIPLE DX	18842	11.7	128	2	3	8	14	24	35	80
A. NOT OPERATED	17311	10.8	109	2	3	8	13	22	31	69
B. OPERATED	3384	13.6	181	2	2	10	18	31	43	99+
TOTAL 65-69 YRS	3265	10.3	120	2	2	7	13	20	30	67
70-74	4253	10.8	113	2	3	8	13	22	32	68
75-79	4643	11.4	128	2	3	8	14	24	34	63
80-84	4349	11.7	123	2	3	8	14	25	36	99+
85+	4185	11.9	124	2	3	9	15	24	36	95
GRAND TOTAL	**20695**	**11.3**	**122**	**2**	**3**	**8**	**14**	**23**	**34**	**76**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	5.9	168	1	1	3	6	9	11	93
70-74	28	4.9	10	2	2	4	7	10	11	13
75-79	45	5.5	28	1	2	4	7	11	14	33
80-84	36	6.2	32	1	1	5	8	13	15	30
85+	52	9.1	169	1	2	5	10	17	23	74
B. *Operated*										
65-69 YRS	285	7.8	53	1	2	6	12	17	20	27
70-74	224	9.5	63	1	2	8	14	20	26	35
75-79	160	9.0	74	1	2	7	13	17	25	43
80-84	66	9.1	60	1	1	7	15	21	24	29
85+	42	10.3	100	2	2	7	14	23	28	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	451	8.9	64	2	2	7	11	17	23	53
70-74	654	8.7	69	2	2	6	11	17	23	46
75-79	857	9.5	69	2	3	7	12	18	24	53
80-84	948	11.3	121	2	3	8	13	22	34	89
85+	1194	11.4	110	2	3	8	14	25	33	85
B. *Operated*										
65-69 YRS	1644	16.1	224	2	2	12	20	35	50	84
70-74	1521	17.3	234	2	2	14	22	37	50	95
75-79	1129	18.9	262	2	3	15	25	44	56	88
80-84	769	21.1	276	3	5	17	28	46	60	99+
85+	700	21.9	274	4	6	18	30	45	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	6.5	95	1	1	4	7	12	15	66
B. *Operated*	777	8.8	64	1	2	7	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	4104	10.3	94	2	3	8	13	20	29	67
B. *Operated*	5763	18.3	251	2	3	14	24	40	55	95
1. SINGLE DX	988	8.3	71	1	2	6	12	17	23	38
2. MULTIPLE DX	9867	15.0	201	2	3	11	19	34	47	89
A. NOT OPERATED	4315	10.1	94	2	3	7	12	20	29	67
B. OPERATED	6540	17.2	238	2	2	13	22	38	52	92
TOTAL 65-69 YRS	2430	13.6	186	2	2	10	17	30	42	80
70-74	2427	14.1	188	2	2	11	18	32	43	82
75-79	2191	14.2	191	2	2	10	18	32	47	77
80-84	1819	15.2	208	2	3	11	20	34	49	97
85+	1988	15.0	195	2	3	11	19	33	47	99+
GRAND TOTAL	**10855**	**14.4**	**193**	**2**	**3**	**11**	**18**	**32**	**45**	**86**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	3.2	8	<1	1	2	5	7	8	15
70-74	63	4.4	19	<1	1	3	5	8	14	26
75-79	41	4.5	15	<1	1	3	6	10	13	18
80-84	34	5.6	18	2	2	5	6	10	17	20
85+	34	6.0	16	2	2	5	8	10	13	22
B. *Operated*										
65-69 YRS	463	11.7	36	2	3	11	14	19	22	26
70-74	369	12.9	64	2	3	12	16	21	27	55
75-79	287	14.0	73	2	3	14	17	22	27	41
80-84	136	13.5	55	2	2	14	18	24	25	35
85+	29	15.9	72	1	5	17	19	23	30	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	231	7.1	54	1	2	5	10	13	17	32
70-74	294	7.2	35	1	2	5	9	15	19	28
75-79	296	8.3	53	2	2	6	10	15	24	40
80-84	254	8.8	84	2	2	6	11	16	26	58
85+	227	8.9	56	2	2	6	11	19	24	64
B. *Operated*										
65-69 YRS	1465	16.1	138	3	6	13	19	27	36	81
70-74	1449	16.9	127	3	6	14	20	30	37	69
75-79	1064	18.1	172	2	5	15	22	33	43	80
80-84	420	18.3	156	3	6	16	23	33	42	87
85+	165	20.5	190	4	5	18	25	39	47	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.6	16	1	1	4	6	9	13	21
B. *Operated*	1284	12.8	56	2	3	12	16	21	24	39
2. MULTIPLE DX										
A. *Not Operated*	1302	8.0	56	1	2	6	10	16	22	40
B. *Operated*	4563	17.2	147	3	6	14	21	31	40	76
1. SINGLE DX	1498	11.7	58	2	2	11	15	20	24	37
2. MULTIPLE DX	5865	15.2	141	2	3	13	19	28	37	72
A. NOT OPERATED	1516	7.6	52	1	2	6	9	15	20	39
B. OPERATED	5847	16.2	130	2	5	14	19	28	37	72
TOTAL 65-69 YRS	2201	14.0	117	2	3	12	17	24	31	71
70-74	2175	14.5	115	2	3	13	18	26	34	60
75-79	1688	15.4	147	2	3	13	19	29	38	72
80-84	844	14.2	132	2	3	12	19	27	35	59
85+	455	13.3	135	2	3	10	18	27	39	64
GRAND TOTAL	**7363**	**14.4**	**126**	**2**	**3**	**12**	**18**	**26**	**35**	**65**

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.0	18	1	1	4	6	12	14	14
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	8	3.8	7	<1	<1	3	6	8	8	8
80-84	3	3.7	2	2	2	4	5	5	5	5
85+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	100	9.2	50	2	2	8	13	22	24	29
70-74	94	10.1	48	2	2	9	14	17	24	36
75-79	62	11.6	80	2	2	11	13	18	29	51
80-84	30	13.3	77	2	2	12	18	26	32	33
85+	7	12.1	51	2	3	12	17	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	6.2	46	1	1	5	7	14	24	26
70-74	29	7.4	70	1	2	5	10	12	23	43
75-79	33	6.8	34	1	2	6	8	12	20	30
80-84	15	7.3	15	2	2	6	11	12	13	14
85+	16	6.4	11	2	3	6	9	10	13	15
B. *Operated*										
65-69 YRS	243	14.1	145	2	3	11	18	28	40	64
70-74	241	15.9	194	2	3	12	20	35	45	67
75-79	171	17.4	227	2	4	13	23	37	46	83
80-84	73	16.1	110	2	4	14	23	31	37	46
85+	34	19.9	283	3	4	15	21	37	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.8	10	<1	<1	3	5	7	10	14
B. *Operated*	293	10.5	59	2	2	9	13	21	25	37
2. MULTIPLE DX										
A. *Not Operated*	105	6.9	38	1	2	6	9	12	16	36
B. *Operated*	762	15.9	183	2	3	12	20	33	43	67
1. SINGLE DX	316	10.0	59	2	2	9	13	20	24	37
2. MULTIPLE DX	867	14.8	174	2	3	11	18	32	41	65
A. NOT OPERATED	128	6.3	34	1	1	5	9	12	14	33
B. OPERATED	1055	14.4	155	2	3	11	18	30	39	64
TOTAL 65-69 YRS	363	12.3	120	2	2	10	16	24	31	63
70-74	366	13.7	156	2	2	10	16	28	38	63
75-79	274	14.4	181	2	2	11	17	32	42	67
80-84	121	14.0	98	2	3	12	19	29	33	45
85+	59	14.7	211	2	3	12	18	30	42	86
GRAND TOTAL	**1183**	**13.5**	**148**	**2**	**2**	**11**	**17**	**28**	**37**	**63**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	5.2	22	1	1	3	8	11	15	20
70-74	48	6.5	115	<1	1	3	8	13	15	73
75-79	41	7.2	28	1	2	7	11	15	18	20
80-84	21	7.2	24	1	2	7	10	15	16	18
85+	27	8.6	23	1	2	8	12	14	16	22
B. *Operated*										
65-69 YRS	724	9.8	54	1	2	9	13	17	21	36
70-74	514	9.9	62	1	2	9	13	18	24	42
75-79	341	10.6	54	2	2	10	14	20	23	38
80-84	173	11.0	53	2	3	10	15	20	23	36
85+	154	12.4	123	2	2	10	16	25	35	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	192	7.8	36	1	2	7	11	16	19	29
70-74	197	9.0	78	1	2	7	12	18	26	46
75-79	182	10.0	61	2	3	9	13	17	23	39
80-84	160	10.4	58	2	3	9	13	19	23	43
85+	131	11.6	114	2	3	10	14	21	26	96
B. *Operated*										
65-69 YRS	2070	14.9	147	2	3	12	19	30	38	71
70-74	1877	16.5	180	2	3	13	20	33	46	88
75-79	1306	17.1	198	2	3	13	22	35	46	75
80-84	750	17.2	173	3	5	14	22	34	47	99+
85+	584	17.5	163	3	5	14	22	34	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.7	48	1	1	5	9	14	16	21
B. *Operated*	1906	10.3	62	2	2	9	14	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	862	9.6	68	1	2	8	13	18	23	41
B. *Operated*	6587	16.3	172	2	3	13	21	32	44	81
1. SINGLE DX	2092	10.0	62	1	2	9	14	18	23	38
2. MULTIPLE DX	7449	15.5	164	2	3	12	20	31	42	79
A. NOT OPERATED	1048	9.1	66	1	2	8	12	17	22	41
B. OPERATED	8493	14.9	153	2	3	12	19	30	40	75
TOTAL 65-69 YRS	3035	13.1	123	2	2	11	16	26	34	62
70-74	2636	14.5	158	2	2	12	18	29	41	78
75-79	1870	15.0	165	2	3	12	19	30	41	68
80-84	1104	15.0	145	2	4	12	19	30	41	82
85+	896	15.5	152	2	4	13	20	30	41	84
GRAND TOTAL	9541	14.3	147	2	3	12	18	29	39	72

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	5.7	21	1	2	4	8	12	15	21
70-74	109	4.9	22	<1	1	4	6	10	12	27
75-79	86	5.6	40	1	1	4	6	11	17	38
80-84	53	5.1	23	1	1	4	7	8	13	31
85+	43	7.9	47	1	2	6	10	13	28	30
B. *Operated*										
65-69 YRS	534	8.0	62	1	2	6	11	17	23	42
70-74	439	8.7	93	1	2	6	11	18	25	58
75-79	287	9.3	98	1	2	6	12	20	32	47
80-84	182	8.7	44	1	2	7	14	18	21	23
85+	76	10.9	75	1	2	9	16	23	26	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	583	8.6	64	2	2	7	11	18	25	41
70-74	658	9.2	68	2	2	7	11	19	24	39
75-79	566	9.8	88	2	2	7	13	20	26	48
80-84	453	10.7	105	2	3	8	13	22	29	63
85+	405	12.1	116	3	3	9	16	25	34	81
B. *Operated*										
65-69 YRS	1901	14.7	196	2	2	11	19	33	46	86
70-74	1629	15.7	226	2	2	12	19	36	50	91
75-79	1294	16.9	243	2	3	12	23	39	54	99+
80-84	668	19.6	256	2	4	16	26	44	63	99+
85+	451	20.7	275	3	5	17	28	43	57	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	5.6	29	1	1	4	7	11	15	30
B. *Operated*	1518	8.7	76	1	2	6	12	18	24	43
2. MULTIPLE DX										
A. *Not Operated*	2665	9.9	86	2	2	7	12	20	27	57
B. *Operated*	5943	16.5	231	2	3	12	21	38	52	96
1. SINGLE DX	1919	8.0	68	1	2	5	11	17	23	41
2. MULTIPLE DX	8608	14.4	195	2	3	10	19	32	46	90
A. NOT OPERATED	3066	9.3	81	2	2	7	12	20	26	49
B. OPERATED	7461	14.9	209	2	2	11	19	34	48	90
TOTAL 65-69 YRS	3128	12.1	153	2	2	9	16	26	38	74
70-74	2835	12.7	173	2	2	9	16	28	40	76
75-79	2233	13.7	192	2	2	9	18	32	45	83
80-84	1356	14.6	193	2	2	11	19	34	48	99+
85+	975	15.8	205	2	3	11	21	35	46	96
GRAND TOTAL	10527	13.3	178	2	2	9	17	30	42	84

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	732	9.1	22	3	4	8	11	15	17	24
70-74	627	9.4	21	4	4	9	12	15	17	23
75-79	436	9.5	20	4	5	9	12	15	18	25
80-84	272	9.6	20	3	4	9	12	15	18	22
85+	201	10.0	37	3	4	9	13	17	21	73
B. *Operated*										
65-69 YRS	235	9.4	28	2	3	8	13	17	19	24
70-74	183	9.7	36	2	3	9	13	17	21	29
75-79	110	10.9	76	2	3	9	13	19	27	50
80-84	64	10.6	37	3	4	9	14	16	20	37
85+	32	10.0	36	2	3	9	15	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2238	11.0	41	4	5	10	13	18	22	36
70-74	2088	11.2	42	4	5	10	14	19	23	36
75-79	1751	11.5	48	4	5	10	14	19	24	37
80-84	1167	12.4	56	4	5	11	15	21	26	42
85+	834	13.1	89	4	5	11	16	22	30	62
B. *Operated*										
65-69 YRS	851	13.6	95	3	5	12	17	24	29	58
70-74	720	14.7	106	4	6	12	18	27	34	61
75-79	546	15.0	109	4	6	12	18	26	35	54
80-84	345	15.8	122	4	5	13	21	28	38	66
85+	236	16.9	142	5	6	14	21	30	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2268	9.4	22	3	4	9	12	15	18	25
B. *Operated*	624	9.9	40	2	3	9	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	8078	11.6	50	4	5	10	14	19	24	40
B. *Operated*	2698	14.7	109	4	6	12	18	26	34	59
1. SINGLE DX	2892	9.5	26	3	4	9	12	15	18	26
2. MULTIPLE DX	10776	12.4	67	4	5	11	15	21	27	46
A. NOT OPERATED	10346	11.1	45	4	5	10	14	18	23	38
B. OPERATED	3322	13.8	100	3	5	12	17	25	32	55
TOTAL 65-69 YRS	4056	11.1	50	4	5	10	14	19	23	36
70-74	3618	11.5	54	4	5	10	14	20	25	42
75-79	2843	11.8	59	4	5	10	14	20	25	44
80-84	1848	12.6	66	4	5	11	15	22	27	44
85+	1303	13.3	94	4	5	11	16	23	31	60
GRAND TOTAL	**13668**	**11.8**	**60**	**4**	**5**	**10**	**14**	**20**	**25**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	13.6	120	2	3	10	18	28	33	53
70-74	118	13.1	109	1	1	12	18	27	31	50
75-79	102	13.2	133	2	3	11	17	24	29	72
80-84	96	11.8	119	1	3	9	15	22	30	66
85+	69	12.0	44	4	5	12	15	20	24	33
B. *Operated*										
65-69 YRS	576	7.9	70	2	3	5	8	17	26	44
70-74	309	10.3	88	2	3	6	14	23	32	44
75-79	188	15.3	171	3	3	11	22	31	42	61
80-84	84	16.4	199	3	3	14	25	33	40	99+
85+	54	19.8	180	3	5	18	26	39	46	70
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	388	12.8	90	3	4	11	17	26	32	49
70-74	459	14.4	118	3	4	12	19	29	37	56
75-79	459	14.6	164	3	4	11	18	29	37	81
80-84	454	15.1	122	4	5	12	20	28	37	59
85+	456	15.4	130	4	5	12	20	30	40	58
B. *Operated*										
65-69 YRS	597	13.4	176	3	3	9	18	31	40	67
70-74	433	18.1	238	3	4	13	24	41	50	68
75-79	336	21.2	248	4	5	17	28	44	53	88
80-84	243	22.9	219	5	6	21	34	45	54	99+
85+	147	23.6	214	5	7	21	34	44	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	12.8	108	1	3	11	16	24	31	53
B. *Operated*	1211	10.8	117	2	3	6	14	26	33	51
2. MULTIPLE DX										
A. *Not Operated*	2216	14.5	126	3	4	12	19	29	36	58
B. *Operated*	1756	18.2	229	3	4	14	26	40	49	82
1. SINGLE DX	1672	11.3	115	2	3	7	15	25	32	52
2. MULTIPLE DX	3972	16.2	175	3	4	12	22	34	44	67
A. NOT OPERATED	2677	14.2	123	3	4	11	18	28	35	58
B. OPERATED	2967	15.2	196	3	3	10	22	35	44	69
TOTAL 65-69 YRS	1637	11.3	122	2	3	7	14	26	33	55
70-74	1319	14.5	158	3	3	11	19	31	41	59
75-79	1085	16.6	198	3	4	13	23	34	45	76
80-84	877	17.0	170	3	5	14	23	36	44	82
85+	726	17.1	155	4	5	14	23	34	44	63
GRAND TOTAL	**5644**	**14.7**	**162**	**3**	**4**	**11**	**20**	**31**	**41**	**64**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	3.2	5	1	1	3	4	6	7	11
70-74	56	2.9	4	<1	1	2	4	5	7	11
75-79	48	3.4	5	1	1	3	4	7	8	12
80-84	33	4.7	14	<1	1	3	7	9	11	19
85+	19	4.7	13	1	1	4	6	10	13	15
B. *Operated*										
65-69 YRS	332	5.4	7	2	3	5	6	8	10	15
70-74	169	5.4	7	2	2	5	7	9	10	15
75-79	87	6.2	10	2	3	5	8	11	12	19
80-84	31	7.2	13	2	3	6	8	13	15	15
85+	26	6.9	13	1	3	7	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	4.9	13	1	2	4	6	8	11	19
70-74	373	5.4	18	1	2	4	7	10	14	23
75-79	280	6.2	27	2	2	5	8	12	16	27
80-84	227	6.2	21	1	2	5	8	12	15	24
85+	194	7.6	68	2	2	6	8	14	19	59
B. *Operated*										
65-69 YRS	1760	6.9	17	3	3	6	8	12	15	22
70-74	1095	7.7	27	3	4	6	9	13	18	26
75-79	645	8.4	38	3	3	7	10	15	18	34
80-84	289	9.3	42	3	4	8	12	17	24	34
85+	171	10.7	49	3	4	9	14	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.5	7	1	1	3	4	7	8	13
B. *Operated*	645	5.7	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1444	5.9	27	1	2	5	7	11	15	25
B. *Operated*	3960	7.7	27	3	3	6	9	14	18	29
1. SINGLE DX	891	5.0	9	1	2	5	6	8	11	15
2. MULTIPLE DX	5404	7.2	28	2	3	6	9	13	17	27
A. NOT OPERATED	1690	5.5	24	1	2	4	7	10	14	24
B. OPERATED	4605	7.4	25	3	3	6	9	13	17	27
TOTAL 65-69 YRS	2552	6.3	16	2	3	5	8	11	14	21
70-74	1693	6.8	24	2	3	6	8	13	17	24
75-79	1060	7.4	33	2	3	6	9	14	17	32
80-84	580	7.7	33	2	2	6	10	15	19	33
85+	410	8.7	57	2	3	7	11	17	23	49
GRAND TOTAL	**6295**	**6.9**	**26**	**2**	**3**	**6**	**8**	**13**	**16**	**26**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	261	7.7	27	1	2	7	10	15	17	32
70-74	209	7.5	38	1	2	6	10	16	21	29
75-79	167	7.3	28	2	2	6	9	13	17	27
80-84	114	7.2	29	2	2	6	9	14	16	32
85+	90	8.1	20	2	3	7	11	14	16	20
B. *Operated*										
65-69 YRS	174	9.1	66	1	2	8	12	18	22	50
70-74	151	10.0	85	2	2	8	13	19	24	58
75-79	98	8.9	40	1	2	8	13	18	21	28
80-84	44	10.8	87	1	2	10	14	21	28	45
85+	22	18.4	232	2	3	13	25	42	49	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1307	8.9	52	2	3	7	11	17	22	39
70-74	1381	8.9	45	2	3	7	11	17	22	35
75-79	1394	9.1	56	2	3	7	11	17	23	38
80-84	1077	9.6	66	2	3	8	12	18	23	40
85+	871	9.2	54	2	3	7	12	18	24	37
B. *Operated*										
65-69 YRS	728	14.4	146	2	3	11	18	29	38	62
70-74	651	15.1	148	2	4	12	19	31	40	78
75-79	562	15.6	172	2	4	12	20	32	42	74
80-84	347	15.5	129	3	5	13	20	30	42	67
85+	252	16.3	166	4	6	13	21	31	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	7.6	29	1	2	7	10	14	17	29
B. *Operated*	489	9.9	79	1	2	8	13	20	24	52
2. MULTIPLE DX										
A. *Not Operated*	6030	9.1	54	2	3	7	11	17	22	38
B. *Operated*	2540	15.2	152	2	4	12	19	30	40	71
1. SINGLE DX	1330	8.4	49	1	2	7	11	16	21	37
2. MULTIPLE DX	8570	10.9	91	2	3	8	14	22	29	49
A. NOT OPERATED	6871	8.9	51	2	3	7	11	17	22	37
B. OPERATED	3029	14.3	144	2	3	11	18	29	39	67
TOTAL 65-69 YRS	2470	10.4	85	2	3	8	13	20	27	47
70-74	2392	10.5	83	2	3	8	13	21	28	49
75-79	2221	10.6	91	2	3	8	13	21	28	47
80-84	1582	10.8	84	2	3	8	14	20	29	49
85+	1235	10.7	87	2	3	8	14	21	28	46
GRAND TOTAL	**9900**	**10.6**	**86**	**2**	**3**	**8**	**13**	**21**	**28**	**48**

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	5.1	25	2	2	4	5	9	11	32
70-74	90	5.0	8	2	2	5	7	9	10	13
75-79	100	5.5	13	1	2	5	7	10	12	18
80-84	74	5.5	16	1	2	5	7	11	13	21
85+	92	5.2	16	1	2	4	7	10	12	22
B. *Operated*										
65-69 YRS	42	4.0	21	1	1	3	4	7	16	24
70-74	25	3.8	9	1	2	2	6	9	10	12
75-79	9	6.0	19	2	2	5	8	13	14	14
80-84	3	5.3	14	1	1	7	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1102	6.9	21	2	3	6	9	12	16	24
70-74	1010	7.8	40	2	3	6	9	14	18	36
75-79	943	7.8	30	2	3	6	10	14	18	28
80-84	777	8.5	45	2	3	7	11	16	19	34
85+	835	8.6	33	3	3	7	11	16	21	32
B. *Operated*										
65-69 YRS	136	11.5	174	2	2	8	14	24	38	84
70-74	107	11.9	105	2	2	10	14	23	34	52
75-79	83	12.2	149	2	2	8	15	30	38	61
80-84	51	17.1	144	3	5	14	24	30	33	69
85+	33	23.1	436	5	6	17	28	48	81	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	5.2	16	1	2	4	7	10	12	20
B. *Operated*	79	4.2	17	1	1	3	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	4667	7.8	33	2	3	6	10	14	18	30
B. *Operated*	410	13.4	178	2	2	10	17	29	39	81
1. SINGLE DX	549	5.1	16	1	2	4	7	10	12	20
2. MULTIPLE DX	5077	8.3	47	2	3	7	10	16	20	37
A. NOT OPERATED	5137	7.6	32	2	3	6	9	14	18	29
B. OPERATED	489	11.9	163	2	2	8	15	26	37	76
TOTAL 65-69 YRS	1394	7.1	39	2	2	6	9	13	17	33
70-74	1232	7.9	45	2	3	6	9	14	19	38
75-79	1135	7.9	39	2	3	6	10	15	19	32
80-84	905	8.7	52	2	3	7	11	17	21	35
85+	960	8.8	53	2	3	7	11	16	21	38
GRAND TOTAL	**5626**	**8.0**	**45**	**2**	**3**	**6**	**10**	**15**	**19**	**36**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	354	5.5	7	2	3	5	7	9	10	13
70-74	330	5.9	12	2	3	5	7	10	12	20
75-79	251	6.3	17	2	3	5	8	10	14	24
80-84	208	6.3	14	2	3	6	8	10	11	21
85+	191	7.2	46	3	3	5	8	13	16	26
B. *Operated*										
65-69 YRS	26	6.2	35	1	2	4	8	10	15	32
70-74	18	7.8	46	2	2	5	9	18	24	27
75-79	11	10.8	231	<1	1	6	11	31	53	55
80-84	4	7.3	14	3	3	7	10	12	12	12
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4447	8.4	38	3	3	7	10	15	19	31
70-74	4500	8.6	32	3	3	7	11	15	19	31
75-79	3798	9.0	44	3	4	7	11	16	20	32
80-84	2717	9.4	45	3	4	8	12	17	21	34
85+	2517	10.0	60	3	4	8	12	18	23	52
B. *Operated*										
65-69 YRS	361	12.5	110	3	4	10	15	23	30	61
70-74	337	13.5	126	3	4	10	17	24	38	56
75-79	276	15.0	147	4	5	12	17	30	41	91
80-84	139	17.6	183	4	6	14	23	34	38	81
85+	120	15.1	70	3	6	14	20	28	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1334	6.1	17	2	3	5	7	10	13	21
B. *Operated*	60	7.5	72	1	2	5	9	13	23	53
2. MULTIPLE DX										
A. *Not Operated*	17979	9.0	42	3	4	7	11	16	20	34
B. *Operated*	1233	14.2	129	3	4	12	17	26	36	75
1. SINGLE DX	1394	6.2	19	2	3	5	7	10	13	22
2. MULTIPLE DX	19212	9.3	49	3	4	8	11	17	21	38
A. NOT OPERATED	19313	8.8	41	3	3	7	11	16	20	33
B. OPERATED	1293	13.9	128	3	4	11	17	26	36	72
TOTAL 65-69 YRS	5188	8.5	42	3	3	7	10	15	19	34
70-74	5185	8.8	39	3	3	7	11	16	20	34
75-79	4336	9.2	52	3	4	7	11	16	21	38
80-84	3068	9.5	53	3	4	8	12	17	22	37
85+	2829	10.1	61	3	4	8	12	18	24	52
GRAND TOTAL	**20606**	**9.1**	**48**	**3**	**3**	**7**	**11**	**16**	**21**	**37**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	186	2.4	1	1	1	2	3	4	4	8
70-74	90	2.5	1	1	1	2	3	4	4	6
75-79	35	2.6	4	1	1	2	3	4	6	12
80-84	10	2.6	1	<1	<1	3	3	4	4	4
85+	5	3.4	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	2.9	8	1	1	2	3	6	10	11
70-74	8	6.0	29	1	1	5	8	15	17	17
75-79	3	5.0	9	2	2	5	7	8	8	8
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	452	3.6	11	1	2	3	4	5	8	19
70-74	202	3.2	6	1	2	3	4	5	6	17
75-79	76	3.7	5	1	2	3	5	7	9	11
80-84	18	3.7	4	2	2	3	5	5	8	10
85+	9	5.1	16	2	2	3	6	11	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	326	2.5	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	24	4.3	15	1	1	3	5	9	13	17
B. *Operated*	757	3.6	9	1	2	3	4	5	8	18
1. SINGLE DX	328	2.5	2	1	1	2	3	4	4	8
2. MULTIPLE DX	781	3.6	9	1	2	3	4	5	8	18
A. NOT OPERATED	26	4.0	15	<1	1	3	5	9	12	17
B. OPERATED	1083	3.2	7	1	1	3	4	5	7	16
TOTAL 65-69 YRS	652	3.3	9	1	1	3	4	5	7	17
70-74	300	3.1	5	1	1	3	4	5	6	17
75-79	114	3.4	5	1	1	3	4	7	8	11
80-84	28	3.3	3	1	2	3	4	5	6	10
85+	15	4.5	10	2	2	3	5	6	13	15
GRAND TOTAL	1109	3.3	7	1	1	3	4	5	7	16

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	147	2.3	1	<1	1	2	3	4	4	6
70-74	91	2.3	1	<1	1	2	3	4	4	6
75-79	73	2.2	2	1	1	2	2	4	5	8
80-84	25	2.4	1	1	1	2	3	4	4	5
85+	15	3.0	8	<1	1	2	3	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.5	6	<1	<1	4	5	7	8	8
70-74	5	4.8	17	1	1	5	7	11	11	11
75-79	9	4.2	6	1	1	4	6	8	8	8
80-84	3	2.0	1	<1	<1	2	3	3	3	3
85+	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*										
65-69 YRS	281	3.5	7	1	2	3	4	5	7	18
70-74	229	3.6	15	1	2	3	4	6	7	18
75-79	116	4.5	24	1	2	3	5	8	14	27
80-84	36	5.1	32	<1	1	3	6	12	18	27
85+	19	3.4	4	1	1	3	5	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	1	1	1	2	3	3	3	3
B. *Operated*	351	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	31	4.0	12	<1	<1	3	6	8	11	16
B. *Operated*	681	3.8	14	1	2	3	4	6	9	22
1. SINGLE DX	357	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	712	3.8	14	1	1	3	4	6	9	21
A. NOT OPERATED	37	3.7	11	<1	1	3	5	8	10	16
B. OPERATED	1032	3.3	10	1	1	2	4	5	7	20
TOTAL 65-69 YRS	442	3.1	5	1	1	3	4	5	6	13
70-74	327	3.3	11	1	1	2	4	5	7	13
75-79	199	3.6	16	1	1	2	4	6	9	23
80-84	64	3.9	20	<1	1	2	4	8	13	26
85+	37	3.5	10	1	1	2	4	8	10	16
GRAND TOTAL	1069	3.3	10	1	1	2	4	5	7	19

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	46	2.3	4	1	1	2	2	3	4	14
70-74	24	3.1	6	<1	1	2	4	7	9	10
75-79	27	2.1	1	<1	1	2	3	4	4	5
80-84	8	3.0	17	<1	<1	2	2	10	13	13
85+	24	5.8	355	<1	1	2	2	4	34	94
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	6	8.8	58	3	3	5	12	22	23	23
75-79	3	4.3	1	3	3	5	5	5	5	5
80-84	2	7.5	25	4	4	7	11	11	11	11
85+	3	8.7	20	4	4	9	12	13	13	13
B. *Operated*										
65-69 YRS	36	4.2	14	1	2	2	5	10	14	16
70-74	21	8.9	387	<1	<1	2	4	24	55	89
75-79	10	2.0	1	1	1	2	3	4	4	4
80-84	4	5.3	16	2	2	4	8	11	11	11
85+	14	2.5	10	<1	1	2	2	4	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*	129	3.1	69	<1	1	2	2	4	7	31
2. MULTIPLE DX										
A. *Not Operated*	15	8.2	33	3	3	5	12	16	21	23
B. *Operated*	85	4.9	106	<1	1	2	4	11	15	68
1. SINGLE DX	132	3.1	68	<1	1	2	2	4	7	28
2. MULTIPLE DX	100	5.4	96	1	1	2	5	12	16	58
A. NOT OPERATED	18	7.3	32	1	2	5	11	15	20	23
B. OPERATED	214	3.8	84	<1	1	2	3	6	11	50
TOTAL 65-69 YRS	85	3.3	11	1	1	2	3	6	12	16
70-74	51	6.1	172	<1	1	2	5	12	23	88
75-79	41	2.2	2	1	1	2	3	4	5	5
80-84	14	4.3	17	<1	<1	2	5	11	13	13
85+	41	4.9	212	<1	1	2	3	8	13	94
GRAND TOTAL	232	4.1	81	1	1	2	3	8	13	39

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	3.1	16	<1	1	2	4	5	6	28
70-74	60	3.7	6	1	1	3	5	8	9	12
75-79	45	3.2	4	1	1	2	4	6	7	10
80-84	16	3.3	4	1	1	3	4	6	7	7
85+	15	4.3	10	1	2	3	5	9	11	12
B. *Operated*										
65-69 YRS	758	2.5	4	1	1	2	3	4	6	11
70-74	493	2.8	13	1	1	2	3	4	6	18
75-79	224	2.6	5	1	1	2	3	4	7	12
80-84	74	3.9	82	1	2	2	3	5	10	63
85+	39	2.8	4	1	1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	303	6.2	31	1	2	5	8	11	14	34
70-74	268	6.1	17	2	2	5	8	12	15	20
75-79	162	6.6	36	1	2	5	8	12	14	35
80-84	118	6.7	22	2	2	6	9	14	14	25
85+	68	7.5	41	2	2	5	9	16	19	33
B. *Operated*										
65-69 YRS	857	4.9	39	1	2	3	5	11	16	31
70-74	540	4.9	38	1	2	3	5	10	16	32
75-79	297	5.6	42	1	2	3	7	12	18	34
80-84	133	7.4	73	2	2	5	8	15	22	43
85+	54	8.5	101	2	2	5	12	21	25	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.3	10	1	1	2	4	6	8	14
B. *Operated*	1588	2.7	10	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	919	6.4	27	1	2	5	8	12	15	27
B. *Operated*	1881	5.3	44	1	2	3	6	12	17	35
1. SINGLE DX	1824	2.8	10	1	1	2	3	4	7	13
2. MULTIPLE DX	2800	5.7	39	1	2	4	7	12	16	33
A. NOT OPERATED	1155	5.8	25	1	2	4	7	11	14	27
B. OPERATED	3469	4.1	30	1	1	2	4	8	13	27
TOTAL 65-69 YRS	2018	4.1	25	1	1	2	4	8	12	26
70-74	1361	4.3	25	1	1	3	5	9	13	26
75-79	728	4.7	30	1	1	3	6	10	14	26
80-84	341	6.2	56	1	2	4	8	13	16	38
85+	176	6.5	53	1	2	4	8	15	21	32
GRAND TOTAL	4624	4.5	29	1	1	3	5	9	14	27

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1794	7.6	19	3	3	7	9	13	15	24
70-74	1724	7.9	22	3	4	7	10	13	16	25
75-79	1480	8.4	25	3	4	7	10	14	17	26
80-84	1264	8.8	28	3	4	8	11	15	19	27
85+	1550	9.4	42	3	4	8	12	16	21	33
B. *Operated*										
65-69 YRS	189	9.9	43	2	2	9	14	19	21	29
70-74	133	11.4	69	2	2	10	16	23	26	38
75-79	97	13.0	83	2	3	12	17	24	29	48
80-84	60	14.4	99	2	3	13	19	26	35	50
85+	49	14.1	92	2	3	12	18	28	37	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8911	10.2	49	3	4	9	13	18	23	37
70-74	10419	11.1	61	4	4	9	13	20	25	42
75-79	10705	11.7	68	4	5	10	14	21	27	45
80-84	10091	12.5	78	4	5	10	15	22	28	49
85+	12327	13.3	89	4	5	11	16	23	31	57
B. *Operated*										
65-69 YRS	1462	18.2	188	4	6	15	22	34	47	82
70-74	1474	19.3	187	5	7	16	24	38	48	89
75-79	1379	20.9	205	6	8	17	26	41	51	89
80-84	1034	21.9	200	7	9	19	27	41	55	99+
85+	970	23.1	229	7	9	19	29	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7812	8.4	27	3	4	7	10	14	18	27
B. *Operated*	528	11.7	70	2	2	10	16	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	52453	11.9	71	4	5	10	14	21	27	47
B. *Operated*	6319	20.4	203	6	7	17	26	40	52	93
1. SINGLE DX	8340	8.6	31	3	4	7	11	15	18	28
2. MULTIPLE DX	58772	12.8	92	4	5	10	15	23	31	56
A. NOT OPERATED	60265	11.4	67	3	4	9	14	20	26	45
B. OPERATED	6847	19.7	198	5	7	16	25	39	50	91
TOTAL 65-69 YRS	12356	10.8	69	3	4	9	13	19	25	45
70-74	13750	11.6	78	3	4	9	14	21	28	49
75-79	13661	12.3	86	4	5	10	15	23	30	52
80-84	12449	12.9	92	4	5	10	16	24	31	55
85+	14896	13.5	101	4	5	11	16	24	32	62
GRAND TOTAL	**67112**	**12.3**	**87**	**4**	**5**	**10**	**15**	**22**	**29**	**53**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	202	5.1	8	2	2	4	7	9	10	15
70-74	222	5.3	14	2	2	4	6	9	12	22
75-79	184	5.9	14	2	2	5	8	11	12	17
80-84	154	6.7	33	2	3	5	8	12	16	29
85+	170	6.7	32	2	2	5	8	12	14	24
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79	2	7.0	8	5	5	7	9	9	9	9
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1263	7.4	31	2	3	6	9	14	17	30
70-74	1347	7.7	34	2	3	6	9	14	18	32
75-79	1304	8.6	38	3	3	7	11	16	20	32
80-84	1258	9.1	48	3	3	7	11	17	23	36
85+	1194	9.8	54	3	3	8	12	18	24	43
B. *Operated*										
65-69 YRS	57	17.8	243	4	5	11	23	44	47	81
70-74	65	15.1	93	4	5	12	21	29	34	45
75-79	60	18.0	119	5	7	15	20	34	42	54
80-84	66	17.6	164	5	6	15	20	37	51	95
85+	48	18.6	160	5	7	15	26	37	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	5.9	19	2	2	5	7	10	13	22
B. *Operated*	4	6.5	6	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	6366	8.5	42	2	3	7	10	16	20	34
B. *Operated*	296	17.3	153	5	6	14	21	34	46	66
1. SINGLE DX	936	5.9	19	2	2	5	7	10	13	22
2. MULTIPLE DX	6662	8.9	50	2	3	7	11	17	22	37
A. NOT OPERATED	7298	8.2	40	2	3	7	10	15	20	33
B. OPERATED	300	17.2	153	5	6	14	21	34	45	66
TOTAL 65-69 YRS	1523	7.5	41	2	3	6	9	14	18	33
70-74	1634	7.7	37	2	3	6	9	14	19	33
75-79	1550	8.7	42	3	3	7	11	16	20	34
80-84	1479	9.2	56	3	3	7	11	18	24	42
85+	1412	9.8	58	3	3	8	12	19	25	43
GRAND TOTAL	**7598**	**8.5**	**47**	**2**	**3**	**7**	**10**	**16**	**21**	**36**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	554	6.8	24	2	3	6	8	12	15	22
70-74	460	7.0	25	2	3	6	9	13	15	26
75-79	357	6.7	16	2	3	6	9	12	15	21
80-84	192	7.8	29	2	3	6	10	14	19	29
85+	140	7.1	19	2	3	6	8	13	16	21
B. *Operated*										
65-69 YRS	95	5.5	29	1	1	4	8	12	15	31
70-74	86	6.3	36	<1	2	4	9	15	19	29
75-79	43	7.0	52	1	2	5	9	15	22	36
80-84	19	8.5	54	<1	1	9	12	17	24	29
85+	8	6.4	27	<1	<1	5	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2946	8.5	40	3	3	7	10	15	19	32
70-74	2923	9.0	42	3	3	7	11	16	20	39
75-79	2348	9.2	50	3	3	7	11	17	22	37
80-84	1560	9.6	56	3	3	8	12	18	23	39
85+	1316	9.6	62	3	3	8	12	17	23	37
B. *Operated*										
65-69 YRS	502	11.7	131	2	3	9	14	25	32	58
70-74	455	13.0	139	2	2	10	17	28	38	60
75-79	307	13.5	157	2	3	10	17	28	41	99+
80-84	180	14.8	183	3	3	12	20	30	59	99+
85+	92	13.1	66	3	4	12	19	25	31	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1703	7.0	23	2	3	6	9	12	15	24
B. *Operated*	251	6.3	37	1	1	4	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	11093	9.1	48	3	3	7	11	16	21	36
B. *Operated*	1536	12.9	141	2	3	10	16	27	36	86
1. SINGLE DX	1954	6.9	25	2	2	6	9	13	16	25
2. MULTIPLE DX	12629	9.5	61	3	3	8	12	17	23	42
A. NOT OPERATED	12796	8.8	45	3	3	7	11	16	20	35
B. OPERATED	1787	12.0	132	2	2	9	15	25	35	77
TOTAL 65-69 YRS	4097	8.6	51	2	3	7	10	16	20	36
70-74	3924	9.1	54	2	3	7	11	17	22	40
75-79	3055	9.3	59	2	3	7	11	17	23	42
80-84	1951	9.9	68	3	3	8	12	19	24	50
85+	1556	9.6	59	3	3	8	12	18	23	36
GRAND TOTAL	**14583**	**9.2**	**57**	**2**	**3**	**7**	**11**	**17**	**22**	**40**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	287	8.5	43	2	3	7	11	15	21	28
70-74	275	8.2	40	2	3	6	10	14	21	36
75-79	168	8.7	54	2	3	7	11	16	20	25
80-84	76	8.6	42	1	2	7	12	16	25	29
85+	27	8.0	36	2	3	7	12	15	18	29
B. *Operated*										
65-69 YRS	12	14.1	107	3	3	12	22	28	31	32
70-74	6	12.5	92	2	2	13	20	24	24	24
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	3	14.0	52	8	8	12	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1830	10.5	61	3	4	8	13	20	26	51
70-74	1792	10.6	82	3	3	8	13	20	27	55
75-79	1253	10.8	78	3	3	8	13	20	29	45
80-84	715	10.5	76	3	4	8	13	19	26	44
85+	345	11.2	98	3	3	8	14	22	33	82
B. *Operated*										
65-69 YRS	243	19.2	252	3	5	15	24	44	56	96
70-74	200	19.9	256	5	6	15	24	44	62	90
75-79	155	20.5	249	5	6	16	26	41	56	98
80-84	66	20.4	326	5	7	14	24	51	63	89
85+	19	17.9	136	4	7	15	23	37	44	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	8.4	44	2	3	7	11	16	21	30
B. *Operated*	22	13.0	91	2	3	10	22	25	28	32
2. MULTIPLE DX										
A. *Not Operated*	5935	10.6	81	3	3	8	13	20	27	51
B. *Operated*	683	19.8	256	4	6	15	24	43	57	93
1. SINGLE DX	855	8.5	45	2	3	7	11	16	21	30
2. MULTIPLE DX	6618	11.6	107	3	4	9	14	23	31	61
A. NOT OPERATED	6768	10.4	77	3	3	8	13	20	26	49
B. OPERATED	705	19.6	252	4	6	15	24	42	56	92
TOTAL 65-69 YRS	2372	11.2	102	3	3	8	14	22	29	60
70-74	2273	11.2	100	3	3	8	13	22	30	61
75-79	1577	11.5	101	3	3	9	14	22	31	55
80-84	857	11.1	99	3	4	8	13	21	28	58
85+	394	11.4	98	3	3	8	14	23	32	74
GRAND TOTAL	**7473**	**11.2**	**100**	**3**	**3**	**8**	**14**	**22**	**30**	**59**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1546	6.6	16	2	3	6	8	12	14	20
70-74	1129	6.5	15	2	3	6	8	11	14	20
75-79	661	6.8	21	2	3	6	9	12	15	24
80-84	308	7.2	25	2	3	6	9	13	16	28
85+	166	7.6	20	2	3	7	11	14	15	22
B. *Operated*										
65-69 YRS	25	9.2	73	1	2	7	10	19	32	34
70-74	16	11.8	42	2	3	13	16	20	22	23
75-79	5	10.0	60	3	3	8	13	23	23	23
80-84	2	17.0	32	13	13	17	21	21	21	21
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5154	8.7	38	2	3	7	11	15	19	31
70-74	4168	8.9	42	3	3	7	11	16	20	32
75-79	2844	9.2	43	3	3	8	11	16	21	35
80-84	1523	9.6	50	3	3	8	12	18	22	39
85+	845	10.4	61	2	3	9	13	19	25	46
B. *Operated*										
65-69 YRS	292	15.5	107	4	5	13	20	30	41	99+
70-74	238	15.5	136	4	6	12	19	30	37	78
75-79	146	17.3	157	5	6	13	21	33	46	65
80-84	108	19.8	212	5	6	15	25	42	53	95
85+	50	18.6	146	5	7	14	27	33	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3810	6.7	18	2	3	6	9	12	14	21
B. *Operated*	49	10.3	60	2	2	8	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	14534	9.0	43	3	3	8	11	16	21	34
B. *Operated*	834	16.6	142	4	6	14	21	32	42	77
1. SINGLE DX	3859	6.8	18	2	3	6	9	12	14	22
2. MULTIPLE DX	15368	9.5	51	3	3	8	12	17	22	38
A. NOT OPERATED	18344	8.6	39	2	3	7	11	15	19	32
B. OPERATED	883	16.2	139	4	5	13	20	32	41	75
TOTAL 65-69 YRS	7017	8.5	39	2	3	7	11	15	19	32
70-74	5551	8.7	43	2	3	7	11	16	20	34
75-79	3656	9.1	47	2	3	7	11	16	21	37
80-84	1941	9.8	62	2	3	8	12	18	24	43
85+	1062	10.4	63	2	3	9	13	19	26	45
GRAND TOTAL	19227	8.9	46	2	3	7	11	16	21	35

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1883	7.9	38	2	3	7	10	14	18	33
70-74	1666	8.1	41	2	3	7	10	15	19	29
75-79	1086	8.3	43	2	3	7	10	15	19	34
80-84	503	8.1	42	2	3	7	10	15	20	32
85+	189	7.2	29	2	2	6	9	13	18	29
B. *Operated*										
65-69 YRS	82	8.4	63	1	2	6	11	19	24	38
70-74	77	8.9	66	2	2	7	13	17	19	51
75-79	42	10.9	116	2	3	8	12	18	35	61
80-84	15	10.5	85	2	3	8	15	18	33	38
85+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9738	9.9	60	3	3	8	12	19	24	41
70-74	9463	10.2	67	3	3	8	13	19	25	44
75-79	7100	10.4	73	3	3	8	13	20	26	48
80-84	3783	10.8	72	3	3	9	13	21	27	45
85+	2023	11.3	97	3	3	9	14	22	28	56
B. *Operated*										
65-69 YRS	1200	16.8	214	3	4	13	21	38	52	99+
70-74	1190	17.6	239	3	5	14	21	37	57	99+
75-79	795	17.5	180	3	5	14	22	34	48	92
80-84	345	18.9	196	4	5	15	26	39	47	99+
85+	166	19.0	208	4	5	16	23	39	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5327	8.0	40	2	3	7	10	14	19	32
B. *Operated*	218	9.2	75	2	2	7	12	18	24	46
2. MULTIPLE DX										
A. *Not Operated*	32107	10.3	69	3	3	8	13	19	26	45
B. *Operated*	3696	17.5	213	3	5	14	22	37	51	99+
1. SINGLE DX	5545	8.1	41	2	3	7	10	15	19	32
2. MULTIPLE DX	35803	11.0	89	3	4	8	13	21	28	55
A. NOT OPERATED	37434	10.0	65	3	3	8	12	19	25	43
B. OPERATED	3914	17.0	209	3	4	13	21	36	50	98
TOTAL 65-69 YRS	12903	10.2	75	3	3	8	12	20	26	51
70-74	12396	10.6	86	3	3	8	13	20	27	56
75-79	9023	10.8	84	3	3	8	13	21	28	52
80-84	4646	11.1	83	3	3	9	14	22	29	49
85+	2380	11.5	104	3	3	9	14	22	29	60
GRAND TOTAL	41348	10.6	83	3	3	8	13	20	27	52

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	5.3	10	2	2	4	8	9	12	14
70-74	18	10.3	138	2	3	6	12	22	40	50
75-79	16	8.9	33	2	3	6	13	18	19	20
80-84	4	5.0	5	3	3	4	6	8	8	8
85+	3	6.7	44	1	1	5	12	14	14	14
B. *Operated*										
65-69 YRS	70	9.0	57	3	3	7	11	16	22	41
70-74	53	8.4	41	3	3	6	10	19	24	28
75-79	36	9.9	59	4	4	6	13	19	28	37
80-84	16	10.4	74	4	4	6	13	23	31	34
85+	13	7.2	68	1	2	5	7	16	30	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	11.2	91	3	4	8	13	26	32	48
70-74	93	10.6	100	3	3	8	13	20	25	61
75-79	75	11.9	86	3	4	9	15	23	34	45
80-84	45	12.2	103	3	3	9	16	27	34	46
85+	30	10.8	63	2	3	9	13	23	25	37
B. *Operated*										
65-69 YRS	306	14.1	142	4	4	10	18	28	36	66
70-74	274	14.7	132	4	5	11	19	28	38	67
75-79	180	16.9	171	4	5	13	21	33	44	63
80-84	103	16.4	191	4	5	11	19	34	42	74
85+	62	12.3	60	4	5	11	15	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	7.6	55	2	2	5	9	16	19	46
B. *Operated*	188	9.0	54	3	3	6	11	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	305	11.3	91	3	4	8	14	23	30	46
B. *Operated*	925	15.0	146	4	5	11	18	30	38	66
1. SINGLE DX	252	8.7	55	2	3	6	11	18	24	39
2. MULTIPLE DX	1230	14.0	134	3	4	11	17	28	37	64
A. NOT OPERATED	369	10.7	86	3	3	8	13	21	29	46
B. OPERATED	1113	14.0	135	3	4	10	18	28	37	64
TOTAL 65-69 YRS	461	12.5	121	3	4	9	15	26	34	55
70-74	438	12.9	120	3	4	9	16	25	34	65
75-79	307	14.4	138	4	4	11	18	30	40	54
80-84	168	14.4	158	3	4	10	18	33	40	66
85+	108	11.1	63	3	4	10	13	21	28	40
GRAND TOTAL	**1482**	**13.1**	**125**	**3**	**4**	**10**	**16**	**27**	**35**	**58**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	380	6.2	21	1	2	5	8	11	15	24
70-74	370	7.0	30	1	2	6	9	14	18	26
75-79	295	6.8	36	1	2	5	9	14	17	33
80-84	224	8.4	78	2	2	7	10	14	24	45
85+	204	8.6	48	2	3	7	11	16	22	34
B. *Operated*										
65-69 YRS	450	8.5	61	1	2	7	12	19	22	35
70-74	336	8.5	70	1	2	6	12	18	24	37
75-79	227	9.4	78	1	2	7	13	20	26	43
80-84	99	10.0	63	1	2	8	14	20	27	35
85+	42	11.5	155	2	2	9	15	20	26	79
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3422	9.4	57	2	3	7	12	18	23	37
70-74	3542	9.5	56	2	3	8	12	18	24	38
75-79	3350	10.7	70	3	3	9	13	20	26	43
80-84	2549	11.5	83	3	3	9	14	22	28	52
85+	2477	11.7	86	3	4	9	15	22	29	49
B. *Operated*										
65-69 YRS	1574	14.3	163	2	3	11	18	30	41	66
70-74	1477	14.9	163	2	3	12	19	32	42	77
75-79	1067	15.7	163	2	3	12	21	33	43	69
80-84	658	17.9	213	3	4	14	24	38	50	95
85+	439	19.8	202	4	7	16	27	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1473	7.2	39	1	2	6	9	14	18	32
B. *Operated*	1154	8.9	71	1	2	7	12	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	15340	10.4	69	2	3	8	13	20	26	43
B. *Operated*	5215	15.7	175	2	3	12	21	33	43	77
1. SINGLE DX	2627	7.9	54	1	2	6	10	16	21	35
2. MULTIPLE DX	20555	11.8	101	2	3	9	15	23	31	56
A. NOT OPERATED	16813	10.1	67	2	3	8	13	19	25	42
B. OPERATED	6369	14.4	163	2	3	11	19	31	41	73
TOTAL 65-69 YRS	5826	10.4	90	2	3	8	13	21	28	49
70-74	5725	10.7	89	2	3	8	14	21	29	51
75-79	4939	11.5	94	2	3	9	14	23	31	53
80-84	3530	12.4	114	2	3	9	16	25	33	61
85+	3162	12.6	109	3	4	10	16	25	33	61
GRAND TOTAL	**23182**	**11.3**	**97**	**2**	**3**	**9**	**14**	**23**	**30**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.9	30	1	1	3	6	10	18	25
70-74	11	3.9	14	<1	<1	3	5	9	14	14
75-79	9	3.2	4	1	1	2	5	6	6	6
80-84	5	3.4	4	2	2	2	5	6	6	6
85+	4	8.8	75	<1	<1	6	14	21	21	21
B. *Operated*										
65-69 YRS	299	2.8	5	1	1	2	3	5	7	12
70-74	193	2.8	4	1	2	2	3	4	6	12
75-79	117	2.5	3	1	1	2	3	4	5	9
80-84	86	3.6	85	1	1	2	3	4	6	61
85+	69	2.5	2	1	1	2	3	5	7	82
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	4.5	13	<1	1	4	6	9	11	19
70-74	68	5.0	14	1	1	4	7	11	14	15
75-79	61	6.5	32	1	1	5	9	14	17	29
80-84	39	5.8	12	1	2	5	7	12	13	14
85+	38	7.5	55	1	1	4	12	20	29	99+
B. *Operated*										
65-69 YRS	906	3.7	23	1	2	2	3	7	11	23
70-74	746	3.9	22	1	2	2	4	8	12	23
75-79	492	3.9	17	1	2	3	4	9	11	22
80-84	282	3.9	12	2	2	3	4	7	11	15
85+	220	4.7	29	1	2	3	5	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.5	22	1	1	3	5	9	14	25
B. *Operated*	764	2.8	13	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	289	5.6	23	1	1	4	7	12	15	29
B. *Operated*	2646	3.9	21	1	2	2	4	8	12	23
1. SINGLE DX	813	2.9	14	1	1	2	3	5	7	14
2. MULTIPLE DX	2935	4.1	21	1	2	3	4	9	12	24
A. NOT OPERATED	338	5.4	23	1	1	4	7	12	15	28
B. OPERATED	3410	3.7	19	1	2	2	4	7	11	21
TOTAL 65-69 YRS	1308	3.6	19	1	1	2	4	7	11	21
70-74	1018	3.8	18	1	2	2	4	7	11	21
75-79	679	3.9	17	1	2	2	4	9	11	22
80-84	412	4.0	27	1	2	3	4	7	11	16
85+	331	4.6	29	1	2	3	5	10	16	33
GRAND TOTAL	3748	3.8	20	1	2	2	4	7	11	23

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	5.5	35	2	2	4	6	8	9	35
70-74	27	4.2	6	1	1	4	6	8	8	9
75-79	14	5.6	32	1	1	3	7	14	19	21
80-84	17	5.5	11	<1	1	5	7	10	12	13
85+	19	7.2	51	2	3	5	8	10	24	35
B. *Operated*										
65-69 YRS	279	3.5	7	1	1	3	4	6	9	14
70-74	186	4.2	23	1	2	3	5	8	10	34
75-79	109	3.5	4	1	1	3	4	6	7	11
80-84	55	3.9	7	1	2	3	4	6	11	14
85+	29	4.2	6	1	2	4	6	9	9	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	6.5	25	2	2	5	8	12	14	30
70-74	119	8.0	28	2	2	7	11	16	19	23
75-79	116	9.2	64	2	2	7	11	20	25	43
80-84	80	10.0	83	3	4	8	10	15	23	57
85+	115	9.5	27	3	4	8	12	17	19	27
B. *Operated*										
65-69 YRS	244	5.2	20	2	2	4	6	11	15	23
70-74	195	6.1	43	1	2	4	7	14	17	34
75-79	179	6.9	72	2	2	4	8	14	20	39
80-84	95	7.6	58	2	2	4	9	19	23	35
85+	64	10.8	102	2	3	8	13	26	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.5	26	1	1	4	6	9	11	35
B. *Operated*	658	3.8	11	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	546	8.5	44	2	3	7	11	16	20	35
B. *Operated*	777	6.6	51	2	2	4	8	14	19	39
1. SINGLE DX	765	4.0	13	1	1	3	5	7	9	20
2. MULTIPLE DX	1323	7.4	49	2	2	5	9	15	19	36
A. NOT OPERATED	653	8.0	42	2	3	7	10	15	19	35
B. OPERATED	1435	5.3	35	1	2	3	6	11	16	32
TOTAL 65-69 YRS	669	4.8	17	1	2	3	5	10	13	21
70-74	527	5.8	32	1	2	4	7	12	17	27
75-79	418	6.6	55	1	2	4	8	13	20	36
80-84	247	7.4	56	2	2	5	9	14	20	36
85+	227	9.0	51	2	3	7	11	17	24	59
GRAND TOTAL	2088	6.2	39	1	2	4	8	13	17	34

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	251	3.8	6	1	1	3	5	7	8	13
70-74	200	4.3	16	1	1	3	5	8	10	20
75-79	147	4.2	13	1	1	3	5	8	10	18
80-84	97	5.3	19	1	1	4	7	11	13	22
85+	92	4.5	15	1	1	4	6	8	12	22
B. *Operated*										
65-69 YRS	286	6.4	46	1	1	4	9	12	18	41
70-74	307	6.6	35	1	1	5	9	13	19	29
75-79	209	6.6	30	1	2	5	9	15	18	25
80-84	142	7.3	48	<1	1	6	9	16	19	40
85+	96	6.7	53	<1	1	5	9	13	17	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1483	6.2	26	2	2	5	8	12	14	24
70-74	1445	6.4	24	1	2	5	8	12	15	25
75-79	1193	7.2	38	2	2	6	9	14	18	30
80-84	891	7.6	35	2	2	6	9	14	18	29
85+	741	8.1	55	2	2	6	10	16	20	38
B. *Operated*										
65-69 YRS	1212	10.8	115	2	2	8	13	23	31	70
70-74	1143	10.6	105	2	2	8	13	22	31	56
75-79	947	11.4	127	2	2	8	14	25	35	60
80-84	595	11.1	109	2	2	8	14	23	32	57
85+	456	14.1	191	2	3	10	18	30	41	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	787	4.3	13	1	1	3	5	8	10	18
B. *Operated*	1040	6.6	40	1	1	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	5753	6.9	34	2	2	5	9	13	17	29
B. *Operated*	4353	11.3	123	2	2	8	14	24	33	63
1. SINGLE DX	1827	5.6	30	1	1	4	7	11	16	27
2. MULTIPLE DX	10106	8.8	77	2	2	6	11	18	25	48
A. NOT OPERATED	6540	6.6	32	1	2	5	8	13	16	28
B. OPERATED	5393	10.4	111	1	2	8	13	22	31	58
TOTAL 65-69 YRS	3232	7.8	66	1	2	5	9	15	22	45
70-74	3095	7.8	59	1	2	6	10	16	22	41
75-79	2496	8.6	75	1	2	6	10	18	25	48
80-84	1725	8.7	64	2	2	7	11	17	23	42
85+	1385	9.8	107	2	2	7	12	20	28	60
GRAND TOTAL	**11933**	**8.3**	**71**	**1**	**2**	**6**	**10**	**17**	**23**	**46**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	5.8	15	1	2	5	8	10	12	22
70-74	180	5.7	17	1	2	4	7	11	13	19
75-79	110	6.4	31	1	2	6	8	10	14	33
80-84	77	6.8	22	1	2	5	9	13	17	22
85+	65	6.9	24	1	2	6	9	14	17	24
B. *Operated*										
65-69 YRS	173	8.4	36	1	2	7	10	16	21	31
70-74	135	8.5	59	1	2	7	11	16	20	49
75-79	107	8.3	42	1	2	6	10	17	24	29
80-84	60	11.3	137	1	1	9	14	21	29	73
85+	30	6.8	16	1	2	6	8	13	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	748	7.6	25	2	3	6	10	14	17	25
70-74	772	7.8	28	2	3	7	10	14	17	29
75-79	686	8.7	42	2	3	7	11	15	20	33
80-84	555	9.4	47	3	3	8	12	18	24	31
85+	442	9.7	43	3	3	8	12	17	22	34
B. *Operated*										
65-69 YRS	721	11.3	82	2	4	9	14	21	27	48
70-74	653	12.0	96	3	4	9	15	24	29	51
75-79	542	13.0	102	3	4	10	16	24	34	52
80-84	364	13.7	102	3	4	11	17	27	37	49
85+	235	13.2	89	3	4	11	16	28	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	6.1	20	1	2	5	8	11	14	22
B. *Operated*	505	8.6	55	1	2	7	11	16	22	35
2. MULTIPLE DX										
A. *Not Operated*	3203	8.5	36	2	3	7	11	15	20	31
B. *Operated*	2515	12.4	94	3	4	10	15	24	31	50
1. SINGLE DX	1129	7.2	37	1	2	6	9	14	17	30
2. MULTIPLE DX	5718	10.2	66	2	3	8	13	19	25	42
A. NOT OPERATED	3827	8.1	34	2	3	7	10	15	19	30
B. OPERATED	3020	11.8	90	2	3	9	15	23	29	48
TOTAL 65-69 YRS	1834	8.9	52	2	3	7	11	16	22	34
70-74	1740	9.2	60	2	3	7	11	17	24	39
75-79	1445	10.1	69	2	3	8	12	19	25	46
80-84	1056	10.8	74	2	3	9	13	22	28	44
85+	772	10.4	59	2	3	9	13	19	26	42
GRAND TOTAL	**6847**	**9.7**	**62**	**2**	**3**	**8**	**12**	**18**	**25**	**40**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	151	6.2	9	2	3	6	7	11	12	14
70-74	132	7.1	17	2	3	6	8	11	14	25
75-79	131	7.4	12	2	3	7	9	13	14	18
80-84	88	8.0	21	3	4	7	9	14	18	24
85+	72	8.7	18	3	4	8	11	13	17	25
B. *Operated*										
65-69 YRS	128	10.4	43	3	4	10	13	17	20	41
70-74	129	11.7	62	4	5	10	15	20	23	42
75-79	93	11.4	64	3	5	10	14	21	24	46
80-84	68	11.8	36	4	5	11	15	21	23	28
85+	55	15.5	78	6	6	13	20	28	34	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	556	8.7	31	3	4	7	11	16	20	30
70-74	603	9.0	36	3	4	8	11	15	19	34
75-79	534	9.9	61	3	4	8	12	17	23	47
80-84	453	10.4	50	3	4	8	13	19	24	44
85+	399	11.9	65	3	4	10	15	20	26	46
B. *Operated*										
65-69 YRS	616	14.3	108	4	5	11	17	28	35	56
70-74	595	15.6	160	4	5	12	19	29	43	82
75-79	539	15.5	130	4	6	13	19	30	36	72
80-84	430	16.2	142	5	6	13	20	29	39	67
85+	324	17.4	141	5	7	14	23	34	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	7.2	15	3	3	6	9	12	14	22
B. *Operated*	473	11.7	57	4	5	10	15	21	24	41
2. MULTIPLE DX										
A. *Not Operated*	2545	9.8	48	3	4	8	12	18	22	37
B. *Operated*	2504	15.6	136	4	5	13	19	30	39	69
1. SINGLE DX	1047	9.3	39	3	4	8	12	17	21	32
2. MULTIPLE DX	5049	12.7	100	3	4	10	16	24	32	58
A. NOT OPERATED	3119	9.4	43	3	4	8	11	17	21	35
B. OPERATED	2977	15.0	125	4	5	12	18	29	37	64
TOTAL 65-69 YRS	1451	11.0	71	3	4	9	13	21	28	45
70-74	1459	11.8	98	3	4	9	14	22	29	62
75-79	1297	12.1	94	3	4	9	15	23	31	56
80-84	1039	12.7	94	4	5	10	16	24	29	54
85+	850	13.9	100	4	5	11	17	27	35	54
GRAND TOTAL	**6096**	**12.1**	**91**	**3**	**4**	**9**	**15**	**23**	**30**	**55**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	422	5.5	13	1	2	5	7	10	13	20
70-74	301	5.3	9	2	2	5	7	9	11	15
75-79	209	6.4	40	2	3	5	8	12	13	22
80-84	138	6.6	18	2	2	6	9	12	15	22
85+	94	6.5	26	2	3	5	7	12	14	32
B. *Operated*										
65-69 YRS	79	11.3	105	2	3	9	14	20	26	61
70-74	53	10.7	40	3	4	9	14	21	25	30
75-79	43	10.1	58	1	2	8	14	21	28	32
80-84	18	11.4	56	3	5	10	12	22	29	33
85+	19	10.2	100	2	2	7	10	28	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1663	7.3	26	2	3	6	9	13	16	28
70-74	1477	7.4	24	2	3	6	9	13	16	27
75-79	1240	8.0	31	3	3	7	10	14	17	29
80-84	863	9.1	39	3	3	8	11	17	21	31
85+	637	9.8	51	3	4	8	12	18	26	56
B. *Operated*										
65-69 YRS	506	12.4	100	3	4	10	15	24	29	48
70-74	405	13.7	107	4	5	11	17	26	32	64
75-79	300	14.4	114	4	5	11	18	29	34	61
80-84	185	15.0	164	4	5	11	18	26	41	88
85+	113	15.8	114	4	6	13	20	30	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	5.8	19	2	2	5	7	10	13	21
B. *Operated*	212	10.8	74	2	3	9	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*	5880	8.0	32	2	3	7	10	14	18	31
B. *Operated*	1509	13.7	114	3	5	11	17	26	34	63
1. SINGLE DX	1376	6.6	30	2	2	5	8	12	15	26
2. MULTIPLE DX	7389	9.2	54	3	3	7	11	17	23	39
A. NOT OPERATED	7044	7.7	30	2	3	6	9	14	17	30
B. OPERATED	1721	13.4	110	3	4	11	17	26	32	61
TOTAL 65-69 YRS	2670	8.1	45	2	3	6	10	15	20	35
70-74	2236	8.4	45	2	3	7	10	15	20	34
75-79	1792	9.0	53	3	3	7	11	16	22	37
80-84	1204	9.7	61	3	3	8	12	19	24	42
85+	863	10.2	63	3	3	8	13	20	28	55
GRAND TOTAL	**8765**	**8.8**	**51**	**2**	**3**	**7**	**11**	**16**	**22**	**38**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	408	6.2	10	2	3	5	7	11	13	15
70-74	363	6.6	12	2	3	6	8	10	13	17
75-79	270	7.0	24	2	3	6	8	11	13	30
80-84	155	7.4	15	3	3	7	10	12	15	19
85+	129	9.1	49	3	3	8	11	14	16	45
B. *Operated*										
65-69 YRS	194	10.7	40	4	5	9	13	19	22	34
70-74	138	12.0	32	4	6	11	15	20	24	28
75-79	88	12.6	35	5	7	11	15	19	23	33
80-84	73	13.3	23	6	7	13	16	20	22	25
85+	57	16.3	132	6	7	14	18	28	37	66
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1106	8.2	28	3	4	7	10	14	18	28
70-74	1094	8.8	40	3	4	7	11	15	20	37
75-79	1016	9.5	51	3	4	8	12	15	19	37
80-84	767	10.4	49	3	4	9	13	18	24	41
85+	718	11.8	81	4	4	9	14	21	28	49
B. *Operated*										
65-69 YRS	574	17.0	194	5	6	12	20	33	42	81
70-74	582	17.5	167	5	7	14	21	33	45	75
75-79	500	17.7	129	6	8	15	22	32	43	87
80-84	361	20.2	208	5	7	16	26	39	49	91
85+	285	21.7	247	6	8	17	28	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	6.9	19	2	3	6	9	11	14	18
B. *Operated*	550	12.3	47	4	6	11	15	20	24	35
2. MULTIPLE DX										
A. *Not Operated*	4701	9.6	49	3	4	8	11	17	21	39
B. *Operated*	2302	18.4	184	5	7	14	23	35	47	88
1. SINGLE DX	1875	8.5	33	3	3	7	11	15	18	28
2. MULTIPLE DX	7003	12.4	110	3	4	9	15	24	33	61
A. NOT OPERATED	6026	9.0	43	3	4	7	11	15	20	37
B. OPERATED	2852	17.2	163	5	7	14	21	33	43	81
TOTAL 65-69 YRS	2282	10.3	84	3	4	8	12	19	26	50
70-74	2177	11.0	85	3	4	8	13	20	28	52
75-79	1874	11.5	83	3	4	9	14	21	28	57
80-84	1356	12.8	107	4	4	10	16	24	34	59
85+	1189	14.1	139	4	5	11	17	27	38	73
GRAND TOTAL	8878	11.6	96	3	4	9	14	22	30	57

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.4	7	2	3	7	8	10	11	11
70-74	31	8.1	27	2	2	7	11	15	18	25
75-79	22	7.4	13	3	4	6	9	13	14	15
80-84	22	8.3	17	2	3	8	12	15	16	16
85+	7	16.0	594	3	4	7	10	59	71	71
B. *Operated*										
65-69 YRS	70	16.6	118	6	7	14	20	29	36	59
70-74	53	17.2	90	9	9	14	22	34	38	44
75-79	43	17.6	49	8	10	17	27	26	31	38
80-84	14	21.9	292	6	7	17	29	42	64	70
85+	7	16.3	75	1	3	22	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	10.0	45	3	4	9	12	19	23	37
70-74	93	9.6	32	3	4	8	12	17	20	31
75-79	79	10.2	40	3	4	8	13	19	21	30
80-84	64	12.3	80	3	4	10	15	24	28	48
85+	63	13.6	169	4	5	10	16	25	32	77
B. *Operated*										
65-69 YRS	203	19.2	198	6	8	15	22	42	52	91
70-74	178	20.2	154	7	8	16	28	38	46	73
75-79	163	21.0	214	6	9	17	26	42	58	80
80-84	104	23.0	239	7	9	18	32	46	58	96
85+	67	24.3	294	8	9	20	29	48	58	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	8.1	53	3	3	7	10	12	15	44
B. *Operated*	187	17.4	105	6	8	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*	400	10.9	68	3	4	9	13	20	25	40
B. *Operated*	715	20.9	207	7	8	17	26	42	52	86
1. SINGLE DX	295	14.0	106	3	4	11	18	26	34	56
2. MULTIPLE DX	1115	17.3	180	4	6	14	21	34	47	77
A. NOT OPERATED	508	10.3	66	3	4	8	12	19	24	40
B. OPERATED	902	20.2	188	7	8	16	25	39	49	82
TOTAL 65-69 YRS	400	15.6	153	4	5	12	19	29	47	74
70-74	355	15.9	126	4	5	13	21	33	39	61
75-79	307	16.7	158	4	5	14	21	30	43	71
80-84	204	18.0	201	4	6	14	23	38	49	80
85+	144	18.8	264	4	6	14	23	36	52	85
GRAND TOTAL	1410	16.6	166	4	5	13	21	33	46	72

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	472	4.5	11	1	1	4	6	8	10	16
70-74	353	4.5	9	1	1	4	6	8	12	15
75-79	259	4.8	13	1	2	4	6	9	12	20
80-84	171	5.1	18	1	1	4	6	9	12	20
85+	124	5.5	17	1	2	4	7	10	15	21
B. *Operated*										
65-69 YRS	98	7.6	34	1	1	6	10	16	21	24
70-74	84	7.4	56	<1	1	5	10	16	24	36
75-79	61	6.3	41	<1	<1	5	9	14	16	33
80-84	41	9.7	70	2	3	8	11	18	29	44
85+	19	10.6	27	5	6	8	15	18	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3151	6.4	20	2	2	5	8	11	14	23
70-74	2821	7.2	31	2	3	6	9	13	16	27
75-79	2307	7.4	32	2	3	6	9	13	17	29
80-84	1658	8.0	37	2	3	7	10	15	19	31
85+	1434	8.6	45	2	3	7	11	16	21	38
B. *Operated*										
65-69 YRS	908	11.0	76	2	3	9	14	21	26	52
70-74	753	11.7	104	2	3	9	14	21	31	67
75-79	615	11.9	92	3	4	10	14	22	30	69
80-84	364	12.7	98	3	4	10	16	24	30	55
85+	236	14.3	129	3	5	12	18	30	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1379	4.7	12	1	1	4	6	8	12	17
B. *Operated*	303	7.8	47	<1	1	6	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	11371	7.3	31	2	3	6	9	13	17	28
B. *Operated*	2876	11.9	94	3	4	9	14	22	30	61
1. SINGLE DX	1682	5.3	20	1	1	4	7	10	14	23
2. MULTIPLE DX	14247	8.2	47	2	3	7	10	15	20	37
A. NOT OPERATED	12750	7.0	30	2	2	6	9	13	16	27
B. OPERATED	3179	11.5	91	2	3	9	14	22	29	60
TOTAL 65-69 YRS	4629	7.2	34	2	2	6	9	13	17	29
70-74	4011	7.8	48	2	2	6	10	14	19	37
75-79	3242	8.0	46	2	2	6	10	15	20	34
80-84	2234	8.6	50	2	3	7	11	16	21	34
85+	1813	9.1	58	2	3	7	11	17	23	43
GRAND TOTAL	15929	7.9	46	2	3	6	10	15	19	35

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.1	16	1	2	4	6	9	14	19
70-74	126	4.7	14	1	1	4	6	10	13	17
75-79	94	4.6	9	1	1	4	7	9	9	15
80-84	49	5.7	17	1	1	4	7	13	14	17
85+	32	6.3	22	1	1	6	11	15	16	99+
B. *Operated*										
65-69 YRS	42	12.7	55	<1	2	12	16	23	27	30
70-74	39	14.7	155	<1	1	12	20	32	45	60
75-79	22	15.4	234	1	2	11	18	31	47	69
80-84	16	12.7	73	3	4	13	17	28	30	30
85+	9	20.8	402	4	5	11	27	52	68	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	654	6.4	25	2	2	5	8	12	14	30
70-74	564	6.5	29	2	2	5	8	12	16	27
75-79	516	8.0	34	2	3	6	10	16	21	31
80-84	366	9.2	55	2	3	7	12	18	22	36
85+	296	8.5	61	2	3	6	10	16	24	38
B. *Operated*										
65-69 YRS	286	17.4	158	3	5	14	23	33	46	57
70-74	252	17.2	155	3	4	14	23	34	41	62
75-79	208	19.8	251	4	6	16	23	39	55	87
80-84	125	20.0	288	3	5	16	26	41	51	86
85+	98	18.6	150	4	6	16	23	37	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	5.0	14	1	1	4	6	10	13	17
B. *Operated*	128	14.4	141	1	2	12	18	29	33	68
2. MULTIPLE DX										
A. *Not Operated*	2396	7.4	38	2	2	6	9	14	19	32
B. *Operated*	969	18.3	194	3	5	15	24	36	46	69
1. SINGLE DX	572	7.1	58	1	1	5	9	16	20	42
2. MULTIPLE DX	3365	10.6	107	2	3	7	13	23	30	54
A. NOT OPERATED	2840	7.1	35	2	2	5	9	13	18	30
B. OPERATED	1097	17.9	189	3	5	14	23	35	45	69
TOTAL 65-69 YRS	1125	9.3	83	2	2	6	11	20	28	46
70-74	981	9.3	89	2	2	6	11	20	28	50
75-79	840	10.7	120	2	3	7	13	22	30	60
80-84	556	11.4	127	2	3	8	14	24	33	60
85+	435	10.9	105	2	3	8	13	24	31	61
GRAND TOTAL	3937	10.1	101	2	2	7	12	22	29	52

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	3	3.3	2	2	2	3	4	5	5	5
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
65-69 YRS	239	6.3	14	2	3	5	7	11	13	21
70-74	140	6.6	10	3	3	6	8	11	13	16
75-79	81	7.1	20	2	3	6	8	12	16	25
80-84	42	7.8	12	3	4	7	9	14	15	18
85+	32	6.6	12	3	3	6	8	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	8.0	38	1	2	6	11	18	20	20
70-74	2	9.5	145	1	1	9	18	18	18	18
75-79	3	14.3	142	6	6	9	23	28	28	28
80-84	5	15.6	123	6	6	11	23	33	33	33
85+	6	11.5	34	8	8	9	12	22	23	23
B. *Operated*										
65-69 YRS	195	9.7	35	3	4	8	13	18	22	30
70-74	148	11.1	67	4	4	9	14	20	23	37
75-79	95	10.7	33	4	5	10	13	17	21	34
80-84	62	13.2	61	5	6	12	16	23	31	41
85+	49	14.9	98	3	5	13	18	30	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.9	12	1	1	4	8	10	10	10
B. *Operated*	534	6.6	14	3	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	24	11.4	68	1	3	9	15	23	29	33
B. *Operated*	549	11.1	54	4	4	9	14	20	25	36
1. SINGLE DX	542	6.6	14	3	3	6	8	11	14	21
2. MULTIPLE DX	573	11.1	54	4	4	9	14	20	25	36
A. NOT OPERATED	32	9.8	62	1	2	8	11	21	27	33
B. OPERATED	1083	8.9	39	3	4	7	11	16	21	34
TOTAL 65-69 YRS	444	7.8	26	3	4	6	9	15	19	28
70-74	293	8.9	44	3	4	7	11	15	20	32
75-79	180	9.1	32	3	4	8	12	16	20	29
80-84	109	11.2	51	4	5	9	14	19	26	38
85+	89	11.5	76	3	3	9	14	22	31	45
GRAND TOTAL	**1115**	**8.9**	**40**	**3**	**4**	**7**	**11**	**16**	**21**	**34**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	7.0	11	2	3	6	9	12	13	13
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79	4	6.5	25	<1	<1	6	10	13	13	13
80-84	1	12.0		12	12	12	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	209	10.7	26	5	6	9	13	18	22	29
70-74	146	11.3	35	6	6	10	14	19	22	38
75-79	85	11.7	39	6	6	10	13	17	23	42
80-84	45	13.4	52	6	6	13	16	23	27	42
85+	25	12.9	88	4	4	10	15	28	34	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	11.1	27	3	5	10	13	19	22	22
70-74	8	9.9	100	2	3	7	9	26	34	34
75-79	5	9.2	5	7	7	8	11	12	12	12
80-84	3	14.7	81	6	6	14	21	24	24	24
85+	3	16.0	9	13	13	16	18	19	19	19
B. *Operated*										
65-69 YRS	381	15.6	112	6	7	13	18	28	37	49
70-74	294	16.1	118	6	7	13	18	28	37	72
75-79	207	17.8	131	7	8	14	22	30	36	66
80-84	166	20.2	166	8	9	17	24	33	43	73
85+	96	19.7	141	7	9	16	24	34	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.1	14	1	2	6	10	13	13	13
B. *Operated*	510	11.4	37	5	6	10	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	30	11.3	45	3	5	9	13	20	24	34
B. *Operated*	1144	17.1	130	7	8	14	21	30	38	70
1. SINGLE DX	526	11.3	36	5	6	10	13	18	22	33
2. MULTIPLE DX	1174	17.0	129	6	7	14	21	30	38	69
A. NOT OPERATED	46	9.8	38	2	3	8	13	17	22	34
B. OPERATED	1654	15.4	108	6	7	12	18	27	35	63
TOTAL 65-69 YRS	610	13.7	86	5	6	11	16	24	30	48
70-74	450	14.4	96	6	7	12	16	25	34	56
75-79	301	15.8	111	6	7	13	19	27	35	59
80-84	215	18.7	147	7	8	15	23	31	40	71
85+	124	18.3	134	6	8	15	22	32	41	77
GRAND TOTAL	**1700**	**15.2**	**107**	**6**	**7**	**12**	**18**	**27**	**34**	**63**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.6	6	<1	1	4	6	8	9	9
70-74	3	4.7		4	4	5	5	5	5	5
75-79	4	3.0	3	1	1	3	4	5	5	5
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	27	5.9	11	2	2	6	7	11	12	16
70-74	10	6.0	12	3	3	5	6	11	15	15
75-79	9	7.4	12	5	5	6	10	13	14	14
80-84	7	10.4	34	5	5	10	12	20	22	22
85+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.4	5	1	1	3	5	7	7	7
70-74	10	11.0	131	3	3	8	11	28	42	42
75-79	3	5.3	20	1	1	5	9	10	10	10
80-84	4	8.5	3	7	7	8	10	11	11	11
85+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
65-69 YRS	41	9.3	33	4	4	7	11	19	22	26
70-74	28	10.9	37	4	4	9	15	20	23	23
75-79	25	11.8	39	4	4	11	14	21	26	26
80-84	10	22.0	300	8	9	15	24	52	62	62
85+	14	14.6	82	3	5	12	19	29	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.9	5	<1	1	4	5	7	8	9
B. *Operated*	55	6.8	15	2	3	6	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	24	7.8	65	1	2	6	9	12	22	42
B. *Operated*	118	11.9	72	4	5	10	15	22	26	49
1. SINGLE DX	74	6.1	14	1	2	5	7	11	14	21
2. MULTIPLE DX	142	11.2	73	3	4	9	14	21	26	45
A. NOT OPERATED	43	6.1	41	1	1	5	8	10	12	42
B. OPERATED	173	10.3	60	3	4	8	13	19	25	40
TOTAL 65-69 YRS	82	7.3	25	2	3	6	8	13	19	26
70-74	51	9.6	51	3	4	7	14	17	23	42
75-79	41	9.5	37	2	3	9	12	18	23	26
80-84	23	14.4	183	3	5	10	16	28	50	62
85+	19	12.3	77	2	3	10	15	28	30	32
GRAND TOTAL	**216**	**9.5**	**59**	**2**	**3**	**7**	**12**	**19**	**24**	**42**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.2	6	<1	1	2	5	6	8	9
70-74	25	3.2	4	<1	1	3	4	5	7	9
75-79	16	3.5	6	1	1	3	5	6	9	10
80-84	17	4.4	13	<1	<1	3	8	9	11	12
85+	11	5.2	21	<1	<1	4	10	11	11	11
B. *Operated*										
65-69 YRS	5510	4.6	5	2	3	4	5	7	8	11
70-74	4114	4.8	5	2	3	4	6	7	8	12
75-79	2821	5.1	7	2	3	5	6	8	10	14
80-84	1317	5.7	8	2	3	5	7	9	11	16
85+	645	6.2	19	2	3	5	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	4.8	47	<1	1	3	5	9	13	41
70-74	141	4.1	12	<1	1	3	6	8	9	20
75-79	134	4.7	17	<1	1	4	6	10	13	20
80-84	97	5.7	31	1	2	3	7	14	19	27
85+	101	7.1	41	1	1	6	10	14	17	32
B. *Operated*										
65-69 YRS	5425	6.3	19	3	3	5	7	10	13	22
70-74	4771	7.1	27	3	3	6	8	12	16	28
75-79	3522	7.8	34	3	3	6	9	14	18	29
80-84	1862	8.4	43	3	4	7	10	14	19	33
85+	1039	10.1	79	3	4	8	11	19	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.7	8	<1	1	3	5	8	10	12
B. *Operated*	14407	4.9	7	2	3	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	602	5.1	29	1	1	4	6	11	14	29
B. *Operated*	16619	7.3	32	3	3	6	8	13	17	29
1. SINGLE DX	14501	4.9	7	2	3	4	6	8	9	14
2. MULTIPLE DX	17221	7.2	32	3	3	6	8	13	16	29
A. NOT OPERATED	696	4.9	27	1	1	3	6	11	14	27
B. OPERATED	31026	6.2	22	2	3	5	7	10	14	24
TOTAL 65-69 YRS	11089	5.4	13	2	3	5	6	9	11	18
70-74	9051	6.0	18	2	3	5	7	10	13	23
75-79	6493	6.6	24	2	3	5	8	11	15	25
80-84	3293	7.2	30	2	3	6	8	12	16	28
85+	1796	8.5	59	2	3	7	10	15	21	42
GRAND TOTAL	**31722**	**6.2**	**22**	**2**	**3**	**5**	**7**	**10**	**14**	**24**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	5	1	1	1	4	5	5	5
70-74	10	3.0	7	<1	<1	2	5	7	9	9
75-79	9	3.0	18	<1	<1	1	3	10	14	14
80-84	10	1.8	1	<1	<1	2	3	3	3	3
85+	13	3.2	6	<1	<1	2	4	7	9	9
B. *Operated*										
65-69 YRS	283	5.6	10	2	3	5	7	9	10	21
70-74	271	6.3	12	3	3	5	8	11	13	19
75-79	244	6.5	10	3	3	6	8	11	12	18
80-84	206	7.2	18	3	4	6	8	12	14	21
85+	191	7.2	17	2	3	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	5.1	9	1	2	5	7	9	11	12
70-74	25	6.5	46	<1	1	3	10	16	22	24
75-79	19	8.4	100	<1	<1	4	9	27	33	34
80-84	34	7.8	94	1	1	5	8	17	31	45
85+	43	9.5	107	1	2	7	14	19	24	61
B. *Operated*										
65-69 YRS	406	9.4	56	3	4	7	11	17	22	39
70-74	438	10.3	74	3	4	8	12	19	24	58
75-79	450	10.9	67	3	4	9	13	20	26	44
80-84	425	11.8	102	4	5	9	14	22	28	58
85+	415	13.3	87	4	5	10	16	27	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.7	7	<1	<1	2	3	5	9	14
B. *Operated*	1195	6.5	13	2	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	144	7.7	77	1	1	5	9	17	24	46
B. *Operated*	2134	11.1	79	3	4	9	13	21	28	55
1. SINGLE DX	1240	6.3	14	2	3	6	8	10	13	19
2. MULTIPLE DX	2278	10.9	80	3	4	9	13	21	28	55
A. NOT OPERATED	189	6.5	65	1	1	4	8	16	22	41
B. OPERATED	3329	9.5	60	3	4	7	11	18	23	43
TOTAL 65-69 YRS	715	7.7	40	2	3	6	9	14	19	30
70-74	744	8.6	54	3	3	7	10	15	21	37
75-79	722	9.2	52	3	3	7	11	17	23	41
80-84	675	10.1	80	3	4	8	11	18	26	47
85+	662	11.1	75	3	4	9	14	22	29	53
GRAND TOTAL	3518	9.3	61	3	3	7	11	17	23	43

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	5	4.4	30	1	1	3	6	14	14	14
75-79										
80-84	2	6.0	8	4	4	6	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	157	4.6	7	2	2	4	6	8	10	15
70-74	115	5.0	8	2	2	4	6	8	9	17
75-79	60	6.2	24	2	2	5	7	9	13	32
80-84	21	6.0	9	2	3	5	8	10	12	13
85+	11	7.5	28	2	3	6	9	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	5.5	14	1	1	5	7	12	12	14
70-74	19	7.9	27	3	3	6	9	18	20	21
75-79	12	5.8	21	1	1	5	8	12	16	17
80-84	11	7.3	32	2	2	5	10	17	19	19
85+	10	11.3	104	2	2	7	16	28	32	32
B. *Operated*										
65-69 YRS	262	7.1	24	2	3	6	8	12	16	29
70-74	189	8.5	44	3	3	6	11	16	20	37
75-79	103	9.6	43	3	4	8	11	20	24	34
80-84	42	8.4	30	2	4	7	10	15	26	99+
85+	27	12.0	70	4	4	8	16	27	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	16	1	1	3	4	11	14	14
B. *Operated*	364	5.2	11	2	2	5	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	82	7.0	33	1	2	5	9	16	18	30
B. *Operated*	623	8.2	37	3	3	7	10	15	21	33
1. SINGLE DX	374	5.1	11	2	2	4	6	9	11	18
2. MULTIPLE DX	705	8.1	37	2	3	6	10	15	20	32
A. NOT OPERATED	92	6.7	31	1	2	5	8	15	18	29
B. OPERATED	987	7.1	29	2	3	6	8	13	18	31
TOTAL 65-69 YRS	452	6.1	18	2	2	5	7	11	14	28
70-74	328	7.1	33	2	3	5	8	14	18	31
75-79	175	8.2	38	2	3	7	10	15	21	33
80-84	76	7.5	25	2	3	6	10	13	18	81
85+	48	10.9	68	2	4	8	14	25	30	33
GRAND TOTAL	1079	7.1	30	2	3	6	8	13	18	31

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.7	5	1	1	3	6	7	7	7
70-74	12	4.8	13	1	2	4	6	11	13	13
75-79	14	4.2	9	1	1	3	5	8	10	11
80-84	10	4.8	14	2	2	3	6	11	14	14
85+	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
65-69 YRS	852	6.8	11	3	3	6	9	10	13	18
70-74	612	7.0	14	3	3	7	9	11	14	20
75-79	344	7.3	13	3	3	7	9	12	15	20
80-84	137	8.0	22	3	4	7	10	14	17	30
85+	57	8.1	24	2	3	7	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	5.8	32	1	1	4	7	12	14	32
70-74	106	6.4	72	1	1	4	7	12	19	48
75-79	86	7.0	30	2	2	6	10	12	19	28
80-84	49	8.8	201	1	2	5	9	13	19	96
85+	53	7.0	27	2	2	5	9	15	19	20
B. *Operated*										
65-69 YRS	1230	10.0	55	3	4	8	12	17	22	39
70-74	914	10.0	49	3	4	9	12	16	20	42
75-79	582	11.1	65	4	4	9	13	19	25	47
80-84	260	11.2	37	4	5	10	14	19	22	33
85+	129	12.6	90	4	4	11	16	21	27	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.3	9	1	1	3	6	8	11	14
B. *Operated*	2002	7.1	13	3	3	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	384	6.8	63	1	2	5	8	13	18	32
B. *Operated*	3115	10.4	56	3	4	9	12	18	23	41
1. SINGLE DX	2053	7.0	13	3	3	6	9	11	14	20
2. MULTIPLE DX	3499	10.0	58	3	4	8	12	17	22	41
A. NOT OPERATED	435	6.5	58	1	2	5	8	13	17	30
B. OPERATED	5117	9.1	42	3	4	8	11	15	19	34
TOTAL 65-69 YRS	2184	8.6	40	3	3	7	10	15	19	32
70-74	1644	8.6	40	3	3	7	10	15	18	30
75-79	1026	9.4	48	3	4	8	11	17	21	38
80-84	456	9.8	52	3	4	8	13	17	20	33
85+	242	10.2	66	2	3	8	14	19	22	41
GRAND TOTAL	5552	8.9	44	3	3	8	11	15	19	34

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	234	4.4	9	1	2	4	6	8	10	15
70-74	184	4.4	6	2	2	4	6	7	9	13
75-79	152	4.8	10	2	2	4	6	8	10	20
80-84	100	5.9	83	1	2	5	7	9	11	53
85+	63	5.4	13	1	2	5	7	9	12	20
B. *Operated*										
65-69 YRS	73	9.6	22	3	4	9	12	14	18	26
70-74	57	11.3	64	2	4	9	14	21	31	35
75-79	33	11.4	50	<1	2	11	18	20	22	25
80-84	12	11.5	21	3	4	12	15	17	18	18
85+	5	12.8	98	1	1	12	19	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2261	5.9	16	2	2	5	7	11	13	21
70-74	2077	6.1	19	2	2	5	8	11	13	21
75-79	1875	6.8	27	2	3	6	8	12	15	24
80-84	1270	7.0	22	2	3	6	9	12	16	27
85+	944	7.8	34	2	3	6	9	15	20	32
B. *Operated*										
65-69 YRS	752	10.9	67	2	3	9	14	20	25	43
70-74	622	11.3	74	2	3	9	14	20	28	48
75-79	450	11.9	82	3	4	10	15	22	28	52
80-84	219	13.7	108	3	4	11	17	25	34	52
85+	131	13.8	120	3	4	11	17	28	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	4.8	19	1	2	4	6	8	10	16
B. *Operated*	180	10.7	42	2	3	10	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	8427	6.5	22	2	3	5	8	12	15	24
B. *Operated*	2174	11.7	80	2	3	10	15	22	28	50
1. SINGLE DX	913	5.9	29	1	2	4	7	11	15	25
2. MULTIPLE DX	10601	7.6	39	2	3	6	9	14	18	31
A. NOT OPERATED	9160	6.4	22	2	2	5	8	11	14	24
B. OPERATED	2354	11.6	77	2	3	10	15	21	28	49
TOTAL 65-69 YRS	3320	7.0	32	2	2	6	9	13	17	28
70-74	2940	7.2	35	2	2	6	9	13	17	31
75-79	2510	7.7	41	2	3	6	9	14	19	30
80-84	1601	7.9	43	2	3	6	10	15	19	33
85+	1143	8.4	47	2	3	6	10	16	21	34
GRAND TOTAL	11514	7.5	38	2	3	6	9	14	18	31

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.3	4	<1	<1	3	5	5	5	5
70-74	5	2.8	3	1	1	2	4	5	5	5
75-79	5	4.8	7	1	1	5	6	8	8	8
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	5	3.4	3	2	2	3	4	6	6	6
B. *Operated*										
65-69 YRS	207	5.0	5	2	3	5	6	8	9	14
70-74	137	5.4	9	2	3	5	7	9	11	17
75-79	107	5.7	8	2	3	5	7	9	11	16
80-84	60	6.6	13	2	3	6	8	12	14	21
85+	49	6.6	10	3	3	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	5.2	14	<1	1	4	7	10	14	16
70-74	29	6.0	17	1	2	4	9	12	13	16
75-79	26	8.8	50	1	1	7	12	19	22	28
80-84	21	6.3	15	2	2	6	7	13	14	14
85+	8	4.9	22	2	2	3	5	13	16	16
B. *Operated*										
65-69 YRS	166	7.2	23	3	3	6	8	13	17	28
70-74	187	8.1	30	3	4	7	10	15	21	35
75-79	133	8.8	30	3	4	8	10	16	18	33
80-84	89	12.0	129	3	4	9	13	23	38	60
85+	60	11.5	154	3	5	9	13	16	28	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.6	4	<1	1	4	5	6	7	8
B. *Operated*	560	5.6	8	2	3	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	103	6.5	26	1	2	5	9	14	17	24
B. *Operated*	635	8.9	56	3	4	7	10	16	21	42
1. SINGLE DX	581	5.5	8	2	3	5	7	9	11	16
2. MULTIPLE DX	738	8.6	52	3	3	7	10	16	19	39
A. NOT OPERATED	124	6.0	23	1	2	5	8	12	16	23
B. OPERATED	1195	7.3	36	2	3	6	8	13	16	32
TOTAL 65-69 YRS	396	5.9	15	2	3	5	7	9	13	23
70-74	358	6.8	22	2	3	5	8	13	16	26
75-79	271	7.5	25	2	3	6	9	14	17	30
80-84	172	9.3	81	3	3	7	10	15	23	57
85+	122	8.8	88	2	3	7	9	15	17	55
GRAND TOTAL	1319	7.2	38	2	3	6	8	13	16	31

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	3.7	7	1	1	3	6	8	9	9
70-74	20	4.8	5	1	2	5	6	8	9	9
75-79	25	5.9	21	1	2	5	6	12	17	22
80-84	12	4.7	8	1	2	4	7	9	10	10
85+	20	5.3	14	1	1	4	7	11	13	14
B. *Operated*										
65-69 YRS	357	7.2	19	2	3	6	9	12	16	24
70-74	274	8.3	30	2	4	7	10	15	19	28
75-79	252	8.2	16	3	4	7	10	14	16	21
80-84	176	10.6	72	3	4	9	13	20	25	35
85+	157	10.6	45	4	4	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	8.4	124	2	3	7	9	13	18	80
70-74	92	7.2	52	1	2	6	9	12	18	46
75-79	85	9.0	64	2	2	7	11	18	25	43
80-84	108	7.9	48	2	3	6	9	14	21	48
85+	90	9.2	100	2	3	6	10	16	27	56
B. *Operated*										
65-69 YRS	618	12.8	122	4	5	10	15	23	31	70
70-74	648	13.7	118	4	5	11	16	25	32	63
75-79	555	15.1	144	4	5	11	18	29	40	67
80-84	468	15.6	136	5	6	13	19	29	38	96
85+	371	16.7	129	5	6	14	21	31	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.0	12	1	1	4	6	9	12	19
B. *Operated*	1216	8.6	33	3	4	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	437	8.3	73	2	2	6	9	15	21	51
B. *Operated*	2660	14.5	131	4	5	11	18	27	36	70
1. SINGLE DX	1309	8.3	33	2	3	7	10	15	18	29
2. MULTIPLE DX	3097	13.6	127	3	5	10	17	26	35	66
A. NOT OPERATED	530	7.7	64	1	2	6	9	14	20	48
B. OPERATED	3876	12.7	108	3	4	10	15	24	31	59
TOTAL 65-69 YRS	1053	10.5	93	2	3	8	12	19	25	63
70-74	1034	11.5	94	3	4	9	14	22	28	55
75-79	917	12.4	110	3	4	9	15	24	34	54
80-84	764	13.2	117	3	4	10	16	25	33	70
85+	638	13.8	113	3	4	10	17	27	35	54
GRAND TOTAL	4406	12.1	105	3	4	9	15	23	30	57

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	649	5.8	14	[illegible]	2	5	7	10	13	17
70-74	567	6.2	18	1	2	5	8	11	14	21
75-79	410	6.4	23	2	[illegible]	5	8	12	14	25
80-84	307	6.7	25	1	[illegible]	6	9	12	16	25
85+	260	7.7	31	2	3	7	10	13	16	29
B. *Operated*										
65-69 YRS	367	13.6	52	6	7	[illegible]	16	22	29	40
70-74	331	13.8	58	6	7	12	16	21	25	36
75-79	260	13.5	40	7	8	12	16	22	25	40
80-84	193	14.8	69	6	8	13	[illegible]	26	30	48
85+	185	17.1	99	7	9	15	[illegible]	28	34	62
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1500	8.2	46	2	3	7	10	15	19	31
70-74	1589	8.5	37	2	3	7	11	16	20	32
75-79	1535	9.2	57	2	3	7	11	16	21	42
80-84	1336	10.1	60	3	3	8	13	[illegible]	24	41
85+	1423	10.5	68	3	3	8	13	19	26	44
B. *Operated*										
65-69 YRS	1288	19.1	166	7	8	15	23	37	47	80
70-74	1306	20.1	189	8	9	16	23	37	50	88
75-79	1261	20.7	180	7	9	17	26	38	49	88
80-84	1025	21.4	185	8	9	[illegible]	[illegible]	49	50	88
85+	857	22.4	166	8	10	18	26	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2193	6.4	21	1	2	5	8	12	14	22
B. *Operated*	1336	14.3	61	6	8	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	7383	9.3	54	2	3	7	11	17	22	39
B. *Operated*	5737	20.4	178	7	9	17	25	38	49	88
1. SINGLE DX	3529	9.4	51	2	3	8	12	17	22	35
2. MULTIPLE DX	13120	14.1	139	3	4	11	18	28	38	68
A. NOT OPERATED	9576	8.6	48	2	3	7	11	16	20	36
B. OPERATED	7073	19.3	162	7	8	16	23	35	46	81
TOTAL 65-69 YRS	3804	12.0	111	2	3	9	15	24	32	59
70-74	3793	12.6	121	2	3	10	16	24	33	64
75-79	3466	13.4	130	3	4	10	17	27	36	61
80-84	2861	14.1	134	3	4	11	18	28	37	65
85+	2725	14.1	125	3	4	11	18	28	38	66
GRAND TOTAL	16649	13.1	124	3	4	10	16	26	35	64

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	861	4.4	10	1	1	4	6	8	10	16
70-74	751	4.3	10	1	1	3	6	8	11	16
75-79	662	4.5	14	1	2	4	6	8	10	21
80-84	407	4.8	11	1	2	4	6	9	12	19
85+	446	5.1	16	1	2	4	6	10	12	21
B. *Operated*										
65-69 YRS	59	9.3	74	1	2	7	13	16	23	49
70-74	57	10.2	66	1	3	9	13	17	24	48
75-79	33	8.9	81	1	3	6	10	17	23	49
80-84	30	9.6	52	1	2	9	11	16	20	39
85+	11	13.3	368	1	3	9	12	36	67	70
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3897	6.5	30	2	2	5	8	12	16	28
70-74	3985	6.8	30	2	2	5	8	13	16	28
75-79	3917	7.3	35	2	2	6	9	14	18	30
80-84	3227	7.8	43	2	3	6	10	14	19	34
85+	3085	8.3	55	2	3	6	10	15	21	39
B. *Operated*										
65-69 YRS	493	13.0	110	2	4	10	16	25	36	53
70-74	435	14.3	171	3	4	11	17	28	47	78
75-79	406	13.9	113	4	5	12	18	26	35	90
80-84	278	15.4	136	3	5	13	20	32	36	81
85+	198	16.9	184	4	6	14	19	33	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3127	4.6	12	1	2	4	6	8	11	17
B. *Operated*	190	9.8	84	1	2	8	12	17	23	50
2. MULTIPLE DX										
A. *Not Operated*	18111	7.3	38	2	2	6	9	14	18	31
B. *Operated*	1810	14.3	136	3	4	11	18	28	42	79
1. SINGLE DX	3317	4.9	17	1	2	4	6	9	12	20
2. MULTIPLE DX	19921	7.9	51	2	2	6	10	15	20	39
A. NOT OPERATED	21238	6.9	35	2	2	5	8	13	17	30
B. OPERATED	2000	13.9	135	3	4	11	17	27	41	77
TOTAL 65-69 YRS	5310	6.8	39	2	2	5	8	13	17	34
70-74	5228	7.1	45	2	2	5	9	14	18	37
75-79	5018	7.5	43	2	2	6	9	14	19	35
80-84	3942	8.0	52	2	2	6	10	16	21	39
85+	3740	8.4	63	2	3	6	10	16	21	45
GRAND TOTAL	23238	7.5	48	2	2	6	9	14	19	36

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1341	5.3	11	1	2	5	7	9	11	17
70-74	1301	5.3	14	1	2	5	7	9	11	19
75-79	1037	5.5	12	1	2	5	7	10	12	17
80-84	748	5.7	15	1	2	5	7	11	14	19
85+	535	6.2	24	2	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	367	13.1	47	3	6	12	15	23	27	35
70-74	297	13.3	52	2	5	12	16	23	25	40
75-79	220	13.6	46	2	4	13	18	22	27	32
80-84	96	17.9	142	5	8	14	22	32	38	73
85+	50	15.9	92	3	4	15	20	28	34	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4089	6.8	25	2	2	6	8	12	15	25
70-74	4836	7.0	26	2	3	6	9	13	16	24
75-79	4808	7.4	30	2	3	6	9	13	17	27
80-84	4051	8.0	37	2	3	7	10	14	18	33
85+	3629	8.9	54	2	3	7	11	16	21	43
B. *Operated*										
65-69 YRS	1771	15.7	128	4	5	13	19	28	35	63
70-74	1868	16.9	145	4	6	14	21	33	42	70
75-79	1488	17.2	164	4	5	14	21	33	43	74
80-84	908	17.7	160	4	6	15	23	35	44	75
85+	665	19.1	177	5	6	15	25	37	47	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4962	5.5	14	1	2	5	7	10	12	19
B. *Operated*	1030	13.8	61	3	6	13	17	24	28	39
2. MULTIPLE DX										
A. *Not Operated*	21413	7.6	34	2	3	6	9	14	17	29
B. *Operated*	6700	17.0	151	4	6	14	21	32	42	71
1. SINGLE DX	5992	7.0	32	1	2	5	9	14	18	28
2. MULTIPLE DX	28113	9.8	78	2	3	7	12	19	26	48
A. NOT OPERATED	26375	7.2	31	2	2	6	9	13	16	27
B. OPERATED	7730	16.6	140	4	6	14	21	31	41	69
TOTAL 65-69 YRS	7568	8.9	64	2	3	7	11	17	23	41
70-74	8302	9.2	71	2	3	7	11	18	24	45
75-79	7553	9.3	71	2	3	7	12	18	25	46
80-84	5803	9.4	70	2	3	7	11	18	25	47
85+	4879	10.0	82	2	3	7	12	20	27	51
GRAND TOTAL	34105	9.3	71	2	3	7	11	18	25	46

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	5.1	14	<1	1	5	7	8	13	18
70-74	16	5.7	19	1	2	4	8	13	14	14
75-79	13	4.5	5	2	2	4	6	6	9	9
80-84	8	9.3	7	5	6	9	11	13	13	13
85+	3	3.0	3	1	1	4	4	4	4	4
B. *Operated*										
65-69 YRS	406	4.7	14	1	2	4	5	8	11	18
70-74	209	4.7	8	2	2	4	6	8	10	16
75-79	107	5.2	15	1	2	4	7	9	12	23
80-84	31	5.5	10	2	3	4	7	11	13	14
85+	31	9.3	109	1	2	6	10	23	29	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	6.3	35	1	1	5	8	13	17	34
70-74	75	6.9	26	2	2	6	8	14	18	26
75-79	74	7.1	22	2	3	6	9	13	19	21
80-84	36	9.8	75	2	2	8	12	16	32	42
85+	48	11.6	134	2	3	8	16	23	29	65
B. *Operated*										
65-69 YRS	790	7.3	54	2	3	5	8	14	20	41
70-74	551	8.4	81	2	3	6	9	15	22	55
75-79	304	10.1	121	2	3	7	12	19	27	63
80-84	135	11.7	135	3	4	8	14	25	34	63
85+	67	14.9	122	3	4	12	19	38	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.6	14	1	2	5	7	11	13	18
B. *Operated*	784	5.0	17	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	357	7.6	30.	1	2	6	9	16	20	38
B. *Operated*	1847	8.7	85	2	3	6	10	17	24	53
1. SINGLE DX	845	5.0	17	1	2	4	6	9	12	19
2. MULTIPLE DX	2204	8.5	79	2	3	6	10	17	24	50
A. NOT OPERATED	418	7.3	45	1	2	5	9	14	19	36
B. OPERATED	2631	7.6	67	2	2	5	9	15	21	46
TOTAL 65-69 YRS	1341	6.4	41	2	2	5	7	12	17	35
70-74	851	7.3	60	2	2	5	8	13	19	47
75-79	498	8.4	85	2	3	6	10	16	22	46
80-84	210	10.4	106	3	3	8	12	22	31	58
85+	149	12.4	126	2	3	9	16	27	41	99
GRAND TOTAL	3049	7.5	64	2	2	5	9	15	21	48

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	835	4.9	21	1	1	4	6	9	12	25
70-74	721	5.1	22	1	1	4	7	10	14	22
75-79	579	4.9	17	1	1	4	6	9	12	21
80-84	437	5.4	37	1	1	4	7	10	13	21
85+	395	5.1	16	1	1	4	7	10	12	19
B. *Operated*										
65-69 YRS	589	9.4	70	1	2	7	12	21	26	38
70-74	449	9.5	101	1	2	6	13	21	29	50
75-79	373	10.1	123	1	2	7	13	21	29	62
80-84	207	12.1	141	2	2	10	15	23	31	76
85+	143	11.7	107	2	2	9	15	25	33	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3412	6.8	31	1	2	5	9	13	17	29
70-74	3527	7.1	40	1	2	5	9	13	18	33
75-79	3549	7.4	39	2	2	6	9	14	19	32
80-84	2950	7.9	52	2	2	6	10	15	20	37
85+	2994	8.5	65	2	2	6	11	17	22	43
B. *Operated*										
65-69 YRS	2226	14.3	178	2	3	10	18	30	42	84
70-74	2037	15.3	193	3	4	11	19	33	47	78
75-79	1687	15.3	171	3	4	12	19	31	43	77
80-84	1130	17.7	222	3	4	14	22	35	50	88
85+	834	16.9	172	3	5	14	22	34	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2967	5.0	22	1	1	4	6	10	12	22
B. *Operated*	1761	10.1	101	1	2	7	13	21	28	53
2. MULTIPLE DX										
A. *Not Operated*	16432	7.5	45	2	2	6	9	14	19	34
B. *Operated*	7914	15.5	187	3	4	12	20	32	45	82
1. SINGLE DX	4728	6.9	57	1	1	5	9	15	20	37
2. MULTIPLE DX	24346	10.1	105	2	2	7	12	21	29	59
A. NOT OPERATED	19399	7.1	42	1	2	5	9	14	18	32
B. OPERATED	9675	14.5	176	2	3	11	19	30	42	78
TOTAL 65-69 YRS	7062	9.2	93	2	2	6	11	19	27	53
70-74	6734	9.5	104	1	2	6	11	20	29	59
75-79	6188	9.5	91	2	2	7	12	20	27	54
80-84	4724	10.2	114	2	2	7	12	21	29	63
85+	4366	9.9	95	2	2	7	13	21	28	54
GRAND TOTAL	**29074**	**9.6**	**99**	**2**	**2**	**7**	**12**	**20**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	11.2	85	2	3	8	17	21	31	48
70-74	47	10.5	69	3	4	8	12	18	31	41
75-79	18	16.1	259	4	5	12	15	39	60	67
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
65-69 YRS	38	9.4	56	1	1	8	14	22	28	99+
70-74	15	10.3	148	1	2	7	14	19	41	49
75-79	9	9.0	30	1	1	10	13	16	17	17
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	887	14.0	136	3	4	11	17	28	35	70
70-74	444	13.9	128	3	4	11	18	28	36	54
75-79	196	13.3	111	3	4	10	17	26	34	59
80-84	46	15.4	236	3	4	10	18	26	58	72
85+	19	9.6	36	3	4	8	12	20	24	24
B. *Operated*										
65-69 YRS	276	18.8	186	3	5	16	26	36	46	83
70-74	124	19.0	187	3	5	16	24	35	43	68
75-79	39	21.7	244	3	6	17	33	47	55	99+
80-84	18	25.4	491	8	9	19	34	80	99	99+
85+	8	18.3	134	3	4	16	25	36	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	11.5	102	3	3	8	14	21	32	52
B. *Operated*	63	9.6	71	1	1	8	14	20	27	93
2. MULTIPLE DX										
A. *Not Operated*	1592	13.9	133	3	4	11	17	27	35	66
B. *Operated*	465	19.3	202	3	5	16	26	38	49	97
1. SINGLE DX	199	10.9	93	1	2	8	14	20	30	58
2. MULTIPLE DX	2057	15.1	153	3	4	12	19	30	40	68
A. NOT OPERATED	1728	13.7	130	3	4	10	17	27	35	65
B. OPERATED	528	18.1	196	2	4	15	25	37	48	98
TOTAL 65-69 YRS	1269	14.8	147	3	4	12	19	30	38	72
70-74	630	14.5	141	3	4	11	19	29	38	54
75-79	262	14.6	146	3	4	11	18	31	44	66
80-84	66	17.9	316	3	4	11	20	47	69	99+
85+	29	11.9	74	3	4	9	15	24	29	39
GRAND TOTAL	**2256**	**14.7**	**149**	**3**	**4**	**11**	**19**	**30**	**40**	**67**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	9.1	86	2	2	7	10	18	33	45
70-74	57	8.4	35	1	2	7	10	19	22	23
75-79	36	10.6	101	3	3	8	15	19	27	56
80-84	20	10.7	31	3	3	11	15	18	19	19
85+	7	9.9	7	7	7	9	12	14	14	14
B. *Operated*										
65-69 YRS	120	6.8	81	1	1	3	10	16	22	53
70-74	70	7.5	74	1	1	3	10	21	29	34
75-79	48	9.8	74	1	2	7	15	22	27	39
80-84	17	8.5	52	1	1	5	15	19	20	21
85+	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	728	12.2	93	3	4	10	16	24	31	47
70-74	585	12.4	88	3	4	10	16	24	30	48
75-79	387	12.8	86	3	4	11	16	24	32	45
80-84	175	14.4	117	4	5	12	18	26	32	51
85+	98	15.9	204	3	4	13	19	32	55	96
B. *Operated*										
65-69 YRS	548	14.2	157	2	2	11	19	30	38	61
70-74	346	15.0	153	2	3	12	20	29	40	59
75-79	243	16.6	164	2	3	13	21	36	44	57
80-84	81	18.7	286	3	4	14	23	47	68	92
85+	30	21.1	125	4	7	19	28	38	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	9.4	67	2	3	7	11	18	24	44
B. *Operated*	258	7.7	76	1	1	4	11	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	1973	12.7	98	3	4	10	16	24	32	52
B. *Operated*	1248	15.4	167	2	3	12	20	32	41	65
1. SINGLE DX	473	8.4	72	1	1	6	11	19	24	41
2. MULTIPLE DX	3221	13.8	126	2	3	11	18	28	36	58
A. NOT OPERATED	2188	12.4	96	3	4	10	16	24	31	51
B. OPERATED	1506	14.0	160	1	2	11	19	30	39	61
TOTAL 65-69 YRS	1491	12.3	119	2	2	9	16	26	34	56
70-74	1058	12.7	110	2	3	10	17	26	32	56
75-79	714	13.8	117	2	3	11	17	29	38	52
80-84	293	15.0	160	3	4	12	18	28	44	74
85+	138	16.5	181	3	4	13	20	33	41	93
GRAND TOTAL	**3694**	**13.1**	**123**	**2**	**3**	**10**	**17**	**27**	**35**	**57**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	105	8.8	53	2	3	7	10	17	21	43
70-74	66	7.2	20	2	2	7	9	13	16	22
75-79	40	9.7	58	3	4	7	11	19	23	44
80-84	19	9.8	45	3	3	8	12	20	24	28
85+	15	8.1	16	2	4	7	12	14	15	15
B. *Operated*										
65-69 YRS	58	9.4	66	1	1	7	16	21	27	29
70-74	38	10.4	81	1	1	9	16	23	29	35
75-79	20	10.7	56	1	1	10	18	21	22	23
80-84	9	12.4	62	2	3	13	18	23	25	25
85+	4	16.5	34	9	9	17	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	624	11.2	74	3	4	9	14	22	27	48
70-74	461	11.1	70	3	4	9	14	21	29	42
75-79	299	12.5	139	3	4	9	15	24	33	77
80-84	166	12.2	103	3	4	9	15	24	29	62
85+	129	13.2	116	4	5	10	16	24	33	57
B. *Operated*										
65-69 YRS	236	16.2	186	2	3	13	20	34	43	70
70-74	217	17.5	216	2	4	14	23	34	42	87
75-79	125	17.3	125	3	6	15	23	32	37	58
80-84	66	17.7	138	3	6	14	25	36	41	93
85+	33	29.9	610	5	10	20	45	76	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	8.6	42	2	3	7	10	16	20	39
B. *Operated*	129	10.3	68	1	1	8	17	22	27	31
2. MULTIPLE DX										
A. *Not Operated*	1679	11.6	91	3	4	9	14	22	30	53
B. *Operated*	677	17.6	207	2	4	14	23	34	44	83
1. SINGLE DX	374	9.2	52	2	2	7	12	19	22	34
2. MULTIPLE DX	2356	13.4	131	3	4	10	17	27	35	63
A. NOT OPERATED	1924	11.3	86	3	4	9	14	22	29	51
B. OPERATED	806	16.5	192	2	3	13	22	33	42	82
TOTAL 65-69 YRS	1023	12.0	103	2	3	9	15	24	32	53
70-74	782	12.5	117	2	3	9	16	25	33	47
75-79	484	13.4	131	3	4	11	17	25	34	63
80-84	260	13.4	112	3	4	10	18	27	35	63
85+	181	15.9	239	4	5	11	18	33	52	93
GRAND TOTAL	**2730**	**12.8**	**123**	**2**	**4**	**10**	**16**	**25**	**34**	**62**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	465	4.5	8	1	2	4	6	8	10	15
70-74	339	5.0	9	1	2	5	7	8	9	19
75-79	270	5.6	16	2	2	5	7	10	12	21
80-84	198	6.0	15	2	2	5	7	12	15	19
85+	182	7.3	19	2	3	7	9	13	15	20
B. *Operated*										
65-69 YRS	3074	9.3	16	5	6	8	11	14	17	23
70-74	2040	10.1	21	5	6	9	12	16	19	26
75-79	1183	10.8	24	6	6	10	13	17	20	27
80-84	539	12.6	31	6	7	11	15	20	23	30
85+	267	13.7	48	6	7	12	17	21	25	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1646	6.2	18	2	2	5	8	11	14	22
70-74	1639	7.1	27	2	2	6	9	13	16	29
75-79	1534	7.8	32	2	3	6	10	14	18	32
80-84	1321	8.5	38	2	3	7	11	15	19	30
85+	1299	9.7	59	3	3	8	12	18	24	47
B. *Operated*										
65-69 YRS	6390	12.9	55	6	7	11	15	21	26	42
70-74	5327	14.0	60	6	7	12	17	23	28	45
75-79	3741	15.9	86	7	8	14	19	26	32	53
80-84	2097	17.7	103	8	9	15	21	29	37	62
85+	1339	19.7	128	8	10	17	24	34	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1454	5.4	13	1	2	5	7	9	12	19
B. *Operated*	7103	10.2	23	5	6	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	7439	7.8	35	2	3	6	10	14	18	32
B. *Operated*	18894	14.8	77	6	7	13	18	25	31	50
1. SINGLE DX	8557	9.4	24	3	5	8	11	15	18	26
2. MULTIPLE DX	26333	12.8	75	3	5	11	16	23	29	47
A. NOT OPERATED	8893	7.4	32	2	2	6	9	14	17	30
B. OPERATED	25997	13.5	67	6	7	11	16	23	28	46
TOTAL 65-69 YRS	11575	10.6	45	3	5	9	13	18	22	36
70-74	9345	11.6	53	3	5	10	14	20	25	39
75-79	6728	12.7	74	3	5	11	16	23	28	46
80-84	4155	13.6	88	3	5	12	17	24	30	49
85+	3087	14.3	110	3	5	12	18	27	34	59
GRAND TOTAL	**34890**	**12.0**	**65**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	272	5.0	10	1	1	4	6	9	11	15
70-74	208	5.2	9	1	2	4	7	10	11	14
75-79	172	5.9	13	2	2	5	8	11	12	20
80-84	112	6.3	13	2	2	6	8	11	14	16
85+	116	6.5	16	1	2	6	9	12	14	19
B. *Operated*										
65-69 YRS	307	10.3	20	5	6	9	13	15	18	26
70-74	270	11.1	26	5	6	10	13	17	20	31
75-79	151	12.2	31	6	7	11	15	19	23	37
80-84	79	14.0	46	7	8	12	16	25	30	35
85+	53	14.8	45	7	9	12	19	23	31	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	851	6.8	24	2	2	6	8	12	16	24
70-74	800	7.5	25	2	3	6	9	13	17	28
75-79	736	8.5	33	2	3	7	11	15	20	31
80-84	571	9.2	46	3	3	7	11	17	22	36
85+	645	10.2	68	3	4	8	12	18	23	54
B. *Operated*										
65-69 YRS	957	13.9	68	6	7	12	17	24	30	46
70-74	819	15.6	79	6	7	13	19	27	32	48
75-79	654	17.8	134	7	8	15	21	31	41	75
80-84	342	19.6	157	8	9	16	23	36	48	90
85+	299	20.9	174	7	9	18	25	40	51	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	5.6	12	1	2	5	7	10	12	16
B. *Operated*	860	11.5	30	5	6	10	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	3603	8.3	39	2	3	7	10	15	20	34
B. *Operated*	3071	16.5	111	7	8	14	20	29	37	67
1. SINGLE DX	1740	8.5	29	2	3	8	11	15	18	28
2. MULTIPLE DX	6674	12.1	89	3	4	10	15	23	30	53
A. NOT OPERATED	4483	7.7	35	2	3	6	10	14	18	31
B. OPERATED	3931	15.4	97	6	7	13	18	27	34	62
TOTAL 65-69 YRS	2387	9.9	52	2	3	8	13	18	23	36
70-74	2097	10.9	61	3	4	9	14	20	26	43
75-79	1713	12.1	91	3	4	10	15	23	30	57
80-84	1104	12.5	102	3	4	10	15	24	33	52
85+	1113	12.9	115	3	4	10	16	24	33	71
GRAND TOTAL	**8414**	**11.3**	**79**	**3**	**4**	**9**	**14**	**21**	**28**	**48**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	3.8	8	1	1	3	5	8	9	15
70-74	47	5.6	6	2	2	6	8	9	10	10
75-79	49	5.8	22	1	1	4	9	11	12	27
80-84	23	6.5	12	1	2	5	9	11	12	13
85+	54	5.9	13	2	3	5	8	11	12	22
B. *Operated*										
65-69 YRS	194	10.7	40	2	3	9	14	18	22	29
70-74	207	12.2	64	2	3	11	16	21	26	29
75-79	158	13.9	47	4	6	13	18	22	25	35
80-84	120	13.8	70	2	3	13	18	25	27	39
85+	94	15.1	62	2	3	16	20	25	28	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	7.5	37	1	2	6	9	13	18	36
70-74	149	8.5	57	2	2	7	10	17	21	66
75-79	151	7.8	22	2	3	7	10	14	17	21
80-84	141	8.2	20	3	3	7	11	15	17	21
85+	188	9.7	49	3	3	8	12	18	24	38
B. *Operated*										
65-69 YRS	512	16.3	100	5	7	14	19	28	37	56
70-74	549	17.1	97	6	7	16	21	29	36	55
75-79	491	17.8	100	5	8	16	22	30	36	55
80-84	386	19.3	117	6	9	17	23	31	40	63
85+	294	21.6	164	6	9	19	26	36	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.4	13	1	2	5	8	10	11	17
B. *Operated*	783	12.8	57	2	4	12	17	22	25	30
2. MULTIPLE DX										
A. *Not Operated*	765	8.4	38	2	3	7	11	16	19	34
B. *Operated*	2232	18.0	113	5	8	16	22	30	38	59
1. SINGLE DX	1007	11.1	57	2	3	10	16	21	25	30
2. MULTIPLE DX	2997	15.6	112	3	5	14	20	28	35	58
A. NOT OPERATED	989	7.8	34	2	2	7	10	14	18	29
B. OPERATED	3015	16.7	104	4	6	15	21	28	35	58
TOTAL 65-69 YRS	893	13.0	89	2	3	11	16	23	30	48
70-74	952	14.2	93	2	4	12	18	25	30	51
75-79	859	14.6	90	3	4	13	19	26	32	52
80-84	670	15.6	107	3	5	14	21	27	33	60
85+	630	15.7	136	3	4	14	21	29	36	60
GRAND TOTAL	4004	14.5	101	3	4	13	19	26	32	53

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	6.0	14	1	2	5	8	11	12	20
70-74	52	5.7	16	1	2	5	8	11	12	23
75-79	53	6.2	19	1	2	5	8	13	14	22
80-84	40	7.4	24	1	2	6	9	15	18	20
85+	41	7.4	75	1	2	5	8	11	23	52
B. *Operated*										
65-69 YRS	47	12.6	97	2	2	10	19	26	31	45
70-74	38	15.1	73	1	5	13	23	26	30	32
75-79	27	13.8	102	1	2	12	22	30	32	33
80-84	18	14.4	79	2	2	16	19	27	30	31
85+	10	24.9	261	3	4	20	38	48	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	8.6	38	2	3	7	10	16	21	33
70-74	225	8.3	29	2	3	7	11	16	18	26
75-79	246	10.8	68	2	3	9	13	21	25	46
80-84	219	11.5	98	3	3	9	15	23	29	62
85+	240	12.8	140	3	4	10	15	22	34	68
B. *Operated*										
65-69 YRS	257	20.4	171	4	7	17	26	38	46	70
70-74	290	21.0	185	5	7	19	26	37	46	81
75-79	261	19.1	155	4	7	16	24	35	45	79
80-84	162	21.3	173	6	9	19	27	38	47	77
85+	149	22.9	222	7	9	20	29	42	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	6.4	27	1	2	5	8	11	15	23
B. *Operated*	140	14.6	106	1	2	13	22	28	32	47
2. MULTIPLE DX										
A. *Not Operated*	1156	10.4	78	2	3	8	13	19	25	46
B. *Operated*	1119	20.7	179	5	8	18	26	38	47	79
1. SINGLE DX	398	9.3	70	1	2	7	12	22	26	42
2. MULTIPLE DX	2275	15.5	154	3	4	12	20	31	40	69
A. NOT OPERATED	1414	9.7	71	2	3	8	12	18	23	48
B. OPERATED	1259	20.0	174	4	7	17	25	37	46	79
TOTAL 65-69 YRS	602	13.5	132	2	3	10	18	27	37	52
70-74	605	14.4	146	2	3	11	20	28	36	69
75-79	587	14.2	125	2	3	12	18	28	36	63
80-84	439	14.9	144	3	4	11	19	29	39	68
85+	440	16.0	194	3	4	12	19	34	45	79
GRAND TOTAL	2673	14.5	146	3	4	11	19	29	38	65

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	378	7.3	21	2	3	6	9	12	14	27
70-74	298	7.6	24	2	3	7	10	13	16	27
75-79	182	7.8	29	2	3	7	10	13	17	27
80-84	137	7.5	32	2	3	6	9	13	16	28
85+	95	8.1	33	2	3	7	10	14	17	33
B. *Operated*										
65-69 YRS	51	13.0	177	2	2	9	17	27	39	66
70-74	54	12.4	115	2	2	10	17	22	40	50
75-79	26	14.7	100	1	2	13	20	26	35	42
80-84	16	13.9	136	1	2	11	21	31	38	41
85+	10	15.6	102	1	2	13	24	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1232	9.2	42	3	4	8	11	16	21	32
70-74	1077	10.1	60	3	4	8	12	18	23	44
75-79	859	10.3	52	3	4	9	13	18	24	36
80-84	611	10.3	48	3	4	8	13	18	24	42
85+	524	11.2	59	3	4	10	14	20	25	42
B. *Operated*										
65-69 YRS	435	20.4	247	5	7	17	24	40	51	91
70-74	306	20.4	199	5	8	17	25	40	51	90
75-79	213	21.2	223	6	8	17	26	43	56	99+
80-84	140	21.7	157	6	10	19	28	38	55	99+
85+	99	23.6	269	7	11	19	28	51	63	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1090	7.6	25	2	3	6	9	13	16	28
B. *Operated*	157	13.4	132	1	2	11	18	27	39	56
2. MULTIPLE DX										
A. *Not Operated*	4303	10.0	52	3	4	8	12	18	23	40
B. *Operated*	1193	21.0	222	6	8	17	26	41	54	98
1. SINGLE DX	1247	8.3	42	2	3	7	10	15	20	36
2. MULTIPLE DX	5496	12.4	109	3	4	10	15	24	32	62
A. NOT OPERATED	5393	9.5	48	3	4	8	12	17	22	37
B. OPERATED	1350	20.1	217	4	6	17	25	39	52	98
TOTAL 65-69 YRS	2096	11.3	107	3	4	8	13	22	28	57
70-74	1735	11.6	98	3	4	9	14	22	30	57
75-79	1280	11.9	96	3	4	9	14	23	32	58
80-84	904	11.7	83	3	4	9	14	24	31	56
85+	728	12.5	105	3	4	10	15	23	31	62
GRAND TOTAL	6743	11.7	99	3	4	9	14	22	30	58

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	354	5.4	15	1	2	5	7	10	13	21
70-74	299	6.3	32	1	2	5	8	12	14	23
75-79	354	5.9	14	1	2	5	8	11	13	19
80-84	276	6.4	22	1	2	5	8	13	15	25
85+	291	7.3	26	2	2	6	9	14	16	26
B. *Operated*										
65-69 YRS	47	9.1	60	2	3	7	11	22	26	37
70-74	53	10.0	52	1	3	9	13	21	27	31
75-79	57	8.7	34	2	3	7	12	17	20	30
80-84	27	10.9	27	4	4	10	15	16	21	24
85+	18	12.2	113	3	3	9	13	30	38	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2417	7.4	30	2	3	6	9	13	17	27
70-74	2678	8.0	40	2	3	6	10	15	19	34
75-79	2608	8.5	48	2	3	7	10	15	20	36
80-84	2392	9.2	51	2	3	7	11	17	22	37
85+	2820	9.6	57	3	3	8	12	18	24	41
B. *Operated*										
65-69 YRS	777	12.8	109	3	4	9	16	25	34	54
70-74	816	13.8	141	3	4	10	17	26	35	66
75-79	739	14.8	135	3	5	11	18	29	38	61
80-84	512	15.2	146	3	5	12	19	30	41	67
85+	449	16.4	136	5	6	13	20	32	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1574	6.2	22	1	2	5	8	12	14	22
B. *Operated*	202	9.8	51	2	3	8	12	19	25	35
2. MULTIPLE DX										
A. *Not Operated*	12915	8.6	46	2	3	7	10	16	20	35
B. *Operated*	3293	14.4	133	3	5	11	18	28	38	64
1. SINGLE DX	1776	6.6	26	1	2	5	8	13	16	25
2. MULTIPLE DX	16208	9.7	69	2	3	8	12	18	25	46
A. NOT OPERATED	14489	8.3	44	2	3	7	10	15	20	35
B. OPERATED	3495	14.1	130	3	5	11	18	28	37	64
TOTAL 65-69 YRS	3595	8.4	52	2	3	7	10	16	21	38
70-74	3846	9.1	67	2	3	7	11	17	23	46
75-79	3758	9.5	69	2	3	7	11	18	24	45
80-84	3207	9.9	70	2	3	8	12	18	25	46
85+	3578	10.3	71	3	3	8	13	20	26	48
GRAND TOTAL	17984	9.4	66	2	3	7	11	18	24	48

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	12.0	166	1	2	6	17	37	38	38
70-74	19	8.6	27	2	3	8	12	17	19	19
75-79	15	8.3	42	<1	<1	6	14	19	20	21
80-84	4	3.5	3	2	2	3	5	6	6	6
85+	2	21.0	338	8	8	21	34	34	34	34
B. Operated										
65-69 YRS	14	11.4	96	1	1	8	16	24	35	38
70-74	8	10.9	168	1	1	6	14	33	40	40
75-79	7	16.0	80	9	9	9	24	28	29	29
80-84	3	6.3	9	3	3	7	8	9	9	9
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	94	11.7	107	3	3	8	16	27	38	46
70-74	90	10.4	48	3	4	9	14	19	24	36
75-79	71	9.9	55	2	3	8	13	21	26	35
80-84	44	13.2	111	2	3	11	18	22	32	60
85+	32	13.6	87	3	4	12	16	27	35	38
B. Operated										
65-69 YRS	61	18.2	244	4	5	13	24	34	52	79
70-74	46	18.2	176	5	6	17	25	34	59	99+
75-79	41	19.7	348	4	4	13	26	48	62	86
80-84	12	17.8	58	7	9	18	21	29	33	34
85+	12	23.9	194	8	9	22	37	44	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	9.6	81	1	2	7	12	19	34	38
B. Operated	33	11.9	99	1	2	9	16	26	37	40
2. MULTIPLE DX										
A. Not Operated	331	11.4	79	3	3	9	15	22	29	44
B. Operated	172	18.9	232	4	5	15	25	39	53	84
1. SINGLE DX	89	10.4	88	1	2	8	15	22	34	39
2. MULTIPLE DX	503	13.9	144	3	4	11	18	27	38	69
A. NOT OPERATED	387	11.1	80	2	3	9	15	22	30	43
B. OPERATED	205	17.8	217	4	5	14	24	37	50	82
TOTAL 65-69 YRS	185	13.9	164	3	3	10	18	29	40	68
70-74	163	12.4	99	3	4	10	17	26	32	71
75-79	134	13.0	163	2	3	9	16	26	35	68
80-84	63	13.1	100	2	3	11	18	22	32	57
85+	47	16.5	134	3	4	13	22	35	42	47
GRAND TOTAL	592	13.4	137	3	3	10	18	27	37	63

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	7.4	29	1	2	7	11	14	19	22
70-74	20	7.0	24	1	2	6	9	13	17	21
75-79	8	6.5	14	3	3	6	8	12	14	14
80-84	7	7.6	20	2	2	7	12	14	14	14
85+	5	16.0	378	<1	<1	11	21	50	50	50
B. Operated										
65-69 YRS	26	6.1	18	1	2	5	9	13	13	14
70-74	22	8.2	66	1	2	5	11	18	27	35
75-79	6	10.3	134	2	2	5	15	30	32	32
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	16.5	85	10	10	16	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	148	9.9	46	2	3	8	13	19	23	32
70-74	129	11.9	89	2	3	9	16	24	32	48
75-79	115	11.5	98	1	2	9	15	22	37	67
80-84	94	13.7	168	3	4	10	16	28	36	74
85+	84	15.0	204	2	3	11	17	29	53	70
B. Operated										
65-69 YRS	171	13.3	135	2	3	11	17	25	37	57
70-74	120	14.6	184	1	3	12	18	33	50	99+
75-79	86	19.9	236	4	5	16	26	38	52	73
80-84	25	20.6	233	3	7	17	25	39	55	64
85+	14	22.0	238	3	5	19	30	48	54	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	7.9	53	1	2	7	10	14	18	47
B. Operated	57	7.7	51	1	2	5	11	16	22	35
2. MULTIPLE DX										
A. Not Operated	570	12.0	112	2	3	9	15	23	32	62
B. Operated	416	15.8	187	2	3	13	20	34	48	71
1. SINGLE DX	116	7.8	52	1	2	6	10	14	21	40
2. MULTIPLE DX	986	13.6	147	2	3	10	17	28	38	69
A. NOT OPERATED	629	11.7	108	2	3	9	15	23	31	61
B. OPERATED	473	14.8	177	2	3	12	18	32	48	70
TOTAL 65-69 YRS	364	11.1	90	2	3	9	14	22	29	55
70-74	291	12.4	127	1	2	10	16	26	36	72
75-79	215	14.6	169	2	3	11	19	30	43	72
80-84	127	14.7	180	3	4	11	17	33	40	73
85+	105	16.0	214	2	3	12	20	30	52	69
GRAND TOTAL	1102	13.0	140	2	3	10	16	27	36	68

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	32	4	4	8	12	12	12	12
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	10.5	95	4	4	6	16	25	25	25
70-74	3	10.3	64	2	2	11	16	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	9.0	46	3	3	6	11	19	26	28
70-74	9	15.2	170	1	2	10	25	35	39	39
75-79	16	14.4	145	3	3	10	19	38	40	40
80-84	12	15.5	154	3	3	13	21	37	38	38
85+	11	12.0	38	4	4	11	17	21	23	23
B. *Operated*										
65-69 YRS	16	14.4	93	3	5	12	19	28	35	38
70-74	22	16.4	258	2	2	11	19	42	55	65
75-79	7	17.1	149	2	3	11	29	32	33	33
80-84	11	19.9	91	7	9	19	27	33	38	38
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*	7	10.4	69	2	2	7	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	70	12.6	103	3	3	10	17	28	38	40
B. *Operated*	56	16.6	160	2	4	12	24	33	39	64
1. SINGLE DX	9	9.9	57	2	3	7	13	22	25	25
2. MULTIPLE DX	126	14.4	131	2	4	11	20	29	38	53
A. NOT OPERATED	72	12.5	101	3	3	10	17	28	38	40
B. OPERATED	63	15.9	153	2	3	12	22	31	39	63
TOTAL 65-69 YRS	44	11.1	60	3	4	9	13	25	28	38
70-74	34	15.6	213	2	2	11	19	39	47	65
75-79	23	15.3	141	2	3	11	25	34	39	40
80-84	23	17.6	123	3	4	16	25	37	38	38
85+	11	12.0	38	4	4	11	17	21	23	23
GRAND TOTAL	135	14.1	127	2	4	11	19	29	38	51

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	5.5	29	1	1	3	8	13	16	23
70-74	79	4.4	42	<1	1	2	4	11	13	37
75-79	52	5.6	72	<1	<1	2	7	12	21	50
80-84	20	5.2	99	<1	<1	3	9	10	23	35
85+	12	7.3	37	1	2	5	10	16	21	22
B. *Operated*										
65-69 YRS	145	6.5	90	1	2	4	8	15	21	28
70-74	94	6.8	76	1	2	4	8	15	21	95
75-79	52	9.2	99	1	2	5	14	23	31	40
80-84	25	6.9	79	1	1	4	9	13	24	44
85+	10	8.1	63	1	1	6	8	21	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	420	9.2	70	1	2	7	12	19	26	38
70-74	600	8.9	84	1	1	7	12	19	27	39
75-79	413	10.3	94	1	2	8	14	21	28	52
80-84	339	10.1	75	1	1	8	13	21	28	44
85+	264	14.2	134	2	3	11	19	28	39	96
B. *Operated*										
65-69 YRS	878	13.8	209	1	2	9	18	31	48	77
70-74	604	15.6	242	2	2	11	21	40	53	99+
75-79	380	17.1	259	2	3	12	22	39	56	94
80-84	183	17.0	285	1	2	12	23	38	61	96
85+	77	17.0	156	3	4	15	23	33	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	5.2	49	<1	<1	2	6	11	19	37
B. *Operated*	326	7.1	68	1	2	4	8	16	22	48
2. MULTIPLE DX										
A. *Not Operated*	2036	10.1	91	1	1	8	13	22	29	48
B. *Operated*	2122	15.3	234	2	2	10	20	36	50	90
1. SINGLE DX	519	6.4	62	<1	1	3	8	15	22	41
2. MULTIPLE DX	4158	12.8	170	1	2	9	17	29	40	77
A. NOT OPERATED	2229	9.7	89	1	1	7	13	21	28	47
B. OPERATED	2448	14.2	219	2	2	9	19	33	47	86
TOTAL 65-69 YRS	1473	11.6	158	1	2	8	15	26	36	67
70-74	1377	11.5	165	1	1	8	15	28	40	80
75-79	897	12.9	177	1	2	9	17	29	40	77
80-84	567	12.0	155	1	1	9	16	27	36	77
85+	363	14.4	137	2	3	11	20	31	39	96
GRAND TOTAL	4677	12.1	162	1	2	8	16	28	39	73

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	8.3	83	<1	1	6	10	14	35	35
70-74	32	6.9	44	1	1	4	10	19	20	25
75-79	27	7.3	48	<1	<1	6	10	17	21	30
80-84	27	11.4	55	2	3	9	14	24	28	31
85+	23	9.9	51	2	4	8	12	17	25	36
B. *Operated*										
65-69 YRS	28	10.3	134	<1	1	6	15	25	35	49
70-74	25	13.0	378	1	1	6	13	29	48	96
75-79	12	10.0	79	1	1	7	18	23	26	27
80-84	5	13.0	28	8	8	12	18	19	19	19
85+	3	33.3	186	24	24	27	43	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	11.1	90	2	2	9	15	25	30	50
70-74	409	13.7	169	2	3	10	17	31	39	69
75-79	453	13.4	139	2	4	10	16	27	35	77
80-84	388	13.8	119	2	4	11	18	28	37	75
85+	472	14.6	116	3	4	12	19	29	34	52
B. *Operated*										
65-69 YRS	232	21.0	294	3	5	17	28	49	62	99+
70-74	212	21.8	285	3	4	17	29	44	60	85
75-79	208	23.3	313	3	5	18	35	50	68	99+
80-84	126	25.0	245	6	9	22	33	51	61	99+
85+	85	23.5	217	5	7	22	30	41	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	8.7	57	<1	1	7	11	18	26	35
B. *Operated*	73	12.3	216	1	1	8	18	27	34	85
2. MULTIPLE DX										
A. *Not Operated*	1992	13.5	130	2	3	10	17	28	36	62
B. *Operated*	863	22.6	282	3	6	19	31	47	61	99+
1. SINGLE DX	207	9.9	115	1	1	7	12	21	29	49
2. MULTIPLE DX	2855	16.3	193	2	4	12	21	34	46	81
A. NOT OPERATED	2126	13.2	127	2	3	10	17	28	[illegible]	[illegible]
B. OPERATED	936	21.8	285	3	5	18	30	47	59	99+
TOTAL 65-69 YRS	555	15.1	202	2	3	11	21	33	49	94
70-74	678	15.9	224	2	3	11	21	34	45	79
75-79	700	16.0	209	2	4	11	19	35	49	83
80-84	546	16.3	166	3	4	13	22	35	46	99
85+	583	15.8	140	3	5	12	21	31	38	58
GRAND TOTAL	**3062**	**15.8**	**190**	**2**	**3**	**12**	**21**	**34**	**45**	**81**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	6.3	19	2	3	5	7	10	12	31
70-74	76	6.5	12	2	3	6	7	11	13	19
75-79	42	6.9	10	3	4	7	8	10	13	18
80-84	45	6.7	8	3	3	6	8	10	14	15
85+	39	8.9	63	3	3	6	9	19	28	40
B. *Operated*										
65-69 YRS	4	10.0	7	8	8	9	12	14	14	14
70-74	6	9.0	5	5	5	9	11	11	11	11
75-79	7	6.4	14	1	2	6	9	12	12	12
80-84	4	7.0	11	5	5	6	9	12	12	12
85+	2	10.0	2	9	9	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	436	8.5	31	3	4	7	10	15	19	28
70-74	495	8.9	36	3	4	8	11	15	19	28
75-79	453	9.9	45	3	4	8	12	18	23	34
80-84	366	10.0	37	4	4	8	12	19	23	32
85+	350	11.0	62	3	5	9	13	19	25	38
B. *Operated*										
65-69 YRS	131	14.4	109	5	6	11	18	25	33	60
70-74	152	16.6	142	6	7	14	20	32	44	77
75-79	91	17.2	127	5	6	15	21	29	42	61
80-84	54	17.7	155	5	6	14	24	34	42	66
85+	44	16.9	172	5	5	13	18	31	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	6.9	20	3	3	6	8	11	14	31
B. *Operated*	23	8.1	10	3	4	9	11	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	2100	9.6	42	3	4	8	12	17	22	33
B. *Operated*	472	16.3	134	5	6	13	20	30	39	66
1. SINGLE DX	297	7.0	20	3	3	6	8	11	14	28
2. MULTIPLE DX	2572	10.8	66	3	4	9	13	20	26	45
A. NOT OPERATED	2374	9.3	40	3	4	8	11	17	21	33
B. OPERATED	495	15.9	131	5	6	12	19	30	39	66
TOTAL 65-69 YRS	643	9.5	52	3	4	8	11	18	22	38
70-74	729	10.3	66	3	4	8	12	18	24	49
75-79	593	10.8	62	3	4	8	13	21	26	44
80-84	469	10.6	55	4	4	8	12	20	25	39
85+	435	11.4	76	3	5	9	14	20	27	48
GRAND TOTAL	**2869**	**10.4**	**62**	**3**	**4**	**8**	**12**	**19**	**25**	**44**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	97	5.5	10	2	2	5	7	9	12	16
70-74	70	6.2	17	2	3	5	7	10	14	25
75-79	62	6.5	22	1	2	5	9	12	18	22
80-84	41	7.1	30	2	3	6	7	10	18	34
85+	37	8.2	27	2	3	7	9	13	22	25
B. *Operated*										
65-69 YRS	33	10.0	104	2	2	8	13	20	22	55
70-74	27	12.6	53	3	6	11	15	27	28	28
75-79	21	11.7	176	2	2	8	12	24	46	60
80-84	12	13.4	74	<1	3	11	20	26	29	30
85+	3	12.3	46	7	7	10	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	519	8.5	25	3	4	7	10	15	20	26
70-74	485	9.0	47	3	3	7	11	15	20	41
75-79	487	10.3	63	3	4	8	12	20	26	50
80-84	377	10.2	47	3	4	9	12	18	23	38
85+	361	10.5	52	3	4	8	13	19	24	40
B. *Operated*										
65-69 YRS	272	14.4	150	3	4	11	16	29	40	74
70-74	229	16.3	155	3	5	13	21	32	40	75
75-79	220	15.0	128	<1	3	13	19	29	39	58
80-84	124	16.9	186	3	5	13	21	32	47	70
85+	89	17.0	138	3	5	15	23	29	37	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	6.4	19	2	2	5	8	11	15	23
B. *Operated*	96	11.6	98	2	2	9	15	22	28	58
2. MULTIPLE DX										
A. *Not Operated*	2229	9.6	47	3	4	8	12	17	22	39
B. *Operated*	934	15.6	150	3	4	13	20	31	40	74
1. SINGLE DX	403	7.6	43	2	2	6	9	14	20	32
2. MULTIPLE DX	3163	11.4	84	3	4	9	14	22	29	52
A. NOT OPERATED	2536	9.2	44	3	4	8	11	17	21	36
B. OPERATED	1030	15.2	146	2	4	12	19	30	40	72
TOTAL 65-69 YRS	921	10.0	72	3	3	8	12	18	24	46
70-74	811	10.9	87	3	4	8	13	21	29	52
75-79	790	11.4	87	2	4	9	14	22	29	56
80-84	554	11.6	86	3	4	9	13	22	31	49
85+	490	11.5	72	3	4	9	15	22	27	44
GRAND TOTAL	**3566**	**11.0**	**81**	**3**	**4**	**9**	**13**	**21**	**28**	**51**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	219	3.3	6	1	1	3	4	6	7	13
70-74	133	3.0	4	1	1	3	4	6	7	11
75-79	68	4.0	8	1	1	3	5	7	9	14
80-84	34	3.7	6	1	1	3	5	6	8	13
85+	28	3.6	6	1	1	3	5	6	8	13
B. *Operated*										
65-69 YRS	291	9.8	25	2	3	9	12	15	18	26
70-74	159	10.0	38	2	2	10	12	18	22	29
75-79	91	10.5	33	2	3	10	13	17	22	29
80-84	30	8.0	30	2	2	7	11	17	18	21
85+	19	11.8	74	2	3	8	18	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	418	4.8	28	1	1	4	6	9	11	17
70-74	349	5.9	27	1	2	5	7	11	14	29
75-79	267	6.4	32	2	2	5	8	12	16	33
80-84	151	8.0	71	2	2	6	10	15	18	27
85+	103	7.3	20	2	3	6	10	14	17	23
B. *Operated*										
65-69 YRS	752	12.0	84	2	3	10	14	22	27	47
70-74	519	12.8	80	2	3	11	17	24	29	41
75-79	379	14.3	143	2	3	11	18	27	35	66
80-84	188	13.7	111	2	3	11	17	26	36	52
85+	103	14.9	140	2	3	12	20	28	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	3.4	6	1	1	3	4	6	7	13
B. *Operated*	590	9.9	32	2	3	9	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*	1288	6.0	34	1	2	5	7	11	15	24
B. *Operated*	1941	13.0	101	2	3	11	16	24	31	53
1. SINGLE DX	1072	7.0	31	1	1	6	10	14	18	26
2. MULTIPLE DX	3229	10.2	86	2	2	8	13	21	26	45
A. NOT OPERATED	1770	5.3	28	1	1	4	7	10	14	23
B. OPERATED	2531	12.3	86	2	3	10	15	23	28	47
TOTAL 65-69 YRS	1680	8.7	62	1	2	7	11	17	22	41
70-74	1160	9.2	63	1	2	7	12	19	24	37
75-79	805	10.4	98	2	2	8	13	21	28	46
80-84	403	10.3	92	2	2	8	14	21	26	49
85+	253	10.3	88	2	2	7	13	22	28	53
GRAND TOTAL	**4301**	**9.4**	**74**	**1**	**2**	**8**	**12**	**19**	**24**	**42**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	706	2.7	3	1	1	2	3	5	6	8
70-74	400	2.8	3	1	1	2	4	5	6	8
75-79	173	2.8	4	1	1	2	4	5	6	11
80-84	69	3.1	3	1	1	2	4	6	7	8
85+	28	3.0	3	1	1	3	4	6	6	8
B. *Operated*										
65-69 YRS	732	7.0	25	2	2	6	9	13	15	23
70-74	441	7.7	27	2	2	7	10	14	17	26
75-79	221	8.6	33	2	3	7	11	15	18	33
80-84	94	8.1	33	2	2	7	10	17	19	27
85+	26	7.2	24	1	2	6	10	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	688	3.8	8	1	1	3	5	7	9	14
70-74	479	4.0	8	1	1	3	5	7	9	15
75-79	256	4.4	12	1	1	4	6	8	11	14
80-84	113	5.1	16	1	2	4	6	12	13	21
85+	62	6.1	25	1	2	5	7	11	17	26
B. *Operated*										
65-69 YRS	1033	10.1	51	3	3	9	13	18	23	35
70-74	780	10.4	50	3	3	9	13	18	23	35
75-79	434	12.2	60	3	4	11	16	23	27	39
80-84	225	13.0	82	3	4	11	17	25	29	45
85+	101	14.4	126	4	5	11	18	27	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1376	2.8	3	1	1	2	3	5	6	8
B. *Operated*	1514	7.5	28	2	2	7	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	1598	4.1	10	1	1	3	5	7	10	15
B. *Operated*	2573	11.0	59	3	4	9	14	20	25	39
1. SINGLE DX	2890	5.3	22	1	1	4	7	11	14	20
2. MULTIPLE DX	4171	8.3	52	1	2	6	11	17	22	34
A. NOT OPERATED	2974	3.5	7	1	1	3	4	6	8	13
B. OPERATED	4087	9.7	50	2	3	8	12	18	23	35
TOTAL 65-69 YRS	3159	6.4	34	1	2	5	9	13	17	27
70-74	2100	6.9	37	1	2	5	9	14	18	28
75-79	1084	8.1	49	1	2	6	11	17	23	32
80-84	501	8.9	62	2	2	6	12	19	25	40
85+	217	9.7	89	2	2	6	12	21	26	52
GRAND TOTAL	**7061**	**7.1**	**42**	**1**	**2**	**5**	**9**	**15**	**19**	**31**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	4.0	11	1	1	3	5	7	10	20
70-74	61	5.3	13	1	1	5	8	10	12	15
75-79	37	4.9	20	1	1	4	6	11	15	21
80-84	22	4.9	13	1	1	4	7	10	12	14
85+	23	8.7	54	1	2	6	13	19	25	28
B. *Operated*										
65-69 YRS	216	6.5	44	1	1	4	9	15	18	31
70-74	189	7.8	68	1	1	6	11	17	22	27
75-79	109	8.7	69	1	2	6	13	19	22	41
80-84	47	7.9	43	1	2	5	14	17	19	29
85+	32	9.2	49	2	2	7	13	19	26	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	333	8.8	65	2	2	7	12	18	25	52
70-74	387	9.6	77	2	2	7	13	17	25	42
75-79	342	10.2	95	2	3	7	12	20	28	57
80-84	301	10.9	96	3	3	8	13	21	27	50
85+	266	11.0	77	3	3	9	14	21	27	47
B. *Operated*										
65-69 YRS	873	12.0	111	2	2	9	16	26	33	52
70-74	733	12.6	147	2	2	10	17	24	34	60
75-79	531	12.9	115	2	3	10	16	26	35	56
80-84	278	14.7	132	2	3	12	21	30	35	57
85+	188	14.6	153	2	3	11	19	31	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.1	19	1	1	4	7	10	14	23
B. *Operated*	593	7.6	57	1	1	5	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	1629	10.0	83	2	3	8	13	20	26	51
B. *Operated*	2603	12.8	128	2	2	10	17	26	34	55
1. SINGLE DX	811	6.9	48	1	1	5	9	16	20	28
2. MULTIPLE DX	4232	11.7	112	2	3	9	15	24	32	53
A. NOT OPERATED	1847	9.4	78	2	2	7	12	19	25	50
B. OPERATED	3196	11.8	119	2	2	9	16	25	32	52
TOTAL 65-69 YRS	1497	10.1	92	1	2	7	13	22	29	50
70-74	1370	10.8	115	2	2	8	14	22	29	52
75-79	1019	11.2	104	2	2	9	14	24	32	55
80-84	648	12.1	111	2	3	9	16	25	31	49
85+	509	12.1	106	2	3	9	15	24	32	59
GRAND TOTAL	**5043**	**11.0**	**105**	**2**	**2**	**8**	**14**	**23**	**30**	**51**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	2.7	3	1	1	2	4	5	6	8
70-74	32	3.0	5	1	1	2	4	6	9	10
75-79	10	3.3	3	1	1	3	5	6	6	6
80-84	12	4.2	5	<1	1	4	6	7	8	8
85+	8	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
65-69 YRS	108	5.7	18	1	2	4	9	11	12	21
70-74	101	5.9	20	2	2	4	8	12	14	23
75-79	74	6.7	35	1	1	5	9	14	16	28
80-84	42	6.2	17	2	2	5	9	12	13	19
85+	30	8.5	31	2	3	7	11	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	80	4.4	16	1	1	4	5	7	8	28
70-74	62	5.5	28	1	2	4	6	10	15	34
75-79	44	6.0	31	2	2	4	7	12	19	29
80-84	31	9.5	64	2	2	8	11	19	29	37
85+	26	7.7	39	2	2	6	11	17	23	23
B. *Operated*										
65-69 YRS	369	8.5	39	2	2	7	11	16	19	31
70-74	345	9.3	53	2	2	8	12	18	24	40
75-79	304	10.8	95	2	3	9	14	19	28	51
80-84	212	11.2	92	2	3	9	15	22	33	55
85+	139	13.3	88	3	4	11	17	28	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.0	4	1	1	2	4	6	7	9
B. *Operated*	355	6.3	23	1	2	5	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	243	6.0	33	1	2	4	7	12	17	34
B. *Operated*	1369	10.1	70	2	3	8	13	19	26	44
1. SINGLE DX	480	5.4	20	1	1	4	8	11	14	23
2. MULTIPLE DX	1612	9.5	67	2	2	7	12	18	25	42
A. NOT OPERATED	368	5.0	25	1	1	4	6	9	14	29
B. OPERATED	1724	9.3	63	2	2	8	12	18	24	41
TOTAL 65-69 YRS	620	6.9	33	1	2	5	9	14	18	28
70-74	540	7.8	45	2	2	6	10	16	20	37
75-79	432	9.5	81	2	2	7	12	18	26	47
80-84	297	10.1	79	2	2	8	13	20	28	45
85+	203	11.5	78	2	3	9	15	24	31	42
GRAND TOTAL	**2092**	**8.6**	**59**	**2**	**2**	**6**	**11**	**17**	**23**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	5.0	13	1	2	4	6	9	11	19
70-74	67	4.1	6	1	2	4	5	7	9	12
75-79	54	5.8	18	1	1	5	7	13	15	23
80-84	31	5.5	15	1	2	5	6	12	14	16
85+	56	5.4	14	1	2	4	7	12	14	16
B. *Operated*										
65-69 YRS	441	3.7	13	1	1	3	4	7	9	16
70-74	402	4.2	15	1	2	3	5	8	11	21
75-79	293	4.9	18	1	1	4	6	10	15	21
80-84	188	5.3	21	2	2	4	7	10	15	24
85+	131	5.7	14	1	2	5	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	396	6.9	19	2	3	6	9	13	15	23
70-74	468	7.6	28	2	3	6	9	14	17	26
75-79	509	8.8	61	2	3	7	11	16	22	45
80-84	449	9.0	51	2	3	7	11	16	23	40
85+	556	9.9	60	3	3	8	13	19	26	56
B. *Operated*										
65-69 YRS	1303	6.3	41	1	2	4	8	12	19	34
70-74	1307	7.2	63	1	2	5	9	14	21	40
75-79	1196	7.7	54	2	2	5	10	16	22	38
80-84	813	8.8	53	2	2	7	11	18	23	37
85+	699	10.0	91	2	2	8	12	19	26	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	5.1	13	1	2	4	7	9	13	18
B. *Operated*	1455	4.5	16	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	2378	8.5	46	2	3	7	10	15	21	40
B. *Operated*	5318	7.7	59	2	2	5	10	16	22	40
1. SINGLE DX	1722	4.6	16	1	2	3	6	9	12	21
2. MULTIPLE DX	7696	8.0	55	2	2	6	10	16	21	40
A. NOT OPERATED	2645	8.2	44	2	3	7	10	15	20	38
B. OPERATED	6773	7.0	51	1	2	5	9	15	20	37
TOTAL 65-69 YRS	2199	5.8	32	1	2	4	7	11	16	29
70-74	2244	6.7	47	1	2	5	8	13	18	35
75-79	2052	7.5	51	2	2	5	9	15	20	38
80-84	1481	8.4	49	2	2	7	10	16	22	38
85+	1442	9.4	71	2	3	7	12	18	24	56
GRAND TOTAL	**9418**	**7.3**	**50**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	2.8	4	1	1	2	4	5	7	8
70-74	13	6.1	20	1	1	6	7	13	16	17
75-79	12	3.8	2	2	2	4	5	6	6	6
80-84	13	3.5	6	<1	1	4	5	7	7	7
85+	11	4.5	10	2	2	4	5	9	13	13
B. *Operated*										
65-69 YRS	481	4.2	14	1	1	3	5	8	10	17
70-74	425	4.2	13	1	1	3	5	8	11	20
75-79	310	4.5	13	1	2	3	6	9	11	18
80-84	191	5.0	14	1	2	4	6	10	13	17
85+	133	5.6	25	1	2	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	48	5.1	28	1	1	4	6	10	13	31
70-74	78	5.1	23	1	2	4	6	8	9	33
75-79	71	7.4	33	2	3	6	8	16	22	27
80-84	45	6.6	23	1	2	5	9	13	19	99+
85+	61	7.1	41	1	2	6	9	14	18	37
B. *Operated*										
65-69 YRS	1246	6.0	30	1	2	4	8	12	16	30
70-74	1239	6.9	43	1	2	5	9	14	18	32
75-79	1010	7.2	45	2	2	5	9	14	19	31
80-84	658	8.8	71	2	2	7	10	17	22	48
85+	481	9.0	57	2	2	7	12	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.1	9	1	1	4	5	7	9	16
B. *Operated*	1540	4.5	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	303	6.3	30	1	2	5	7	12	18	34
B. *Operated*	4634	7.2	46	2	2	5	9	15	19	33
1. SINGLE DX	1606	4.5	14	1	1	3	6	9	11	19
2. MULTIPLE DX	4937	7.1	45	2	2	5	9	14	19	33
A. NOT OPERATED	369	5.9	27	1	2	5	7	11	17	30
B. OPERATED	6174	6.5	40	1	2	5	8	13	17	31
TOTAL 65-69 YRS	1792	5.5	26	1	2	4	7	11	14	27
70-74	1755	6.1	36	1	2	4	8	12	17	31
75-79	1403	6.6	38	2	2	5	8	13	17	30
80-84	907	7.8	59	2	2	6	10	16	21	42
85+	686	8.1	51	2	2	6	11	16	22	34
GRAND TOTAL	**6543**	**6.5**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	373	4.8	11	1	2	4	6	9	11	19
70-74	357	5.3	14	1	2	5	7	10	12	21
75-79	337	5.9	18	2	2	5	8	11	14	21
80-84	298	6.5	27	2	2	5	8	12	15	32
85+	346	6.9	27	2	2	6	9	13	17	27
B. *Operated*										
65-69 YRS	870	4.1	12	1	1	3	5	8	10	19
70-74	773	4.4	15	1	1	3	5	8	11	21
75-79	538	5.1	19	1	2	4	6	10	15	23
80-84	323	5.7	24	1	2	4	7	12	14	21
85+	184	6.6	75	1	2	4	7	11	18	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2816	8.1	46	2	3	6	10	15	19	34
70-74	3605	8.7	53	2	3	7	11	16	21	38
75-79	4077	9.7	66	2	3	8	12	18	23	44
80-84	4007	10.2	69	3	3	8	13	18	24	47
85+	4660	10.5	68	3	4	8	13	19	25	48
B. *Operated*										
65-69 YRS	3095	7.8	54	1	2	6	10	16	21	37
70-74	3181	9.1	83	2	2	6	12	19	26	48
75-79	2815	10.1	93	2	2	7	13	21	28	56
80-84	1949	11.7	119	2	3	9	15	24	33	68
85+	1486	12.7	115	2	3	10	17	25	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1711	5.8	20	1	2	5	7	11	14	24
B. *Operated*	2688	4.7	20	1	2	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	19165	9.6	62	2	3	8	12	18	23	43
B. *Operated*	12526	9.8	90	2	2	7	13	20	27	51
1. SINGLE DX	4399	5.2	20	1	2	4	6	10	13	23
2. MULTIPLE DX	31691	9.7	73	2	3	7	12	19	25	47
A. NOT OPERATED	20876	9.3	60	2	3	7	11	17	22	42
B. OPERATED	15214	8.9	82	2	2	6	11	19	26	49
TOTAL 65-69 YRS	7154	7.3	45	1	2	5	9	14	19	35
70-74	7916	8.3	62	2	2	6	10	16	22	41
75-79	7767	9.3	72	2	3	7	12	18	24	47
80-84	6577	10.3	82	2	3	8	13	19	27	52
85+	6676	10.7	78	2	3	8	13	20	27	51
GRAND TOTAL	**36090**	**9.1**	**69**	**2**	**2**	**7**	**11**	**18**	**24**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	3.3	7	<1	1	3	4	6	8	15
70-74	80	4.1	11	1	1	3	5	7	9	20
75-79	44	3.9	8	1	2	3	5	9	11	13
80-84	33	2.7	3	<1	<1	2	3	5	7	7
85+	26	4.1	16	<1	1	2	5	8	15	18
B. *Operated*										
65-69 YRS	5607	6.7	13	2	2	6	8	11	13	19
70-74	4869	7.1	16	2	3	6	9	12	14	21
75-79	3216	7.5	18	2	3	7	9	13	15	21
80-84	1533	8.2	25	2	4	7	10	14	16	27
85+	770	9.6	33	3	4	8	12	17	20	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	435	5.6	36	1	1	4	7	11	17	33
70-74	491	6.1	42	1	1	4	7	12	17	28
75-79	474	7.2	67	1	2	5	9	14	18	36
80-84	346	8.2	68	1	2	6	10	19	32	99+
85+	384	9.3	85	1	2	7	12	18	26	59
B. *Operated*										
65-69 YRS	10261	8.8	35	2	3	8	11	16	19	31
70-74	10121	9.8	46	2	4	8	12	17	22	35
75-79	7751	10.8	60	3	4	9	13	19	25	40
80-84	4503	12.4	82	4	5	10	15	22	29	51
85+	2680	13.9	84	4	6	11	17	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	3.7	9	<1	1	3	4	7	9	18
B. *Operated*	15995	7.3	17	2	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	2130	7.1	60	1	1	5	9	15	21	43
B. *Operated*	35316	10.4	55	3	4	8	13	19	24	39
1. SINGLE DX	16240	7.2	17	2	3	6	9	12	15	21
2. MULTIPLE DX	37446	10.2	56	2	4	8	13	19	24	39
A. NOT OPERATED	2375	6.8	56	1	1	5	8	14	20	41
B. OPERATED	51311	9.4	46	2	4	8	11	17	21	35
TOTAL 65-69 YRS	16365	8.0	28	2	3	7	10	14	18	28
70-74	15561	8.8	38	2	3	7	11	16	20	32
75-79	11485	9.7	51	2	4	8	12	17	23	37
80-84	6415	11.1	71	3	4	9	14	20	26	45
85+	3860	12.5	78	3	4	10	16	23	29	48
GRAND TOTAL	**53686**	**9.3**	**46**	**2**	**3**	**8**	**11**	**17**	**21**	**35**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	3.7	4	1	1	3	5	6	8	10
70-74	40	4.7	6	1	2	4	6	8	9	10
75-79	28	5.0	7	1	2	5	6	10	10	11
80-84	15	4.1	5	1	2	3	5	8	9	9
85+	10	5.1	8	1	1	5	7	9	9	9
B. *Operated*										
65-69 YRS	137	3.9	15	1	1	2	5	8	11	22
70-74	116	4.0	14	1	1	3	5	8	11	20
75-79	72	5.0	22	1	1	4	6	11	15	24
80-84	33	6.3	19	1	2	6	8	14	16	18
85+	12	9.8	173	3	3	5	10	25	46	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	261	6.3	20	2	3	5	7	11	15	24
70-74	168	5.9	11	2	3	5	7	10	13	19
75-79	134	6.4	25	2	2	5	8	12	17	27
80-84	69	7.4	24	2	3	6	9	12	17	31
85+	67	6.9	29	2	2	6	7	11	17	35
B. *Operated*										
65-69 YRS	495	6.7	41	2	2	5	8	13	16	32
70-74	395	7.6	46	1	2	6	9	15	21	35
75-79	307	7.7	34	2	2	7	10	14	16	37
80-84	155	9.9	76	2	3	7	12	20	26	51
85+	82	12.1	111	3	4	9	16	23	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.3	5	1	2	4	5	8	9	10
B. *Operated*	370	4.6	22	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	699	6.4	20	2	3	5	7	11	14	24
B. *Operated*	1434	7.8	51	2	2	6	10	15	20	39
1. SINGLE DX	530	4.5	17	1	1	3	6	9	11	22
2. MULTIPLE DX	2133	7.3	41	2	2	6	9	14	18	35
A. NOT OPERATED	859	6.0	18	2	2	5	7	10	14	22
B. OPERATED	1804	7.1	46	1	2	5	9	14	19	36
TOTAL 65-69 YRS	960	6.0	30	1	2	5	7	11	14	26
70-74	719	6.5	32	1	2	5	8	13	17	29
75-79	541	6.9	30	2	2	6	8	13	16	30
80-84	272	8.5	55	2	3	6	10	17	22	41
85+	171	9.5	83	2	3	7	11	17	25	47
GRAND TOTAL	**2663**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	2.3	2	<1	<1	2	3	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	322	3.8	8	2	2	3	4	6	7	10
70-74	190	3.9	4	2	2	3	5	6	8	11
75-79	108	4.0	4	2	2	3	5	7	7	11
80-84	35	4.6	6	1	2	4	6	8	9	12
85+	20	5.0	7	2	3	5	6	6	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	7.4	88	2	2	6	6	14	33	38
70-74	12	2.8	5	1	1	2	3	7	8	8
75-79	13	5.2	26	<1	1	3	8	11	18	19
80-84	5	6.6	26	2	2	6	9	15	15	15
85+	5	9.4	28	3	3	10	12	17	17	17
B. *Operated*										
65-69 YRS	380	5.6	16	2	2	4	6	11	13	20
70-74	281	6.2	24	2	3	5	8	12	15	26
75-79	172	7.7	72	2	3	5	9	15	20	28
80-84	73	6.8	21	2	3	5	9	14	17	19
85+	35	9.8	50	2	3	9	12	15	17	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	2	<1	<1	2	4	4	4	4
B. *Operated*	675	3.9	6	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	48	5.8	39	1	1	4	7	11	17	38
B. *Operated*	941	6.4	31	2	3	5	8	13	16	26
1. SINGLE DX	680	3.9	6	2	2	3	5	6	8	11
2. MULTIPLE DX	989	6.4	32	2	2	5	8	13	16	26
A. NOT OPERATED	53	5.5	37	1	1	4	6	10	17	37
B. OPERATED	1616	5.4	22	2	2	4	6	10	13	22
TOTAL 65-69 YRS	715	4.8	15	2	2	4	5	8	11	19
70-74	486	5.2	17	2	2	4	6	9	13	24
75-79	294	6.2	48	2	2	4	7	12	16	27
80-84	114	6.1	17	2	2	5	8	12	15	19
85+	60	8.2	38	2	3	6	11	15	16	40
GRAND TOTAL	**1669**	**5.4**	**22**	**2**	**2**	**4**	**6**	**10**	**13**	**22**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	6.1	7	3	3	6	8	9	10	15
70-74	72	5.8	10	2	3	6	7	10	11	17
75-79	58	6.5	12	2	3	6	7	12	14	19
80-84	23	5.8	6	2	3	5	7	10	11	11
85+	12	6.3	15	2	2	5	8	13	14	14
B. *Operated*										
65-69 YRS	63	5.9	15	2	3	5	7	12	14	20
70-74	47	7.0	39	2	2	5	7	17	19	26
75-79	32	6.3	31	2	2	4	7	14	19	28
80-84	14	7.4	14	3	4	6	10	14	14	14
85+	4	10.0	145	3	3	4	16	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	229	7.8	25	3	4	7	9	12	16	27
70-74	189	7.8	20	3	4	7	10	13	16	24
75-79	144	8.1	24	3	3	7	10	15	18	26
80-84	66	8.8	39	3	3	8	10	14	18	40
85+	54	10.4	39	4	5	8	13	21	24	28
B. *Operated*										
65-69 YRS	147	8.8	37	2	3	8	11	17	20	27
70-74	158	9.2	39	2	3	8	13	17	20	26
75-79	88	10.9	67	3	3	8	15	19	28	45
80-84	61	11.8	89	2	3	9	14	26	34	42
85+	36	12.8	57	3	4	11	20	22	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	6.1	9	2	3	6	7	10	12	17
B. *Operated*	160	6.5	28	2	2	5	8	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	682	8.2	26	3	4	7	10	14	17	27
B. *Operated*	490	10.0	52	2	3	8	13	19	24	37
1. SINGLE DX	442	6.3	16	2	3	5	7	11	14	21
2. MULTIPLE DX	1172	8.9	38	3	3	7	11	16	21	31
A. NOT OPERATED	964	7.6	22	3	3	7	9	13	16	26
B. OPERATED	650	9.1	48	2	3	7	12	18	22	34
TOTAL 65-69 YRS	556	7.5	24	2	3	6	9	13	17	26
70-74	466	7.9	28	2	3	6	10	15	17	26
75-79	322	8.4	37	2	3	7	11	16	19	30
80-84	164	9.4	55	3	3	7	12	17	26	42
85+	106	10.7	48	3	4	9	14	22	26	29
GRAND TOTAL	**1614**	**8.2**	**33**	**2**	**3**	**7**	**10**	**15**	**19**	**29**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	2.7	6	1	1	2	3	4	7	15
70-74	20	2.2	1	<1	1	2	3	4	4	4
75-79	18	2.0	1	<1	1	2	2	3	4	4
80-84	9	2.7	2	1	1	2	3	5	5	5
85+	5	3.2	8	<1	<1	2	4	8	8	8
B. *Operated*										
65-69 YRS	94	2.3	1	<1	1	2	3	3	4	6
70-74	66	2.3	1	<1	1	2	3	3	4	6
75-79	35	2.5	3	<1	<1	2	3	5	7	7
80-84	30	2.7	1	1	2	2	3	5	5	5
85+	19	2.5	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.3	13	1	1	3	3	5	8	25
70-74	35	3.6	5	1	2	3	5	6	8	11
75-79	20	4.3	37	1	1	3	4	7	18	29
80-84	17	3.2	6	1	1	3	3	5	10	12
85+	13	6.3	41	2	2	3	8	17	19	20
B. *Operated*										
65-69 YRS	216	4.4	26	1	2	3	5	9	13	35
70-74	189	4.6	17	1	2	3	6	10	13	23
75-79	128	5.0	20	1	2	3	6	12	14	23
80-84	86	6.8	36	2	2	5	9	14	22	28
85+	69	7.7	57	2	2	5	10	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.4	3	<1	1	2	3	4	5	13
B. *Operated*	244	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	134	3.8	17	1	1	3	4	6	11	26
B. *Operated*	688	5.2	28	1	2	3	6	11	15	27
1. SINGLE DX	328	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	822	5.0	26	1	2	3	6	11	15	26
A. NOT OPERATED	218	3.3	12	1	1	2	3	5	8	22
B. OPERATED	932	4.5	22	1	2	3	5	9	14	25
TOTAL 65-69 YRS	391	3.6	18	1	1	2	3	7	10	25
70-74	310	3.9	12	1	2	3	4	8	11	18
75-79	201	4.2	18	1	1	3	5	8	13	23
80-84	142	5.3	27	1	2	3	6	11	18	24
85+	106	6.4	46	2	2	3	8	16	20	35
GRAND TOTAL	**1150**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	3.3	4	1	1	3	5	6	7	7
70-74	18	4.2	14	1	1	3	5	8	13	16
75-79	15	4.7	26	1	1	3	6	8	18	21
80-84	10	4.3	4	2	2	4	5	7	9	9
85+	4	8.3	12	5	5	7	10	13	13	13
B. *Operated*										
65-69 YRS	255	4.1	9	1	2	3	5	7	9	16
70-74	154	3.8	6	1	2	3	5	7	9	13
75-79	69	4.4	34	1	2	3	5	7	11	38
80-84	29	4.0	7	1	2	3	5	7	10	12
85+	13	5.4	18	1	1	5	7	10	16	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	5.7	22	1	1	4	7	12	13	23
70-74	56	5.3	28	1	1	3	7	10	15	31
75-79	46	7.4	37	1	1	6	11	15	18	33
80-84	36	9.5	98	1	2	6	11	23	33	46
85+	32	9.9	77	2	2	6	13	28	30	32
B. *Operated*										
65-69 YRS	482	6.1	47	2	2	4	7	12	17	37
70-74	284	6.6	49	2	2	4	8	13	21	41
75-79	183	8.9	110	2	2	6	9	19	29	53
80-84	85	12.7	233	2	2	8	15	27	37	82
85+	60	10.5	98	2	2	7	15	24	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.2	12	1	1	3	5	8	9	20
B. *Operated*	520	4.1	11	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	232	7.1	48	1	2	5	9	14	21	33
B. *Operated*	1094	7.5	79	2	2	5	8	16	25	52
1. SINGLE DX	595	4.1	11	1	2	3	5	7	9	18
2. MULTIPLE DX	1326	7.4	74	2	2	5	8	15	24	47
A. NOT OPERATED	307	6.4	41	1	1	5	8	13	19	33
B. OPERATED	1614	6.4	60	2	2	4	7	13	19	42
TOTAL 65-69 YRS	827	5.3	33	1	2	4	6	10	14	31
70-74	512	5.5	34	1	2	4	6	10	15	37
75-79	313	7.5	81	1	2	5	9	15	21	51
80-84	160	9.9	159	1	2	6	12	23	33	78
85+	109	9.6	80	2	2	6	13	21	30	44
GRAND TOTAL	**1921**	**6.4**	**57**	**1**	**2**	**4**	**7**	**13**	**19**	**40**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.2	1	1	1	2	3	3	3	3
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	3	2.0	3	<1	<1	1	3	4	4	4
80-84	2	4.0	18	1	1	4	7	7	7	7
85+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
65-69 YRS	816	2.6	2	1	2	2	3	4	5	9
70-74	511	2.8	4	1	1	2	3	4	6	10
75-79	262	2.8	2	1	2	2	3	4	6	8
80-84	121	3.1	4	1	2	2	4	5	7	13
85+	37	3.7	8	1	2	2	4	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	3.1	5	<1	<1	3	4	5	8	10
70-74	12	4.5	10	1	1	3	7	9	10	10
75-79	6	5.8	14	2	2	5	9	11	11	11
80-84	3	8.0	31	2	2	9	12	13	13	13
85+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
65-69 YRS	725	4.1	12	1	2	3	5	8	10	18
70-74	506	4.5	14	2	2	3	5	9	12	21
75-79	289	5.1	26	2	2	3	6	10	13	36
80-84	113	5.6	69	2	2	4	6	10	13	49
85+	76	6.9	108	2	2	4	8	12	16	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.8	3	<1	1	2	4	6	7	7
B. *Operated*	1747	2.7	3	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	43	4.3	10	<1	1	3	6	9	11	13
B. *Operated*	1709	4.6	24	2	2	3	5	9	11	23
1. SINGLE DX	1762	2.7	3	1	2	2	3	4	6	10
2. MULTIPLE DX	1752	4.6	23	2	2	3	5	9	11	23
A. NOT OPERATED	58	3.9	9	<1	1	3	5	9	10	13
B. OPERATED	3456	3.7	14	1	2	3	4	7	9	18
TOTAL 65-69 YRS	1566	3.3	8	1	2	2	4	6	8	15
70-74	1032	3.6	10	1	2	3	4	7	9	17
75-79	560	4.0	16	2	2	3	4	7	10	26
80-84	239	4.3	36	1	2	3	4	8	11	21
85+	117	5.8	75	2	2	3	7	10	14	49
GRAND TOTAL	**3514**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**9**	**18**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.4	13	1	1	3	6	10	12	13
70-74	7	3.1	2	<1	<1	3	4	5	5	5
75-79	13	3.2	3	1	1	3	5	6	6	6
80-84	5	4.0	2	2	2	5	5	5	5	5
85+	5	4.8	6	1	1	6	6	7	7	7
B. *Operated*										
65-69 YRS	343	3.2	3	1	1	3	4	5	7	10
70-74	276	3.0	6	<1	1	2	3	5	7	13
75-79	154	3.1	4	1	1	2	4	5	8	12
80-84	55	3.1	5	<1	1	2	4	6	8	11
85+	29	3.9	7	2	2	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	4.3	13	<1	1	3	7	9	11	16
70-74	53	4.6	13	<1	1	4	7	10	12	15
75-79	35	5.2	29	1	1	3	7	11	17	26
80-84	30	6.1	14	<1	1	6	8	10	14	15
85+	14	6.6	26	2	2	6	9	11	19	21
B. *Operated*										
65-69 YRS	395	4.6	18	1	2	3	5	9	12	20
70-74	281	4.6	17	2	2	3	5	9	14	25
75-79	169	6.1	40	2	2	4	7	14	18	28
80-84	83	6.4	32	2	2	4	9	13	18	28
85+	59	6.5	29	2	2	5	8	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.9	7	1	1	3	5	7	9	13
B. *Operated*	857	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	182	5.0	17	<1	1	4	7	10	13	20
B. *Operated*	987	5.1	24	2	2	3	6	10	15	26
1. SINGLE DX	904	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1169	5.1	23	1	2	4	6	10	15	26
A. NOT OPERATED	229	4.8	15	<1	1	4	7	10	12	19
B. OPERATED	1844	4.2	16	1	2	3	5	8	11	20
TOTAL 65-69 YRS	805	3.9	12	1	2	3	5	8	10	16
70-74	617	3.9	12	1	1	3	4	7	11	18
75-79	371	4.7	25	1	1	3	5	9	15	26
80-84	173	5.3	22	1	2	4	7	10	15	27
85+	107	5.7	22	2	2	4	8	10	15	25
GRAND TOTAL	**2073**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.3	2	2	2	3	4	5	5	5
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79										
80-84	2	3.0		3	3	3	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	53	8.1	18	2	4	7	9	14	18	23
70-74	46	10.0	13	5	5	9	12	15	17	20
75-79	19	9.5	14	6	6	9	10	16	19	19
80-84	11	11.7	29	2	5	11	16	19	20	20
85+	4	15.0	74	5	5	14	20	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.1	4	1	1	4	6	7	7	7
70-74	7	4.4	15	1	1	3	7	10	11	11
75-79	4	6.3	23	1	1	6	10	12	12	12
80-84	6	5.5	3	4	4	5	7	8	8	8
85+	11	7.8	38	2	3	6	9	16	24	25
B. *Operated*										
65-69 YRS	106	10.5	23	5	6	9	14	18	20	59
70-74	111	11.9	68	6	6	9	14	20	28	52
75-79	60	13.0	57	5	6	10	16	25	27	43
80-84	41	16.0	103	7	8	13	18	27	35	60
85+	22	19.9	183	7	7	14	34	40	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	2	2	2	3	4	6	6	6
B. *Operated*	133	9.5	19	4	5	9	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	35	5.8	19	1	1	5	8	10	12	25
B. *Operated*	340	12.7	69	6	6	10	15	22	29	52
1. SINGLE DX	141	9.1	20	3	5	8	11	15	18	23
2. MULTIPLE DX	375	12.0	68	4	6	9	14	21	28	49
A. NOT OPERATED	43	5.4	17	1	2	5	7	9	11	25
B. OPERATED	473	11.8	57	5	6	9	14	20	26	44
TOTAL 65-69 YRS	169	9.4	23	3	5	8	11	17	20	27
70-74	166	11.0	53	5	6	9	13	17	24	42
75-79	83	11.8	49	5	6	9	14	22	25	40
80-84	60	13.7	90	3	5	11	16	26	30	58
85+	38	15.4	154	3	4	11	20	38	40	51
GRAND TOTAL	**516**	**11.2**	**57**	**4**	**5**	**9**	**14**	**19**	**25**	**44**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	10	3	3	5	7	11	11	11
70-74	6	5.8	9	3	3	5	9	10	10	10
75-79	4	4.5	3	2	2	5	6	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85+	6	11.0	130	<1	<1	5	20	29	30	30
B. *Operated*										
65-69 YRS	27	7.3	25	1	2	7	9	15	19	20
70-74	11	9.2	27	3	3	8	11	18	20	20
75-79	12	9.8	62	1	2	8	13	22	27	28
80-84	3	7.3	24	4	4	5	11	13	13	13
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	7.1	16	2	3	6	8	13	15	19
70-74	24	8.7	34	2	3	7	12	18	21	22
75-79	15	8.9	23	3	4	8	12	17	19	20
80-84	10	9.7	29	3	3	9	12	18	19	19
85+	10	8.5	30	3	3	7	11	17	19	19
B. *Operated*										
65-69 YRS	96	12.9	89	3	5	10	16	26	33	45
70-74	57	19.5	280	4	5	15	27	41	63	73
75-79	44	15.1	101	2	6	12	21	35	38	99+
80-84	15	27.1	124	6	17	28	30	40	48	51
85+	12	14.1	327	<1	1	7	17	42	60	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.7	37	2	3	5	7	11	22	30
B. *Operated*	55	8.1	33	1	2	7	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	90	8.3	25	3	3	7	11	16	19	21
B. *Operated*	224	16.0	167	3	5	12	22	34	42	68
1. SINGLE DX	81	7.6	34	1	2	6	9	16	20	29
2. MULTIPLE DX	314	13.8	139	3	4	10	18	30	37	65
A. NOT OPERATED	116	7.9	28	2	3	7	11	16	19	25
B. OPERATED	279	14.5	151	2	3	10	19	31	39	66
TOTAL 65-69 YRS	163	10.5	68	2	3	8	13	21	30	43
70-74	98	14.9	204	3	3	10	19	33	44	70
75-79	75	12.4	84	2	3	10	16	28	36	85
80-84	29	18.3	158	3	4	17	28	34	41	51
85+	30	10.9	166	<1	2	6	11	27	33	63
GRAND TOTAL	**395**	**12.5**	**123**	**2**	**3**	**9**	**16**	**28**	**35**	**64**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	4.6	21	<1	<1	2	7	13	13	13
70-74	8	3.3	4	<1	<1	2	5	6	6	6
75-79										
80-84										
85+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	78	8.9	34	3	5	8	9	15	19	39
70-74	46	9.1	14	3	6	8	10	15	17	22
75-79	22	11.6	122	2	2	7	14	32	37	41
80-84	6	10.5	26	5	5	9	14	18	19	19
85+	9	5.7	15	2	2	5	6	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	4.2	14	<1	1	2	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*	161	9.2	40	2	4	8	10	16	20	40
1. SINGLE DX	21	4.2	14	<1	1	2	6	11	13	13
2. MULTIPLE DX	164	9.1	39	2	4	8	10	16	20	40
A. NOT OPERATED	3	3.7	2	2	2	4	5	5	5	5
B. OPERATED	182	8.6	39	2	2	8	10	15	19	39
TOTAL 65-69 YRS	89	8.4	34	2	2	8	9	14	18	36
70-74	56	8.1	17	2	2	8	10	11	16	22
75-79	22	11.6	122	2	2	7	14	32	37	41
80-84	7	9.6	28	4	4	8	13	18	19	19
85+	11	5.7	15	2	2	5	7	12	15	15
GRAND TOTAL	**185**	**8.6**	**39**	**2**	**2**	**8**	**10**	**15**	**19**	**39**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	54	2.4	3	<1	1	2	2	4	5	11
70-74	23	3.3	8	<1	1	2	4	7	10	13
75-79	10	2.5	1	<1	1	2	3	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	6.8	8	4	4	6	9	10	10	10
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	3	8.0	3	7	7	7	9	10	10	10
80-84	2	7.5	1	7	7	7	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	156	5.5	22	1	2	4	8	11	13	25
70-74	106	5.5	19	1	2	3	8	12	14	21
75-79	59	6.1	17	2	2	5	8	12	15	20
80-84	28	6.3	31	2	2	4	8	11	21	26
85+	16	10.8	154	2	2	6	12	30	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	89	2.7	4	<1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	10	6.7	8	<1	2	7	8	10	10	10
B. *Operated*	365	5.9	28	2	2	4	8	11	15	26
1. SINGLE DX	89	2.7	4	<1	1	2	3	4	7	12
2. MULTIPLE DX	375	5.9	27	2	2	4	8	11	15	26
A. NOT OPERATED	10	6.7	8	<1	2	7	8	10	10	10
B. OPERATED	454	5.3	25	1	2	3	8	11	14	26
TOTAL 65-69 YRS	214	4.7	19	1	2	3	7	10	12	20
70-74	130	5.1	18	1	2	3	8	11	13	21
75-79	72	5.7	16	2	2	5	8	10	15	19
80-84	31	6.2	29	2	2	4	8	11	20	26
85+	17	10.5	145	2	2	7	10	28	42	48
GRAND TOTAL	**464**	**5.3**	**24**	**1**	**2**	**3**	**8**	**10**	**14**	**25**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.7	17	1	1	5	6	12	14	14
70-74	1	2.0		2	2	2	2	2	2	2
75-79	5	6.8	14	1	1	8	9	11	11	11
80-84	4	20.0	731	3	3	8	36	60	60	60
85+	12	4.9	5	1	2	6	6	8	8	8
B. *Operated*										
65-69 YRS	57	3.0	7	1	1	2	3	5	8	17
70-74	35	3.2	4	<1	1	3	4	7	7	9
75-79	22	2.7	5	<1	<1	2	3	6	9	9
80-84	12	4.2	6	2	2	4	5	8	10	10
85+	11	4.6	15	2	2	3	6	11	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	7.8	29	1	2	7	11	16	18	25
70-74	26	9.0	30	2	3	7	14	17	18	21
75-79	32	7.2	17	1	2	7	10	13	15	16
80-84	23	10.3	47	3	4	8	12	22	28	29
85+	36	9.2	25	2	3	9	12	17	20	20
B. *Operated*										
65-69 YRS	80	7.7	73	1	2	6	10	13	24	51
70-74	73	5.9	32	1	2	4	9	11	19	29
75-79	49	6.9	61	1	2	5	7	14	28	37
80-84	30	9.7	66	2	3	7	13	22	28	34
85+	23	8.6	45	1	2	8	13	21	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	7.4	113	1	1	6	8	12	16	60
B. *Operated*	137	3.3	6	<1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	155	8.6	29	2	3	7	12	16	19	27
B. *Operated*	255	7.3	56	1	2	5	10	15	24	40
1. SINGLE DX	166	4.0	27	1	1	3	5	8	9	17
2. MULTIPLE DX	410	7.8	46	2	2	6	10	16	21	35
A. NOT OPERATED	184	8.4	42	2	2	7	11	15	19	28
B. OPERATED	392	5.9	42	1	2	3	7	12	20	36
TOTAL 65-69 YRS	182	6.2	45	1	2	4	8	12	17	37
70-74	135	5.8	27	1	2	4	7	13	17	25
75-79	108	6.1	36	1	1	5	8	13	15	35
80-84	69	9.5	88	2	2	7	11	21	28	55
85+	82	7.8	29	2	2	7	10	16	20	75
GRAND TOTAL	**576**	**6.7**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.8	19	2	2	4	7	13	14	14
70-74	10	5.3	14	1	1	5	7	11	14	14
75-79	3	2.7	1	2	2	2	4	4	4	4
80-84	7	4.0	5	1	1	5	6	6	6	6
85+	5	5.2	20	2	2	4	6	13	13	13
B. *Operated*										
65-69 YRS	1221	7.9	9	4	5	7	9	11	13	18
70-74	993	8.1	10	4	5	8	9	12	14	21
75-79	589	8.3	14	4	5	8	9	12	14	23
80-84	246	8.7	11	4	5	8	10	13	16	19
85+	81	8.8	22	4	5	8	11	14	15	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	91	3.7	9	<1	1	3	5	7	9	16
70-74	91	4.8	18	1	1	4	7	11	12	23
75-79	91	6.7	84	1	1	4	7	12	24	57
80-84	61	7.3	49	1	1	6	11	15	20	93
85+	62	7.9	54	1	2	6	10	16	25	39
B. *Operated*										
65-69 YRS	2937	9.2	19	5	6	8	10	14	17	25
70-74	2372	9.7	23	5	6	9	11	15	18	26
75-79	1530	10.0	27	5	6	9	11	15	18	30
80-84	614	12.0	59	5	6	10	14	20	27	42
85+	248	12.1	53	4	5	10	15	21	25	48
SUBTOTALS:										
1. SINGLF DX										
A. *Not Operated*	35	4.9	13	1	2	4	6	13	14	14
B. *Operated*	3130	8.1	11	4	5	8	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	396	5.9	44	1	1	4	7	12	16	43
B. *Operated*	7701	9.8	27	5	6	9	11	15	19	30
1. SINGLE DX	3165	8.1	11	4	5	8	9	12	14	20
2. MULTIPLE DX	8097	9.7	28	4	5	9	11	15	18	30
A. NOT OPERATED	431	5.8	41	1	1	4	7	12	16	42
B. OPERATED	10831	9.3	23	5	5	8	11	14	17	27
TOTAL 65-69 YRS	4259	8.7	17	4	5	8	10	13	16	24
70-74	3466	9.1	20	4	5	8	10	14	17	24
75-79	2213	9.4	27	4	5	8	11	14	18	28
80-84	928	10.8	49	4	5	9	13	18	24	40
85+	396	10.7	50	3	4	9	13	19	24	44
GRAND TOTAL	**11262**	**9.2**	**24**	**4**	**5**	**8**	**11**	**14**	**17**	**27**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	1.8	1	<1	<1	1	2	3	4	4
70-74	8	3.8	5	2	2	3	5	7	8	8
75-79	7	2.7	4	<1	<1	2	3	6	7	7
80-84	12	2.3	3	1	1	2	2	6	6	6
85+	6	7.2	44	2	2	5	12	17	18	18
B. *Operated*										
65-69 YRS	685	2.0	2	<1	1	2	2	3	4	8
70-74	408	2.2	1	<1	1	2	2	3	4	7
75-79	231	2.6	4	1	1	2	3	4	6	13
80-84	92	2.7	3	1	1	2	3	5	6	10
85+	48	2.9	9	1	1	2	3	4	6	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	4.0	15	1	1	3	5	8	11	23
70-74	50	5.4	27	1	1	3	8	11	15	25
75-79	44	4.8	12	1	1	4	7	10	12	14
80-84	36	6.1	43	1	1	4	8	14	30	99+
85+	47	6.3	16	2	2	6	8	10	11	26
B. *Operated*										
65-69 YRS	1131	3.7	12	1	1	2	4	8	11	17
70-74	777	4.2	24	1	1	2	4	9	13	21
75-79	495	4.5	25	1	1	3	5	10	14	24
80-84	242	4.4	14	1	2	3	5	9	12	20
85+	122	5.4	18	2	2	4	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.2	11	<1	1	2	3	7	9	18
B. *Operated*	1464	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	238	5.2	22	1	1	4	7	10	13	27
B. *Operated*	2767	4.1	18	1	1	2	5	9	12	20
1. SINGLE DX	1507	2.2	3	<1	1	2	2	3	5	9
2. MULTIPLE DX	3005	4.2	19	1	1	3	5	9	12	20
A. NOT OPERATED	281	4.9	21	1	1	4	7	10	13	26
B. OPERATED	4231	3.5	14	1	1	2	3	8	10	18
TOTAL 65-69 YRS	1887	3.1	9	<1	1	2	3	7	9	15
70-74	1243	3.6	18	1	1	2	3	8	11	19
75-79	777	3.9	19	1	1	2	4	8	12	20
80-84	382	4.1	14	1	1	3	5	8	11	21
85+	223	5.1	18	1	2	4	6	10	13	22
GRAND TOTAL	**4512**	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**11**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.7	12	1	1	3	4	9	13	13
70-74	5	2.2	2	1	1	2	3	4	4	4
75-79	7	3.1	5	1	1	2	5	7	7	7
80-84	9	4.8	29	<1	<1	4	6	13	18	18
85+	13	4.8	19	<1	1	4	6	9	16	17
B. *Operated*										
65-69 YRS	538	3.4	29	<1	1	2	3	7	9	19
70-74	318	3.4	16	1	1	2	4	7	10	16
75-79	174	3.4	19	1	1	2	3	6	10	23
80-84	65	4.3	24	1	2	3	4	11	16	27
85+	45	5.1	26	1	2	3	5	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	4.8	37	1	1	3	5	8	16	37
70-74	58	7.5	69	1	2	5	8	15	22	49
75-79	60	8.6	60	1	2	6	12	17	21	46
80-84	54	5.9	17	1	2	5	8	12	13	22
85+	87	9.2	117	2	3	7	10	17	28	89
B. *Operated*										
65-69 YRS	1177	6.0	48	1	2	3	8	13	18	36
70-74	808	7.4	68	1	2	5	9	16	22	45
75-79	478	8.2	96	1	2	5	10	18	26	49
80-84	244	9.5	103	2	2	6	12	23	32	49
85+	157	10.1	122	1	2	6	12	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.0	15	<1	1	3	6	7	14	18
B. *Operated*	1140	3.5	23	1	1	2	3	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	321	7.4	67	1	2	5	8	15	20	55
B. *Operated*	2864	7.3	72	1	2	4	9	16	23	44
1. SINGLE DX	1184	3.5	23	1	1	2	3	7	10	22
2. MULTIPLE DX	3185	7.3	72	1	2	4	9	16	23	45
A. NOT OPERATED	365	6.9	62	1	1	5	8	14	19	50
B. OPERATED	4004	6.2	61	1	1	3	8	14	20	41
TOTAL 65-69 YRS	1787	5.2	43	1	1	3	7	11	16	33
70-74	1189	6.3	57	1	2	3	8	14	19	42
75-79	719	7.0	78	1	1	4	8	16	22	45
80-84	372	8.0	80	1	2	4	10	18	25	44
85+	302	8.9	105	1	2	6	11	19	29	69
GRAND TOTAL	**4369**	**6.3**	**61**	**1**	**1**	**3**	**8**	**14**	**20**	**41**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	4.1	12	<1	1	4	4	11	11	11
70-74	15	4.1	7	2	2	3	5	9	10	10
75-79	8	2.8	5	1	1	2	4	6	7	7
80-84	5	7.8	75	1	1	4	13	22	22	22
85+	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
65-69 YRS	322	8.6	18	2	4	8	10	13	16	23
70-74	206	8.9	20	2	4	9	10	13	17	26
75-79	124	9.5	17	3	5	9	11	14	16	24
80-84	61	10.5	32	2	4	10	14	19	20	33
85+	28	9.3	21	1	3	9	12	14	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	5.5	17	1	1	4	9	11	13	17
70-74	38	6.5	19	1	1	5	8	14	15	16
75-79	18	9.9	149	<1	1	5	10	24	40	50
80-84	22	8.5	41	2	3	6	11	19	22	25
85+	24	7.2	42	1	2	6	8	14	22	30
B. *Operated*										
65-69 YRS	505	9.8	28	3	4	9	12	17	19	26
70-74	398	10.7	40	3	5	9	13	17	21	32
75-79	286	10.7	38	2	3	10	13	18	23	31
80-84	99	11.7	62	3	3	10	14	18	24	47
85+	58	9.6	64	1	2	8	13	18	29	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	15	1	1	3	5	10	11	22
B. *Operated*	741	9.0	20	2	4	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	137	7.1	44	1	1	5	9	15	19	33
B. *Operated*	1346	10.4	38	2	4	9	13	17	22	33
1. SINGLE DX	784	8.7	21	2	3	8	11	14	17	23
2. MULTIPLE DX	1483	10.1	39	2	3	9	12	17	21	33
A. NOT OPERATED	180	6.4	38	1	1	5	8	13	19	29
B. OPERATED	2087	9.9	32	2	4	9	12	16	19	31
TOTAL 65-69 YRS	874	9.1	25	2	4	8	11	15	18	25
70-74	657	9.7	34	2	4	9	11	16	19	31
75-79	436	10.2	37	2	3	9	13	16	22	30
80-84	187	10.8	51	2	3	10	14	19	21	42
85+	113	8.8	48	1	2	8	12	17	25	65
GRAND TOTAL	**2267**	**9.6**	**33**	**2**	**3**	**9**	**12**	**16**	**19**	**31**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	356	6.7	17	2	3	6	8	11	14	20
70-74	354	7.3	18	3	3	6	9	13	15	22
75-79	245	7.8	42	2	3	6	9	13	21	33
80-84	205	7.6	26	2	3	6	9	16	18	26
85+	187	8.9	31	3	4	7	11	17	21	28
B. *Operated*										
65-69 YRS	202	9.3	83	2	3	7	10	20	27	48
70-74	151	9.5	93	2	3	7	14	20	24	41
75-79	122	10.3	78	2	3	8	13	20	29	44
80-84	76	10.5	71	1	2	9	14	20	32	86
85+	61	10.5	56	2	3	8	14	23	26	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1724	9.9	56	3	4	8	12	18	24	40
70-74	1700	10.7	67	3	4	9	13	19	24	44
75-79	1568	11.1	72	3	4	9	14	20	26	46
80-84	1372	11.4	69	3	4	9	14	21	27	52
85+	1431	11.8	89	3	4	9	15	22	29	70
B. *Operated*										
65-69 YRS	808	15.7	190	3	4	12	20	34	46	85
70-74	696	17.9	241	4	5	13	22	41	56	99+
75-79	557	18.1	220	4	5	14	23	38	51	89
80-84	385	19.2	236	4	6	15	24	37	55	90
85+	371	21.0	285	5	7	15	26	46	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	7.5	26	2	3	6	9	13	17	29
B. *Operated*	612	9.8	70	2	3	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	7795	10.9	71	3	4	9	13	20	26	49
B. *Operated*	2817	17.9	230	4	5	14	22	38	52	93
1. SINGLE DX	1959	8.2	41	2	3	7	10	16	21	33
2. MULTIPLE DX	10612	12.8	122	3	4	10	15	25	34	68
A. NOT OPERATED	9142	10.4	65	3	4	8	13	19	25	46
B. OPERATED	3429	16.5	211	3	4	12	21	35	50	89
TOTAL 65-69 YRS	3090	11.0	97	3	3	8	13	21	29	57
70-74	2901	12.0	114	3	4	9	14	23	31	65
75-79	2492	12.3	113	3	4	9	15	24	33	64
80-84	2038	12.5	108	3	4	9	15	24	33	63
85+	2050	13.2	132	3	4	10	16	25	34	79
GRAND TOTAL	12571	12.1	112	3	4	9	15	23	32	64

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	8.0	53	2	2	5	11	19	23	32
70-74	63	7.2	27	2	2	7	9	12	16	34
75-79	28	8.3	55	2	2	6	10	17	27	32
80-84	34	8.4	27	3	3	7	10	16	21	23
85+	35	8.3	31	2	3	6	11	18	20	22
B. *Operated*										
65-69 YRS	95	6.9	71	1	2	4	9	15	19	50
70-74	96	6.2	61	<1	1	4	7	12	26	41
75-79	50	6.7	37	1	1	5	9	14	15	29
80-84	30	11.5	510	1	1	3	8	32	80	96
85+	22	5.8	18	1	1	4	9	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	10.0	61	3	4	8	13	17	22	44
70-74	273	10.9	72	3	4	9	13	21	29	53
75-79	224	9.5	64	2	3	8	11	17	22	57
80-84	192	9.7	53	3	3	8	12	17	21	32
85+	229	10.7	62	2	3	9	14	21	23	40
B. *Operated*										
65-69 YRS	309	14.6	166	2	4	11	19	31	44	67
70-74	232	13.7	152	2	3	10	16	29	37	66
75-79	181	15.6	205	2	3	11	22	34	58	99+
80-84	117	15.2	159	3	4	11	20	30	39	69
85+	96	17.1	286	2	2	12	21	46	56	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.9	37	2	2	6	10	16	21	32
B. *Operated*	293	7.0	103	1	1	4	8	14	24	50
2. MULTIPLE DX										
A. *Not Operated*	1188	10.2	63	3	4	8	13	19	24	46
B. *Operated*	935	14.9	182	2	3	11	19	32	45	73
1. SINGLE DX	503	7.4	76	1	2	5	9	15	21	43
2. MULTIPLE DX	2123	12.3	121	2	3	9	15	24	34	67
A. NOT OPERATED	1398	9.8	60	2	3	8	12	18	23	41
B. OPERATED	1228	13.0	174	2	2	9	17	29	41	72
TOTAL 65-69 YRS	724	11.4	115	2	3	8	14	23	33	59
70-74	664	10.8	101	2	2	8	13	23	32	54
75-79	483	11.4	124	2	3	8	14	25	34	72
80-84	373	11.4	126	2	3	9	14	22	31	68
85+	382	11.8	123	2	3	9	15	23	32	60
GRAND TOTAL	2626	11.3	116	2	3	8	14	23	32	64

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	26	4.2	3	2	2	4	5	6	8	10
70-74	18	5.3	22	1	2	4	6	9	17	22
75-79	5	4.0	6	2	2	3	6	7	7	7
80-84	6	5.8	14	2	2	5	8	12	12	12
85+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7		5	5	6	6	6	6	6
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	24	8.0	105	2	3	5	9	12	28	53
70-74	17	7.9	33	2	3	5	12	14	20	23
75-79	6	11.5	26	3	4	11	15	18	18	18
80-84	5	10.8	154	<1	<1	6	16	32	32	32
85+	3	10.0	48	6	6	6	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	58	4.9	10	2	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	8	5.5	3	3	3	5	6	8	9	9
B. *Operated*	55	8.7	72	2	3	6	11	17	22	52
1. SINGLE DX	61	4.7	10	2	2	4	6	8	10	21
2. MULTIPLE DX	63	8.3	64	2	3	6	11	15	20	50
A. NOT OPERATED	11	4.6	5	1	2	5	6	7	9	9
B. OPERATED	113	6.7	44	2	2	5	8	12	18	40
TOTAL 65-69 YRS	54	5.9	51	2	3	4	6	10	11	52
70-74	38	6.4	26	2	2	4	9	13	19	23
75-79	13	8.0	26	2	2	7	11	16	18	18
80-84	12	7.7	70	<1	1	5	9	18	30	32
85+	7	7.7	23	3	4	6	8	16	18	18
GRAND TOTAL	124	6.5	40	2	2	5	8	12	17	37

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	7	1	1	5	7	7	7	7
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	180	2.0	2	<1	<1	2	2	4	5	8
70-74	110	2.6	14	<1	<1	2	3	4	7	25
75-79	75	2.3	4	<1	<1	2	3	5	8	10
80-84	29	2.3	4	<1	<1	2	3	5	8	9
85+	17	3.4	8	<1	<1	2	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.4	2	2	2	4	4	5	5	5
70-74	5	6.0	7	2	2	7	8	8	8	8
75-79	8	8.3	25	3	4	7	10	17	19	19
80-84	5	6.8	12	2	2	7	10	10	10	10
85+	4	6.5	4	4	4	6	8	9	9	9
B. *Operated*										
65-69 YRS	148	5.5	74	<1	1	3	6	11	19	62
70-74	104	4.2	13	<1	1	3	5	9	11	19
75-79	62	5.5	34	<1	1	3	6	14	16	29
80-84	42	8.4	90	1	2	6	10	18	23	56
85+	22	6.8	37	1	1	4	10	13	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	8	<1	<1	3	7	8	8	8
B. *Operated*	411	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	27	6.4	13	2	2	6	8	10	12	19
B. *Operated*	378	5.5	51	<1	1	3	6	12	17	39
1. SINGLE DX	420	2.4	6	<1	<1	2	3	4	7	11
2. MULTIPLE DX	405	5.6	49	1	1	3	6	12	16	35
A. NOT OPERATED	36	5.8	13	1	2	5	8	10	11	19
B. OPERATED	789	3.9	30	<1	<1	2	4	8	12	25
TOTAL 65-69 YRS	338	3.6	36	<1	<1	2	4	7	10	26
70-74	221	3.4	14	<1	<1	2	4	8	10	22
75-79	146	4.0	21	<1	<1	2	5	9	14	26
80-84	76	6.0	60	<1	1	4	7	12	19	47
85+	44	5.3	25	<1	<1	3	8	11	13	27
GRAND TOTAL	825	3.9	30	<1	<1	2	4	8	12	25

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	9.9	92	2	3	7	12	20	27	65
70-74	229	10.6	104	2	2	7	14	21	27	60
75-79	173	11.5	109	2	3	8	15	22	33	56
80-84	180	11.7	121	2	3	8	15	25	31	51
85+	158	13.1	136	3	4	9	16	27	37	65
B. *Operated*										
65-69 YRS	711	6.7	84	<1	1	3	7	18	25	41
70-74	541	7.9	133	<1	1	3	9	19	30	64
75-79	394	10.8	191	<1	1	5	15	27	38	73
80-84	276	11.7	202	1	2	6	16	30	38	66
85+	204	13.9	182	1	1	10	21	33	38	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1276	12.0	131	2	3	9	15	24	33	66
70-74	1317	13.2	136	3	4	10	16	28	40	80
75-79	1420	13.7	151	3	4	10	17	27	37	87
80-84	1249	15.1	190	3	4	11	19	33	47	93
85+	1233	15.1	167	3	5	12	19	31	43	95
B. *Operated*										
65-69 YRS	1576	15.8	290	1	2	10	22	40	57	94
70-74	1370	19.3	357	2	2	13	27	49	65	99+
75-79	1266	19.2	307	2	3	15	26	47	69	99+
80-84	922	22.2	355	2	4	17	33	55	74	99+
85+	918	24.7	400	2	5	20	33	57	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	11.2	111	2	3	8	14	22	31	58
B. *Operated*	2126	9.1	146	<1	1	4	12	24	33	63
2. MULTIPLE DX										
A. *Not Operated*	6495	13.8	156	3	4	10	17	29	40	86
B. *Operated*	6052	19.6	344	2	2	14	28	49	67	99+
1. SINGLE DX	3111	9.8	136	1	1	5	13	24	33	61
2. MULTIPLE DX	12547	16.6	255	2	3	12	22	39	56	99+
A. NOT OPERATED	7480	13.5	151	3	4	10	17	28	39	82
B. OPERATED	8178	16.9	314	1	2	11	24	44	61	99+
TOTAL 65-69 YRS	3808	12.4	197	1	2	8	16	30	43	78
70-74	3457	14.6	238	2	2	10	19	37	51	94
75-79	3253	15.4	224	2	3	11	20	34	53	99+
80-84	2627	17.0	260	2	3	12	23	41	57	99+
85+	2513	18.4	275	3	4	13	24	42	58	98
GRAND TOTAL	**15658**	**15.3**	**239**	**2**	**2**	**10**	**20**	**36**	**52**	**98**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	9.2	57	2	3	7	10	15	32	36
70-74	25	11.1	71	3	3	9	14	20	29	39
75-79	16	9.1	38	3	3	9	11	14	24	28
80-84	6	6.5	6	5	5	6	7	11	11	11
85+	4	7.8	58	2	2	5	12	19	19	19
B. *Operated*										
65-69 YRS	26	12.0	132	1	2	7	14	29	39	45
70-74	24	12.5	105	2	3	10	14	29	36	45
75-79	13	9.2	64	1	2	9	13	21	25	26
80-84	3	9.0	28	5	5	7	13	15	15	15
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	11.9	111	2	3	9	14	25	33	56
70-74	204	12.2	107	3	4	9	15	26	34	51
75-79	130	11.7	47	3	4	9	16	22	26	31
80-84	55	12.5	104	4	4	9	14	33	40	43
85+	22	10.8	71	3	3	9	11	21	34	36
B. *Operated*										
65-69 YRS	167	18.8	264	3	5	15	23	34	57	80
70-74	104	20.0	250	4	5	16	26	43	56	77
75-79	69	19.7	292	4	5	15	25	39	45	91
80-84	34	22.9	278	3	8	19	30	50	58	73
85+	3	13.0	169	5	5	6	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	9.4	54	2	3	7	11	18	27	38
B. *Operated*	67	11.6	101	1	2	9	15	26	33	45
2. MULTIPLE DX										
A. *Not Operated*	667	12.0	95	3	3	9	15	24	33	51
B. *Operated*	377	19.6	265	3	5	16	25	38	57	83
1. SINGLE DX	165	10.3	74	2	3	8	12	21	30	44
2. MULTIPLE DX	1044	14.7	170	3	4	11	19	30	39	70
A. NOT OPERATED	765	11.6	91	3	3	9	14	24	32	50
B. OPERATED	444	18.4	248	3	4	14	24	37	50	81
TOTAL 65-69 YRS	496	14.0	170	3	3	10	18	28	37	74
70-74	357	14.4	158	3	4	10	17	31	42	62
75-79	228	13.8	136	3	4	10	18	27	33	65
80-84	98	15.7	184	4	5	11	20	35	43	66
85+	30	10.8	72	3	3	8	14	23	33	36
GRAND TOTAL	**1209**	**14.1**	**159**	**3**	**4**	**10**	**17**	**29**	**38**	**68**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	240	10.2	55	3	4	8	13	19	22	41
70-74	199	9.8	53	3	3	8	12	18	26	36
75-79	118	10.0	47	3	4	8	13	19	25	36
80-84	59	9.5	67	2	3	8	12	19	24	50
85+	30	7.4	18	2	3	7	9	13	15	20
B. *Operated*										
65-69 YRS	461	13.0	87	2	3	12	17	24	29	47
70-74	277	13.3	101	2	3	12	18	26	31	49
75-79	102	14.2	91	3	3	12	20	28	31	44
80-84	42	17.1	99	4	6	16	23	31	35	47
85+	8	18.0	240	4	4	12	33	39	41	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1119	11.1	74	3	4	9	14	20	26	42
70-74	1040	11.4	78	3	4	9	14	21	27	52
75-79	741	11.2	74	3	4	9	14	21	28	53
80-84	4C4	11.4	87	3	3	9	15	22	35	59
85+	164	11.7	66	3	4	10	14	21	28	59
B. *Operated*										
65-69 YRS	793	15.1	165	3	4	12	19	30	43	63
70-74	617	16.9	197	3	4	14	22	36	52	94
75-79	310	19.8	241	3	5	16	25	42	58	99+
80-84	112	18.1	280	3	5	13	22	47	69	99+
85+	39	17.6	191	5	6	13	22	43	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	9.9	52	3	3	8	12	19	23	35
B. *Operated*	890	13.5	94	2	3	12	18	26	31	48
2. MULTIPLE DX										
A. *Not Operated*	3468	11.3	76	3	4	9	14	21	27	52
B. *Operated*	1871	16.7	198	3	4	13	21	35	50	87
1. SINGLE DX	1536	12.0	80	2	3	10	16	23	29	42
2. MULTIPLE DX	5339	13.2	126	3	4	10	17	25	36	67
A. NOT OPERATED	4114	11.0	73	3	4	9	14	21	26	51
B. OPERATED	2761	15.7	167	3	4	13	20	31	44	80
TOTAL 65-69 YRS	2613	12.5	106	3	4	10	16	24	30	53
70-74	2133	13.1	120	3	4	10	17	25	34	60
75-79	1271	13.4	127	3	4	10	17	27	36	72
80-84	617	12.9	129	3	4	10	16	25	39	85
85+	241	12.3	93	3	4	10	15	23	34	60
GRAND TOTAL	**6875**	**12.9**	**116**	**3**	**4**	**10**	**17**	**25**	**34**	**62**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	6.3	25	1	2	5	8	12	16	26
70-74	245	6.8	20	1	2	6	9	13	15	22
75-79	236	7.7	33	2	2	7	10	14	20	30
80-84	190	8.0	37	1	2	7	11	16	21	28
85+	202	7.8	37	2	2	7	10	15	18	67
B. *Operated*										
65-69 YRS	2779	13.7	54	2	4	14	17	22	25	37
70-74	2573	15.2	50	3	6	15	19	24	27	38
75-79	1808	16.1	56	4	8	16	20	24	28	39
80-84	763	18.1	72	5	9	17	21	27	33	55
85+	230	19.6	91	9	10	17	23	29	38	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1400	7.8	37	2	3	6	10	14	18	29
70-74	1730	8.6	42	2	3	7	11	15	20	33
75-79	1921	9.0	51	2	3	7	11	17	21	39
80-84	1698	10.1	81	2	3	8	12	19	25	57
85+	1495	10.8	106	2	3	8	13	21	29	69
B. *Operated*										
65-69 YRS	3008	15.6	96	3	4	14	19	27	34	51
70-74	3014	17.7	115	3	6	16	22	30	38	60
75-79	2402	19.7	132	4	8	18	24	33	41	73
80-84	1288	20.8	139	6	9	19	25	34	43	69
85+	483	22.5	183	6	8	19	28	40	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1084	7.3	30	1	2	6	10	14	18	28
B. *Operated*	8153	15.3	58	3	6	15	19	26	28	39
2. MULTIPLE DX										
A. *Not Operated*	8244	9.2	64	2	3	7	11	17	22	45
B. *Operated*	10195	18.2	124	3	6	16	23	31	39	63
1. SINGLE DX	9237	14.3	61	3	4	14	18	23	27	39
2. MULTIPLE DX	18439	14.2	117	3	4	12	18	27	34	58
A. NOT OPERATED	9328	9.0	60	2	3	7	11	17	22	43
B. OPERATED	18348	16.9	97	3	6	16	21	28	34	55
TOTAL 65-69 YRS	7398	13.2	76	2	3	12	17	23	28	44
70-74	7562	14.4	87	3	4	14	18	25	31	48
75-79	6367	15.0	104	3	4	14	19	26	33	55
80-84	3939	15.0	122	3	4	13	20	28	35	61
85+	2410	13.7	141	3	3	10	18	28	38	71
GRAND TOTAL	**27676**	**14.2**	**98**	**3**	**4**	**13**	**18**	**25**	**32**	**52**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	104	6.3	20	1	2	5	8	13	15	21
70-74	95	7.7	64	1	2	4	9	18	27	39
75-79	74	6.2	20	1	1	5	8	13	16	19
80-84	65	7.3	25	2	2	6	10	15	18	21
85+	73	7.8	34	1	2	6	10	15	19	30
B. Operated										
65-69 YRS	235	11.9	71	2	3	11	17	21	26	39
70-74	197	14.7	105	3	3	14	18	25	34	62
75-79	135	16.4	81	4	7	16	19	25	30	52
80-84	52	15.5	103	3	4	15	19	29	40	48
85+	20	17.8	94	2	4	17	22	34	36	36
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	396	8.7	53	2	3	7	11	16	23	39
70-74	425	9.6	81	2	3	7	12	18	25	51
75-79	423	10.5	84	2	3	8	13	21	28	47
80-84	368	10.6	88	2	3	8	13	21	28	48
85+	325	9.3	44	2	3	8	12	18	23	33
B. Operated										
65-69 YRS	313	16.4	231	2	3	12	21	36	49	79
70-74	258	18.9	201	3	4	17	24	34	48	83
75-79	205	20.4	199	4	5	18	28	41	51	84
80-84	132	20.8	221	3	4	18	26	38	57	71
85+	71	22.5	265	3	6	17	32	43	46	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	7.0	33	1	2	5	9	14	18	29
B. Operated	639	14.2	90	3	3	14	18	24	31	52
2. MULTIPLE DX										
A. Not Operated	1937	9.8	71	2	3	7	12	19	26	46
B. Operated	979	18.9	221	3	4	16	25	38	50	74
1. SINGLE DX	1050	11.4	80	2	3	10	16	21	27	46
2. MULTIPLE DX	2916	12.8	140	2	3	9	17	28	37	64
A. NOT OPERATED	2348	9.3	66	2	3	7	12	18	24	43
B. OPERATED	1618	17.1	174	3	4	15	21	33	44	70
TOTAL 65-69 YRS	1048	11.5	119	2	3	8	15	23	33	58
70-74	975	12.9	133	2	3	10	17	26	34	65
75-79	837	13.5	128	2	3	10	17	28	36	60
80-84	617	12.9	131	2	3	9	17	26	36	62
85+	489	11.3	100	2	3	8	14	23	32	46
GRAND TOTAL	**3966**	**12.4**	**125**	**2**	**3**	**9**	**16**	**25**	**34**	**60**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	5.6	13	2	2	5	6	12	14	14
70-74	12	5.5	27	1	1	3	9	14	15	15
75-79	7	3.3	6	<1	<1	3	4	7	8	8
80-84	2	6.0	2	5	5	6	7	7	7	7
85+	1	24.0		24	24	24	24	24	24	24
B. Operated										
65-69 YRS	274	4.4	10	1	2	4	6	8	10	17
70-74	136	6.0	24	2	2	5	7	10	19	24
75-79	79	5.8	25	1	1	4	8	15	17	23
80-84	22	8.3	137	2	2	5	7	17	35	56
85+	9	7.0	31	1	2	6	9	16	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	5.7	18	1	1	5	8	12	14	18
70-74	32	8.2	49	1	2	7	10	16	25	33
75-79	14	6.4	29	<1	1	5	9	14	17	18
80-84	18	8.3	31	2	2	8	12	16	19	21
85+	12	7.8	8	2	4	8	10	11	12	12
B. Operated										
65-69 YRS	569	4.8	16	1	2	4	6	9	13	20
70-74	321	6.3	35	2	2	5	8	12	16	25
75-79	178	6.6	26	1	2	5	9	14	16	27
80-84	63	8.5	63	2	2	6	12	17	23	42
85+	31	9.9	123	2	2	7	11	21	37	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.7	28	1	1	4	7	14	15	24
B. Operated	520	5.2	22	1	2	4	6	9	16	22
2. MULTIPLE DX										
A. Not Operated	102	7.3	31	1	2	7	9	14	17	29
B. Operated	1162	5.8	30	1	2	4	7	12	16	27
1. SINGLE DX	550	5.3	23	1	2	4	6	10	16	23
2. MULTIPLE DX	1264	6.0	30	1	2	4	8	12	16	27
A. NOT OPERATED	132	6.9	30	1	1	6	9	14	17	27
B. OPERATED	1682	5.7	27	1	2	4	7	11	16	24
TOTAL 65-69 YRS	877	4.7	14	1	2	4	6	9	13	19
70-74	501	6.3	33	2	2	5	8	12	18	25
75-79	278	6.2	25	1	2	5	8	14	16	24
80-84	105	8.4	70	2	2	6	11	16	21	49
85+	53	9.2	83	2	2	7	10	20	24	54
GRAND TOTAL	**1814**	**5.7**	**28**	**1**	**2**	**4**	**7**	**11**	**16**	**25**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	6.2	39	1	1	4	8	13	19	35
70-74	90	6.0	12	1	2	6	8	11	12	17
75-79	89	6.9	41	1	1	4	10	14	20	30
80-84	72	7.0	29	1	2	6	9	13	20	28
85+	66	7.1	35	1	2	6	9	15	22	28
B. *Operated*										
65-69 YRS	258	6.8	53	1	1	4	8	16	19	32
70-74	171	8.4	78	1	1	5	11	18	24	49
75-79	115	9.3	96	1	2	5	13	18	25	52
80-84	46	10.3	141	1	2	6	13	23	40	58
85+	33	12.4	130	1	2	9	20	35	41	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	286	8.4	48	2	2	7	10	18	22	32
70-74	294	8.5	40	2	2	7	11	18	21	32
75-79	307	9.0	76	2	3	7	11	17	22	40
80-84	266	9.0	52	2	3	7	12	17	24	37
85+	265	9.0	63	2	3	7	11	16	22	47
B. *Operated*										
65-69 YRS	335	10.4	102	2	2	7	14	23	29	52
70-74	282	12.4	168	2	2	8	17	27	35	66
75-79	193	13.8	148	2	3	11	17	30	38	76
80-84	107	14.9	203	2	3	11	18	31	37	78
85+	70	16.1	206	2	4	14	21	36	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	6.6	31	1	1	5	8	13	19	28
B. *Operated*	623	8.2	80	1	1	5	11	18	24	50
2. MULTIPLE DX										
A. *Not Operated*	1418	8.8	56	2	2	7	11	17	22	36
B. *Operated*	987	12.5	151	2	2	9	17	27	36	68
1. SINGLE DX	1032	7.6	61	1	1	5	10	17	22	43
2. MULTIPLE DX	2405	10.3	98	2	2	7	13	21	29	55
A. NOT OPERATED	1827	8.3	51	1	2	7	11	16	22	34
B. OPERATED	1610	10.9	128	1	2	7	15	23	33	60
TOTAL 65-69 YRS	971	8.5	70	1	2	6	11	19	23	40
70-74	837	9.5	93	1	2	7	12	20	27	50
75-79	704	10.1	100	2	2	7	13	20	29	53
80-84	491	10.1	96	2	2	7	13	21	29	58
85+	434	10.1	94	1	2	7	13	22	32	60
GRAND TOTAL	**3437**	**9.5**	**89**	**1**	**2**	**7**	**12**	**20**	**26**	**51**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	2	8.5	1	8	8	8	9	9	9	9
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	22.0	578	5	5	22	39	39	39	39
B. *Operated*										
65-69 YRS	2	15.0	8	13	13	15	17	17	17	17
70-74	2	20.5	41	16	16	20	25	25	25	25
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	10.7	29	3	4	11	14	20	20	21
70-74	33	10.8	53	2	3	9	16	23	29	99+
75-79	17	9.8	38	2	3	9	13	20	22	22
80-84	10	9.8	23	3	3	9	15	16	17	17
85+	8	16.9	412	5	5	8	18	52	65	65
B. *Operated*										
65-69 YRS	14	14.4	132	3	6	11	14	27	43	48
70-74	7	13.0	52	5	5	12	18	24	25	25
75-79	3	20.3	160	9	9	18	30	34	34	34
80-84	1	10.0		10	10	10	10	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.2	130	2	2	5	8	27	39	39
B. *Operated*	4	17.8	26	13	13	16	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	93	11.0	70	3	3	9	15	21	23	85
B. *Operated*	25	14.5	104	4	7	11	18	25	37	48
1. SINGLE DX	13	11.8	110	2	3	8	16	28	37	39
2. MULTIPLE DX	118	11.7	78	3	3	10	15	22	26	76
A. NOT OPERATED	102	10.8	74	2	3	9	15	21	24	81
B. OPERATED	29	15.0	93	5	7	12	18	25	35	48
TOTAL 65-69 YRS	43	11.8	64	3	4	11	14	20	24	48
70-74	44	11.5	52	2	3	9	16	25	27	99+
75-79	22	10.6	64	2	3	9	15	21	27	34
80-84	12	9.7	19	3	4	9	13	16	17	17
85+	10	17.9	389	5	5	8	22	52	65	65
GRAND TOTAL	**131**	**11.8**	**80**	**3**	**3**	**10**	**15**	**22**	**26**	**71**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	314	7.2	20	2	3	6	10	12	15	26
70-74	291	7.3	25	2	3	6	9	14	17	23
75-79	217	7.4	25	2	3	6	9	13	19	24
80-84	155	8.0	39	2	2	7	10	14	19	36
85+	108	7.9	30	2	2	7	10	15	18	62
B. *Operated*										
65-69 YRS	280	10.0	77	2	2	8	13	20	25	44
70-74	177	10.8	109	2	2	9	13	23	32	56
75-79	96	11.1	80	2	3	9	15	23	29	45
80-84	33	13.4	105	2	3	11	18	27	38	40
85+	12	10.8	213	1	2	7	12	26	51	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1669	8.2	30	2	3	7	10	14	18	28
70-74	1785	9.0	44	2	3	7	11	17	21	34
75-79	1756	9.4	44	3	3	8	12	17	22	32
80-84	1350	10.0	58	3	4	8	13	19	23	35
85+	1090	11.0	94	3	3	8	14	21	30	61
B. *Operated*										
65-69 YRS	753	13.3	137	2	3	10	16	26	35	72
70-74	602	15.2	146	3	4	12	19	29	39	75
75-79	439	16.7	186	3	4	13	21	35	46	80
80-84	194	16.6	172	4	5	13	21	31	41	86
85+	88	15.1	104	4	6	13	21	28	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	7.4	26	2	3	6	10	13	16	27
B. *Operated*	598	10.6	91	2	2	8	14	22	27	49
2. MULTIPLE DX										
A. *Not Operated*	7650	9.4	52	3	3	8	12	17	22	36
B. *Operated*	2076	14.9	154	3	4	12	19	29	41	78
1. SINGLE DX	1683	8.6	51	2	2	7	11	16	22	37
2. MULTIPLE DX	9726	10.6	78	3	3	8	13	20	26	47
A. NOT OPERATED	8735	9.1	49	2	3	7	11	17	22	35
B. OPERATED	2674	14.0	143	2	3	11	18	27	38	74
TOTAL 65-69 YRS	3016	9.5	65	2	3	8	12	18	23	42
70-74	2855	10.2	75	2	3	8	13	20	26	45
75-79	2508	10.6	77	2	3	8	13	20	26	48
80-84	1732	10.6	75	3	3	8	13	20	26	44
85+	1298	11.1	92	3	3	9	14	21	30	62
GRAND TOTAL	11409	10.3	75	2	3	8	13	20	26	46

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	388	9.1	35	2	3	8	12	16	19	27
70-74	284	9.7	39	2	4	8	12	16	21	32
75-79	158	10.1	36	2	3	9	14	18	21	26
80-84	57	9.0	44	1	3	7	12	16	19	36
85+	33	11.3	55	2	3	11	15	21	28	38
B. *Operated*										
65-69 YRS	926	11.2	54	2	3	10	15	20	24	36
70-74	457	12.5	66	2	3	11	16	22	28	37
75-79	207	13.7	73	2	3	13	18	25	30	38
80-84	62	16.8	136	2	4	15	21	32	45	49
85+	25	12.6	56	2	3	14	18	21	24	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1017	10.1	36	3	4	9	13	18	21	29
70-74	827	10.6	54	3	4	9	14	19	24	35
75-79	655	11.0	45	3	4	10	14	20	24	36
80-84	386	11.2	56	3	4	10	14	20	25	37
85+	240	11.5	61	3	4	9	15	22	27	41
B. *Operated*										
65-69 YRS	1196	14.9	109	3	4	13	19	28	36	51
70-74	761	17.2	133	3	5	15	23	31	38	58
75-79	416	18.3	146	3	5	16	23	33	40	69
80-84	162	19.5	181	4	8	17	23	39	47	73
85+	53	17.2	192	2	4	15	21	35	60	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	920	9.5	37	2	3	8	12	17	20	30
B. *Operated*	1677	12.1	64	2	3	11	16	21	27	39
2. MULTIPLE DX										
A. *Not Operated*	3125	10.7	47	3	4	9	14	19	24	34
B. *Operated*	2590	16.4	130	3	5	14	21	31	38	60
1. SINGLE DX	2597	11.2	56	2	3	10	15	20	25	37
2. MULTIPLE DX	5715	13.3	93	3	4	11	17	25	31	49
A. NOT OPERATED	4045	10.4	45	3	4	9	13	19	23	33
B. OPERATED	4267	14.7	109	2	4	13	19	28	34	53
TOTAL 65-69 YRS	3527	11.9	70	2	4	10	15	22	27	40
70-74	2329	13.0	90	3	4	11	17	25	30	49
75-79	1438	13.4	88	3	4	11	18	25	31	47
80-84	667	13.6	107	3	4	11	17	25	32	51
85+	351	12.4	83	3	4	11	17	23	28	64
GRAND TOTAL	8312	12.6	83	2	4	11	16	24	29	47

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	151	7.7	22	2	3	7	10	14	17	23
70-74	105	8.1	20	3	4	7	10	14	18	23
75-79	59	8.5	41	2	3	7	11	16	19	35
80-84	29	9.9	32	5	5	8	12	17	25	27
85+	7	8.3	49	3	3	5	13	20	21	21
B. *Operated*										
65-69 YRS	187	9.9	39	2	3	9	13	19	22	31
70-74	80	10.1	72	1	2	9	13	22	28	40
75-79	31	13.2	156	3	4	11	15	18	34	71
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	3	9.3	140	2	2	3	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	456	9.2	38	2	3	8	11	16	21	39
70-74	370	9.5	46	2	3	8	12	18	24	34
75-79	271	9.7	39	3	3	8	13	17	22	26
80-84	176	10.9	70	2	4	9	14	21	25	41
85+	126	9.4	26	3	4	9	12	16	19	28
B. *Operated*										
65-69 YRS	281	13.7	88	3	3	12	18	26	32	44
70-74	158	17.3	237	3	5	14	22	33	48	95
75-79	87	15.8	125	2	4	13	21	31	40	50
80-84	25	20.7	347	2	5	16	28	39	96	99+
85+	14	15.3	309	2	4	9	11	55	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	8.2	26	2	3	7	10	14	18	27
B. *Operated*	303	10.3	61	2	2	9	13	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	1399	9.6	43	2	3	8	12	17	22	33
B. *Operated*	565	15.4	154	3	4	12	20	30	40	80
1. SINGLE DX	654	9.1	43	2	3	8	12	16	21	31
2. MULTIPLE DX	1964	11.2	82	2	3	9	14	21	28	45
A. NOT OPERATED	1750	9.3	40	2	3	8	12	17	21	32
B. OPERATED	868	13.6	127	2	3	11	17	27	33	57
TOTAL 65-69 YRS	1075	10.3	53	2	3	9	13	20	25	39
70-74	713	11.1	98	2	3	9	14	22	28	49
75-79	448	11.0	70	3	3	9	14	20	26	43
80-84	232	11.8	103	2	4	9	14	24	29	73
85+	150	9.9	56	3	4	8	12	17	20	55
GRAND TOTAL	2618	10.7	73	2	3	9	13	20	26	43

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	7.3	30	1	2	7	10	12	13	34
70-74	36	7.5	22	2	2	7	9	14	16	22
75-79	26	8.4	23	3	5	7	10	13	19	25
80-84	14	6.3	12	1	2	7	9	10	12	12
85+	6	7.0	26	2	2	6	8	15	16	16
B. *Operated*										
65-69 YRS	15	8.8	54	1	1	9	13	23	24	24
70-74	4	13.0	113	3	3	10	19	28	28	28
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	142	9.2	25	3	3	8	12	15	19	28
70-74	108	8.8	31	3	3	7	11	16	20	31
75-79	113	11.4	50	3	5	10	13	20	28	36
80-84	64	10.5	42	3	3	9	14	19	24	31
85+	47	10.5	28	3	4	10	14	17	21	24
B. *Operated*										
65-69 YRS	33	12.0	39	4	5	10	17	18	26	28
70-74	16	16.6	137	5	6	14	21	34	42	45
75-79	12	13.3	68	4	5	12	18	24	31	32
80-84	3	14.7	36	9	9	14	19	21	21	21
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	7.4	24	1	2	7	9	13	15	26
B. *Operated*	21	9.9	59	1	2	9	13	23	26	28
2. MULTIPLE DX										
A. *Not Operated*	474	9.9	36	3	3	9	13	17	22	31
B. *Operated*	65	13.4	69	4	5	12	17	22	30	43
1. SINGLE DX	159	7.8	29	1	2	7	10	13	17	28
2. MULTIPLE DX	539	10.3	41	3	4	9	13	18	23	32
A. NOT OPERATED	612	9.4	34	2	3	8	12	16	21	31
B. OPERATED	86	12.5	66	3	4	11	17	23	28	41
TOTAL 65-69 YRS	246	9.1	32	2	3	8	12	16	19	28
70-74	164	9.4	46	2	3	7	12	17	22	35
75-79	153	11.0	47	3	5	9	13	19	27	35
80-84	81	9.9	40	2	3	9	12	18	24	30
85+	54	10.1	28	3	3	9	14	16	21	24
GRAND TOTAL	698	9.7	39	2	3	8	12	17	22	32

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	111	7.5	25	2	2	7	10	14	18	23
70-74	81	8.7	42	2	3	7	11	16	21	38
75-79	57	9.5	42	2	3	7	14	18	24	29
80-84	22	8.8	42	2	3	7	11	21	23	25
85+	16	8.7	48	1	2	6	13	19	23	25
B. Operated										
65-69 YRS	33	8.0	59	1	2	5	12	22	26	28
70-74	24	9.3	38	1	2	8	14	18	20	22
75-79	7	12.0	33	2	3	13	17	19	19	19
80-84	1	10.0		10	10	10	10	10	10	10
85+	3	13.3	20	9	9	13	17	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	299	9.6	34	3	4	8	12	18	22	27
70-74	287	10.1	40	3	4	9	13	18	25	32
75-79	251	10.5	37	4	4	9	13	18	24	30
80-84	143	11.4	50	3	4	10	14	21	26	36
85+	107	11.6	64	3	4	10	14	25	29	67
B. Operated										
65-69 YRS	87	15.4	100	3	4	14	20	31	36	45
70-74	66	15.1	72	3	5	14	21	27	29	35
75-79	38	14.2	65	5	5	13	18	21	33	39
80-84	18	20.2	117	7	10	17	23	35	44	49
85+	10	19.2	143	6	6	16	27	38	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	287	8.4	36	2	2	7	11	16	21	27
B. Operated	68	9.1	47	1	2	8	14	19	22	28
2. MULTIPLE DX										
A. Not Operated	1087	10.4	42	3	4	9	13	19	24	32
B. Operated	219	15.7	90	3	5	14	20	29	36	43
1. SINGLE DX	355	8.5	38	2	2	7	12	17	21	28
2. MULTIPLE DX	1306	11.3	54	3	4	9	14	21	27	38
A. NOT OPERATED	1374	10.0	41	3	4	8	13	18	24	32
B. OPERATED	287	14.1	87	2	3	13	19	27	33	41
TOTAL 65-69 YRS	530	10.0	51	2	3	8	13	20	24	36
70-74	458	10.5	49	3	4	9	14	19	25	34
75-79	353	10.8	42	3	4	9	14	19	24	31
80-84	184	12.0	63	3	4	10	15	22	29	40
85+	136	11.9	70	3	4	10	15	25	30	50
GRAND TOTAL	1661	10.7	52	3	4	9	14	20	25	36

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	566	8.2	34	2	2	7	10	15	19	30
70-74	412	8.1	28	2	2	7	11	15	18	24
75-79	270	8.3	32	2	2	7	11	16	20	25
80-84	176	8.5	37	1	2	7	12	17	21	26
85+	114	8.3	49	1	2	7	11	17	20	38
B. Operated										
65-69 YRS	526	9.6	61	1	2	9	13	18	24	38
70-74	377	10.2	70	1	2	9	14	20	28	39
75-79	209	11.6	71	2	2	10	16	22	28	40
80-84	68	11.1	68	1	2	10	14	22	27	38
85+	27	14.5	179	2	2	12	20	29	41	62
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1701	8.8	41	2	3	7	11	16	20	35
70-74	1574	9.5	49	2	3	8	12	18	23	34
75-79	1282	9.9	59	2	3	8	13	19	23	38
80-84	910	10.2	61	2	3	8	13	20	24	40
85+	692	10.4	66	2	3	8	13	19	24	36
B. Operated										
65-69 YRS	1051	13.3	102	2	3	11	17	26	33	48
70-74	818	15.6	153	2	3	12	21	32	40	59
75-79	504	16.4	140	3	4	14	23	32	40	65
80-84	224	17.7	159	3	4	16	23	33	44	70
85+	78	19.6	134	3	7	20	26	36	47	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1538	8.2	33	2	2	7	11	16	20	26
B. Operated	1207	10.3	69	1	2	9	14	20	26	40
2. MULTIPLE DX										
A. Not Operated	6159	9.6	53	2	3	8	12	18	23	36
B. Operated	2675	15.1	133	2	3	12	20	30	38	58
1. SINGLE DX	2745	9.1	50	1	2	8	12	17	23	35
2. MULTIPLE DX	8834	11.3	84	2	3	9	14	22	29	47
A. NOT OPERATED	7697	9.3	49	2	3	8	12	18	22	35
B. OPERATED	3882	13.6	118	2	3	11	18	27	35	55
TOTAL 65-69 YRS	3844	10.0	63	2	3	8	13	19	25	40
70-74	3181	11.0	83	2	3	9	14	22	29	49
75-79	2265	11.3	83	2	3	9	15	22	28	44
80-84	1378	11.2	82	2	3	9	15	22	28	47
85+	911	11.0	80	2	3	9	14	22	28	50
GRAND TOTAL	11579	10.8	76	2	3	9	14	21	27	44

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	141	5.5	12	1	2	5	8	10	12	17
70-74	106	5.7	27	1	2	4	7	12	17	27
75-79	94	5.8	15	1	2	5	8	11	13	20
80-84	48	5.7	19	2	2	4	8	12	14	18
85+	46	6.1	16	1	2	5	8	11	13	21
B. *Operated*										
65-69 YRS	733	3.4	9	<1	1	3	4	6	8	16
70-74	402	3.6	11	<1	<1	3	4	7	10	19
75-79	198	3.6	10	<1	1	3	4	8	10	18
80-84	95	4.6	39	<1	1	3	5	9	12	41
85+	23	5.0	14	1	1	3	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	419	7.9	29	2	2	7	10	14	18	28
70-74	367	7.5	23	2	3	6	10	14	17	22
75-79	338	8.5	35	2	3	7	11	16	20	27
80-84	234	8.8	50	2	3	7	11	18	21	37
85+	177	9.1	39	2	3	8	12	16	22	43
B. *Operated*										
65-69 YRS	702	6.0	50	1	2	4	7	11	17	37
70-74	424	6.7	54	1	2	4	8	15	21	39
75-79	268	7.8	74	2	2	5	9	18	24	51
80-84	97	7.8	55	2	2	6	9	16	26	37
85+	42	10.7	119	1	2	6	14	26	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	5.7	17	1	2	5	7	11	13	20
B. *Operated*	1451	3.6	12	<1	1	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	1555	8.2	33	2	3	7	11	15	19	29
B. *Operated*	1533	6.8	58	1	2	4	8	15	21	41
1. SINGLE DX	1886	4.1	14	<1	1	3	5	8	11	18
2. MULTIPLE DX	3089	7.5	46	2	2	5	9	15	20	35
A. NOT OPERATED	1990	7.6	31	2	2	6	10	14	18	28
B. OPERATED	2984	5.2	38	<1	1	3	6	11	16	32
TOTAL 65-69 YRS	1995	5.4	31	<1	1	4	7	11	15	27
70-74	1319	5.9	32	1	2	4	7	12	17	27
75-79	898	6.9	43	1	2	5	9	14	19	29
80-84	474	7.5	48	1	2	5	10	16	19	35
85+	288	8.5	47	2	2	7	11	16	21	42
GRAND TOTAL	**4974**	**6.2**	**37**	**1**	**2**	**4**	**8**	**13**	**17**	**30**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	1.4		<1	<1	1	2	2	2	2
70-74	7	1.6	1	<1	<1	1	2	3	3	3
75-79	4	1.3		<1	<1	1	2	2	2	2
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	841	4.4	6	1	2	4	5	7	9	12
70-74	498	4.4	8	2	2	4	5	7	9	13
75-79	321	4.5	8	1	2	4	5	8	11	15
80-84	127	4.4	6	2	2	4	5	8	9	14
85+	44	5.3	35	1	2	4	6	11	12	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	2.5	7	<1	<1	1	3	6	7	13
70-74	32	2.1	3	<1	<1	1	3	5	6	7
75-79	22	5.5	40	<1	<1	3	9	15	20	22
80-84	17	5.7	23	<1	<1	4	9	12	16	18
85+	7	6.0	33	<1	<1	5	14	74	99+	99+
B. *Operated*										
65-69 YRS	2172	5.4	16	2	3	5	6	8	10	20
70-74	1369	5.7	14	2	3	5	7	9	12	21
75-79	748	6.3	34	2	3	5	7	11	15	28
80-84	311	7.0	62	2	2	5	7	11	21	37
85+	104	7.4	39	2	2	6	8	15	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.0	5	<1	<1	1	2	4	7	11
B. *Operated*	1831	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	115	3.7	18	<1	<1	2	5	10	14	48
B. *Operated*	4704	5.8	22	2	3	5	7	9	12	25
1. SINGLE DX	1853	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX	4819	5.7	22	2	2	5	7	9	12	25
A. NOT OPERATED	137	3.4	16	<1	<1	2	4	9	14	31
B. OPERATED	6535	5.4	18	2	2	5	6	9	11	22
TOTAL 65-69 YRS	3059	5.1	13	2	2	4	6	8	10	17
70-74	1906	5.3	13	2	2	5	6	9	11	18
75-79	1095	5.7	27	2	2	5	7	10	13	24
80-84	456	6.2	46	2	2	5	7	10	15	32
85+	156	6.7	38	2	2	5	8	14	21	38
GRAND TOTAL	**6672**	**5.3**	**18**	**2**	**2**	**5**	**6**	**9**	**11**	**22**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	21	<1	<1	1	7	9	9	9
70-74	5	3.4	5	1	1	3	5	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	309	2.9	6	<1	1	2	3	5	7	16
70-74	187	3.0	5	<1	<1	2	4	6	7	14
75-79	93	3.2	11	<1	1	2	4	6	7	22
80-84	50	4.7	15	<1	1	4	6	9	13	18
85+	22	3.4	8	1	1	2	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	6.9	12	3	3	6	8	13	14	14
70-74	16	7.5	32	1	2	6	9	16	20	22
75-79	8	6.5	16	<1	1	5	10	12	12	12
80-84	8	5.9	15	2	2	5	7	12	14	14
85+	2	10.5	61	5	5	10	16	16	16	16
B. *Operated*										
65-69 YRS	238	4.1	11	1	1	3	5	8	11	18
70-74	155	5.2	53	<1	1	3	6	9	12	49
75-79	120	7.0	63	1	1	4	9	16	22	41
80-84	54	8.6	188	1	2	4	8	17	29	74
85+	22	7.5	62	<1	1	4	8	23	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	8	<1	<1	2	5	8	9	9
B. *Operated*	661	3.1	8	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	51	7.0	20	2	2	6	9	14	16	22
B. *Operated*	589	5.5	52	1	1	3	6	11	16	39
1. SINGLE DX	670	3.1	8	<1	<1	2	4	6	8	16
2. MULTIPLE DX	640	5.6	50	1	1	3	7	11	16	37
A. NOT OPERATED	60	6.5	20	1	2	5	9	13	15	21
B. OPERATED	1250	4.3	30	<1	1	3	5	8	12	25
TOTAL 65-69 YRS	567	3.5	9	<1	1	3	4	7	10	17
70-74	363	4.2	28	<1	1	3	4	8	10	24
75-79	222	5.4	42	<1	1	3	6	13	17	38
80-84	112	6.7	101	<1	1	4	7	13	18	71
85+	46	5.7	39	1	1	3	7	16	22	26
GRAND TOTAL	**1310**	**4.4**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	16.1	172	3	4	11	21	41	47	49
70-74	27	13.0	100	2	4	10	20	25	31	45
75-79	16	14.8	69	4	8	13	19	25	33	37
80-84	16	13.3	115	1	1	12	18	30	33	35
85+	16	12.6	93	1	2	10	16	24	34	39
B. *Operated*										
65-69 YRS	89	13.8	164	2	3	9	17	36	46	84
70-74	72	19.5	239	3	4	16	26	41	57	70
75-79	66	12.6	101	2	4	10	15	22	34	59
80-84	31	20.3	402	2	3	11	27	57	60	75
85+	20	13.4	133	1	2	9	19	32	37	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	122	15.3	130	3	4	12	20	30	38	53
70-74	99	14.4	147	2	3	11	17	33	43	56
75-79	73	20.6	170	3	6	18	30	42	45	89
80-84	62	16.5	152	5	6	14	20	34	48	96
85+	63	17.9	276	3	4	13	20	42	59	79
B. *Operated*										
65-69 YRS	310	23.7	304	4	5	20	33	51	59	99
70-74	262	24.2	333	4	6	21	34	52	68	99+
75-79	197	25.0	299	5	6	23	35	50	68	99+
80-84	124	24.7	288	6	7	19	34	56	69	99+
85+	94	25.3	277	6	8	21	32	56	64	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	14.3	119	2	4	12	20	28	39	48
B. *Operated*	278	15.7	200	2	3	11	21	37	46	70
2. MULTIPLE DX										
A. *Not Operated*	419	16.6	169	3	4	13	21	36	44	64
B. *Operated*	987	24.4	305	4	6	21	34	51	65	99+
1. SINGLE DX	390	15.3	176	2	4	11	21	35	45	65
2. MULTIPLE DX	1406	22.0	277	4	5	18	31	47	59	99+
A. NOT OPERATED	531	16.1	159	3	4	13	21	35	43	60
B. OPERATED	1265	22.5	295	4	5	18	32	49	62	99+
TOTAL 65-69 YRS	558	19.8	253	3	4	15	28	45	54	86
70-74	460	20.7	283	3	5	16	28	46	57	99
75-79	352	21.3	247	4	5	17	31	44	56	98
80-84	233	21.1	269	4	6	17	29	48	63	99+
85+	193	20.6	267	3	5	16	27	42	59	82
GRAND TOTAL	**1796**	**20.6**	**263**	**3**	**5**	**16**	**29**	**45**	**57**	**99**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	229	7.2	60	1	2	6	9	14	17	31
70-74	271	8.3	36	2	2	7	11	15	19	32
75-79	220	9.5	47	2	3	8	12	18	22	36
80-84	209	9.4	47	2	2	8	12	17	24	38
85+	187	9.5	47	2	3	8	13	17	20	34
B. Operated										
65-69 YRS	433	10.2	67	2	2	9	15	19	27	40
70-74	352	11.9	107	2	2	10	16	24	30	54
75-79	236	13.3	120	2	3	12	17	25	31	61
80-84	131	14.9	88	2	2	15	20	26	33	45
85+	92	16.6	74	3	6	15	20	29	36	43
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1442	9.8	60	2	3	8	13	18	23	43
70-74	1959	10.8	60	3	3	9	14	20	25	40
75-79	2300	11.7	84	3	4	10	15	22	28	52
80-84	2044	12.0	77	3	4	10	15	22	29	46
85+	2040	12.4	98	3	4	10	16	23	29	65
B. Operated										
65-69 YRS	890	16.2	180	2	3	14	21	32	41	86
70-74	910	18.8	193	3	5	16	24	35	47	77
75-79	826	19.0	173	4	5	16	24	36	49	78
80-84	552	20.6	187	4	7	18	26	39	51	99
85+	371	20.9	176	5	7	18	26	39	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1116	8.7	48	2	2	7	11	16	20	36
B. Operated	1244	12.2	94	2	2	11	17	24	30	46
2. MULTIPLE DX										
A. Not Operated	9785	11.5	78	3	4	9	14	21	28	48
B. Operated	3549	18.7	185	3	5	16	24	36	46	86
1. SINGLE DX	2360	10.6	75	2	2	9	15	20	26	41
2. MULTIPLE DX	13334	13.4	117	3	4	11	17	26	34	63
A. NOT OPERATED	10901	11.2	76	3	3	9	14	21	27	46
B. OPERATED	4793	17.0	169	2	4	15	22	33	42	77
TOTAL 65-69 YRS	2994	11.6	106	2	3	9	15	23	30	53
70-74	3492	12.8	111	2	3	10	17	25	33	57
75-79	3582	13.3	114	3	4	11	17	26	35	61
80-84	2936	13.6	109	3	4	11	17	26	34	61
85+	2690	13.5	114	3	4	11	17	26	34	67
GRAND TOTAL	**15694**	**12.9**	**111**	**3**	**3**	**10**	**17**	**25**	**33**	**60**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	4	4.0	22	1	1	2	7	11	11	11
75-79	2	8.0	98	1	1	8	15	15	15	15
80-84	2	14.5	181	5	5	14	24	24	24	24
85+	3	4.3	4	2	2	5	6	6	6	6
B. Operated										
65-69 YRS	53	5.0	18	<1	1	3	7	12	13	22
70-74	41	7.0	43	2	2	5	8	18	23	29
75-79	21	9.8	59	1	2	6	16	21	23	24
80-84	10	7.4	24	3	3	6	10	15	18	18
85+	6	3.7	7	2	2	2	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	10.9	105	1	2	7	14	29	35	38
70-74	27	13.0	213	1	2	9	16	32	77	99+
75-79	14	20.5	671	2	4	12	18	58	90	99
80-84	11	13.5	248	3	3	10	16	35	56	58
85+	11	14.5	72	3	5	13	21	27	29	29
B. Operated										
65-69 YRS	190	8.6	77	2	2	6	10	17	25	51
70-74	107	9.6	70	2	2	7	13	24	27	41
75-79	61	12.7	97	2	2	10	16	26	34	47
80-84	20	18.9	394	2	3	16	23	63	91	99+
85+	7	11.3	125	2	2	8	16	30	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	6.0	47	1	1	2	7	17	23	24
B. Operated	131	6.5	35	1	2	4	9	15	19	29
2. MULTIPLE DX										
A. Not Operated	84	14.0	246	1	3	10	17	29	55	99+
B. Operated	385	10.3	100	2	2	7	14	22	30	52
1. SINGLE DX	144	6.5	35	1	2	4	8	15	19	29
2. MULTIPLE DX	469	10.9	128	2	2	8	14	23	33	71
A. NOT OPERATED	97	12.9	226	1	2	9	16	27	48	99+
B. OPERATED	516	9.3	86	2	2	6	12	20	28	49
TOTAL 65-69 YRS	266	8.2	70	1	2	5	10	16	23	48
70-74	179	9.5	87	2	2	7	12	22	28	65
75-79	98	13.1	174	2	2	10	17	23	35	77
80-84	43	14.6	268	2	3	10	18	45	65	99+
85+	27	10.1	80	2	2	7	14	25	30	33
GRAND TOTAL	**613**	**9.9**	**109**	**2**	**2**	**7**	**13**	**21**	**29**	**56**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	7.5	29	2	3	5	10	14	21	23
70-74	31	8.8	49	2	2	8	12	15	18	37
75-79	13	5.8	18	1	2	5	7	13	15	16
80-84	11	7.4	25	2	3	5	9	16	17	17
85+	4	10.3	21	5	5	10	13	16	16	16
B. *Operated*										
65-69 YRS	30	7.7	40	2	2	5	13	17	19	22
70-74	13	9.8	77	2	2	9	13	26	28	28
75-79	10	7.8	43	1	1	6	8	19	22	22
80-84	2	11.0	98	4	4	11	18	18	18	18
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	122	9.7	55	2	3	7	13	18	23	40
70-74	122	8.0	34	2	3	7	10	14	18	34
75-79	95	10.6	71	2	3	8	14	18	31	45
80-84	74	9.7	54	1	2	9	12	20	25	36
85+	52	9.7	52	3	3	8	12	22	24	37
B. *Operated*										
65-69 YRS	43	14.4	158	3	4	11	19	23	26	82
70-74	27	11.4	50	3	4	10	14	24	26	27
75-79	16	12.5	133	3	4	9	16	21	41	50
80-84	11	10.6	23	3	4	12	15	16	16	16
85+	6	33.8	847	14	15	22	32	86	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	7.8	33	2	2	6	11	16	18	31
B. *Operated*	56	8.3	48	2	2	6	13	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	465	9.4	53	2	3	7	12	17	23	37
B. *Operated*	103	14.0	168	3	4	11	18	24	27	87
1. SINGLE DX	150	8.0	38	2	2	6	11	17	19	28
2. MULTIPLE DX	568	10.3	76	2	3	8	13	20	24	45
A. NOT OPERATED	559	9.2	50	2	3	7	12	17	23	37
B. OPERATED	159	12.0	132	2	2	10	16	22	26	79
TOTAL 65-69 YRS	230	10.0	72	2	3	8	14	20	22	39
70-74	193	8.7	42	2	3	7	11	16	22	34
75-79	134	10.2	73	2	3	7	13	18	28	46
80-84	98	9.6	47	2	3	8	12	17	24	36
85+	63	11.9	164	3	3	9	14	24	28	85
GRAND TOTAL	718	9.8	69	2	3	8	12	19	24	39

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	217	5.6	14	1	2	5	8	11	12	19
70-74	186	6.1	17	1	2	5	8	11	14	20
75-79	127	6.1	18	1	2	5	9	11	15	19
80-84	77	6.3	20	1	2	5	8	13	16	23
85+	63	6.3	17	2	2	5	9	12	15	20
B. *Operated*										
65-69 YRS	744	3.7	20	1	1	2	4	7	10	21
70-74	498	4.2	34	1	1	3	4	8	12	30
75-79	242	5.1	46	1	2	3	5	11	17	30
80-84	79	5.7	46	1	2	3	5	15	23	33
85+	38	6.2	137	1	1	3	6	9	21	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	882	7.2	33	2	2	6	9	14	17	28
70-74	901	8.0	36	2	2	6	10	16	20	30
75-79	736	7.9	39	2	3	6	10	16	20	28
80-84	521	9.4	90	2	3	8	12	18	22	37
85+	370	8.9	61	2	3	7	10	16	22	42
B. *Operated*										
65-69 YRS	762	7.6	66	1	2	4	10	17	24	42
70-74	575	8.7	89	2	2	5	11	20	26	46
75-79	389	9.7	101	2	2	6	12	21	33	53
80-84	172	11.7	142	1	2	8	15	26	36	60
85+	88	12.0	206	2	2	8	14	29	38	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	5.9	17	1	2	5	8	11	14	20
B. *Operated*	1601	4.2	32	1	1	3	4	8	12	28
2. MULTIPLE DX										
A. *Not Operated*	3410	8.1	41	2	2	7	10	16	20	31
B. *Operated*	1986	8.9	94	2	2	5	12	20	28	52
1. SINGLE DX	2271	4.7	28	1	1	3	5	10	13	24
2. MULTIPLE DX	5396	8.4	60	2	2	6	11	17	22	40
A. NOT OPERATED	4080	7.7	37	2	2	6	10	15	19	30
B. OPERATED	3587	6.8	72	1	2	4	8	16	22	48
TOTAL 65-69 YRS	2605	6.2	40	1	2	4	8	13	17	33
70-74	2160	7.1	51	1	2	5	9	15	20	35
75-79	1494	7.8	55	2	2	5	10	16	21	40
80-84	849	9.3	69	2	2	7	12	19	28	40
85+	559	8.9	86	2	2	7	10	16	24	55
GRAND TOTAL	7667	7.3	54	1	2	5	9	15	20	37

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	9	3	3	7	8	9	9	9
70-74	4	8.8	31	3	3	9	13	14	14	14
75-79	4	3.8	2	2	2	4	5	5	5	5
80-84	2	9.5	5	8	8	9	11	11	11	11
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.0	14	2	3	6	9	12	15	16
70-74	16	6.9	5	3	4	7	8	10	11	11
75-79	15	9.8	115	1	3	9	11	13	38	46
80-84	6	12.2	47	3	3	13	16	21	22	22
85+	5	8.8	21	6	6	7	10	17	17	17
B. *Operated*										
65-69 YRS	7	6.3	14	2	2	6	8	12	13	13
70-74	3	19.7	225	5	5	19	31	35	35	35
75-79	2	16.0	2	15	15	16	17	17	17	17
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.8	16	2	3	5	9	13	14	14
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	69	8.1	38	2	3	7	10	14	16	41
B. *Operated*	12	11.3	88	2	3	8	16	24	33	35
1. SINGLE DX	14	6.4	17	1	2	5	9	13	14	14
2. MULTIPLE DX	81	8.6	46	2	3	7	10	15	18	43
A. NOT OPERATED	82	7.9	34	2	3	7	10	13	16	38
B. OPERATED	13	10.5	89	1	2	6	15	22	33	35
TOTAL 65-69 YRS	38	6.6	14	1	2	6	9	12	14	16
70-74	23	8.9	47	3	4	7	10	15	25	35
75-79	21	9.2	92	2	2	6	12	16	30	46
80-84	8	11.5	36	3	4	11	15	20	22	22
85+	5	8.8	21	6	6	7	10	17	17	17
GRAND TOTAL	95	8.3	42	2	3	7	10	15	17	41

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	3	2.0		2	2	2	2	2	2	2
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	3	15.3	86	9	9	11	22	26	26	26
70-74	2	13.0	2	12	12	13	14	14	14	14
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	9.0	28	3	3	12	56	99+	99+	99+
70-74	16	5.6	29	<1	<1	4	8	13	17	19
75-79	10	8.8	22	5	5	6	13	15	17	17
80-84	11	9.1	121	1	1	4	12	27	36	37
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	11	20.9	468	5	6	12	21	62	68	69
70-74	5	14.0	39	5	5	15	17	22	22	22
75-79	5	23.2	207	8	8	23	36	40	40	40
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	19.0	217	10	10	11	30	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	12	1	1	3	5	10	12	12
B. *Operated*	7	11.7	54	2	3	11	13	24	26	26
2. MULTIPLE DX										
A. *Not Operated*	41	7.6	50	<1	1	5	13	18	27	99+
B. *Operated*	25	19.1	274	5	5	12	22	40	60	69
1. SINGLE DX	16	7.4	44	1	2	5	11	14	22	26
2. MULTIPLE DX	66	11.9	164	1	2	9	14	33	43	99
A. NOT OPERATED	50	6.9	45	<1	1	5	12	15	20	99
B. OPERATED	32	17.5	232	4	5	12	22	37	55	69
TOTAL 65-69 YRS	18	16.9	326	2	4	11	21	64	68	99+
70-74	25	7.8	39	<1	<1	6	13	16	20	22
75-79	19	11.6	112	2	3	8	14	20	38	40
80-84	15	7.3	96	1	2	3	9	20	33	37
85+	5	15.0	143	6	6	11	18	36	36	36
GRAND TOTAL	82	11.0	143	1	2	8	13	24	38	90

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	174	2.8	1	1	2	3	3	4	5	8
70-74	156	3.0	3	2	2	3	3	4	5	10
75-79	111	2.9	2	1	2	3	4	4	6	9
80-84	56	3.5	5	2	2	3	4	5	7	14
85+	37	3.1	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	1.7	1	1	1	2	2	3	3	3
70-74	6	5.3	28	1	1	3	11	13	13	13
75-79	4	5.0	25	1	1	3	8	12	12	12
80-84	3	2.7	2	1	1	3	4	4	4	4
85+	3	9.7	225	<1	<1	1	20	27	27	27
B. *Operated*										
65-69 YRS	202	3.3	8	2	2	3	4	5	6	14
70-74	190	3.4	6	2	2	3	4	5	7	16
75-79	186	3.2	5	2	2	3	3	5	7	14
80-84	107	3.4	6	2	2	3	4	6	7	17
85+	62	3.6	7	2	2	3	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	534	3.0	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	4.4	37	<1	1	2	4	12	18	27
B. *Operated*	747	3.3	6	2	2	3	4	5	7	14
1. SINGLE DX	537	3.0	2	1	2	3	3	4	5	8
2. MULTIPLE DX	770	3.4	7	2	2	3	4	5	7	15
A. NOT OPERATED	26	4.0	34	<1	<1	2	4	12	16	27
B. OPERATED	1281	3.2	5	2	2	3	4	5	6	13
TOTAL 65-69 YRS	383	3.0	5	2	2	3	3	4	5	11
70-74	352	3.2	5	2	2	3	4	5	6	14
75-79	302	3.1	4	2	2	3	3	5	7	13
80-84	167	3.4	5	2	2	3	4	5	7	14
85+	103	3.6	10	1	2	3	4	6	9	21
GRAND TOTAL	1307	3.2	5	2	2	3	4	5	6	13

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.9	10	1	1	2	6	9	10	10
70-74	11	3.6	4	1	1	4	5	6	8	8
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	11.0	72	9	9	11	17	17	17	17
85+										
B. *Operated*										
65-69 YRS	35	5.3	26	1	2	3	6	12	18	21
70-74	16	5.4	25	2	2	3	8	14	17	18
75-79	8	7.6	23	2	2	8	12	13	13	13
80-84	2	6.0	50	1	1	6	11	11	11	11
85+	3	8.7	74	1	1	7	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	7.1	25	2	2	6	9	15	17	24
70-74	73	6.9	26	1	2	6	8	13	15	27
75-79	45	8.6	39	2	2	7	10	17	20	31
80-84	37	9.9	70	1	2	9	11	20	30	41
85+	40	6.9	24	2	2	5	10	14	16	22
B. *Operated*										
65-69 YRS	117	11.3	104	2	2	9	15	26	34	48
70-74	66	13.9	222	2	2	11	17	28	39	82
75-79	37	13.8	257	2	2	12	17	28	32	96
80-84	15	15.3	119	2	4	14	20	29	35	43
85+	17	14.4	117	1	3	12	17	32	39	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.5	13	1	1	4	6	9	13	17
B. *Operated*	64	5.8	27	1	2	3	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*	273	7.7	34	2	2	6	9	15	19	30
B. *Operated*	252	12.8	159	2	2	10	17	28	34	69
1. SINGLE DX	86	5.5	23	1	2	3	7	12	17	21
2. MULTIPLE DX	525	10.1	100	2	2	7	13	20	29	46
A. NOT OPERATED	295	7.4	33	2	2	6	9	15	18	30
B. OPERATED	316	11.4	140	2	2	9	18	24	33	60
TOTAL 65-69 YRS	238	8.8	70	2	2	6	12	18	26	39
70-74	166	9.3	116	2	2	6	11	19	26	67
75-79	91	10.6	131	2	2	6	14	19	29	70
80-84	56	11.3	85	1	2	9	14	23	32	43
85+	60	9.1	61	1	2	7	12	17	24	41
GRAND TOTAL	611	9.5	92	2	2	7	12	19	27	43

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+	3	7.0	7	5	5	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	5.8	11	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	3	4.3	10	2	2	3	7	8	8	8
1. SINGLE DX	4	5.8	11	2	2	5	8	10	10	10
2. MULTIPLE DX	4	3.5	10	<1	<1	2	5	8	8	8
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	7	5.1	9	2	2	5	7	10	10	10
TOTAL 65-69 YRS	3	2.3		2	2	2	3	3	3	3
70-74										
75-79										
80-84										
85+	5	6.0	12	<1	<1	6	8	10	10	10
GRAND TOTAL	**8**	**4.6**	**10**	**<1**	**1**	**4**	**7**	**9**	**10**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	2.2	3	<1	<1	2	3	5	7	7
70-74	6	2.5	4	<1	<1	2	5	5	5	5
75-79	8	4.4	12	1	1	3	6	10	11	11
80-84	3	4.3	10	2	2	3	7	8	8	8
85+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
65-69 YRS	31	8.8	47	1	2	8	12	20	23	25
70-74	26	8.3	66	1	2	5	11	18	27	36
75-79	15	4.5	24	1	2	3	5	7	17	21
80-84	6	3.5	8	1	1	2	6	8	8	8
85+	8	11.5	137	1	1	11	14	30	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	6.6	27	1	2	5	9	13	20	23
70-74	54	6.3	15	1	2	6	8	13	13	18
75-79	48	6.7	39	2	2	4	8	16	20	30
80-84	29	7.3	40	2	2	5	8	20	21	26
85+	33	7.6	26	2	3	6	9	14	17	27
B. *Operated*										
65-69 YRS	86	15.2	144	2	3	12	20	30	40	60
70-74	67	12.3	86	2	3	10	17	24	30	46
75-79	55	13.6	115	1	2	12	18	28	30	59
80-84	36	14.4	163	2	3	9	20	30	48	51
85+	24	24.5	392	6	7	18	30	53	73	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.3	7	<1	<1	2	5	7	8	11
B. *Operated*	86	7.8	57	1	2	5	10	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	230	6.8	28	1	2	5	8	13	19	26
B. *Operated*	268	14.9	156	2	3	12	19	30	40	62
1. SINGLE DX	117	6.6	47	1	1	4	8	15	22	36
2. MULTIPLE DX	498	11.1	113	2	2	8	15	23	30	54
A. NOT OPERATED	261	6.4	27	1	2	5	8	13	18	26
B. OPERATED	354	13.1	141	2	2	10	18	27	36	60
TOTAL 65-69 YRS	194	10.5	99	1	2	8	15	23	29	54
70-74	153	9.1	63	1	2	7	12	19	25	39
75-79	126	9.3	83	1	2	6	13	21	28	44
80-84	74	10.3	111	2	2	7	14	21	30	51
85+	68	13.9	226	2	3	8	16	31	50	74
GRAND TOTAL	**615**	**10.3**	**103**	**1**	**2**	**7**	**13**	**22**	**29**	**51**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	8	5.5	24	2	2	4	6	14	17	17
70-74	5	5.0	4	2	2	6	6	7	7	7
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	5.0	8	1	1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	15	5.7	15	2	2	6	7	10	15	17
1. SINGLE DX	4	5.0	8	1	1	6	7	7	7	7
2. MULTIPLE DX	16	5.5	15	2	2	5	7	10	15	17
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	19	5.6	13	1	2	6	7	9	14	17
TOTAL 65-69 YRS	10	5.6	19	2	2	4	6	12	17	17
70-74	6	4.3	6	1	1	5	6	7	7	7
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**20**	**5.4**	**13**	**1**	**2**	**5**	**7**	**9**	**13**	**17**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	5.4	24	1	1	3	9	13	15	15
70-74	11	3.5	7	1	1	3	4	7	11	11
75-79	8	7.3	31	1	1	7	11	15	16	16
80-84	3	6.0	37	2	2	3	10	13	13	13
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	41	5.9	31	1	1	4	9	12	18	26
70-74	30	5.9	23	2	2	4	8	12	15	22
75-79	16	7.6	38	1	2	5	13	16	18	19
80-84	7	5.7	29	<1	<1	3	9	14	15	15
85+	6	4.8	9	2	2	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	6.5	24	1	2	5	9	12	17	26
70-74	48	8.4	54	3	3	6	10	17	23	42
75-79	38	10.2	61	2	3	8	15	19	28	35
80-84	21	8.4	78	2	3	6	9	15	29	43
85+	26	6.9	34	2	2	5	9	13	18	29
B. *Operated*										
65-69 YRS	147	9.0	63	1	2	7	12	19	23	50
70-74	114	9.4	91	1	2	7	13	21	27	55
75-79	53	11.2	108	2	2	8	16	25	30	54
80-84	37	12.8	183	2	3	8	16	26	43	69
85+	23	13.3	74	2	3	13	20	27	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.2	20	1	1	3	10	12	15	16
B. *Operated*	100	6.1	28	1	2	4	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	180	8.1	48	2	3	6	9	17	21	40
B. *Operated*	374	10.1	92	1	2	7	14	21	27	55
1. SINGLE DX	134	5.9	26	1	2	4	9	13	15	23
2. MULTIPLE DX	554	9.4	78	2	2	7	12	19	26	55
A. NOT OPERATED	214	7.6	45	2	2	5	9	16	19	38
B. OPERATED	474	9.2	81	1	2	7	12	20	26	55
TOTAL 65-69 YRS	246	7.8	50	1	2	6	10	17	21	43
70-74	203	8.3	70	1	2	6	10	17	24	48
75-79	115	10.1	78	2	2	8	15	19	27	43
80-84	68	10.4	133	2	2	8	13	18	29	66
85+	56	9.3	58	2	2	6	13	23	28	95
GRAND TOTAL	**688**	**8.7**	**70**	**1**	**2**	**6**	**11**	**18**	**25**	**51**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	5.7	9	<1	1	5	8	10	10	10
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84										
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84	2	9.5	25	6	6	9	13	13	13	13
85+										
B. *Operated*										
65-69 YRS	67	5.5	8	2	2	5	7	9	11	16
70-74	25	7.6	69	3	3	6	7	10	19	46
75-79	10	7.0	21	3	3	6	8	14	19	19
80-84	1	10.0		10	10	10	10	10	10	10
85+	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	5.2	6	<1	2	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*	105	6.1	24	2	3	5	7	10	11	31
1. SINGLE DX	13	5.2	6	<1	2	5	6	9	10	10
2. MULTIPLE DX	108	6.2	24	2	3	5	7	10	11	30
A. NOT OPERATED	3	9.0	13	6	6	8	12	13	13	13
B. OPERATED	118	6.0	22	2	3	5	7	10	11	28
TOTAL 65-69 YRS	75	5.6	8	2	2	5	7	9	11	16
70-74	27	7.4	64	3	3	6	7	10	16	46
75-79	12	6.8	18	3	3	6	8	12	18	19
80-84	3	9.7	12	6	6	10	12	13	13	13
85+	4	2.8	2	1	1	3	4	4	4	4
GRAND TOTAL	**121**	**6.1**	**22**	**2**	**3**	**5**	**7**	**10**	**11**	**27**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	8.8	44	2	3	6	12	19	22	24
70-74	20	9.1	49	1	3	7	11	19	26	29
75-79	13	5.4	7	1	2	6	7	9	9	9
80-84	6	8.5	196	2	2	3	4	34	37	37
85+	11	9.9	68	2	2	6	13	24	28	28
B. *Operated*										
65-69 YRS	117	6.3	38	1	2	4	8	14	17	33
70-74	51	8.6	55	2	2	7	12	18	24	34
75-79	32	9.4	85	2	2	5	13	24	33	35
80-84	14	10.2	104	1	1	7	14	28	33	34
85+	8	8.3	70	2	2	6	8	22	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	8.6	30	2	3	8	11	17	22	24
70-74	111	8.5	62	2	3	7	10	16	18	46
75-79	93	11.1	123	2	4	9	13	21	26	67
80-84	47	10.7	31	4	4	9	14	18	22	25
85+	37	8.4	26	1	2	8	11	14	18	22
B. *Operated*										
65-69 YRS	169	11.2	131	2	2	8	14	24	33	82
70-74	140	13.2	204	2	2	10	15	30	38	87
75-79	72	15.1	189	1	2	10	24	35	40	63
80-84	35	16.9	183	3	5	13	21	38	53	56
85+	10	14.9	124	4	4	11	21	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	8.4	52	2	2	6	10	19	24	35
B. *Operated*	222	7.6	54	1	2	5	10	17	25	35
2. MULTIPLE DX										
A. *Not Operated*	424	9.3	59	2	3	8	12	18	22	30
B. *Operated*	426	13.1	171	2	2	10	16	30	38	76
1. SINGLE DX	297	7.8	54	1	2	5	10	17	24	35
2. MULTIPLE DX	850	11.2	119	2	3	8	14	23	31	57
A. NOT OPERATED	499	9.2	58	2	3	7	12	18	22	31
B. OPERATED	648	11.2	137	2	2	8	14	26	34	57
TOTAL 65-69 YRS	447	9.0	74	2	2	6	11	19	24	41
70-74	322	10.6	126	2	2	8	12	20	30	61
75-79	210	11.8	139	2	2	8	15	27	34	58
80-84	102	12.7	109	2	3	10	16	23	35	55
85+	66	9.6	55	2	3	8	12	21	28	33
GRAND TOTAL	**1147**	**10.3**	**104**	**2**	**2**	**8**	**13**	**22**	**29**	**55**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	284	4.9	19	1	2	4	6	9	12	23
70-74	265	4.6	14	1	1	4	6	9	12	20
75-79	191	5.2	21	1	1	4	6	9	13	28
80-84	94	5.4	26	1	2	4	7	9	13	33
85+	81	5.5	17	1	2	4	7	11	13	23
B. *Operated*										
65-69 YRS	12	6.7	27	3	3	5	6	14	21	22
70-74	19	5.2	5	2	2	5	6	9	9	9
75-79	8	10.5	62	<1	1	8	17	22	22	22
80-84	1	32.0		32	32	32	32	32	32	32
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1339	7.7	58	2	2	6	9	14	20	41
70-74	1269	8.2	65	2	3	6	10	16	22	42
75-79	1070	8.7	65	2	3	7	11	17	22	42
80-84	706	8.9	59	2	3	7	11	17	24	41
85+	550	9.9	97	2	3	7	12	20	27	51
B. *Operated*										
65-69 YRS	143	14.4	166	3	4	11	18	30	48	99+
70-74	102	17.1	216	3	4	14	22	36	71	99+
75-79	106	17.0	188	4	6	13	22	31	47	95
80-84	49	15.9	180	4	5	13	17	30	50	69
85+	36	20.9	355	4	4	16	29	65	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	915	5.0	19	1	2	4	6	9	13	23
B. *Operated*	41	7.4	40	2	3	6	8	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	4934	8.5	66	2	3	6	10	16	22	42
B. *Operated*	436	16.4	201	4	5	13	21	34	53	99+
1. SINGLE DX	956	5.1	20	1	2	4	6	9	13	24
2. MULTIPLE DX	5370	9.1	82	2	3	7	11	18	25	53
A. NOT OPERATED	5849	7.9	60	2	2	6	10	15	21	41
B. OPERATED	477	15.6	194	3	4	12	20	33	52	99+
TOTAL 65-69 YRS	1778	7.8	65	2	2	6	9	15	21	46
70-74	1655	8.2	72	2	2	6	10	16	23	50
75-79	1375	8.9	75	2	2	6	11	18	24	45
80-84	850	9.0	67	2	3	7	11	17	25	43
85+	668	10.0	109	2	3	7	12	21	30	64
GRAND TOTAL	**6326**	**8.5**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**50**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	134	6.0	18	2	2	5	7	11	13	22
70-74	120	6.3	23	2	2	5	8	11	15	26
75-79	86	6.7	38	2	3	5	7	13	18	37
80-84	63	6.0	14	2	3	5	7	11	13	22
85+	61	8.3	130	2	2	6	9	13	21	81
B. *Operated*										
65-69 YRS	19	9.3	32	1	2	8	13	18	21	22
70-74	18	11.3	32	2	4	11	14	20	21	21
75-79	6	19.2	148	6	6	17	23	39	41	41
80-84	3	15.3	121	4	4	16	23	26	26	26
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	703	7.9	40	2	3	6	10	15	19	37
70-74	764	7.9	38	2	3	6	10	14	18	33
75-79	622	8.1	44	2	3	7	10	14	19	36
80-84	504	9.7	74	2	3	7	12	19	26	54
85+	469	8.7	49	2	3	7	11	17	21	34
B. *Operated*										
65-69 YRS	176	15.9	180	4	5	13	19	30	44	84
70-74	153	16.4	200	3	4	12	18	39	55	73
75-79	98	20.3	309	4	5	14	24	51	58	82
80-84	56	18.0	167	5	6	14	23	40	47	97
85+	35	20.5	258	5	7	15	26	40	57	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	6.5	37	2	2	5	8	11	16	27
B. *Operated*	47	11.9	57	2	3	11	16	21	23	41
2. MULTIPLE DX										
A. *Not Operated*	3062	8.4	47	2	3	7	10	15	20	36
B. *Operated*	518	17.4	216	3	5	13	21	40	54	81
1. SINGLE DX	511	7.0	41	2	2	5	9	13	18	28
2. MULTIPLE DX	3580	9.7	82	2	3	7	12	18	26	55
A. NOT OPERATED	3526	8.1	46	2	3	6	10	15	19	35
B. OPERATED	565	17.0	205	3	5	13	20	39	52	79
TOTAL 65-69 YRS	1032	9.0	71	2	3	7	11	17	25	45
70-74	1055	9.0	69	2	3	7	11	16	22	55
75-79	812	9.5	92	2	3	7	11	18	26	55
80-84	626	10.1	83	2	3	8	12	21	28	54
85+	566	9.4	78	2	3	7	11	18	23	40
GRAND TOTAL	**4091**	**9.3**	**77**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	4.5	16	1	1	3	5	11	12	21
70-74	77	4.2	9	1	2	3	5	7	10	17
75-79	44	4.0	6	1	2	3	4	7	9	13
80-84	32	4.2	6	1	2	4	5	8	10	10
85+	18	4.8	20	1	1	3	6	9	16	20
B. *Operated*										
65-69 YRS	25	5.6	14	2	2	5	7	11	14	16
70-74	18	5.7	29	1	1	3	8	15	17	18
75-79	11	8.1	103	1	1	4	10	23	35	36
80-84	1	9.0		9	9	9	9	9	9	9
85+	4	7.3	33	2	2	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	473	6.3	20	2	2	5	8	11	14	21
70-74	402	6.5	23	1	2	5	8	12	15	26
75-79	290	6.5	18	2	2	5	8	12	15	21
80-84	176	7.9	78	2	2	6	10	14	17	36
85+	110	7.4	54	2	2	5	9	13	18	45
B. *Operated*										
65-69 YRS	89	8.5	29	2	3	8	11	16	21	26
70-74	64	10.8	103	2	3	8	13	16	31	64
75-79	54	10.9	37	2	4	10	14	19	23	32
80-84	23	10.6	82	2	2	8	12	26	33	35
85+	13	11.3	116	<1	2	8	13	27	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	4.3	11	1	2	3	5	8	11	18
B. *Operated*	59	6.3	35	1	2	4	8	14	16	34
2. MULTIPLE DX										
A. *Not Operated*	1451	6.7	30	2	2	5	8	12	15	26
B. *Operated*	243	10.0	60	2	3	8	12	19	24	38
1. SINGLE DX	326	4.7	16	1	2	4	5	10	13	19
2. MULTIPLE DX	1694	7.2	36	2	2	6	9	13	17	31
A. NOT OPERATED	1718	6.3	28	2	2	5	8	12	15	25
B. OPERATED	302	9.2	57	2	2	8	12	17	23	37
TOTAL 65-69 YRS	683	6.3	21	2	2	5	8	11	15	22
70-74	561	6.7	33	1	2	5	8	13	16	30
75-79	399	6.9	25	2	2	5	9	13	17	25
80-84	232	7.7	70	2	2	6	10	14	19	35
85+	145	7.5	55	1	2	5	9	14	20	41
GRAND TOTAL	2020	6.8	33	2	2	5	9	13	16	29

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	219	3.9	7	1	1	3	5	7	8	12
70-74	219	3.5	4	1	1	3	5	6	8	9
75-79	133	3.9	9	1	1	3	5	7	7	17
80-84	111	3.4	4	1	1	3	4	6	8	10
85+	96	3.6	8	<1	1	3	5	6	9	17
B. *Operated*										
65-69 YRS	168	5.0	16	1	1	4	6	9	10	21
70-74	128	5.3	10	1	2	5	7	9	11	17
75-79	75	5.4	13	1	2	5	7	9	13	20
80-84	48	5.5	11	1	2	5	7	10	11	18
85+	37	4.8	18	1	2	4	5	9	9	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	5.0	12	1	2	4	6	9	11	17
70-74	540	4.9	22	1	1	4	6	9	12	22
75-79	471	5.3	20	1	2	4	6	10	13	21
80-84	369	5.7	22	1	2	4	7	11	14	26
85+	380	6.4	45	1	2	5	8	12	18	31
B. *Operated*										
65-69 YRS	300	7.2	37	2	3	6	9	13	17	35
70-74	267	7.0	29	2	2	5	9	13	17	29
75-79	179	8.1	41	2	3	6	9	15	22	34
80-84	126	6.7	26	2	2	5	8	13	18	30
85+	117	8.0	59	1	2	6	10	17	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	3.7	6	1	1	3	5	7	8	12
B. *Operated*	456	5.2	13	1	2	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	2308	5.4	23	1	2	4	7	10	13	23
B. *Operated*	989	7.4	37	2	2	6	9	14	19	32
1. SINGLE DX	1234	4.2	9	1	1	4	5	8	9	15
2. MULTIPLE DX	3297	6.0	28	1	2	5	7	11	15	28
A. NOT OPERATED	3086	5.0	19	1	1	4	6	9	12	22
B. OPERATED	1445	6.7	31	1	2	5	8	12	17	30
TOTAL 65-69 YRS	1235	5.4	19	1	2	4	7	9	12	21
70-74	1154	5.2	20	1	1	4	6	9	12	23
75-79	858	5.7	24	1	2	4	7	11	15	26
80-84	654	5.5	20	1	2	4	7	10	14	24
85+	630	6.2	42	1	1	5	7	12	18	33
GRAND TOTAL	4531	5.5	24	1	2	4	7	10	14	25

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	3.9	13	1	1	3	4	8	13	17
70-74	35	3.6	7	1	1	3	5	7	9	12
75-79	23	4.5	10	1	1	4	6	9	11	13
80-84	14	4.9	17	1	2	4	7	9	15	17
85+	9	5.1	19	1	1	4	7	12	15	15
B. *Operated*										
65-69 YRS	110	3.4	10	<1	1	2	4	6	10	19
70-74	72	3.8	13	<1	1	3	4	7	9	23
75-79	42	4.1	13	<1	1	2	5	11	12	14
80-84	27	4.8	22	<1	1	3	6	13	15	19
85+	5	7.4	23	2	2	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	278	6.7	45	1	2	4	8	16	20	34
70-74	255	7.7	57	1	2	5	9	19	23	39
75-79	207	8.1	50	2	2	6	11	17	21	39
80-84	139	8.9	64	1	2	6	13	21	24	42
85+	122	11.5	134	1	2	8	15	26	36	55
B. *Operated*										
65-69 YRS	146	8.9	114	2	2	5	12	20	37	78
70-74	134	10.1	92	1	2	6	16	25	33	52
75-79	90	12.2	302	1	1	6	11	33	58	81
80-84	55	13.8	326	1	2	6	15	40	52	84
85+	23	14.9	319	2	3	9	15	38	57	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.1	11	1	1	3	5	8	12	17
B. *Operated*	256	3.8	13	<1	1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	1001	8.1	64	1	2	5	10	18	23	41
B. *Operated*	448	10.8	183	1	2	6	13	26	40	80
1. SINGLE DX	385	3.9	12	1	1	3	5	8	12	18
2. MULTIPLE DX	1449	9.0	103	1	2	6	11	20	28	53
A. NOT OPERATED	1130	7.7	60	1	2	5	10	17	22	40
B. OPERATED	704	8.3	133	1	2	4	10	19	33	72
TOTAL 65-69 YRS	582	6.4	57	1	1	4	7	15	20	38
70-74	496	7.5	61	1	2	5	9	18	25	40
75-79	362	8.4	112	1	2	5	10	17	24	59
80-84	235	9.4	125	1	2	6	12	21	29	55
85+	159	11.5	153	1	2	7	15	26	37	66
GRAND TOTAL	**1834**	**7.9**	**88**	**1**	**2**	**5**	**10**	**18**	**25**	**49**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	9.8	87	2	3	7	10	25	33	33
70-74	9	14.0	152	<1	1	8	24	33	35	35
75-79	10	6.7	27	1	1	6	11	14	15	15
80-84	7	7.4	14	2	2	9	11	12	12	12
85+	22	8.3	57	1	2	6	11	16	25	35
B. *Operated*										
65-69 YRS	97	16.7	201	2	4	12	22	38	48	63
70-74	137	18.7	181	4	6	15	25	37	45	76
75-79	134	19.6	264	3	5	15	25	40	50	93
80-84	73	19.9	298	3	5	14	23	49	67	93
85+	128	17.8	168	4	6	14	23	35	43	79
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	10.0	106	2	3	8	12	17	21	69
70-74	105	12.5	136	3	4	9	14	20	34	72
75-79	103	14.0	179	2	4	9	17	29	42	70
80-84	109	14.3	160	3	4	10	17	30	44	92
85+	144	14.1	159	3	4	11	17	27	38	72
B. *Operated*										
65-69 YRS	695	26.6	364	6	8	21	36	58	76	99+
70-74	749	26.5	343	5	8	22	35	59	77	99+
75-79	709	26.6	384	6	9	21	35	57	75	99+
80-84	555	25.4	307	7	8	21	33	52	67	99
85+	655	23.2	267	6	8	19	29	47	61	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	9.0	67	1	2	7	11	18	32	35
B. *Operated*	569	18.5	216	3	5	14	24	38	49	76
2. MULTIPLE DX										
A. *Not Operated*	543	13.2	152	3	4	10	16	27	38	74
B. *Operated*	3363	25.7	337	6	8	21	34	55	73	99+
1. SINGLE DX	626	17.7	209	2	4	14	23	37	47	75
2. MULTIPLE DX	3906	24.0	330	5	7	19	32	52	70	99+
A. NOT OPERATED	600	12.8	145	2	3	9	15	26	36	73
B. OPERATED	3932	24.7	325	5	8	20	32	52	70	99+
TOTAL 65-69 YRS	883	23.8	350	4	6	18	33	54	70	99+
70-74	1000	23.8	320	4	7	20	32	50	72	99+
75-79	956	24.1	363	4	7	18	31	53	72	99+
80-84	744	23.1	300	5	7	18	31	48	65	99+
85+	949	20.8	248	4	6	17	27	43	55	90
GRAND TOTAL	**4532**	**23.1**	**318**	**4**	**7**	**18**	**30**	**49**	**67**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	926	3.8	6	1	1	3	5	7	9	12
70-74	618	3.8	7	1	1	3	5	7	8	14
75-79	379	4.0	7	1	1	3	5	7	9	17
80-84	247	4.2	11	1	1	3	5	8	11	19
85+	150	4.8	64	1	2	3	5	8	11	19
B. *Operated*										
65-69 YRS	270	3.5	12	1	2	2	4	7	10	16
70-74	80	3.9	10	1	2	2	5	9	10	16
75-79	27	5.4	28	1	2	3	7	13	19	20
80-84	3	25.3	960	5	5	10	48	61	61	61
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4560	5.2	15	1	2	4	6	9	12	19
70-74	3429	5.3	16	2	2	4	7	10	12	19
75-79	2329	5.6	21	2	2	4	7	10	14	21
80-84	1442	5.8	21	2	2	4	7	11	14	26
85+	982	6.4	35	2	2	5	8	12	16	30
B. *Operated*										
65-69 YRS	796	6.8	43	2	2	5	9	15	19	32
70-74	397	8.6	59	2	2	7	11	18	22	39
75-79	177	11.0	84	2	2	9	15	21	26	54
80-84	75	12.0	88	2	3	8	17	22	28	48
85+	59	14.1	210	2	3	9	18	28	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2320	3.9	11	1	1	3	5	7	9	14
B. *Operated*	382	3.9	22	1	2	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	12742	5.5	19	2	2	4	7	10	13	21
B. *Operated*	1504	8.3	65	2	2	6	11	17	22	41
1. SINGLE DX	2702	3.9	12	1	1	3	5	7	9	15
2. MULTIPLE DX	14246	5.8	24	2	2	4	7	11	14	24
A. NOT OPERATED	15062	5.2	18	1	2	4	6	10	12	20
B. OPERATED	1886	7.4	59	2	2	5	10	16	21	40
TOTAL 65-69 YRS	6552	5.1	18	1	2	4	6	9	13	20
70-74	4524	5.4	20	1	2	4	7	10	13	22
75-79	2912	5.7	25	2	2	4	7	11	15	25
80-84	1767	5.9	26	1	2	4	7	11	15	27
85+	1193	6.6	50	1	2	5	8	12	16	35
GRAND TOTAL	**16948**	**5.5**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	115	4.5	15	1	1	3	6	8	11	23
70-74	87	5.0	23	1	1	3	7	12	15	25
75-79	66	5.4	49	1	1	3	7	10	13	48
80-84	47	6.5	80	1	1	4	8	11	19	56
85+	37	6.4	52	2	2	5	7	11	13	45
B. *Operated*										
65-69 YRS	184	4.5	14	1	1	3	6	9	12	18
70-74	134	4.6	24	1	2	3	5	9	14	29
75-79	70	5.5	18	1	2	5	8	10	14	22
80-84	38	5.2	23	1	2	3	7	11	17	21
85+	11	7.1	27	1	1	6	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	900	8.0	63	2	2	6	10	17	21	35
70-74	866	7.9	42	2	2	6	10	15	21	31
75-79	719	7.7	44	2	2	6	10	15	19	32
80-84	462	7.8	50	1	2	6	10	15	19	39
85+	350	8.3	61	2	2	6	10	18	21	42
B. *Operated*										
65-69 YRS	531	8.5	73	1	2	6	10	19	24	45
70-74	458	9.0	69	1	2	7	12	19	25	41
75-79	279	10.7	125	2	2	8	13	21	31	60
80-84	173	11.3	154	2	3	8	14	24	35	74
85+	73	12.0	142	1	2	8	17	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.3	36	1	1	4	7	10	14	29
B. *Operated*	437	4.8	19	1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	3297	7.9	51	2	2	6	10	16	21	35
B. *Operated*	1514	9.5	95	2	2	7	12	20	29	48
1. SINGLE DX	789	5.0	27	1	1	3	7	10	14	24
2. MULTIPLE DX	4811	8.4	66	2	2	6	10	17	22	41
A. NOT OPERATED	3649	7.7	50	1	2	6	10	15	20	35
B. OPERATED	1951	8.5	82	1	2	6	11	18	24	44
TOTAL 65-69 YRS	1730	7.5	59	1	2	5	9	16	21	38
70-74	1545	7.8	49	1	2	6	10	16	22	37
75-79	1134	8.2	65	2	2	6	10	16	21	44
80-84	720	8.4	78	1	2	6	10	16	21	44
85+	471	8.7	74	2	2	6	10	18	24	45
GRAND TOTAL	**5600**	**7.9**	**61**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	207	3.2	10	1	1	2	4	6	8	11
70-74	145	3.2	6	1	1	2	4	6	8	12
75-79	137	3.7	8	1	1	3	5	8	9	13
80-84	67	4.9	13	1	1	4	6	10	13	18
85+	77	5.4	33	1	1	3	6	11	15	33
B. *Operated*										
65-69 YRS	110	7.1	34	1	2	6	9	14	16	33
70-74	123	7.1	23	1	2	6	10	13	17	22
75-79	82	7.6	26	1	2	6	10	16	19	22
80-84	43	8.4	29	1	2	7	11	17	19	21
85+	35	8.5	63	1	3	7	9	13	25	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	570	5.3	33	1	2	4	6	10	13	29
70-74	599	6.2	29	1	2	5	8	13	17	28
75-79	571	7.7	45	1	2	6	10	17	21	31
80-84	465	7.9	53	1	2	6	10	16	19	37
85+	451	8.4	68	2	2	6	10	15	22	55
B. *Operated*										
65-69 YRS	601	10.1	57	2	3	8	13	18	24	40
70-74	673	10.8	59	2	4	9	14	20	25	44
75-79	598	12.2	104	2	3	10	15	22	29	62
80-84	446	13.0	103	2	4	10	16	26	33	53
85+	373	12.7	81	3	4	11	16	26	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.8	12	1	1	3	5	8	10	15
B. *Operated*	393	7.5	31	1	2	6	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2656	7.0	45	1	2	5	9	14	19	32
B. *Operated*	2691	11.6	80	2	3	9	15	22	28	49
1. SINGLE DX	1026	5.2	23	1	1	4	7	11	14	22
2. MULTIPLE DX	5347	9.3	68	2	2	7	12	19	24	42
A. NOT OPERATED	3289	6.4	40	1	2	4	8	13	18	30
B. OPERATED	3084	11.1	75	2	3	9	14	21	27	44
TOTAL 65-69 YRS	1488	7.1	46	1	2	5	9	14	18	35
70-74	1540	8.0	46	1	2	6	11	16	21	36
75-79	1388	9.2	73	1	2	7	12	19	24	42
80-84	1021	9.9	79	2	2	7	13	20	26	44
85+	936	9.9	75	2	2	8	13	20	27	46
GRAND TOTAL	**6373**	**8.6**	**63**	**1**	**2**	**6**	**11**	**18**	**23**	**40**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	738	4.2	8	1	1	4	5	8	10	13
70-74	642	4.2	9	1	1	3	5	8	9	14
75-79	479	4.6	12	1	1	4	6	9	11	19
80-84	279	5.0	17	1	1	4	6	10	13	24
85+	222	4.7	11	1	2	4	6	9	11	18
B. *Operated*										
65-69 YRS	103	6.1	17	1	2	5	9	11	13	19
70-74	75	7.5	36	1	2	6	9	17	21	27
75-79	41	8.4	30	2	2	8	12	15	17	25
80-84	25	6.9	22	1	2	7	9	14	15	17
85+	8	11.4	70	2	3	9	14	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2425	5.8	21	1	2	5	7	11	14	22
70-74	2278	6.3	27	1	2	5	8	12	15	23
75-79	1962	6.3	22	2	2	5	8	11	14	24
80-84	1444	6.8	32	2	2	5	8	12	16	31
85+	1159	7.0	33	2	2	6	9	13	17	32
B. *Operated*										
65-69 YRS	424	10.4	67	2	3	9	13	19	24	52
70-74	354	11.6	90	3	4	9	14	22	30	65
75-79	266	12.5	109	3	4	10	15	24	32	51
80-84	156	12.8	87	3	4	10	16	26	30	45
85+	123	12.6	61	3	4	11	17	24	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2360	4.4	11	1	1	4	6	8	10	17
B. *Operated*	252	7.1	28	1	2	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	9268	6.3	26	2	2	5	8	12	15	25
B. *Operated*	1323	11.6	84	3	4	9	15	22	29	51
1. SINGLE DX	2612	4.7	13	1	1	4	6	9	11	19
2. MULTIPLE DX	10591	7.0	36	2	2	5	9	13	17	31
A. NOT OPERATED	11628	5.9	23	1	2	5	7	11	14	23
B. OPERATED	1575	10.9	78	2	3	9	14	21	28	49
TOTAL 65-69 YRS	3690	6.0	26	1	2	5	7	11	15	24
70-74	3349	6.4	34	1	2	5	8	12	16	29
75-79	2748	6.7	33	2	2	5	8	13	16	30
80-84	1904	7.0	38	2	2	5	9	13	17	32
85+	1512	7.2	36	2	2	6	9	14	18	33
GRAND TOTAL	**13203**	**6.5**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	135	4.1	13	1	1	3	5	8	10	19
70-74	134	5.0	32	1	1	4	6	10	14	32
75-79	113	4.5	12	1	1	3	6	9	12	18
80-84	90	5.0	21	1	1	4	6	12	14	22
85+	72	5.0	19	1	1	4	7	10	12	26
B. *Operated*										
65-69 YRS	68	5.4	26	<1	1	4	7	12	16	27
70-74	43	6.9	32	1	2	5	10	14	18	25
75-79	45	8.0	54	1	1	6	10	19	27	31
80-84	17	5.9	19	1	2	4	10	13	14	14
85+	12	6.7	32	2	2	5	10	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	938	6.8	34	1	2	5	8	13	17	30
70-74	1108	7.1	40	2	2	6	8	14	18	31
75-79	992	7.5	44	2	2	6	9	14	20	37
80-84	834	7.4	38	2	2	6	9	14	19	33
85+	724	7.7	36	2	2	6	10	15	19	31
B. *Operated*										
65-69 YRS	328	11.9	119	1	2	9	16	25	32	51
70-74	263	12.6	151	2	3	9	15	26	36	61
75-79	214	12.8	145	2	3	10	17	27	35	73
80-84	127	13.1	118	2	3	10	17	26	35	53
85+	101	15.0	196	2	4	11	20	35	42	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	4.7	20	1	1	3	6	10	13	24
B. *Operated*	185	6.5	34	1	1	5	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	4596	7.3	39	2	2	6	9	14	19	32
B. *Operated*	1033	12.7	140	2	3	10	16	26	35	63
1. SINGLE DX	729	5.1	24	1	1	4	6	11	14	26
2. MULTIPLE DX	5629	8.3	62	2	2	6	10	16	23	39
A. NOT OPERATED	5140	7.0	37	1	2	5	9	14	18	32
B. OPERATED	1218	11.8	129	2	2	9	15	25	34	58
TOTAL 65-69 YRS	1469	7.6	57	1	2	5	9	16	22	36
70-74	1548	7.8	63	1	2	6	9	15	21	41
75-79	1364	8.1	62	1	2	6	10	16	23	42
80-84	1068	7.8	50	2	2	6	10	16	21	37
85+	909	8.3	58	2	2	6	10	16	23	39
GRAND TOTAL	**6358**	**7.9**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**39**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1333	5.7	44	1	1	4	7	11	15	34
70-74	1189	5.9	39	1	1	4	7	12	16	33
75-79	1005	6.3	52	1	2	4	7	12	18	39
80-84	753	6.3	44	1	2	4	7	13	20	36
85+	583	6.7	51	1	2	5	8	14	19	37
B. *Operated*										
65-69 YRS	326	5.3	45	1	1	3	6	11	18	34
70-74	247	6.9	77	1	2	4	7	16	25	44
75-79	148	6.7	62	1	2	4	8	14	22	40
80-84	81	7.1	85	1	2	4	9	17	22	57
85+	49	8.9	52	1	1	7	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6249	7.2	44	2	2	5	9	14	19	35
70-74	6903	7.4	46	2	2	6	9	14	19	37
75-79	6594	7.7	45	2	2	6	9	15	19	34
80-84	5096	7.8	47	2	2	6	10	15	19	33
85+	4567	8.3	56	2	2	6	10	16	22	43
B. *Operated*										
65-69 YRS	1136	11.7	175	2	2	8	14	28	43	85
70-74	1133	12.1	155	2	2	8	16	26	39	67
75-79	933	12.5	128	2	3	10	16	25	35	63
80-84	621	14.4	159	3	4	11	18	30	44	99+
85+	479	14.4	145	3	4	12	18	28	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4863	6.1	45	1	2	4	7	12	18	35
B. *Operated*	851	6.4	62	1	1	3	8	14	21	41
2. MULTIPLE DX										
A. *Not Operated*	29409	7.6	47	2	2	6	9	15	20	35
B. *Operated*	4302	12.7	155	2	3	9	16	27	40	80
1. SINGLE DX	5714	6.1	48	1	1	4	7	12	18	37
2. MULTIPLE DX	33711	8.3	64	2	2	6	10	16	22	44
A. NOT OPERATED	34272	7.4	47	2	2	6	9	14	19	35
B. OPERATED	5153	11.6	145	2	2	8	15	25	37	74
TOTAL 65-69 YRS	9044	7.5	63	1	2	5	9	15	21	43
70-74	9472	7.8	62	1	2	6	9	16	21	44
75-79	8680	8.0	57	2	2	6	10	16	21	41
80-84	6551	8.3	62	2	2	6	10	16	22	42
85+	5678	8.7	66	2	2	7	11	17	23	48
GRAND TOTAL	**39425**	**8.0**	**62**	**2**	**2**	**6**	**10**	**16**	**22**	**43**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	4.4	5	<1	1	4	6	8	8	8
70-74	6	4.8	9	1	1	5	7	9	9	9
75-79	6	8.5	56	1	1	7	11	21	22	22
80-84	6	9.8	57	1	1	10	15	19	20	20
85+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
65-69 YRS	6	14.8	318	1	1	8	19	46	49	49
70-74	4	21.0	279	6	6	17	33	44	44	44
75-79										
80-84										
85+	1	38.0		38	38	38	38	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	11.2	147	2	3	7	13	25	36	63
70-74	31	13.3	150	1	3	11	19	24	26	65
75-79	27	11.6	109	2	2	9	17	26	31	47
80-84	33	12.7	213	1	2	8	13	30	52	64
85+	19	11.1	72	2	3	9	16	24	31	33
B. *Operated*										
65-69 YRS	34	25.1	644	1	5	14	40	74	92	99+
70-74	18	27.1	370	5	10	23	35	61	70	72
75-79	14	28.7	641	1	3	24	50	87	97	99+
80-84	14	26.6	664	2	4	16	52	58	81	88
85+	8	14.8	223	1	1	11	21	38	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.3	28	1	1	5	8	14	19	22
B. *Operated*	11	19.2	291	1	3	12	34	46	49	49
2. MULTIPLE DX										
A. *Not Operated*	152	12.0	143	2	2	8	16	25	32	64
B. *Operated*	88	25.4	542	2	3	16	39	69	87	99+
1. SINGLE DX	43	9.6	122	1	1	6	11	22	40	49
2. MULTIPLE DX	240	16.9	330	2	3	11	23	45	63	96
A. NOT OPERATED	184	11.0	128	1	2	8	14	24	30	64
B. OPERATED	99	24.7	515	2	3	16	38	62	84	99+
TOTAL 65-69 YRS	93	15.7	371	1	2	8	18	44	71	98
70-74	59	17.2	257	2	3	12	23	35	59	71
75-79	47	16.3	317	2	2	10	22	48	63	99+
80-84	53	16.1	344	1	2	9	20	52	55	87
85+	31	12.2	127	2	2	8	17	30	38	45
GRAND TOTAL	**283**	**15.8**	**305**	**1**	**2**	**9**	**21**	**42**	**56**	**93**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	9.2	45	1	1	9	13	17	22	23
70-74	9	4.8	18	1	1	4	5	12	15	15
75-79	4	8.5	14	5	5	8	11	13	13	13
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	4	13.0	62	5	5	12	19	22	22	22
70-74	3	11.7	82	5	5	8	18	22	22	22
75-79	5	15.0	69	5	5	16	19	27	27	27
80-84	2	4.5	1	4	4	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	10.8	113	1	2	6	16	25	32	52
70-74	40	11.3	67	1	2	9	15	23	27	34
75-79	40	10.9	76	2	3	8	17	23	31	37
80-84	26	11.8	97	2	3	9	17	22	34	44
85+	22	14.8	189	2	3	12	15	31	45	62
B. *Operated*										
65-69 YRS	20	26.9	327	6	8	25	42	59	87	99+
70-74	14	24.2	623	6	6	17	28	54	88	98
75-79	21	17.6	357	2	2	9	25	51	57	63
80-84	8	36.0	444	11	14	30	52	68	70	70
85+	6	15.5	161	1	1	13	30	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	7.7	31	1	1	7	12	15	16	23
B. *Operated*	14	12.2	60	4	5	9	17	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	169	11.6	100	2	3	8	16	25	31	50
B. *Operated*	69	23.6	411	3	4	19	35	51	70	99+
1. SINGLE DX	41	9.2	45	1	2	8	13	19	23	27
2. MULTIPLE DX	238	15.1	218	2	3	10	20	34	46	78
A. NOT OPERATED	196	11.1	92	2	2	8	15	23	31	48
B. OPERATED	83	21.7	369	3	5	17	30	49	65	99
TOTAL 65-69 YRS	77	14.8	202	1	2	10	20	40	46	93
70-74	66	13.2	208	2	2	8	16	27	34	90
75-79	70	13.0	162	2	3	8	18	29	43	61
80-84	37	16.6	263	2	3	11	20	40	56	70
85+	29	14.7	171	2	3	12	17	31	35	62
GRAND TOTAL	**279**	**14.2**	**197**	**2**	**3**	**10**	**19**	**31**	**43**	**74**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.8	8	<1	<1	2	6	8	9	9
70-74	9	4.6	18	1	1	3	6	11	14	14
75-79	10	6.3	54	<1	<1	4	6	17	26	26
80-84	7	3.7	6	1	1	4	6	6	6	6
85+	14	7.1	50	1	2	5	8	20	24	25
B. *Operated*										
65-69 YRS	83	4.8	21	1	1	3	5	11	14	25
70-74	71	5.3	23	1	2	3	7	12	15	25
75-79	49	3.8	13	1	1	3	4	8	9	23
80-84	25	7.8	54	1	1	4	10	22	24	26
85+	15	7.5	49	1	1	4	13	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	5.5	20	1	1	5	7	10	13	24
70-74	101	7.1	68	1	1	5	8	13	20	48
75-79	107	7.6	54	1	2	6	10	15	20	42
80-84	118	7.8	43	1	2	6	10	17	22	31
85+	151	8.8	105	1	2	6	10	15	22	68
B. *Operated*										
65-69 YRS	171	10.1	140	1	2	7	12	22	33	58
70-74	172	10.3	130	2	2	6	13	22	32	57
75-79	136	10.7	107	2	3	8	13	23	33	82
80-84	110	11.3	120	2	3	8	14	27	35	57
85+	84	14.8	253	2	3	10	16	33	51	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.2	28	<1	1	3	7	9	18	26
B. *Operated*	243	5.2	26	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	578	7.5	62	1	2	5	9	15	21	36
B. *Operated*	673	11.0	143	2	2	7	14	24	34	68
1. SINGLE DX	300	5.2	26	1	1	3	7	12	16	26
2. MULTIPLE DX	1251	9.4	109	1	2	6	11	19	29	58
A. NOT OPERATED	635	7.3	60	1	2	5	9	14	20	35
B. OPERATED	916	9.5	119	1	2	6	12	21	30	58
TOTAL 65-69 YRS	372	7.4	81	1	2	5	9	15	22	48
70-74	353	8.2	92	1	2	5	10	18	27	56
75-79	302	8.3	77	1	2	6	10	18	25	50
80-84	260	9.2	78	1	2	6	12	19	28	40
85+	264	10.5	154	1	2	7	12	20	31	71
GRAND TOTAL	**1551**	**8.6**	**96**	**1**	**2**	**6**	**10**	**18**	**26**	**56**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	415	9.2	36	2	3	8	12	16	20	31
70-74	399	10.4	42	3	4	9	14	18	21	33
75-79	448	10.5	45	3	4	9	13	17	21	35
80-84	338	11.4	38	3	4	10	15	20	24	28
85+	341	10.7	44	3	4	10	14	18	23	31
B. *Operated*										
65-69 YRS	19	19.3	216	3	5	16	25	43	54	57
70-74	22	19.9	201	3	7	17	21	37	56	64
75-79	17	20.4	181	4	7	18	26	45	49	50
80-84	7	17.3	101	7	8	12	27	32	32	32
85+	8	15.6	221	4	4	10	20	41	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1152	11.7	63	3	4	10	15	21	26	39
70-74	1573	12.6	69	3	5	11	16	23	29	42
75-79	1812	13.1	74	4	5	11	17	24	28	49
80-84	1804	13.8	98	4	5	11	17	25	33	57
85+	1781	13.6	92	3	5	12	17	25	32	59
B. *Operated*										
65-69 YRS	172	21.3	253	4	7	16	28	45	56	94
70-74	196	22.9	333	5	7	19	29	49	78	99+
75-79	182	23.7	252	5	8	21	31	44	56	86
80-84	173	24.9	235	8	9	21	33	46	59	89
85+	135	21.8	196	7	9	19	28	41	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1941	10.4	41	3	4	9	13	18	22	31
B. *Operated*	73	19.1	185	4	6	17	22	37	50	62
2. MULTIPLE DX										
A. *Not Operated*	8122	13.1	81	3	5	11	16	24	30	51
B. *Operated*	858	23.0	259	5	8	19	30	45	64	99+
1. SINGLE DX	2014	10.7	49	3	4	9	14	19	23	35
2. MULTIPLE DX	8980	14.0	107	4	5	12	17	26	34	60
A. NOT OPERATED	10063	12.6	75	3	4	11	16	23	28	49
B. OPERATED	931	22.7	254	5	8	19	29	44	59	99+
TOTAL 65-69 YRS	1758	12.1	87	3	4	10	15	23	30	50
70-74	2190	13.2	99	3	5	11	16	24	31	64
75-79	2459	13.5	93	4	5	11	17	25	31	53
80-84	2322	14.3	109	4	5	12	18	26	35	58
85+	2265	13.7	96	3	5	11	17	25	33	61
GRAND TOTAL	**10994**	**13.4**	**98**	**3**	**5**	**11**	**17**	**25**	**32**	**57**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	10.7	36	4	6	8	14	22	23	24
70-74	15	11.1	59	2	2	11	15	18	28	32
75-79	9	8.8	10	4	5	8	11	13	14	14
80-84	7	9.4	29	4	4	10	10	18	20	20
85+	7	8.0	3	7	7	7	9	11	11	11
B. *Operated*										
65-69 YRS	4	38.8	1784	<1	<1	30	71	94	94	94
70-74	1	34.0		34	34	34	34	34	34	34
75-79	4	24.3	194	11	11	21	34	43	43	43
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	12.4	145	3	4	9	14	19	23	78
70-74	42	15.6	121	5	6	13	18	34	43	49
75-79	52	14.5	83	4	6	13	16	26	32	47
80-84	37	15.2	181	3	4	11	20	45	56	99+
85+	46	12.2	88	3	4	10	16	23	37	99+
B. *Operated*										
65-69 YRS	14	38.4	418	10	13	39	50	83	96	99+
70-74	15	39.0	692	7	13	40	71	97	99+	99+
75-79	11	21.1	201	4	6	20	27	42	52	53
80-84	9	28.4	766	5	8	21	27	73	99	99+
85+	4	21.8	123	10	11	30	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.9	32	4	4	8	12	16	22	32
B. *Operated*	9	31.8	795	<1	4	26	44	76	94	94
2. MULTIPLE DX										
A. *Not Operated*	216	14.0	119	4	5	11	16	24	43	85
B. *Operated*	53	32.0	515	6	9	27	49	96	99+	99+
1. SINGLE DX	62	13.1	192	3	4	10	15	25	38	89
2. MULTIPLE DX	269	17.5	247	4	5	13	22	45	64	99+
A. NOT OPERATED	269	13.2	104	4	5	11	16	23	34	74
B. OPERATED	62	32.0	543	5	9	27	49	93	99+	99+
TOTAL 65-69 YRS	72	18.5	371	3	5	11	22	48	76	99
70-74	73	19.7	321	4	5	14	25	49	80	99+
75-79	76	15.3	107	4	6	13	19	28	41	51
80-84	53	16.7	279	4	4	11	21	36	57	99+
85+	57	12.3	87	3	4	10	16	29	78	99+
GRAND TOTAL	**331**	**16.7**	**239**	**4**	**5**	**12**	**20**	**41**	**57**	**99+**

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	4.5	10	1	1	4	6	9	11	15
70-74	140	5.4	13	1	2	5	6	10	12	21
75-79	90	6.8	24	2	2	5	8	14	18	24
80-84	119	6.7	21	1	2	6	9	13	17	22
85+	129	7.1	51	1	2	5	9	12	19	46
B. *Operated*										
65-69 YRS	6	9.2	64	4	4	6	9	23	25	25
70-74	1	18.0		18	18	18	18	18	18	18
75-79	3	12.0	28	8	8	10	16	18	18	18
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	873	8.0	47	2	2	6	10	15	20	37
70-74	956	9.5	73	2	3	7	12	18	24	40
75-79	994	9.7	57	2	3	8	13	19	23	38
80-84	970	10.0	63	2	3	8	12	18	25	39
85+	1162	10.7	73	2	3	9	13	20	27	47
B. *Operated*										
65-69 YRS	172	15.2	178	2	3	11	21	32	43	69
70-74	180	17.5	261	3	4	13	22	41	54	99
75-79	185	17.0	163	3	4	13	22	34	48	57
80-84	116	19.9	239	5	6	16	27	44	59	99+
85+	96	18.9	165	5	6	17	25	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	596	6.1	25	1	2	5	8	11	18	25
B. *Operated*	11	10.1	52	2	3	8	16	21	25	25
2. MULTIPLE DX										
A. *Not Operated*	4955	9.6	64	2	3	8	12	18	24	41
B. *Operated*	749	17.4	203	3	5	13	23	37	50	97
1. SINGLE DX	607	6.1	25	1	2	5	8	11	18	25
2. MULTIPLE DX	5704	10.7	89	2	3	8	13	21	28	53
A. NOT OPERATED	5551	9.3	61	2	3	7	12	18	23	40
B. OPERATED	760	17.3	202	3	5	13	23	36	50	97
TOTAL 65-69 YRS	1169	8.7	71	2	2	6	11	18	24	44
70-74	1277	10.2	103	2	3	7	12	20	29	58
75-79	1272	10.5	77	2	3	8	14	21	27	51
80-84	1205	10.7	85	2	3	8	13	21	27	52
85+	1388	10.9	83	2	3	9	14	21	29	50
GRAND TOTAL	**6311**	**10.2**	**85**	**2**	**3**	**8**	**13**	**20**	**27**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	203	12.5	86	4	5	10	16	22	26	48
70-74	257	12.5	71	3	5	11	16	21	26	42
75-79	322	12.7	68	3	4	11	16	24	29	43
80-84	379	13.4	78	4	5	12	17	24	28	49
85+	490	13.7	79	3	4	12	18	25	30	45
B. *Operated*										
65-69 YRS	1	18.0		18	18	18	18	18	18	18
70-74	4	15.5	67	8	8	15	22	24	24	24
75-79	9	24.1	103	11	11	26	34	36	37	37
80-84	7	16.7	7	12	13	17	19	20	20	20
85+	5	15.8	83	8	8	12	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	470	16.0	118	4	5	14	21	29	37	61
70-74	689	16.3	133	4	6	14	20	30	37	61
75-79	926	16.[illegible]	103	4	6	14	21	29	35	54
80-84	1111	17.[illegible]	133	5	6	15	22	32	41	70
85+	1563	16.8	143	4	6	14	21	31	38	78
B. *Operated*										
65-69 YRS	92	27.1	315	7	10	22	35	50	56	95
70-74	112	30.6	435	8	11	25	41	58	87	96
75-79	115	29.0	268	11	13	26	40	60	78	99+
80-84	130	29.1	260	9	12	25	38	54	59	91
85+	136	26.4	328	4	8	23	33	50	70	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1651	13.1	76	3	5	11	17	23	28	44
B. *Operated*	26	19.0	71	8	9	17	24	34	35	37
2. MULTIPLE DX										
A. *Not Operated*	4759	16.7	129	4	6	14	21	30	38	67
B. *Operated*	585	28.4	320	8	11	24	38	55	71	99+
1. SINGLE DX	1677	13.2	77	3	5	12	17	24	29	43
2. MULTIPLE DX	5344	18.0	163	4	6	15	23	33	44	77
A. NOT OPERATED	6410	15.8	118	4	5	14	20	29	36	62
B. OPERATED	611	28.0	313	8	10	23	36	54	69	99+
TOTAL 65-69 YRS	766	16.4	151	4	5	13	21	31	40	68
70-74	1062	16.9	174	4	6	14	21	31	42	75
75-79	1372	16.6	125	4	6	14	21	31	38	63
80-84	1627	17.3	144	4	6	15	22	32	42	68
85+	2194	16.7	148	4	6	14	21	31	39	77
GRAND TOTAL	**7021**	**16.8**	**147**	**4**	**6**	**14**	**21**	**31**	**40**	**72**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	217	5.4	32	1	1	4	7	10	15	27
70-74	262	5.2	23	1	1	4	6	10	14	26
75-79	282	6.8	74	1	1	5	8	13	18	55
80-84	297	6.4	31	1	2	5	9	12	15	25
85+	312	7.8	77	1	2	5	9	16	23	45
B. *Operated*										
65-69 YRS	311	6.0	25	1	2	5	7	12	15	28
70-74	290	7.2	35	1	2	6	9	15	19	29
75-79	275	8.9	65	1	2	6	11	20	24	39
80-84	219	8.6	60	1	1	7	11	19	24	35
85+	156	9.9	102	1	2	7	12	19	28	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	401	8.8	70	1	2	6	11	18	26	43
70-74	612	10.0	71	2	2	7	13	22	28	44
75-79	739	10.9	100	2	3	8	14	22	34	48
80-84	793	12.4	131	2	3	9	15	26	36	78
85+	879	11.6	103	2	3	9	14	24	32	63
B. *Operated*										
65-69 YRS	450	12.8	129	2	3	10	17	26	38	60
70-74	513	14.8	183	2	3	10	20	33	44	80
75-79	517	14.7	149	2	4	11	20	34	41	80
80-84	464	16.4	199	3	4	12	21	34	49	88
85+	387	16.2	203	3	4	12	21	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	6.4	50	1	1	5	8	13	17	32
B. *Operated*	1251	7.9	53	1	2	6	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	3424	11.0	100	2	3	8	14	23	31	55
B. *Operated*	2331	14.9	173	2	4	11	20	33	44	81
1. SINGLE DX	2621	7.1	52	1	2	5	9	15	20	33
2. MULTIPLE DX	5755	12.6	133	2	3	9	16	27	37	67
A. NOT OPERATED	4794	9.7	90	2	2	7	12	20	28	51
B. OPERATED	3582	12.5	142	2	2	9	16	27	38	67
TOTAL 65-69 YRS	1379	9.0	81	1	2	6	11	20	27	48
70-74	1677	10.3	103	2	2	7	13	22	30	52
75-79	1813	11.0	112	2	2	8	14	23	34	37
80-84	1773	12.0	135	2	3	9	15	25	35	74
85+	1734	11.8	128	2	3	9	15	25	35	68
GRAND TOTAL	**8376**	**10.9**	**114**	**2**	**2**	**8**	**14**	**23**	**33**	**61**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	3.1	7	1	1	2	4	6	10	14
70-74	62	4.1	15	1	1	3	5	9	13	19
75-79	58	3.9	11	<1	1	2	6	7	10	18
80-84	67	4.3	12	1	1	4	6	9	11	17
85+	74	5.4	67	1	1	3	7	11	15	54
B. *Operated*										
65-69 YRS	815	3.2	8	1	1	3	4	6	8	15
70-74	672	3.6	13	1	1	3	4	7	10	21
75-79	523	3.9	18	1	1	3	5	7	10	16
80-84	346	4.3	14	1	1	3	5	8	12	18
85+	243	4.8	24	1	1	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	7.2	35	1	1	5	10	16	22	27
70-74	178	9.5	92	2	2	7	11	19	23	56
75-79	209	9.5	94	2	3	7	12	19	27	68
80-84	206	9.1	54	1	2	7	13	20	30	99+
85+	230	10.2	78	2	2	8	14	22	33	57
B. *Operated*										
65-69 YRS	661	7.6	67	1	2	5	9	16	21	48
70-74	626	8.7	92	1	2	5	10	20	27	53
75-79	595	9.3	103	1	2	6	12	22	28	55
80-84	484	9.6	111	1	2	6	11	22	29	57
85+	449	10.2	97	2	2	7	13	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.2	24	1	1	3	5	9	12	18
B. *Operated*	2599	3.8	14	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	989	9.2	72	1	2	7	12	20	26	86
B. *Operated*	2815	9.0	93	1	2	6	11	20	27	55
1. SINGLE DX	2927	3.8	15	1	1	3	5	8	10	18
2. MULTIPLE DX	3804	9.0	88	1	2	6	11	20	27	55
A. NOT OPERATED	1317	8.0	65	1	1	6	10	18	24	52
B. OPERATED	5414	6.5	62	1	1	4	8	14	21	43
TOTAL 65-69 YRS	1709	5.3	38	1	1	3	6	12	16	30
70-74	1538	6.5	61	1	1	4	7	14	21	43
75-79	1385	7.2	73	1	1	4	8	16	23	49
80-84	1103	7.5	70	1	1	5	9	17	24	52
85+	996	8.5	79	1	2	6	11	19	26	52
GRAND TOTAL	**6731**	**6.8**	**63**	**1**	**1**	**4**	**8**	**15**	**22**	**45**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	3.0	4	<1	<1	2	4	7	8	8
70-74	23	3.2	4	<1	1	2	5	6	7	8
75-79	15	5.0	9	1	1	4	8	9	10	10
80-84	11	3.7	4	1	1	4	5	7	7	7
85+	19	5.8	37	<1	1	4	8	11	21	27
B. *Operated*										
65-69 YRS	148	3.0	9	1	1	2	4	7	8	16
70-74	119	3.3	9	1	1	2	4	7	9	17
75-79	89	3.0	6	1	1	2	4	6	8	13
80-84	40	2.9	6	<1	<1	2	4	5	9	11
85+	29	3.4	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	7.8	56	1	1	5	10	19	24	34
70-74	61	8.6	80	1	2	6	11	18	26	51
75-79	81	8.7	92	1	2	6	11	18	26	89
80-84	76	11.2	122	1	2	8	16	22	28	57
85+	85	10.9	106	2	3	9	12	28	32	58
B. *Operated*										
65-69 YRS	175	5.6	43	1	1	4	7	12	17	38
70-74	142	6.7	48	1	1	5	8	15	19	33
75-79	127	7.3	67	1	2	4	10	16	21	44
80-84	86	8.9	74	1	1	6	11	21	30	40
85+	76	9.6	138	1	1	6	11	23	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.1	13	<1	1	3	6	8	9	22
B. *Operated*	425	3.1	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	369	9.6	94	1	2	7	12	20	29	58
B. *Operated*	606	7.2	67	1	1	4	9	16	23	43
1. SINGLE DX	509	3.3	9	1	1	2	4	7	8	14
2. MULTIPLE DX	975	8.1	78	1	1	5	10	17	25	51
A. NOT OPERATED	453	8.6	83	1	2	6	11	19	27	56
B. OPERATED	1031	5.5	46	1	1	3	7	12	17	37
TOTAL 65-69 YRS	405	4.9	34	1	1	3	6	11	16	33
70-74	345	5.6	41	1	1	3	7	14	18	32
75-79	312	6.3	58	1	1	4	8	14	19	48
80-84	213	8.3	84	1	1	5	10	20	25	50
85+	209	8.9	103	1	1	6	11	17	29	56
GRAND TOTAL	**1484**	**6.4**	**60**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	9.9	67	1	1	9	13	20	25	42
70-74	133	11.5	132	1	1	9	15	22	27	69
75-79	177	12.1	155	1	1	9	15	26	35	60
80-84	199	12.8	177	1	2	10	16	23	35	93
85+	310	12.3	125	1	2	10	16	23	34	60
B. *Operated*										
65-69 YRS	1527	15.6	63	7	8	14	19	25	30	47
70-74	2152	17.0	67	8	9	15	20	26	33	50
75-79	2878	17.8	82	8	10	16	21	27	35	60
80-84	3330	18.8	93	9	10	17	22	30	37	61
85+	4512	18.9	100	8	10	17	22	30	38	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	16.9	233	2	2	12	22	42	58	99+
70-74	327	16.5	185	2	4	13	22	36	45	88
75-79	485	17.9	278	2	4	14	22	41	61	99+
80-84	567	18.3	242	2	4	14	24	39	53	99+
85+	919	16.5	208	3	4	13	21	35	51	99+
B. *Operated*										
65-69 YRS	2569	21.4	166	9	10	18	25	37	49	81
70-74	4004	21.8	158	9	11	19	26	38	49	95
75-79	5752	23.1	178	9	11	20	28	41	54	99+
80-84	7100	23.3	184	9	11	20	28	42	56	99+
85+	10081	22.9	184	9	11	19	28	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	12.0	136	1	2	9	15	23	31	66
B. *Operated*	14399	18.0	87	8	9	16	21	28	35	61
2. MULTIPLE DX										
A. *Not Operated*	2487	17.2	229	2	4	14	22	37	53	99+
B. *Operated*	29506	22.8	178	9	11	19	27	40	54	99+
1. SINGLE DX	15335	17.6	92	7	9	16	21	28	35	61
2. MULTIPLE DX	31993	22.3	184	8	10	19	27	40	54	99+
A. NOT OPERATED	3423	15.8	208	2	3	12	20	34	49	99+
B. OPERATED	43905	21.2	153	9	10	18	25	37	48	93
TOTAL 65-69 YRS	4402	18.8	140	7	9	16	22	33	42	76
70-74	6616	19.8	136	7	9	17	23	34	44	80
75-79	9292	21.0	160	8	10	18	25	37	49	94
80-84	11196	21.5	166	8	10	18	26	38	50	95
85+	15822	21.2	166	8	10	18	25	37	50	99+
GRAND TOTAL	**47328**	**20.8**	**159**	**8**	**10**	**18**	**25**	**37**	**48**	**94**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	18.6	315	2	4	13	26	42	59	79
70-74	72	24.1	395	4	6	15	34	55	70	97
75-79	73	17.6	193	3	5	14	22	39	54	90
80-84	79	20.1	431	2	4	13	23	55	68	98
85+	125	15.7	209	2	2	10	22	38	43	66
B. *Operated*										
65-69 YRS	140	21.6	225	6	8	17	26	42	55	80
70-74	172	20.7	218	7	8	16	25	37	53	98
75-79	191	20.9	182	7	10	18	25	38	60	99+
80-84	200	23.2	186	7	10	20	29	43	53	74
85+	248	19.0	132	6	8	17	24	34	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	27.3	585	3	4	19	43	71	89	99+
70-74	145	27.7	547	4	6	19	46	69	89	99+
75-79	164	25.1	473	3	4	19	38	68	84	99+
80-84	193	24.0	459	3	4	17	40	65	74	99+
85+	286	21.0	406	2	4	14	28	55	68	98
B. *Operated*										
65-69 YRS	318	28.5	333	9	11	24	38	65	92	99+
70-74	347	28.7	362	9	11	23	38	61	88	99+
75-79	428	29.8	361	9	12	26	42	67	93	99+
80-84	413	27.9	333	8	11	22	38	64	78	99+
85+	590	26.2	318	8	10	21	34	57	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	18.8	302	2	4	13	26	47	59	91
B. *Operated*	951	21.0	184	7	9	17	26	38	53	99
2. MULTIPLE DX										
A. *Not Operated*	899	24.3	479	3	5	17	36	65	81	99+
B. *Operated*	2096	28.1	340	9	11	23	38	63	87	99+
1. SINGLE DX	1360	20.3	220	4	7	16	26	41	55	97
2. MULTIPLE DX	2995	26.9	385	5	8	21	38	64	85	99+
A. NOT OPERATED	1308	22.6	430	2	4	15	32	60	74	99+
B. OPERATED	3047	25.8	302	8	10	21	33	56	73	99+
TOTAL 65-69 YRS	629	25.8	363	5	8	21	36	60	79	99+
70-74	736	26.2	377	6	8	20	34	61	82	99+
75-79	856	25.9	347	6	8	21	36	62	81	99+
80-84	885	25.3	342	5	7	20	34	59	71	99+
85+	1249	22.6	304	4	7	18	29	50	67	99+
GRAND TOTAL	**4355**	**24.9**	**343**	**5**	**7**	**20**	**33**	**57**	**73**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	8.2	42	2	3	6	10	17	21	36
70-74	155	10.3	68	1	3	8	13	21	29	40
75-79	116	11.2	95	3	3	8	13	22	33	51
80-84	81	11.6	99	2	3	9	14	21	37	50
85+	90	10.9	102	2	3	8	14	22	30	58
B. *Operated*										
65-69 YRS	274	11.4	89	3	4	9	13	19	29	59
70-74	165	11.7	84	3	4	9	15	23	29	56
75-79	140	13.6	132	3	4	10	18	28	36	51
80-84	73	12.4	97	2	4	11	16	23	28	60
85+	46	10.9	70	2	3	9	14	23	29	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	12.9	110	3	3	10	18	27	37	80
70-74	216	12.2	92	2	4	10	16	24	33	51
75-79	253	13.1	122	3	4	9	16	26	33	60
80-84	182	15.0	175	3	4	11	18	32	41	70
85+	223	13.2	149	3	4	10	18	30	39	99+
B. *Operated*										
65-69 YRS	397	17.7	208	3	4	14	23	37	46	73
70-74	278	18.6	217	4	6	15	23	35	49	96
75-79	247	20.7	267	4	6	16	27	45	64	99+
80-84	145	22.5	312	5	7	17	29	47	60	85
85+	137	19.0	292	3	4	14	27	43	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	10.2	77	2	3	8	13	20	28	46
B. *Operated*	698	12.0	96	3	4	9	15	23	30	58
2. MULTIPLE DX										
A. *Not Operated*	1100	13.2	128	3	4	10	17	27	36	77
B. *Operated*	1204	19.2	246	4	5	15	25	41	56	98
1. SINGLE DX	1290	11.2	88	2	3	9	14	22	30	50
2. MULTIPLE DX	2304	16.4	198	3	4	12	21	35	47	96
A. NOT OPERATED	1692	12.2	112	2	3	9	16	24	34	61
B. OPERATED	1902	16.6	203	3	4	12	21	35	48	88
TOTAL 65-69 YRS	1047	13.6	143	3	4	10	17	28	38	70
70-74	814	13.9	140	3	4	11	18	27	36	69
75-79	756	15.4	180	3	4	11	19	32	46	86
80-84	481	16.3	209	3	4	12	19	34	46	74
85+	496	14.2	181	3	3	10	19	32	45	99+
GRAND TOTAL	**3594**	**14.5**	**165**	**3**	**4**	**11**	**18**	**31**	**42**	**80**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	223	5.7	32	1	2	5	7	11	13	30
70-74	201	5.7	17	1	2	4	8	11	14	20
75-79	171	6.5	28	1	2	6	8	12	16	27
80-84	112	7.6	35	1	2	6	10	15	20	30
85+	99	8.5	53	1	1	7	12	17	22	39
B. *Operated*										
65-69 YRS	940	7.5	33	2	3	6	9	13	17	31
70-74	642	8.5	29	3	3	7	11	15	19	27
75-79	395	10.0	57	2	3	9	13	18	22	37
80-84	217	12.6	98	3	4	10	16	22	30	53
85+	118	11.7	121	3	3	9	14	20	25	74
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	363	8.4	70	2	2	6	10	16	22	52
70-74	392	9.7	80	2	3	7	12	18	25	45
75-79	390	10.4	118	2	3	8	12	19	26	67
80-84	314	10.8	79	3	3	9	14	21	27	88
85+	269	11.7	91	2	3	8	16	23	32	50
B. *Operated*										
65-69 YRS	913	11.7	96	3	4	9	14	22	31	62
70-74	704	13.2	122	3	5	10	16	24	35	69
75-79	532	15.3	190	4	5	11	18	30	46	93
80-84	355	17.0	211	4	6	13	19	32	44	86
85+	229	20.0	268	4	5	15	27	43	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	6.5	31	1	2	5	8	13	16	28
B. *Operated*	2312	8.9	49	2	3	7	11	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	1728	10.1	89	2	3	8	12	19	26	56
B. *Operated*	2733	14.2	157	3	5	11	17	27	39	77
1. SINGLE DX	3118	8.3	46	2	3	7	10	15	19	35
2. MULTIPLE DX	4461	12.6	134	3	4	9	15	25	34	73
A. NOT OPERATED	2534	8.9	74	2	2	7	11	17	23	47
B. OPERATED	5045	11.8	114	3	4	9	14	22	31	67
TOTAL 65-69 YRS	2439	9.1	67	2	3	7	11	17	23	45
70-74	1939	10.1	78	2	3	8	12	18	25	46
75-79	1488	11.6	126	2	3	9	14	22	30	70
80-84	998	13.0	136	3	4	10	16	24	34	79
85+	715	13.9	166	2	3	10	17	29	40	74
GRAND TOTAL	**7579**	**10.8**	**102**	**2**	**3**	**8**	**13**	**20**	**29**	**63**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.8	10	1	1	3	5	8	12	14
70-74	26	4.7	21	1	1	3	6	14	14	15
75-79	19	7.7	59	1	2	5	11	20	27	29
80-84	23	6.1	22	1	1	5	9	10	14	22
85+	23	7.0	112	1	2	4	7	11	28	53
B. *Operated*										
65-69 YRS	10	8.2	90	1	1	5	10	22	33	33
70-74	7	6.1	4	4	4	6	7	9	10	10
75-79	4	5.0	5	3	3	4	6	8	8	8
80-84	4	10.5	38	5	5	9	15	18	18	18
85+	3	6.7	30	3	3	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	130	8.8	62	1	2	7	10	19	26	42
70-74	140	9.7	104	1	2	7	12	19	24	60
75-79	155	9.3	57	2	3	7	12	20	28	96
80-84	164	10.8	91	2	2	8	14	22	27	69
85+	161	10.6	85	2	3	8	14	23	29	96
B. *Operated*										
65-69 YRS	41	12.6	93	1	2	11	20	26	29	39
70-74	40	19.9	355	3	4	14	24	49	61	84
75-79	31	20.1	412	2	3	14	30	65	79	99+
80-84	27	16.7	155	2	3	14	26	41	51	99+
85+	27	15.7	175	2	4	14	19	45	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	5.8	45	1	1	4	8	12	15	39
B. *Operated*	28	7.4	41	2	3	5	9	13	19	33
2. MULTIPLE DX										
A. *Not Operated*	750	9.9	80	2	2	8	13	20	27	69
B. *Operated*	166	16.9	242	2	3	13	21	42	56	99+
1. SINGLE DX	138	6.2	44	1	1	4	8	13	15	35
2. MULTIPLE DX	916	11.2	117	2	3	8	14	24	33	84
A. NOT OPERATED	860	9.4	78	1	2	7	12	20	26	56
B. OPERATED	194	15.5	224	2	3	11	20	37	52	99+
TOTAL 65-69 YRS	200	9.1	69	1	2	6	12	21	27	40
70-74	213	10.9	157	1	2	7	13	23	30	73
75-79	209	10.7	123	2	2	7	14	25	34	99+
80-84	218	11.0	97	1	2	9	14	23	33	80
85+	214	10.8	102	2	3	8	14	24	36	99+
GRAND TOTAL	**1054**	**10.5**	**110**	**1**	**2**	**7**	**14**	**23**	**31**	**79**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	32	2	2	6	10	10	10	10
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	3	8.7	2	7	7	9	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	2	18.0	450	3	3	18	33	33	33	33
80-84										
85+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	8.2	38	1	1	10	12	16	16	16
70-74	5	12.0	26	3	3	14	15	15	15	15
75-79	9	13.1	146	4	4	8	17	34	38	38
80-84	2	30.0	648	12	12	30	48	48	48	48
85+	11	18.6	256	<1	2	18	25	41	56	57
B. *Operated*										
65-69 YRS	3	34.3	716	10	10	30	55	63	63	63
70-74	4	19.0	79	12	12	16	24	32	32	32
75-79	4	32.0	1431	6	6	17	54	88	88	88
80-84	4	38.3	630	6	6	40	55	67	67	67
85+	4	30.5	520	12	12	37	70	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.0	9	2	3	9	10	11	11	11
B. *Operated*	3	20.7	246	3	3	26	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	32	15.1	178	1	3	12	18	33	47	57
B. *Operated*	19	30.6	569	6	8	25	51	77	94	99+
1. SINGLE DX	10	11.8	98	2	2	9	11	29	33	33
2. MULTIPLE DX	51	20.9	373	3	4	14	30	58	67	99+
A. NOT OPERATED	39	13.8	155	1	3	10	16	30	43	57
B. OPERATED	22	29.3	523	5	6	26	42	71	92	99+
TOTAL 65-69 YRS	10	15.6	347	1	1	10	16	46	63	63
70-74	11	14.0	52	3	5	14	15	23	31	32
75-79	18	17.1	421	3	4	9	21	36	68	88
80-84	6	35.5	526	6	7	40	48	65	67	67
85+	16	22.1	303	1	4	19	32	59	86	99+
GRAND TOTAL	**61**	**19.4**	**337**	**2**	**3**	**13**	**29**	**51**	**65**	**99**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	1.4		<1	<1	1	2	2	2	2
70-74	11	2.1	1	1	1	2	3	4	4	4
75-79	11	4.5	22	<1	<1	3	5	13	15	15
80-84	11	4.1	16	1	1	2	6	11	13	13
85+	7	3.7	6	1	1	3	5	8	8	8
B. *Operated*										
65-69 YRS	75	2.7	6	1	1	2	4	6	7	14
70-74	77	3.1	12	<1	1	2	3	8	11	17
75-79	49	3.8	17	<1	1	2	4	9	16	18
80-84	40	3.8	61	<1	1	2	3	6	12	49
85+	37	4.4	39	<1	1	2	4	14	21	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	8.0	41	1	1	7	11	16	23	26
70-74	33	8.3	67	1	1	6	10	21	27	35
75-79	38	6.0	20	1	2	4	7	15	16	16
80-84	28	8.6	52	1	1	8	11	21	26	28
85+	28	7.9	58	1	2	5	12	21	38	99+
B. *Operated*										
65-69 YRS	92	7.1	77	1	1	4	8	21	27	77
70-74	107	7.7	69	1	1	4	10	21	26	36
75-79	80	7.5	78	1	1	4	9	17	27	43
80-84	82	9.8	133	1	2	5	13	28	33	86
85+	74	8.7	158	1	1	4	11	18	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.2	11	1	1	2	4	7	12	15
B. *Operated*	278	3.4	22	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	159	7.7	46	1	1	6	10	16	25	35
B. *Operated*	435	8.1	99	1	1	4	10	21	30	57
1. SINGLE DX	326	3.4	20	1	1	2	4	8	12	20
2. MULTIPLE DX	594	8.0	85	1	1	5	10	21	27	57
A. NOT OPERATED	207	6.6	41	1	1	5	9	15	24	35
B. OPERATED	713	6.3	74	1	1	3	7	17	24	48
TOTAL 65-69 YRS	207	5.4	48	1	1	3	6	13	21	42
70-74	228	6.0	52	1	1	3	7	15	23	35
75-79	178	5.9	47	1	1	4	7	15	17	41
80-84	161	7.7	99	1	1	4	10	22	29	59
85+	146	7.2	104	1	1	4	8	17	25	78
GRAND TOTAL	**920**	**6.3**	**67**	**1**	**1**	**3**	**8**	**16**	**24**	**46**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.6	3	2	2	3	5	6	6	6
70-74	5	3.4	7	1	1	3	4	8	8	8
75-79	4	9.0	130	2	2	4	15	26	26	26
80-84	2	3.0		3	3	3	3	3	3	3
85+	2	18.0	200	8	8	18	28	28	28	28
B. *Operated*										
65-69 YRS	200	5.1	33	1	2	4	6	9	11	18
70-74	115	6.2	18	2	2	5	8	12	14	23
75-79	62	6.9	31	1	2	6	8	13	17	31
80-84	19	6.6	32	2	2	5	8	16	22	22
85+	12	4.8	14	<1	1	3	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.8	5	1	1	4	5	7	8	8
70-74	8	7.9	59	1	2	6	8	21	26	26
75-79	7	13.7	480	1	2	7	9	52	63	63
80-84	8	10.3	44	3	4	8	14	21	22	22
85+	2	25.0	128	17	17	25	33	33	33	33
B. *Operated*										
65-69 YRS	324	5.8	26	2	2	4	7	11	14	25
70-74	190	6.6	29	2	2	5	8	13	19	27
75-79	110	8.9	63	2	2	6	12	19	30	36
80-84	30	11.5	124	2	2	6	18	25	36	46
85+	17	12.3	222	2	2	8	12	31	52	62
SUBTOTALS:										
1 [illegible]NGLE DX										
[illegible] *Not Operated*	18	6.3	61	1	2	3	6	21	27	28
B. *Operated*	408	5.8	28	1	2	5	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	36	9.3	136	1	1	6	9	22	31	63
B. *Operated*	671	7.0	45	2	2	5	8	14	20	34
1. SINGLE DX	426	5.8	29	1	2	5	7	10	14	26
2. MULTIPLE DX	707	7.1	49	2	2	5	8	15	21	34
A. NOT OPERATED	54	8.3	111	1	2	5	8	22	28	62
B. OPERATED	1079	6.5	39	2	2	5	8	13	17	31
TOTAL 65-69 YRS	540	5.5	28	1	2	4	7	10	14	24
70-74	318	6.5	25	2	2	5	8	12	17	26
75-79	183	8.4	68	1	2	6	10	17	26	36
80-84	59	9.4	83	2	2	6	14	22	25	45
85+	33	10.7	157	1	2	7	12	29	34	62
GRAND TOTAL	**1133**	**6.6**	**42**	**2**	**2**	**5**	**8**	**13**	**18**	**32**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.9	12	<1	1	4	7	8	11	16
70-74	14	12.4	154	1	2	7	15	32	41	44
75-79	9	10.0	61	1	2	8	13	23	27	27
80-84	4	4.8	4	2	2	5	6	6	6	6
85+	4	6.5	18	2	2	6	10	11	11	11
B. *Operated*										
65-69 YRS	79	5.6	54	<1	1	3	6	13	18	44
70-74	67	5.6	24	1	2	4	7	13	17	22
75-79	41	6.8	75	<1	1	3	9	16	26	41
80-84	29	12.4	304	1	1	5	12	33	51	79
85+	29	8.0	70	1	1	5	10	18	26	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	10.5	69	2	4	8	12	21	28	43
70-74	32	8.6	88	1	2	6	11	16	18	53
75-79	36	11.7	113	2	2	7	19	22	33	49
80-84	32	13.3	141	1	3	10	16	27	46	51
85+	27	10.1	143	1	1	7	12	25	33	56
B. *Operated*										
65-69 YRS	128	11.2	134	1	2	6	16	31	39	50
70-74	84	15.7	320	1	2	8	22	35	55	88
75-79	82	18.3	297	1	3	13	23	47	59	68
80-84	58	15.5	251	1	3	11	19	40	54	68
85+	28	18.0	222	2	2	16	22	32	54	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.7	62	1	1	6	8	16	26	43
B. *Operated*	245	6.9	84	1	1	4	8	16	21	50
2. MULTIPLE DX										
A. *Not Operated*	169	10.9	107	1	2	8	13	22	31	53
B. *Operated*	380	14.9	240	1	2	9	20	37	50	68
1. SINGLE DX	301	7.0	79	1	1	4	8	16	24	47
2. MULTIPLE DX	549	13.6	202	1	2	8	18	32	46	63
A. NOT OPERATED	225	10.1	97	1	2	7	12	22	29	51
B. OPERATED	625	11.7	194	1	1	6	16	31	41	64
TOTAL 65-69 YRS	274	8.9	97	1	1	6	11	22	32	48
70-74	197	10.9	188	1	2	6	12	28	38	73
75-79	168	13.6	212	1	2	9	18	36	49	63
80-84	123	13.9	228	1	2	10	17	32	50	72
85+	88	11.8	154	1	1	8	17	26	32	63
GRAND TOTAL	**850**	**11.3**	**169**	**1**	**1**	**7**	**15**	**28**	**40**	**63**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	5.2	11	1	1	4	7	10	12	13
70-74	26	8.4	128	1	2	5	8	15	34	57
75-79	17	6.2	13	1	2	6	7	11	15	16
80-84	19	6.3	20	2	2	5	9	14	17	17
85+	21	6.9	17	2	3	6	10	12	15	17
B. *Operated*										
65-69 YRS	33	7.6	108	1	2	5	8	13	27	58
70-74	22	7.7	11	3	4	7	10	12	15	16
75-79	17	10.8	48	1	2	12	15	18	23	25
80-84	7	7.1	20	4	4	6	7	15	17	17
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	7.9	41	2	2	6	11	16	19	31
70-74	95	10.4	101	2	3	8	11	18	24	67
75-79	105	8.1	39	2	3	6	10	15	18	35
80-84	105	9.0	38	2	3	8	11	18	22	29
85+	86	9.9	50	3	3	9	14	19	25	78
B. *Operated*										
65-69 YRS	68	10.4	42	2	3	9	15	20	23	25
70-74	36	9.0	43	1	2	8	13	19	23	25
75-79	27	13.9	179	4	5	10	15	30	46	63
80-84	13	16.5	299	2	2	14	19	37	61	66
85+	14	12.3	39	2	3	12	18	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	6.5	39	1	2	5	8	12	16	36
B. *Operated*	80	8.2	60	2	3	6	10	15	18	49
2. MULTIPLE DX										
A. *Not Operated*	476	9.0	54	2	3	7	11	17	23	36
B. *Operated*	158	11.4	88	2	3	9	16	22	25	61
1. SINGLE DX	201	7.2	48	1	2	6	9	13	17	43
2. MULTIPLE DX	634	9.6	63	2	3	8	12	18	24	41
A. NOT OPERATED	597	8.5	52	2	3	7	11	16	20	35
B. OPERATED	238	10.3	81	2	3	8	14	19	25	59
TOTAL 65-69 YRS	224	8.2	48	2	2	6	11	17	20	30
70-74	179	9.5	82	2	3	8	11	17	24	57
75-79	166	9.1	64	2	3	7	11	16	24	42
80-84	144	9.2	62	2	3	7	11	17	25	33
85+	122	9.6	44	3	3	8	13	18	22	57
GRAND TOTAL	**835**	**9.0**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**41**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	288	6.9	20	2	3	6	9	12	15	23
70-74	181	6.6	14	2	2	6	8	11	14	18
75-79	104	7.3	26	2	2	6	9	13	17	28
80-84	85	7.9	41	1	2	6	10	15	20	35
85+	56	7.5	40	1	2	5	11	16	20	31
B. *Operated*										
65-69 YRS	13	10.0	42	<1	2	10	14	18	23	24
70-74	4	10.8	109	1	1	9	19	24	24	24
75-79	2	14.0		14	14	14	14	14	14	14
80-84	1	13.0		13	13	13	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	818	8.3	25	2	3	7	10	15	17	26
70-74	722	8.9	39	3	3	7	11	16	20	32
75-79	662	9.2	36	2	3	8	12	16	20	30
80-84	459	10.0	48	3	4	9	13	18	22	32
85+	434	10.3	52	3	4	9	13	19	24	36
B. *Operated*										
65-69 YRS	77	14.0	64	5	5	12	17	25	31	43
70-74	57	14.3	102	4	5	12	17	24	37	56
75-79	36	17.4	79	8	8	16	20	30	34	48
80-84	22	19.0	396	5	6	13	19	40	75	87
85+	19	16.4	158	3	4	13	24	42	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	7.0	23	2	2	6	9	13	16	25
B. *Operated*	20	10.7	45	<1	2	12	14	20	24	24
2. MULTIPLE DX										
A. *Not Operated*	3095	9.2	38	2	3	8	12	16	20	32
B. *Operated*	211	15.4	120	4	6	13	18	27	36	75
1. SINGLE DX	734	7.1	24	2	2	6	9	13	16	25
2. MULTIPLE DX	3306	9.6	46	3	3	8	12	17	21	35
A. NOT OPERATED	3809	8.8	36	2	3	7	11	16	19	31
B. OPERATED	231	15.0	115	4	5	13	18	26	36	71
TOTAL 65-69 YRS	1196	8.3	29	2	3	7	10	15	18	28
70-74	964	8.8	41	2	3	7	11	16	20	33
75-79	804	9.3	40	2	3	8	12	17	21	33
80-84	567	10.1	64	2	3	8	13	18	22	35
85+	509	10.2	56	2	3	9	13	20	24	41
GRAND TOTAL	**4040**	**9.1**	**43**	**2**	**3**	**8**	**12**	**16**	**21**	**33**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	6.5	16	1	2	6	9	12	14	17
70-74	89	6.8	23	2	2	5	10	14	17	22
75-79	69	6.6	21	1	2	6	8	13	17	20
80-84	50	7.5	21	2	3	7	10	14	16	20
85+	40	6.7	24	1	2	5	10	12	19	19
B. *Operated*										
65-69 YRS	10	8.7	16	4	5	8	9	15	18	18
70-74	8	8.5	33	2	3	6	14	17	17	17
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	597	7.7	26	2	3	7	10	14	17	26
70-74	482	7.6	25	2	3	7	9	14	16	28
75-79	428	8.6	36	2	3	7	11	16	20	29
80-84	345	8.7	33	2	3	7	12	16	21	27
85+	289	9.2	53	2	3	7	12	18	20	45
B. *Operated*										
65-69 YRS	46	13.7	108	4	5	12	16	21	31	63
70-74	39	12.0	40	3	4	11	15	19	22	35
75-79	31	13.7	128	3	4	11	18	29	32	56
80-84	14	13.1	96	2	4	11	17	23	36	40
85+	16	17.6	392	1	2	13	26	70	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	6.8	20	1	2	6	9	13	16	20
B. *Operated*	21	8.8	19	3	4	7	12	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	2141	8.2	33	2	3	7	10	15	19	30
B. *Operated*	146	13.6	122	3	4	11	16	23	37	78
1. SINGLE DX	424	6.9	20	1	2	6	9	13	16	19
2. MULTIPLE DX	2287	8.5	40	2	3	7	11	16	19	33
A. NOT OPERATED	2544	8.0	31	2	3	7	10	15	18	28
B. OPERATED	167	13.0	112	3	4	11	16	22	35	74
TOTAL 65-69 YRS	808	7.8	31	2	3	7	10	14	17	27
70-74	618	7.7	27	2	2	7	10	14	17	28
75-79	529	8.6	41	2	3	7	11	17	20	31
80-84	410	8.7	34	2	3	7	11	16	21	28
85+	346	9.3	68	1	2	7	12	18	22	56
GRAND TOTAL	**2711**	**8.3**	**37**	**2**	**3**	**7**	**11**	**15**	**19**	**31**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	4.9	15	1	1	4	7	11	13	19
70-74	60	5.0	14	1	1	4	7	9	14	19
75-79	53	5.0	19	1	1	3	6	11	16	17
80-84	36	5.3	28	1	1	4	6	9	17	28
85+	41	5.6	14	1	2	4	8	10	14	16
B. *Operated*										
65-69 YRS	239	5.7	15	2	2	5	7	10	12	26
70-74	134	6.2	14	2	3	5	8	11	13	18
75-79	63	6.3	38	2	2	4	7	10	19	35
80-84	22	6.5	12	2	3	6	9	12	14	14
85+	11	6.4	18	2	3	4	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	207	6.2	21	2	2	5	8	11	16	24
70-74	238	7.7	37	1	2	6	10	16	20	30
75-79	205	8.2	55	2	2	6	10	16	19	32
80-84	211	8.1	59	2	2	6	10	16	22	53
85+	283	8.6	46	2	2	7	12	16	23	36
B. *Operated*										
65-69 YRS	181	6.5	20	2	2	5	8	12	16	22
70-74	140	10.7	137	2	3	7	12	20	34	65
75-79	69	9.9	72	3	3	7	13	19	28	46
80-84	42	16.1	179	3	4	11	21	36	48	54
85+	19	13.5	115	3	4	8	20	28	36	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.1	17	1	1	4	7	10	15	19
B. *Operated*	469	6.0	18	2	3	5	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	1144	7.8	44	2	2	6	10	15	20	34
B. *Operated*	451	9.5	91	2	3	6	11	19	28	54
1. SINGLE DX	727	5.7	18	1	2	5	7	10	14	22
2. MULTIPLE DX	1595	8.3	58	2	2	6	10	17	22	39
A. NOT OPERATED	1402	7.3	40	1	2	6	9	15	18	30
B. OPERATED	920	7.7	57	2	3	6	9	15	20	40
TOTAL 65-69 YRS	695	6.0	18	2	2	5	8	11	14	23
70-74	572	7.8	57	2	2	6	9	16	20	38
75-79	390	7.7	52	2	2	6	10	16	19	35
80-84	311	8.8	77	2	2	6	11	18	26	54
85+	354	8.4	47	2	2	6	11	16	24	37
GRAND TOTAL	**2322**	**7.5**	**47**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	3.2	9	1	1	2	4	6	9	18
70-74	69	3.2	9	1	1	2	4	7	9	15
75-79	47	4.0	23	1	1	3	5	8	9	32
80-84	40	5.4	37	1	1	3	7	13	19	29
85+	46	5.1	86	1	1	3	5	8	12	63
B. *Operated*										
65-69 YRS										
70-74	4	6.3	19	2	2	5	9	12	12	12
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	591	5.6	29	1	1	4	7	12	16	23
70-74	590	6.7	39	1	1	5	9	15	20	33
75-79	543	7.3	53	1	1	5	9	16	23	35
80-84	470	8.6	66	1	2	6	11	18	25	40
85+	480	9.3	89	2	2	7	11	19	26	68
B. *Operated*										
65-69 YRS	189	8.6	111	1	1	5	12	20	34	88
70-74	187	8.9	96	1	1	6	11	21	31	60
75-79	182	11.6	181	1	2	6	14	29	43	86
80-84	135	12.7	245	2	2	7	15	28	51	88
85+	133	10.8	138	1	2	7	14	26	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	3.9	28	1	1	2	4	8	11	26
B. *Operated*	5	5.8	15	2	2	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2674	7.4	55	1	1	5	9	16	21	38
B. *Operated*	826	10.3	151	1	2	6	13	24	36	88
1. SINGLE DX	297	3.9	28	1	1	2	4	8	11	26
2. MULTIPLE DX	3500	8.1	79	1	1	5	10	17	24	51
A. NOT OPERATED	2966	7.0	53	1	1	5	9	15	21	38
B. OPERATED	831	10.3	150	1	2	6	13	24	36	87
TOTAL 65-69 YRS	870	6.0	47	1	1	4	7	13	18	39
70-74	850	6.9	51	1	1	5	9	15	21	39
75-79	773	8.1	66	1	1	5	10	17	27	48
80-84	645	9.2	105	1	2	6	11	19	28	52
85+	659	9.3	100	1	2	6	12	20	29	69
GRAND TOTAL	**3797**	**7.8**	**76**	**1**	**1**	**5**	**10**	**17**	**24**	**50**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	7.4	64	1	1	5	9	20	25	34
70-74	51	5.4	32	<1	1	3	7	12	20	25
75-79	38	4.9	33	1	1	3	6	10	19	27
80-84	38	8.6	68	1	2	5	13	20	25	39
85+	36	5.9	33	<1	1	4	8	13	17	28
B. *Operated*										
65-69 YRS	37	13.6	157	3	6	13	16	29	90	99+
70-74	69	15.7	250	2	5	11	17	47	85	99+
75-79	47	20.2	273	5	6	15	27	44	74	99+
80-84	33	17.7	197	4	6	13	22	37	49	70
85+	26	24.0	270	3	8	18	35	48	53	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	264	8.4	109	1	1	5	10	18	26	54
70-74	306	8.3	67	1	1	6	10	20	29	42
75-79	278	10.7	128	1	2	7	14	26	39	91
80-84	258	12.0	181	1	2	8	16	27	40	83
85+	286	9.7	74	1	2	7	13	20	27	50
B. *Operated*										
65-69 YRS	167	21.9	364	2	4	17	32	57	85	99+
70-74	155	21.6	344	2	3	16	31	54	72	99+
75-79	154	24.8	459	2	3	20	36	52	85	99+
80-84	132	22.2	330	2	3	20	33	62	92	99+
85+	122	16.6	182	2	2	14	24	36	45	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	6.4	46	1	1	4	8	14	22	31
B. *Operated*	212	17.7	239	4	6	13	22	44	68	99+
2. MULTIPLE DX										
A. *Not Operated*	1392	9.8	111	1	2	6	13	21	31	60
B. *Operated*	730	21.6	348	2	3	17	31	53	78	99+
1. SINGLE DX	417	12.1	176	1	1	8	15	30	45	99+
2. MULTIPLE DX	2122	13.8	224	1	2	9	19	35	50	99+
A. NOT OPERATED	1597	9.3	104	1	1	6	12	21	30	55
B. OPERATED	942	20.7	326	2	4	15	30	51	74	99+
TOTAL 65-69 YRS	510	13.1	231	1	2	8	17	33	55	99+
70-74	581	12.5	196	1	2	8	16	32	49	99+
75-79	517	15.3	280	1	2	9	21	39	52	99+
80-84	461	15.0	238	1	2	10	21	38	56	99+
85+	470	12.0	128	1	2	8	15	27	36	62
GRAND TOTAL	**2539**	**13.6**	**217**	**1**	**2**	**9**	**18**	**34**	**50**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.8	9	<1	<1	3	6	9	9	9
70-74	8	2.9	5	1	1	2	4	6	7	7
75-79	3	8.7	50	1	1	10	14	15	15	15
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	12	9.1	99	2	2	6	10	20	36	39
70-74	7	7.6	18	4	4	6	7	15	17	17
75-79	2	9.5	61	4	4	9	15	15	15	15
80-84	5	12.4	104	4	4	7	23	24	24	24
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	7.2	29	1	2	6	9	14	18	26
70-74	69	8.8	117	2	2	6	9	15	19	69
75-79	51	9.7	31	2	3	9	13	18	20	24
80-84	39	9.9	65	2	3	8	12	20	29	37
85+	30	12.2	82	3	3	9	17	25	30	39
B. *Operated*										
65-69 YRS	76	15.2	256	3	5	9	18	37	50	85
70-74	64	15.5	221	3	4	13	18	33	49	98
75-79	45	19.4	337	3	4	11	30	41	54	88
80-84	36	16.2	202	3	3	11	21	35	46	66
85+	23	14.7	70	4	4	14	20	25	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.9	13	<1	1	3	5	9	11	15
B. *Operated*	26	9.3	70	2	4	6	11	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	266	9.1	65	2	3	7	11	18	23	39
B. *Operated*	244	16.2	235	3	4	11	20	35	47	88
1. SINGLE DX	52	6.6	48	1	1	5	7	15	22	39
2. MULTIPLE DX	510	12.5	159	2	3	9	14	27	37	73
A. NOT OPERATED	292	8.6	62	1	2	7	11	17	21	38
B. OPERATED	270	15.5	223	3	4	10	19	35	43	88
TOTAL 65-69 YRS	176	10.6	146	1	2	7	12	23	37	67
70-74	148	11.4	165	2	3	7	14	26	39	87
75-79	101	14.0	189	2	4	10	16	31	39	81
80-84	83	12.5	134	2	3	9	16	27	36	61
85+	54	13.1	78	3	4	11	19	25	30	39
GRAND TOTAL	**562**	**11.9**	**151**	**2**	**3**	**8**	**14**	**25**	**36**	**72**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.6	34	<1	1	3	6	10	20	23
70-74	11	3.0	7	1	1	2	3	8	8	8
75-79	4	8.5	83	2	2	5	14	22	22	22
80-84	6	5.7	38	<1	<1	3	13	14	14	14
85+	7	5.7	19	1	1	6	8	12	13	13
B. *Operated*										
65-69 YRS	18	11.6	87	2	3	9	12	27	34	38
70-74	8	7.5	12	1	2	7	9	12	13	13
75-79	6	16.0	324	5	5	10	14	48	52	52
80-84	1	4.0		4	4	4	4	4	4	4
85+	3	8.7	114	2	2	3	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.9	13	1	2	5	9	11	12	17
70-74	49	6.7	33	1	2	5	9	13	17	32
75-79	49	8.0	44	1	2	6	12	16	21	34
80-84	30	8.3	66	1	2	7	10	17	23	42
85+	37	8.5	69	2	2	6	11	16	18	50
B. *Operated*										
65-69 YRS	95	20.0	292	4	6	14	25	43	57	85
70-74	80	20.4	269	5	7	15	28	39	64	98
75-79	55	19.4	248	3	5	16	24	43	57	99
80-84	35	18.5	153	4	5	17	27	39	50	99+
85+	25	15.2	67	5	6	15	18	23	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.9	28	<1	1	3	6	13	18	23
B. *Operated*	36	11.0	106	2	2	8	12	22	35	52
2. MULTIPLE DX										
A. *Not Operated*	228	7.3	40	1	2	6	10	13	18	36
B. *Operated*	290	19.4	240	4	6	15	24	39	58	98
1. SINGLE DX	77	7.7	73	1	1	6	10	14	23	48
2. MULTIPLE DX	518	14.1	189	2	3	10	18	32	43	87
A. NOT OPERATED	269	6.9	39	1	2	5	9	13	18	34
B. OPERATED	326	18.5	232	4	5	14	24	39	54	96
TOTAL 65-69 YRS	189	13.5	207	2	2	9	14	31	43	69
70-74	148	13.9	208	2	2	10	17	31	40	95
75-79	114	13.9	185	2	3	10	19	32	49	90
80-84	72	13.0	133	1	2	9	18	33	41	89
85+	72	10.6	75	2	2	9	14	20	23	48
GRAND TOTAL	**595**	**13.3**	**178**	**2**	**2**	**9**	**17**	**30**	**42**	**79**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	1	47.0		47	47	47	47	47	47	47
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	22	3.8	10	<1	1	3	4	10	12	13
70-74	18	3.1	7	<1	1	2	4	8	8	8
75-79	16	4.1	19	1	1	3	5	9	15	18
80-84	10	2.2	3	1	1	2	2	5	7	7
85+	15	3.3	3	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.4	3	1	1	3	4	6	7	7
70-74	8	6.0	11	3	3	5	8	11	11	11
75-79	6	4.2	13	1	1	3	5	10	11	11
80-84	4	12.3	12	8	8	12	15	16	16	16
85+	11	6.4	15	1	2	8	8	11	14	14
B. *Operated*										
65-69 YRS	54	6.1	38	1	2	5	7	9	24	31
70-74	57	7.3	101	1	1	4	8	12	24	57
75-79	48	8.0	43	1	2	5	12	21	24	99+
80-84	21	7.8	23	2	3	6	12	15	16	17
85+	39	6.2	23	1	1	5	8	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	9.0	283	1	1	4	4	38	47	47
B. *Operated*	81	3.4	9	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	37	5.9	16	1	2	5	8	11	14	16
B. *Operated*	219	7.0	51	1	2	5	9	14	21	52
1. SINGLE DX	88	3.9	30	1	1	3	4	8	9	36
2. MULTIPLE DX	256	6.9	46	1	2	5	8	14	20	49
A. NOT OPERATED	44	6.4	54	1	1	4	8	12	15	47
B. OPERATED	300	6.0	42	1	1	4	7	13	19	40
TOTAL 65-69 YRS	88	5.1	28	1	1	4	6	9	11	30
70-74	84	6.7	93	1	1	4	7	12	19	55
75-79	71	6.7	38	1	1	4	10	19	21	83
80-84	36	6.6	25	1	1	5	10	15	16	17
85+	65	5.6	18	1	1	4	8	11	13	21
GRAND TOTAL	**344**	**6.1**	**44**	**1**	**1**	**4**	**8**	**13**	**17**	**47**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	2.7	4	1	1	2	3	6	8	9
70-74	16	2.8	11	<1	<1	2	3	8	11	13
75-79	15	4.9	60	<1	<1	1	5	14	25	29
80-84	12	3.6	5	<1	1	3	5	7	8	8
85+	20	2.8	9	<1	1	2	3	6	10	13
B. *Operated*										
65-69 YRS	30	3.1	6	1	1	2	4	7	8	11
70-74	23	4.6	34	1	1	2	5	12	18	25
75-79	23	3.5	13	<1	1	3	4	9	12	16
80-84	23	3.3	15	<1	<1	2	5	7	12	18
85+	23	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	180	5.9	30	1	1	4	8	12	15	31
70-74	210	6.3	36	1	1	4	8	15	18	29
75-79	218	6.2	30	1	1	4	8	14	18	28
80-84	228	7.8	101	1	2	5	9	13	19	64
85+	286	7.0	53	1	1	5	9	15	19	35
B. *Operated*										
65-69 YRS	286	6.6	76	1	1	4	7	14	22	48
70-74	279	7.7	85	1	1	4	9	17	26	49
75-79	291	7.8	77	1	1	5	10	17	25	44
80-84	245	7.8	71	1	2	5	10	15	24	52
85+	340	8.7	93	1	2	6	11	19	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	16	<1	1	2	4	8	11	24
B. *Operated*	122	3.4	14	<1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	1122	6.7	52	1	1	5	8	14	18	36
B. *Operated*	1441	7.8	81	1	1	5	10	17	24	49
1. SINGLE DX	208	3.3	15	<1	1	2	4	7	11	21
2. MULTIPLE DX	2563	7.3	69	1	1	5	9	15	22	46
A. NOT OPERATED	1208	6.4	50	1	1	4	8	14	18	35
B. OPERATED	1563	7.4	77	1	1	5	9	16	24	48
TOTAL 65-69 YRS	519	6.0	54	1	1	4	7	13	20	37
70-74	528	6.8	62	1	1	4	9	15	21	41
75-79	547	6.9	56	1	1	4	9	16	21	42
80-84	508	7.5	82	1	1	5	9	14	22	54
85+	669	7.6	72	1	1	5	10	16	23	45
GRAND TOTAL	2771	7.0	66	1	1	4	9	15	21	45

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	2.4	3	1	1	2	3	5	6	8
70-74	7	5.9	89	<1	<1	2	4	23	27	27
75-79	5	7.0	12	3	3	8	9	11	11	11
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	2	8.0	98	1	1	8	15	15	15	15
B. *Operated*										
65-69 YRS	25	7.6	53	1	1	6	10	17	26	31
70-74	20	6.6	65	1	1	3	9	19	25	29
75-79	7	8.1	117	2	2	4	8	27	32	32
80-84	3	6.7	12	3	3	7	9	10	10	10
85+	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	6.3	34	1	1	5	8	14	16	28
70-74	30	9.2	95	1	2	7	11	16	39	44
75-79	28	6.3	23	1	2	6	8	13	15	21
80-84	20	8.9	28	2	3	8	11	19	19	19
85+	22	13.9	271	2	2	8	18	32	54	71
B. *Operated*										
65-69 YRS	64	13.1	205	2	2	9	17	24	38	90
70-74	42	16.2	316	2	2	8	22	50	58	64
75-79	26	15.1	243	2	2	9	20	43	49	62
80-84	18	14.2	166	2	3	9	15	41	42	42
85+	15	7.7	51	1	1	5	10	16	24	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.0	24	1	1	3	4	9	13	27
B. *Operated*	58	7.0	58	1	1	4	9	17	27	32
2. MULTIPLE DX										
A. *Not Operated*	133	8.6	88	1	2	6	11	17	24	49
B. *Operated*	165	13.8	222	2	2	9	17	35	46	64
1. SINGLE DX	96	5.8	46	1	1	3	7	15	23	32
2. MULTIPLE DX	298	11.5	168	2	2	8	14	26	42	63
A. NOT OPERATED	171	7.6	77	1	1	5	9	15	23	44
B. OPERATED	223	12.1	187	1	2	8	15	29	42	63
TOTAL 65-69 YRS	143	9.0	124	1	1	6	11	19	28	50
70-74	99	11.4	197	1	1	6	14	29	46	82
75-79	66	10.0	132	1	2	7	11	25	35	59
80-84	44	10.5	90	2	3	8	12	19	39	42
85+	42	10.6	172	1	2	6	15	25	34	71
GRAND TOTAL	394	10.1	144	1	2	7	12	23	36	61

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	7	<1	1	4	5	8	10	11
70-74	15	3.4	6	<1	1	3	5	7	8	9
75-79	14	7.1	84	1	1	4	10	13	31	36
80-84	15	3.1	2	1	2	3	4	5	6	6
85+	6	2.7	5	1	1	2	2	7	7	7
B. *Operated*										
65-69 YRS	241	3.2	21	1	1	2	3	6	9	30
70-74	154	3.1	17	1	1	2	3	6	10	24
75-79	101	2.7	6	1	1	2	3	6	9	11
80-84	39	3.1	7	<1	1	2	4	6	8	14
85+	30	7.5	64	1	1	4	13	18	35	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	5.7	17	1	1	5	7	14	16	94
70-74	45	7.3	38	1	2	5	9	17	19	30
75-79	45	9.3	85	1	2	6	12	21	33	38
80-84	43	6.0	26	1	2	4	7	12	17	26
85+	57	8.1	59	1	2	6	10	18	20	47
B. *Operated*										
65-69 YRS	265	5.8	70	1	1	3	6	12	22	41
70-74	182	5.5	60	1	1	3	6	13	20	47
75-79	110	6.3	91	1	1	3	6	14	21	57
80-84	68	6.8	81	1	1	4	8	14	26	45
85+	67	9.2	54	1	2	8	13	20	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.3	22	1	1	3	5	9	10	31
B. *Operated*	565	3.3	20	1	1	2	3	7	11	29
2. MULTIPLE DX										
A. *Not Operated*	246	7.3	46	1	2	5	9	17	20	38
B. *Operated*	692	6.2	71	1	1	3	7	14	22	42
1. SINGLE DX	633	3.4	20	1	1	2	4	7	11	30
2. MULTIPLE DX	938	6.5	64	1	1	4	8	15	21	42
A. NOT OPERATED	314	6.6	42	1	1	5	8	15	19	37
B. OPERATED	1257	4.9	50	1	1	2	5	11	17	40
TOTAL 65-69 YRS	580	4.7	44	1	1	2	5	10	16	40
70-74	396	4.7	41	1	1	3	5	11	17	32
75-79	270	5.5	63	1	1	3	6	12	19	38
80-84	165	5.4	44	1	1	3	6	11	15	42
85+	160	8.3	57	1	1	7	12	18	24	48
GRAND TOTAL	**1571**	**5.3**	**49**	**1**	**1**	**3**	**6**	**12**	**18**	**39**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	5.0	18	1	1	4	7	14	15	16
70-74	21	4.3	14	1	1	3	6	10	13	15
75-79	23	7.3	96	1	1	4	6	21	30	45
80-84	9	3.2	7	<1	<1	2	5	8	8	8
85+	9	5.6	15	1	1	6	8	11	12	12
B. *Operated*										
65-69 YRS	67	8.1	85	1	1	4	9	21	32	40
70-74	47	8.6	42	2	2	7	12	16	20	33
75-79	48	12.0	154	1	1	9	14	22	36	67
80-84	22	12.2	111	2	3	9	16	27	38	41
85+	20	9.1	97	1	1	6	11	25	33	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	8.5	33	2	2	7	12	18	21	24
70-74	57	8.7	51	1	2	8	12	18	21	38
75-79	68	8.6	36	2	3	7	11	15	21	32
80-84	49	10.6	139	2	3	8	12	18	22	83
85+	62	11.3	179	2	3	7	14	19	25	78
B. *Operated*										
65-69 YRS	115	14.6	240	2	2	9	19	38	46	81
70-74	99	13.7	197	1	2	8	19	31	41	75
75-79	92	15.6	198	3	4	10	22	38	45	94
80-84	67	18.8	335	2	2	13	27	48	55	70
85+	46	19.7	242	2	4	16	32	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.3	37	1	1	4	7	12	15	36
B. *Operated*	204	9.7	97	1	2	7	13	20	32	47
2. MULTIPLE DX										
A. *Not Operated*	303	9.5	84	2	2	7	12	18	21	56
B. *Operated*	419	15.8	238	2	2	10	22	39	48	84
1. SINGLE DX	291	8.4	82	1	1	5	11	18	25	43
2. MULTIPLE DX	722	13.2	183	2	2	8	16	31	43	79
A. NOT OPERATED	390	8.5	76	1	2	7	11	17	21	43
B. OPERATED	623	13.8	200	1	2	9	18	36	44	73
TOTAL 65-69 YRS	274	10.6	142	1	2	7	13	23	38	54
70-74	224	10.5	119	1	2	7	13	23	32	52
75-79	231	12.0	140	2	3	8	14	27	39	71
80-84	147	14.1	236	2	2	8	17	38	49	71
85+	137	13.4	197	1	2	8	17	33	42	81
GRAND TOTAL	**1013**	**11.8**	**159**	**1**	**2**	**7**	**15**	**27**	**40**	**68**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	41	2	2	6	11	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	7.0	1	6	6	7	8	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	6	6.2	70	<1	<1	3	5	21	23	23
70-74										
75-79	1	16.0		16	16	16	16	16	16	16
80-84	1	6.0		6	6	6	6	6	6	6
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	9.9	106	2	2	5	12	28	32	32
70-74	11	7.2	27	1	2	6	9	16	17	17
75-79	6	13.8	165	<1	<1	9	23	34	35	35
80-84	7	10.7	30	5	5	8	13	20	21	21
85+	6	5.5	36	<1	<1	3	7	16	17	17
B. *Operated*										
65-69 YRS	15	9.8	73	<1	1	8	18	28	78	99+
70-74	8	18.5	599	1	1	7	29	61	69	69
75-79	6	19.0	360	3	3	14	21	52	55	55
80-84	3	7.0	43	1	1	10	57	99+	99+	99+
85+	7	14.4	75	3	4	13	19	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	11	2	2	6	8	10	11	11
B. *Operated*	8	7.4	62	<1	1	4	11	21	23	23
2. MULTIPLE DX										
A. *Not Operated*	40	9.2	69	1	2	6	12	22	28	35
B. *Operated*	39	13.6	218	1	2	9	20	47	83	99+
1. SINGLE DX	15	6.6	36	<1	2	5	8	16	21	23
2. MULTIPLE DX	79	11.4	145	1	2	7	16	29	48	99+
A. NOT OPERATED	47	8.7	62	1	2	6	11	20	26	35
B. OPERATED	47	12.6	195	1	1	9	19	37	71	99+
TOTAL 65-69 YRS	33	9.0	77	<1	2	6	12	25	31	99+
70-74	20	11.5	271	1	1	5	13	30	55	69
75-79	16	14.6	195	1	3	8	20	34	49	55
80-84	12	8.8	30	1	3	8	14	37	88	99+
85+	13	10.3	74	<1	1	9	15	22	28	30
GRAND TOTAL	**94**	**10.6**	**131**	**1**	**2**	**7**	**15**	**25**	**40**	**99+**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.8	13	1	2	6	8	23	83	99+
70-74	16	11.3	95	1	2	10	14	16	35	43
75-79	16	8.7	33	1	1	7	14	16	18	19
80-84	16	10.9	98	3	4	8	11	32	35	36
85+	16	14.9	94	2	3	13	23	28	31	32
B. *Operated*										
65-69 YRS	70	5.8	26	1	1	4	7	15	16	20
70-74	64	7.7	50	1	2	5	11	15	26	32
75-79	32	9.0	63	<1	1	6	13	22	24	28
80-84	22	9.4	58	1	2	7	14	18	27	33
85+	19	8.5	41	2	2	8	13	17	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	10.7	128	2	3	8	13	19	29	72
70-74	89	12.9	148	2	3	9	18	25	37	89
75-79	105	14.2	210	2	3	10	16	30	38	82
80-84	62	15.5	118	3	5	13	23	30	35	95
85+	72	14.1	105	2	3	11	22	28	35	38
B. *Operated*										
65-69 YRS	132	11.1	145	2	2	7	16	24	37	64
70-74	110	13.5	174	2	2	10	17	29	45	59
75-79	79	15.3	163	2	3	12	21	31	43	60
80-84	52	17.0	171	2	3	16	21	39	65	99+
85+	37	19.5	337	4	4	14	27	49	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.5	74	1	3	8	14	24	33	84
B. *Operated*	207	7.5	45	1	2	5	11	16	22	31
2. MULTIPLE DX										
A. *Not Operated*	410	13.4	149	2	3	10	18	28	35	82
B. *Operated*	410	14.1	182	2	2	10	19	31	46	78
1. SINGLE DX	284	8.3	54	1	2	6	12	17	24	35
2. MULTIPLE DX	820	13.7	165	2	3	10	18	29	38	79
A. NOT OPERATED	487	12.9	138	2	3	9	17	27	34	83
B. OPERATED	617	11.9	145	2	2	8	16	27	37	68
TOTAL 65-69 YRS	297	9.5	111	1	2	6	12	21	28	66
70-74	279	11.9	137	2	2	8	15	25	36	62
75-79	232	13.5	166	2	3	10	18	28	36	78
80-84	152	14.6	131	2	4	12	20	31	38	99+
85+	144	14.8	163	2	3	12	21	32	37	80
GRAND TOTAL	**1104**	**12.3**	**142**	**2**	**2**	**9**	**17**	**27**	**35**	**77**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.7	7	1	2	4	6	8	10	11
70-74	9	3.8	8	1	1	2	6	8	9	9
75-79	3	4.3	1	3	3	5	5	5	5	5
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	4	3.5	11	1	1	3	6	8	8	8
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	6.8	99	1	2	4	7	14	17	61
70-74	26	8.7	111	2	2	5	11	18	28	54
75-79	30	6.9	40	2	2	5	8	14	18	32
80-84	35	9.0	78	2	2	6	10	18	34	39
85+	39	8.7	58	2	2	6	10	20	27	35
B. *Operated*										
65-69 YRS	19	7.4	45	1	1	6	7	19	25	25
70-74	17	11.4	112	2	3	7	18	30	36	37
75-79	10	9.5	42	<1	2	8	14	19	21	21
80-84	5	11.4	91	2	2	11	17	26	26	26
85+	6	6.5	49	1	1	3	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	6	1	1	4	6	8	9	11
B. *Operated*	11	3.8	10	1	1	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	167	8.0	75	2	2	5	9	17	25	51
B. *Operated*	57	9.2	68	1	1	7	12	21	26	37
1. SINGLE DX	49	4.1	7	1	1	4	6	8	9	11
2. MULTIPLE DX	224	8.3	73	1	2	5	10	18	25	43
A. NOT OPERATED	205	7.3	65	1	2	5	8	15	20	46
B. OPERATED	68	8.3	62	1	1	6	11	20	25	36
TOTAL 65-69 YRS	81	6.2	58	1	1	4	7	11	16	50
70-74	55	8.4	94	1	2	5	9	20	30	53
75-79	44	7.2	38	1	2	5	9	15	19	32
80-84	43	8.9	75	1	2	6	11	19	30	39
85+	50	7.9	54	1	2	5	10	19	26	35
GRAND TOTAL	273	7.6	64	1	2	5	8	16	24	39

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	4.4	11	1	1	3	6	9	11	16
70-74	204	5.1	15	1	1	4	7	10	13	17
75-79	223	5.2	18	1	1	4	7	11	14	20
80-84	242	5.9	45	1	1	4	7	11	16	32
85+	295	5.7	26	1	1	4	8	12	14	29
B. *Operated*										
65-69 YRS	53	6.5	37	1	2	5	9	11	14	39
70-74	41	7.5	59	1	2	5	8	16	21	40
75-79	25	8.9	66	1	2	6	12	23	25	29
80-84	18	7.9	19	3	3	7	10	15	17	17
85+	21	7.5	58	1	1	5	9	19	24	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1325	6.7	43	1	2	5	8	13	18	33
70-74	1584	7.7	44	1	2	6	10	16	21	33
75-79	1886	8.4	59	2	2	6	11	17	21	36
80-84	1902	8.8	68	2	2	7	11	17	23	48
85+	2558	9.3	84	2	2	7	12	18	24	53
B. *Operated*										
65-69 YRS	189	12.8	208	2	2	9	15	24	33	90
70-74	221	15.1	231	2	3	10	20	32	39	86
75-79	211	15.3	196	2	3	11	20	30	40	87
80-84	189	14.0	128	2	3	11	18	28	38	54
85+	182	16.2	199	2	3	14	20	31	37	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	5.3	24	1	1	4	7	10	14	21
B. *Operated*	158	7.4	47	1	2	5	9	17	20	39
2. MULTIPLE DX										
A. *Not Operated*	9255	8.4	64	2	2	6	11	17	22	43
B. *Operated*	992	14.7	194	2	3	11	19	30	38	83
1. SINGLE DX	1352	5.6	27	1	1	4	7	11	15	24
2. MULTIPLE DX	10247	9.0	80	2	2	7	11	18	24	50
A. NOT OPERATED	10449	8.0	60	1	2	6	10	16	21	41
B. OPERATED	1150	13.7	180	2	3	10	18	28	37	80
TOTAL 65-69 YRS	1797	7.1	61	1	2	5	9	14	19	38
70-74	2050	8.2	67	1	2	6	10	17	23	40
75-79	2345	8.7	73	1	2	6	11	18	23	43
80-84	2351	9.0	73	2	2	7	11	18	24	50
85+	3056	9.4	89	2	2	7	12	19	24	52
GRAND TOTAL	11599	8.6	75	1	2	6	11	17	23	47

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	33	1	1	1	9	11	11	11
70-74										
75-79										
80-84	4	3.3	11	1	1	2	5	8	8	8
85+	4	4.8	5	2	2	5	6	7	7	7
B. *Operated*										
65-69 YRS	14	6.1	56	1	1	2	8	16	25	27
70-74	6	7.7	52	<1	<1	5	14	18	19	19
75-79	3	8.0	49	1	1	8	13	15	15	15
80-84	3	2.0		2	2	2	2	2	2	2
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	6.3	21	1	2	6	7	13	17	18
70-74	10	8.6	34	3	3	7	11	17	23	23
75-79	9	18.1	313	2	2	10	32	45	51	51
80-84	6	7.0	7	4	4	6	7	12	12	12
85+	4	6.3	52	2	2	3	10	17	17	17
B. *Operated*										
65-69 YRS	16	10.9	282	<1	1	4	8	47	52	53
70-74	11	12.4	47	3	4	14	17	22	23	23
75-79	7	14.6	432	1	1	8	40	87	99+	99+
80-84	5	22.0	311	2	2	16	40	41	41	41
85+	4	6.8	61	1	1	4	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	12	1	1	3	7	9	11	11
B. *Operated*	28	6.0	44	1	1	3	8	15	20	27
2. MULTIPLE DX										
A. *Not Operated*	42	9.5	101	2	2	6	11	20	33	51
B. *Operated*	43	12.8	223	1	2	6	18	42	54	99+
1. SINGLE DX	39	5.5	35	1	1	3	7	14	17	27
2. MULTIPLE DX	85	11.2	163	1	2	6	15	30	49	85
A. NOT OPERATED	53	8.4	87	1	2	6	9	18	30	51
B. OPERATED	71	10.1	162	1	1	5	15	26	48	91
TOTAL 65-69 YRS	46	7.7	123	1	1	4	8	18	31	53
70-74	27	9.9	44	2	3	7	15	21	23	23
75-79	19	15.2	302	1	1	9	27	54	79	99+
80-84	18	9.5	144	1	1	6	11	33	41	41
85+	14	5.6	29	1	2	4	6	17	18	18
GRAND TOTAL	**124**	**9.4**	**129**	**1**	**1**	**6**	**12**	**23**	**40**	**68**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX	2	8.5	41	4	4	8	13	13	13	13
A. NOT OPERATED	2	3.5	1	3	3	3	4	4	4	4
B. OPERATED	3	6.0	37	2	2	3	10	13	13	13
TOTAL 65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	8.0	50	3	3	8	13	13	13	13
80-84										
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**5**	**5.0**	**21**	**2**	**2**	**3**	**6**	**13**	**13**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	164	1.8	3	<1	1	1	2	3	4	8
70-74	134	1.9	5	<1	1	1	2	3	5	15
75-79	104	1.9	4	<1	1	1	2	4	5	11
80-84	70	1.8	2	1	1	1	2	4	4	7
85+	42	2.3	5	<1	1	1	2	5	7	11
B. *Operated*										
65-69 YRS	35	3.0	12	1	1	2	3	8	10	17
70-74	25	3.1	11	<1	1	2	3	9	10	13
75-79	20	5.8	30	1	1	3	11	15	16	16
80-84	13	4.7	34	1	1	2	6	14	19	20
85+	9	5.1	18	2	2	3	6	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	176	3.8	16	1	1	2	5	9	13	20
70-74	165	4.0	15	1	1	3	5	10	12	16
75-79	170	4.4	24	1	1	3	5	10	15	28
80-84	134	5.6	34	1	1	4	7	13	17	33
85+	132	4.9	20	1	1	3	6	10	13	24
B. *Operated*										
65-69 YRS	105	7.7	121	1	1	4	9	16	22	65
70-74	99	7.9	65	1	1	5	12	18	27	36
75-79	108	8.7	133	1	1	4	9	25	28	63
80-84	61	8.7	48	1	2	6	12	20	24	28
85+	53	7.0	45	2	2	5	9	17	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	1.9	4	<1	1	1	2	4	5	11
B. *Operated*	102	4.0	19	1	1	2	5	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	777	4.5	22	1	1	3	6	10	14	22
B. *Operated*	426	8.1	91	1	1	5	10	19	26	57
1. SINGLE DX	616	2.2	7	<1	1	1	2	4	7	15
2. MULTIPLE DX	1203	5.8	49	1	1	3	7	13	18	33
A. NOT OPERATED	1291	3.5	16	1	1	2	4	8	11	19
B. OPERATED	528	7.3	79	1	1	4	9	17	23	49
TOTAL 65-69 YRS	480	3.9	39	1	1	2	4	9	13	23
70-74	423	4.2	28	1	1	2	5	11	14	28
75-79	402	5.0	54	1	1	2	5	12	17	35
80-84	278	5.3	34	1	1	3	7	14	18	28
85+	236	4.9	25	1	1	3	6	11	15	24
GRAND TOTAL	1819	4.6	37	1	1	2	5	11	15	30

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.8	84	2	2	10	18	24	31	32
70-74	5	22.2	317	8	8	11	36	49	49	49
75-79	3	40.3	289	21	21	47	51	53	53	53
80-84	7	17.7	87	5	5	19	26	28	28	28
85+	6	11.0	86	3	3	7	17	26	27	27
B. *Operated*										
65-69 YRS	36	25.0	454	4	6	19	39	53	67	85
70-74	21	19.5	211	1	2	13	34	40	41	42
75-79	16	21.3	322	5	6	18	24	30	66	82
80-84	12	25.3	315	4	5	21	41	51	52	52
85+	7	17.1	88	6	7	17	22	32	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	15.4	139	3	4	10	25	32	34	52
70-74	19	15.0	144	3	4	11	19	37	41	43
75-79	22	10.1	60	1	2	8	17	21	26	27
80-84	20	21.2	208	7	8	15	28	46	53	56
85+	18	17.3	52	6	9	17	21	27	31	33
B. *Operated*										
65-69 YRS	87	29.2	538	5	7	23	44	80	99+	99+
70-74	101	26.6	360	6	8	21	35	52	70	97
75-79	55	35.3	329	7	16	35	49	57	72	99+
80-84	50	36.5	509	5	8	36	58	73	99	99+
85+	39	36.5	339	10	14	35	48	68	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	17.1	188	2	4	13	24	35	49	53
B. *Operated*	92	22.5	326	4	5	17	33	50	53	84
2. MULTIPLE DX										
A. *Not Operated*	116	15.6	131	3	4	12	23	31	37	53
B. *Operated*	332	31.4	435	6	9	28	46	69	92	99+
1. SINGLE DX	125	21.1	294	3	5	16	29	47	52	83
2. MULTIPLE DX	448	27.3	403	5	7	22	39	60	75	99+
A. NOT OPERATED	149	15.9	143	3	4	12	23	32	42	53
B. OPERATED	424	29.5	423	5	7	25	42	64	81	99+
TOTAL 65-69 YRS	172	24.1	439	4	6	18	33	66	84	99+
70-74	146	23.9	322	5	6	18	34	48	60	95
75-79	96	27.4	375	3	5	22	39	55	62	99
80-84	89	30.1	430	5	7	27	45	68	75	99+
85+	70	27.4	221	4	8	23	38	54	72	96
GRAND TOTAL	573	25.9	385	4	6	21	37	56	74	99+

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	9.4	89	1	1	6	15	19	27	44
70-74	26	11.0	126	1	1	6	16	29	37	43
75-79	26	9.6	69	1	2	7	13	25	29	30
80-84	9	15.1	65	5	5	14	26	64	99+	99+
85+	16	11.8	56	1	2	13	16	22	23	24
B. *Operated*										
65-69 YRS	11	12.9	132	<1	1	11	15	33	38	38
70-74	13	16.7	209	1	1	10	26	41	47	48
75-79	7	18.6	201	6	7	14	22	43	48	48
80-84	2	42.5	221	32	32	42	53	53	53	53
85+	4	8.3	35	4	4	6	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	138	12.0	132	1	2	9	17	23	30	82
70-74	124	13.9	288	2	2	9	15	31	45	95
75-79	121	13.1	119	1	2	10	17	28	32	57
80-84	78	15.6	246	2	3	12	17	33	48	88
85+	89	16.8	183	3	4	13	22	37	43	67
B. *Operated*										
65-69 YRS	58	28.8	396	4	6	25	44	59	74	99
70-74	47	27.1	384	4	5	27	38	53	70	72
75-79	51	30.6	441	5	9	23	45	64	74	87
80-84	41	34.4	796	2	5	27	56	89	95	99+
85+	22	37.0	635	7	8	35	57	81	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	10.6	88	1	1	8	15	25	30	62
B. *Operated*	37	16.4	199	1	2	11	25	39	48	53
2. MULTIPLE DX										
A. *Not Operated*	550	13.9	190	2	3	10	17	29	39	79
B. *Operated*	219	30.7	503	4	6	26	46	69	80	99+
1. SINGLE DX	154	12.0	120	1	1	10	16	29	37	53
2. MULTIPLE DX	769	18.7	337	2	3	13	24	45	64	95
A. NOT OPERATED	667	13.4	174	1	2	10	17	28	38	78
B. OPERATED	256	28.7	484	4	6	24	43	65	76	99
TOTAL 65-69 YRS	247	15.5	240	1	2	11	20	37	51	87
70-74	210	16.7	315	2	2	11	23	39	51	81
75-79	205	17.2	255	2	3	13	22	38	50	78
80-84	130	21.9	485	2	4	14	29	58	86	99+
85+	131	19.3	302	3	4	14	26	42	58	95
GRAND TOTAL	**923**	**17.6**	**307**	**2**	**2**	**12**	**23**	**42**	**57**	**94**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	26	1	1	2	3	12	16	16
70-74	7	6.4	22	2	2	4	9	14	15	15
75-79	6	13.8	85	4	4	12	16	29	30	30
80-84	2	18.0	288	6	6	18	30	30	30	30
85+	8	14.0	439	2	2	6	15	50	64	64
B. *Operated*										
65-69 YRS	22	6.8	127	1	1	3	8	14	33	53
70-74	13	4.1	17	1	1	3	4	12	14	14
75-79	3	3.0	12	<1	<1	1	5	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	9.9	81	2	3	7	10	22	32	43
70-74	35	10.9	126	2	2	9	12	18	32	64
75-79	41	15.5	403	3	4	8	15	32	71	91
80-84	45	11.3	76	3	4	8	18	27	33	99+
85+	48	12.3	82	2	4	9	18	27	31	99+
B. *Operated*										
65-69 YRS	35	13.9	267	2	2	6	21	36	48	66
70-74	24	10.8	192	<1	1	5	17	35	68	99+
75-79	15	21.6	582	1	2	14	26	73	77	78
80-84	8	16.5	132	2	2	14	25	32	35	35
85+	11	17.1	416	2	3	8	35	76	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	9.8	162	1	1	4	15	22	30	64
B. *Operated*	41	5.7	75	<1	1	3	7	12	16	53
2. MULTIPLE DX										
A. *Not Operated*	207	12.0	152	2	3	8	14	25	36	95
B. *Operated*	93	14.9	303	1	2	7	24	40	66	99+
1. SINGLE DX	72	7.5	115	1	1	3	9	16	29	62
2. MULTIPLE DX	300	12.9	200	2	2	8	16	31	42	99+
A. NOT OPERATED	238	11.7	153	2	3	8	14	25	35	92
B. OPERATED	134	12.1	251	1	1	5	15	35	56	99+
TOTAL 65-69 YRS	103	10.1	157	1	2	6	11	30	38	59
70-74	79	9.4	123	1	1	7	12	21	35	89
75-79	65	16.2	402	1	2	9	16	36	74	91
80-84	56	12.1	89	3	3	8	18	29	34	96
85+	69	13.2	167	2	3	9	18	30	63	99+
GRAND TOTAL	**372**	**11.9**	**188**	**1**	**2**	**8**	**15**	**29**	**41**	**97**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	4.7	12	1	1	4	7	10	11	16
70-74	52	5.2	14	1	2	4	7	10	12	22
75-79	42	6.0	26	1	2	5	8	11	17	24
80-84	39	7.8	66	1	1	6	10	17	25	41
85+	52	5.5	26	1	1	4	7	14	18	21
B. *Operated*										
65-69 YRS	20	3.7	26	<1	<1	2	4	8	17	23
70-74	19	8.6	149	1	1	3	6	32	37	38
75-79	9	6.4	58	1	1	4	8	20	21	21
80-84	9	15.2	158	1	1	9	29	32	33	33
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	231	7.4	41	1	2	6	10	14	17	35
70-74	241	8.2	49	2	2	6	11	16	18	36
75-79	243	9.4	88	2	2	7	12	19	23	53
80-84	258	9.9	69	2	2	8	13	19	29	67
85+	303	9.2	64	2	2	7	11	18	25	45
B. *Operated*										
65-69 YRS	83	16.4	336	2	3	9	22	45	75	99+
70-74	71	17.7	326	1	2	12	24	46	59	79
75-79	59	18.6	300	3	4	14	21	40	56	85
80-84	53	20.8	400	2	3	15	33	49	81	99+
85+	32	18.1	332	2	3	14	24	38	42	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	5.7	28	1	1	4	8	11	16	24
B. *Operated*	59	7.5	100	1	1	3	8	25	32	38
2. MULTIPLE DX										
A. *Not Operated*	1276	8.9	63	2	2	7	11	17	23	43
B. *Operated*	298	18.1	335	2	3	12	23	44	63	98
1. SINGLE DX	294	6.1	42	1	1	4	8	13	21	35
2. MULTIPLE DX	1574	10.6	128	2	2	8	13	22	33	73
A. NOT OPERATED	1511	8.4	59	1	2	6	11	16	22	41
B. OPERATED	357	16.4	312	1	2	10	22	39	58	96
TOTAL 65-69 YRS	384	8.8	117	1	2	6	11	18	27	80
70-74	383	9.6	116	1	2	6	12	19	27	61
75-79	353	10.5	129	1	2	7	12	21	32	63
80-84	359	11.4	135	1	2	8	15	26	35	86
85+	389	9.4	88	1	2	7	12	19	26	45
GRAND TOTAL	**1868**	**9.9**	**117**	**1**	**2**	**7**	**12**	**21**	**31**	**70**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	112	4.5	15	1	1	4	5	9	11	22
70-74	106	4.6	19	1	1	4	5	9	15	23
75-79	120	5.3	14	1	1	5	7	9	12	21
80-84	86	4.4	16	1	1	3	6	8	10	25
85+	72	5.6	15	1	2	5	7	9	15	20
B. *Operated*										
65-69 YRS	6	7.5	41	1	1	5	12	17	18	18
70-74	4	5.5	20	2	2	4	8	12	12	12
75-79	2	9.5	25	6	6	9	13	13	13	13
80-84										
85+	5	9.8	17	3	3	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1125	7.4	49	1	2	6	9	15	20	36
70-74	1113	8.0	53	1	2	6	10	15	21	35
75-79	1141	8.3	47	2	2	7	10	15	20	36
80-84	861	8.3	51	2	2	6	10	16	23	35
85+	814	8.8	56	2	3	7	11	16	22	44
B. *Operated*										
65-69 YRS	115	15.6	181	2	4	13	18	29	42	72
70-74	112	16.4	184	3	4	12	23	38	55	99+
75-79	96	16.4	140	5	6	13	19	32	44	61
80-84	70	18.4	275	4	5	13	21	44	51	84
85+	49	16.9	161	5	7	14	20	31	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	4.9	16	1	1	4	6	9	13	21
B. *Operated*	17	7.9	25	1	2	7	12	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	5054	8.1	51	2	2	6	10	15	21	36
B. *Operated*	442	16.6	185	3	5	13	21	34	47	73
1. SINGLE DX	513	5.0	17	1	1	4	6	9	13	21
2. MULTIPLE DX	5496	8.8	67	2	2	7	11	17	24	44
A. NOT OPERATED	5550	7.8	49	1	2	6	10	15	20	36
B. OPERATED	459	16.3	181	3	5	12	20	33	46	73
TOTAL 65-69 YRS	1358	7.9	64	1	2	6	9	16	22	42
70-74	1335	8.4	68	1	2	6	10	17	24	45
75-79	1359	8.6	56	2	2	7	11	16	21	39
80-84	1017	8.7	72	1	2	6	10	17	25	43
85+	940	9.0	62	2	3	7	11	16	23	46
GRAND TOTAL	**6009**	**8.5**	**64**	**1**	**2**	**6**	**10**	**16**	**23**	**43**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	2.6	6	1	1	2	3	5	8	12
70-74	63	2.4	11	<1	1	1	2	3	9	19
75-79	34	2.2	5	1	1	1	2	4	7	12
80-84	28	2.5	3	<1	1	2	3	5	6	8
85+	12	2.7	6	1	1	2	3	6	9	10
B. *Operated*										
65-69 YRS	2	6.5	13	4	4	6	9	9	9	9
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	3	18.0	327	1	1	16	32	37	37	37
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	218	6.0	47	1	1	3	8	13	17	38
70-74	149	7.2	87	1	1	4	9	18	28	99
75-79	123	5.9	60	1	1	4	7	11	16	48
80-84	71	6.3	53	1	1	4	7	15	17	38
85+	65	8.4	91	1	1	6	11	17	32	50
B. *Operated*										
65-69 YRS	19	24.1	317	3	6	23	37	82	99+	99+
70-74	23	24.6	440	3	7	22	37	47	66	94
75-79	4	20.5	330	4	4	18	35	42	42	42
80-84	6	29.7	157	17	17	27	41	46	47	47
85+	6	27.8	415	7	7	24	39	59	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.5	7	1	1	2	3	5	8	14
B. *Operated*	7	10.9	157	1	1	6	14	33	37	37
2. MULTIPLE DX										
A. *Not Operated*	626	6.6	65	1	1	4	8	15	19	53
B. *Operated*	58	25.0	343	3	7	22	39	55	82	99+
1. SINGLE DX	230	2.7	13	1	1	2	3	5	9	17
2. MULTIPLE DX	684	8.1	114	1	1	4	10	19	33	62
A. NOT OPERATED	849	5.5	53	1	1	3	6	12	17	45
B. OPERATED	65	23.5	339	3	4	20	37	50	74	99+
TOTAL 65-69 YRS	325	6.2	73	1	1	3	8	15	20	63
70-74	237	7.6	134	1	1	3	9	21	31	95
75-79	164	5.7	67	1	1	3	6	11	17	45
80-84	105	6.6	80	1	1	3	7	17	30	44
85+	83	9.0	129	1	1	5	11	19	38	58
GRAND TOTAL	914	6.8	94	1	1	3	8	16	28	59

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	3.8	17	1	1	3	5	7	9	24
70-74	116	4.2	27	1	1	3	5	8	13	29
75-79	80	4.2	10	1	1	3	5	8	10	19
80-84	68	5.0	16	1	1	4	6	11	14	18
85+	65	6.3	38	1	2	4	7	13	25	30
B. *Operated*										
65-69 YRS	9	8.9	126	<1	<1	4	13	29	31	31
70-74	5	35.6	1375	9	9	21	52	99	99	99+
75-79	6	12.2	265	2	2	4	15	41	44	44
80-84	5	9.0	37	1	1	8	12	18	18	18
85+	1	65.0		65	65	65	65	65	65	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	764	6.3	27	1	2	5	8	13	16	26
70-74	825	7.8	54	2	2	6	9	15	20	38
75-79	779	8.2	51	2	2	6	10	16	21	38
80-84	639	8.6	61	2	2	7	10	17	23	43
85+	963	9.8	83	2	3	7	13	18	26	51
B. *Operated*										
65-69 YRS	114	15.0	146	2	4	12	20	27	49	73
70-74	106	16.6	275	2	3	13	19	44	70	99+
75-79	86	18.8	249	2	4	15	28	55	99	99+
80-84	67	16.0	203	3	4	12	20	33	59	96
85+	40	18.8	190	4	6	14	24	43	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	4.4	21	1	1	3	5	8	13	25
B. *Operated*	26	17.0	523	<1	1	8	21	43	72	99
2. MULTIPLE DX										
A. *Not Operated*	3570	8.0	56	2	2	6	10	16	21	39
B. *Operated*	413	16.7	214	3	4	13	21	42	60	99+
1. SINGLE DX	500	5.1	54	1	1	3	6	9	14	34
2. MULTIPLE DX	3983	8.9	78	2	2	7	11	18	25	57
A. NOT OPERATED	4044	7.6	52	1	2	6	9	15	20	38
B. OPERATED	439	16.7	231	2	4	13	21	42	62	99+
TOTAL 65-69 YRS	1032	6.9	48	1	1	5	8	15	21	34
70-74	1052	8.4	91	1	2	6	10	17	22	62
75-79	951	8.8	78	1	2	7	11	19	23	66
80-84	779	8.9	75	2	2	7	11	18	23	57
85+	669	10.1	95	2	3	7	13	20	29	57
GRAND TOTAL	4483	8.5	77	1	2	6	10	17	24	56

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	106	6.8	53	1	1	4	9	17	22	37
70-74	114	6.1	25	1	1	5	9	13	16	54
75-79	99	6.5	32	1	1	5	8	13	19	29
80-84	69	6.1	31	1	1	5	8	13	16	29
85+	56	8.8	164	1	2	5	11	15	30	78
B. *Operated*										
65-69 YRS	1135	9.2	80	1	2	6	13	19	25	45
70-74	1122	9.6	96	1	2	6	14	21	28	42
75-79	1010	9.5	94	1	2	6	14	22	28	46
80-84	708	8.7	90	1	2	5	11	21	26	53
85+	613	8.6	80	1	2	5	11	21	28	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	7.8	60	1	1	6	10	16	22	56
70-74	269	7.8	72	1	1	5	9	16	21	47
75-79	243	8.7	96	1	1	6	11	19	28	59
80-84	217	11.5	118	2	2	8	14	26	32	51
85+	201	11.0	127	2	2	7	13	27	36	51
B. *Operated*										
65-69 YRS	2246	12.6	159	1	2	9	17	28	41	70
70-74	2130	13.3	187	2	2	9	18	29	42	75
75-79	1827	13.7	194	2	2	9	18	31	44	83
80-84	1287	13.7	191	2	2	9	19	32	46	80
85+	1024	13.0	175	2	2	9	18	29	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	6.7	51	1	1	5	9	14	19	37
B. *Operated*	4588	9.2	88	1	2	6	13	21	27	45
2. MULTIPLE DX										
A. *Not Operated*	1170	9.2	95	1	2	6	11	20	28	49
B. *Operated*	8514	13.2	181	2	2	9	18	29	42	77
1. SINGLE DX	5032	9.0	86	1	2	6	13	20	27	44
2. MULTIPLE DX	9684	12.8	172	2	2	9	17	29	41	75
A. NOT OPERATED	1614	8.5	84	1	1	6	11	18	27	49
B. OPERATED	13102	11.8	152	1	2	8	16	26	36	69
TOTAL 65-69 YRS	3727	11.1	129	1	2	8	15	24	33	59
70-74	3635	11.5	150	1	2	8	16	25	35	69
75-79	3179	11.8	155	1	2	8	16	27	37	70
80-84	2281	11.7	153	1	2	8	16	27	38	69
85+	1894	11.3	143	2	2	7	14	26	34	67
GRAND TOTAL	14716	11.5	146	1	2	8	15	26	35	68

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	297	3.9	6	1	1	3	5	7	8	13
70-74	246	4.0	7	1	1	4	5	7	9	15
75-79	206	4.3	6	1	2	4	5	8	9	12
80-84	106	4.6	10	1	1	4	6	8	10	17
85+	60	6.0	44	1	2	5	7	10	12	47
B. *Operated*										
65-69 YRS	121	5.3	15	1	1	4	7	11	14	19
70-74	95	5.3	25	1	2	4	6	11	15	28
75-79	62	6.5	30	1	2	6	8	12	14	35
80-84	30	6.9	22	1	2	6	8	14	15	20
85+	16	5.1	20	1	1	4	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	290	5.3	16	1	2	4	7	9	13	22
70-74	236	5.6	23	1	2	4	7	10	14	26
75-79	180	5.4	19	1	2	4	7	10	13	25
80-84	146	6.1	28	1	2	5	7	11	15	32
85+	98	6.1	27	1	2	5	7	11	16	30
B. *Operated*										
65-69 YRS	122	9.1	123	1	2	6	11	18	28	55
70-74	135	8.2	57	1	2	6	10	18	21	46
75-79	115	11.1	103	2	3	8	13	28	33	48
80-84	56	9.4	78	1	2	7	11	19	31	44
85+	44	8.6	46	1	3	7	9	20	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	915	4.3	9	1	1	4	5	7	9	15
B. *Operated*	324	5.7	22	1	2	4	7	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	950	5.6	21	1	2	4	7	10	14	26
B. *Operated*	472	9.3	87	1	2	7	11	20	28	45
1. SINGLE DX	1239	4.6	13	1	1	4	6	8	11	17
2. MULTIPLE DX	1422	6.8	46	1	2	5	8	13	19	36
A. NOT OPERATED	1865	4.9	16	1	2	4	6	9	11	21
B. OPERATED	796	7.6	64	1	2	6	9	16	22	39
TOTAL 65-69 YRS	830	5.4	31	1	2	4	6	10	14	26
70-74	712	5.5	26	1	2	4	6	10	14	26
75-79	563	6.3	39	1	2	5	7	11	19	35
80-84	338	6.2	32	1	2	5	7	12	16	36
85+	218	6.5	36	1	2	5	8	12	17	32
GRAND TOTAL	2661	5.8	32	1	2	4	7	11	15	31

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120759	6.8	43	1	2	5	9	14	19	31
70-74	100936	7.2	50	1	2	5	9	16	20	34
75-79	76209	7.5	57	1	2	5	10	17	21	37
80-84	47091	8.2	70	2	2	5	11	18	24	41
85+	33547	9.3	85	2	2	6	13	20	26	47
2. MULTIPLE DX										
65-69 YRS	341746	11.0	107	2	2	8	14	22	30	57
70-74	327137	11.7	117	2	3	9	15	24	32	61
75-79	277585	12.4	127	2	3	9	16	25	35	64
80-84	196316	13.2	138	2	3	10	17	27	37	69
85+	158824	13.9	144	2	3	11	18	28	38	74
TOT. SINGLE DX	378542	7.4	55	1	2	5	10	16	21	36
" MULTIPLE DX	1301608	12.2	124	2	3	9	15	25	34	63
TOTAL 65-69 YRS	462505	9.9	93	2	2	7	13	20	28	52
70-74	428073	10.6	105	2	2	8	14	22	30	56
75-79	353794	11.4	116	2	2	8	15	24	32	60
80-84	243407	12.2	128	2	3	9	16	25	34	65
85+	192371	13.1	137	2	3	10	17	27	36	69
GRAND TOTAL	1680150	11.1	112	2	2	8	14	23	31	59

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	152	9.0	58	2	3	7	11	18	23	44
70-74	85	8.2	31	2	3	7	10	17	20	28
75-79	76	9.3	44	2	3	7	13	16	19	36
80-84	33	9.2	70	2	3	7	10	17	25	46
85+	27	10.0	34	1	4	10	13	19	20	21
B. *Operated*										
65-69 YRS	133	10.9	126	1	2	8	14	22	31	51
70-74	115	11.2	103	2	2	8	14	23	34	50
75-79	50	15.2	219	2	3	11	19	32	42	88
80-84	33	13.1	106	1	3	13	17	30	35	43
85+	12	14.0	176	3	4	9	19	34	45	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	10.4	57	3	4	8	13	20	25	38
70-74	212	12.1	99	3	4	9	15	23	28	59
75-79	156	12.3	130	4	4	9	14	22	35	68
80-84	109	12.7	98	2	3	10	16	28	33	48
85+	53	13.2	70	3	5	11	19	28	31	97
B. *Operated*										
65-69 YRS	286	18.9	240	3	5	14	26	43	54	96
70-74	215	18.4	234	3	4	14	24	48	56	99+
75-79	171	18.5	305	3	4	13	23	41	58	87
80-84	88	18.0	217	3	5	13	21	42	51	88
85+	43	19.6	164	2	4	17	27	36	43	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	9.0	48	2	3	7	11	17	22	38
B. *Operated*	343	12.0	133	2	2	9	15	24	36	49
2. MULTIPLE DX										
A. *Not Operated*	783	11.8	90	3	4	9	14	23	28	57
B. *Operated*	803	18.6	245	3	4	14	25	43	55	91
1. SINGLE DX	716	10.4	91	2	3	8	13	20	29	45
2. MULTIPLE DX	1586	15.2	180	3	4	11	19	33	47	73
A. NOT OPERATED	1156	10.9	78	2	4	9	13	21	27	49
B. OPERATED	1146	16.6	220	2	3	12	22	38	50	86
TOTAL 65-69 YRS	824	13.2	149	2	3	9	16	28	41	63
70-74	627	13.6	150	3	4	10	17	29	45	68
75-79	453	14.5	203	3	4	11	17	30	45	82
80-84	263	14.1	143	2	3	11	18	31	40	66
85+	135	14.6	113	2	4	12	20	29	36	64
GRAND TOTAL	**2302**	**13.7**	**157**	**2**	**3**	**10**	**17**	**29**	**42**	**68**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	6.4	45	1	2	5	9	12	16	36
70-74	85	5.9	21	1	1	4	8	13	16	21
75-79	55	7.4	55	1	2	5	9	15	23	41
80-84	43	6.8	28	1	2	5	9	14	19	25
85+	39	6.7	31	1	2	5	8	15	19	26
B. *Operated*										
65-69 YRS	261	7.1	63	1	1	5	9	16	21	44
70-74	204	7.9	76	1	1	5	10	17	24	44
75-79	148	8.4	116	1	1	4	11	23	31	46
80-84	95	7.9	87	1	1	4	11	19	23	52
85+	60	9.1	131	1	2	5	10	20	28	66
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	338	9.3	83	1	2	6	12	19	29	45
70-74	310	9.3	80	1	2	7	13	17	22	45
75-79	226	9.4	62	2	2	7	12	19	24	36
80-84	136	9.7	74	2	2	6	14	22	27	43
85+	102	10.7	72	2	3	8	14	21	25	44
B. *Operated*										
65-69 YRS	683	13.8	184	2	2	9	18	34	46	85
70-74	589	13.8	187	1	2	10	18	31	45	75
75-79	423	14.7	186	2	2	11	21	32	45	75
80-84	214	15.2	224	1	2	11	21	41	47	98
85+	141	15.9	294	2	2	11	21	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	6.5	37	1	2	5	9	13	17	26
B. *Operated*	768	7.8	85	1	1	5	10	18	24	47
2. MULTIPLE DX										
A. *Not Operated*	1112	9.5	76	1	2	7	13	19	25	43
B. *Operated*	2050	14.3	197	2	2	10	19	33	46	86
1. SINGLE DX	1104	7.4	70	1	1	5	9	16	23	44
2. MULTIPLE DX	3162	12.6	160	2	2	9	17	28	41	72
A. NOT OPERATED	1448	8.8	68	1	2	6	11	18	23	42
B. OPERATED	2818	12.5	175	1	2	8	17	29	42	73
TOTAL 65-69 YRS	1396	10.9	135	1	2	7	14	25	37	66
70-74	1188	11.1	136	1	2	8	15	24	34	64
75-79	852	11.8	141	1	2	8	16	26	37	64
80-84	488	11.5	149	1	2	7	16	27	41	61
85+	342	12.1	179	2	2	8	15	26	38	93
GRAND TOTAL	**4266**	**11.3**	**142**	**1**	**2**	**7**	**15**	**25**	**36**	**65**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	14	1	1	4	8	11	12	12
70-74	5	2.6	6	1	1	2	3	7	7	7
75-79	3	3.7	14	1	1	2	6	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	3	3.3	16	<1	<1	1	6	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	5.3	22	1	1	4	7	11	16	21
70-74	48	4.9	16	1	1	4	7	11	13	16
75-79	26	4.7	11	1	1	4	7	9	11	15
80-84	17	3.4	8	<1	1	2	5	7	10	11
85+	24	4.5	23	1	1	3	6	13	15	19
B. *Operated*										
65-69 YRS	17	9.2	66	3	3	5	13	23	28	29
70-74	17	11.5	73	2	3	9	17	31	74	99+
75-79	14	9.0	44	1	2	8	14	18	22	23
80-84	6	8.5	12	4	4	9	11	13	13	13
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*	5	3.4	9	<1	<1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	157	4.7	17	1	1	4	6	10	13	19
B. *Operated*	54	9.8	55	2	3	8	15	23	28	97
1. SINGLE DX	22	4.2	10	<1	1	3	7	8	10	12
2. MULTIPLE DX	211	6.0	31	1	1	4	8	14	18	31
A. NOT OPERATED	174	4.7	16	1	1	4	6	10	13	19
B. OPERATED	59	9.3	54	1	2	7	14	21	27	93
TOTAL 65-69 YRS	69	6.2	34	1	1	4	9	14	18	28
70-74	71	6.2	37	1	1	5	9	16	18	85
75-79	44	6.0	25	1	1	5	8	14	17	23
80-84	24	4.8	13	<1	1	4	7	11	12	13
85+	25	4.5	22	1	1	3	6	13	15	19
GRAND TOTAL	**233**	**5.9**	**30**	**1**	**1**	**4**	**8**	**13**	**17**	**30**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	6	2.2	1	<1	<1	2	3	3	3	3
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	8	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	2.2	3	<1	<1	2	3	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	29.0		29	29	29	29	29	29	29
85+	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	18	2.1	2	<1	<1	2	3	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	10	4.9	73	<1	<1	2	4	17	29	29
1. SINGLE DX	18	2.1	2	<1	<1	2	3	3	5	6
2. MULTIPLE DX	10	4.9	73	<1	<1	2	4	17	29	29
A. NOT OPERATED										
B. OPERATED	28	3.1	27	<1	<1	2	3	5	8	29
TOTAL 65-69 YRS	11	2.2	1	<1	<1	2	3	4	5	5
70-74	3	2.3		2	2	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	15.5	365	2	2	15	29	29	29	29
85+	11	2.2	3	<1	<1	1	3	5	6	6
GRAND TOTAL	**28**	**3.1**	**27**	**<1**	**<1**	**2**	**3**	**5**	**8**	**29**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.0	17	1	1	3	7	11	13	13
70-74	6	2.0	1	<1	<1	2	2	4	4	4
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	12.8	119	1	1	11	20	27	27	27
B. *Operated*										
65-69 YRS	441	4.0	18	<1	1	3	4	8	12	24
70-74	365	4.6	24	1	1	3	5	9	12	21
75-79	281	5.6	24	1	2	4	7	11	16	26
80-84	146	7.1	54	2	2	5	9	14	16	46
85+	129	7.0	32	2	2	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	26	1	1	4	7	14	17	17
70-74	8	3.6	5	1	1	3	5	7	7	7
75-79	3	4.0	9	<1	<1	4	6	7	7	7
80-84	3	10.3	22	5	5	12	13	14	14	14
85+	3	4.7	10	1	1	6	7	7	7	7
B. *Operated*										
65-69 YRS	188	6.6	52	1	1	4	8	15	22	39
70-74	180	9.0	89	2	2	6	12	21	27	63
75-79	153	8.9	111	1	2	6	11	17	23	71
80-84	108	10.7	117	2	3	7	14	23	30	62
85+	99	12.4	138	2	3	8	16	25	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.9	37	<1	1	2	5	13	19	27
B. *Operated*	1362	5.1	27	1	1	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	26	5.2	17	<1	1	4	7	12	15	17
B. *Operated*	728	9.1	98	2	2	6	12	20	26	58
1. SINGLE DX	1385	5.1	27	1	1	4	6	10	14	26
2. MULTIPLE DX	754	9.0	96	1	2	6	12	19	26	55
A. NOT OPERATED	49	5.1	26	1	1	3	7	13	14	27
B. OPERATED	2090	6.5	55	1	2	4	8	14	18	39
TOTAL 65-69 YRS	646	4.8	29	1	1	3	5	10	14	31
70-74	559	6.0	49	1	1	4	7	13	18	43
75-79	441	6.7	56	1	2	5	8	14	17	33
80-84	258	8.6	83	2	2	6	11	16	23	49
85+	235	9.3	85	2	2	7	12	18	27	57
GRAND TOTAL	2139	6.5	55	1	2	4	8	14	18	38

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		1	1	1	1	1	1	1
70-74	29	1.2		<1	1	1	1	2	2	3
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	4	2.0	4	<1	<1	1	3	5	5	5
70-74	16	2.3	13	<1	<1	<1	<1	10	12	12
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	283	1.6	2	1	1	1	2	2	3	9
70-74	265	1.6	11	1	1	1	2	2	3	8
75-79	176	1.8	2	1	1	2	2	2	3	11
80-84	17	3.0	18	1	1	1	3	10	14	16
85+	35	1.1		1	1	1	1	1	1	3
B. *Operated*										
65-69 YRS	59	3.3	22	<1	<1	1	4	8	9	29
70-74	14	10.1	331	1	1	5	10	17	60	72
75-79	5	3.8	4	2	2	3	6	6	6	6
80-84	7	9.6	53	<1	1	9	19	76	99+	99+
85+	2	5.0	18	2	2	5	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.3		1	1	1	1	2	3	3
B. *Operated*	21	2.2	10	<1	<1	<1	1	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	776	1.7	5	1	1	1	2	2	3	9
B. *Operated*	87	5.0	77	<1	<1	2	6	10	17	89
1. SINGLE DX	56	1.6	4	<1	<1	1	1	2	4	12
2. MULTIPLE DX	863	2.0	13	1	1	1	2	3	5	13
A. NOT OPERATED	811	1.6	5	1	1	1	2	2	3	9
B. OPERATED	108	4.4	65	<1	<1	1	6	10	14	83
TOTAL 65-69 YRS	349	1.9	5	<1	<1	1	2	3	6	9
70-74	324	2.0	26	<1	1	1	2	3	4	12
75-79	184	1.8	2	1	1	2	2	2	4	11
80-84	24	4.9	35	<1	1	2	9	17	41	99+
85+	38	1.3	1	1	1	1	1	2	3	8
GRAND TOTAL	919	2.0	13	<1	1	1	2	3	5	13

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	962	3.9	52	<1	1	2	4	7	12	46
70-74	746	4.6	67	<1	1	2	5	10	16	71
75-79	506	4.8	54	1	1	3	5	10	18	79
80-84	273	7.9	170	<1	1	3	8	19	40	99+
85+	223	9.4	247	<1	1	4	11	28	84	99+
B. *Operated*										
65-69 YRS	1284	4.3	22	1	1	2	5	11	13	21
70-74	1038	4.5	24	1	1	2	7	11	14	23
75-79	738	4.8	24	1	1	2	7	12	14	23
80-84	433	5.3	61	1	1	2	6	12	17	36
85+	198	4.3	24	1	1	2	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7736	5.2	61	1	1	3	5	11	18	44
70-74	5565	5.8	66	1	1	3	6	13	22	44
75-79	3512	7.2	103	1	1	4	7	16	27	60
80-84	1593	8.8	127	1	1	5	10	22	33	68
85+	1052	10.4	167	1	2	6	13	26	39	96
B. *Operated*										
65-69 YRS	3444	6.9	87	1	1	3	9	16	23	54
70-74	2883	7.2	96	1	1	3	9	16	26	52
75-79	2095	7.6	103	1	1	3	10	18	25	53
80-84	1177	7.7	82	1	1	4	11	18	25	46
85+	599	8.8	101	1	1	5	12	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2710	5.1	87	<1	1	2	5	11	21	86
B. *Operated*	3691	4.6	28	1	1	2	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	19458	6.3	83	1	1	4	6	14	23	52
B. *Operated*	10198	7.3	93	1	1	3	10	17	25	51
1. SINGLE DX	6401	4.8	53	1	1	2	5	11	16	46
2. MULTIPLE DX	29656	6.6	87	1	1	3	7	15	24	52
A. NOT OPERATED	22168	6.2	84	1	1	3	6	14	23	55
B. OPERATED	13889	6.6	77	1	1	3	9	15	22	47
TOTAL 65-69 YRS	13426	5.5	64	1	1	3	6	12	18	45
70-74	10232	5.9	71	1	1	3	6	14	21	49
75-79	6851	6.9	92	1	1	3	8	16	24	56
80-84	3476	7.9	108	1	1	4	10	19	29	58
85+	2072	9.2	146	1	1	5	12	23	33	95
GRAND TOTAL	36057	6.3	81	1	1	3	7	15	23	52

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	233	18.5	136	5	7	16	23	34	42	64
70-74	207	20.4	221	7	8	15	25	43	51	82
75-79	108	19.2	192	5	6	15	25	36	52	86
80-84	72	18.6	138	3	8	15	22	36	42	63
85+	34	20.5	238	3	8	16	25	43	50	75
2. MULTIPLE DX										
65-69 YRS	496	28.7	370	8	10	24	40	59	78	99+
70-74	414	28.8	333	8	10	23	42	57	72	99+
75-79	283	31.2	432	9	11	26	41	63	87	99+
80-84	163	30.2	371	7	9	25	42	62	80	99+
85+	88	23.5	144	9	11	22	31	41	50	86
TOT. SINGLE DX	654	19.3	178	5	7	15	24	38	48	76
" MULTIPLE DX	1444	29.1	361	8	10	24	40	58	77	99+
TOTAL 65-69 YRS	729	25.4	318	6	9	20	33	53	69	99+
70-74	621	26.0	312	7	9	21	37	54	67	99+
75-79	391	27.9	395	7	9	23	37	56	79	99+
80-84	235	26.6	328	7	9	22	36	56	74	99+
85+	122	22.7	171	8	10	19	30	43	50	82
GRAND TOTAL	2098	26.0	324	7	9	21	35	53	70	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	105	21.1	332	6	8	15	24	47	73	97
70-74	118	17.8	309	5	6	11	19	49	67	99+
75-79	95	19.8	217	7	8	15	26	42	67	99+
80-84	37	20.6	161	6	7	21	27	34	38	70
85+	30	18.9	170	3	8	16	22	35	43	65
2. MULTIPLE DX										
65-69 YRS	252	31.0	457	8	10	26	46	73	92	99+
70-74	193	29.0	391	8	10	22	42	65	84	99+
75-79	144	29.6	408	7	10	25	40	76	88	99+
80-84	110	27.7	341	8	10	23	40	65	87	99+
85+	72	27.7	332	7	10	24	37	47	73	87
TOT. SINGLE DX	385	19.6	267	6	7	14	24	42	66	99+
" MULTIPLE DX	771	29.5	403	8	10	24	40	66	86	99+
TOTAL 65-69 YRS	357	28.1	441	8	9	22	39	67	84	99+
70-74	311	24.8	389	6	8	18	35	61	76	99+
75-79	239	25.7	354	7	9	21	36	63	85	99+
80-84	147	25.9	305	7	9	22	35	59	78	99+
85+	102	25.1	299	7	9	21	35	44	62	85
GRAND TOTAL	1156	26.2	380	7	8	20	36	63	80	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	9.8	44	3	3	8	14	18	25	26
70-74	11	9.1	18	5	5	8	11	15	20	20
75-79	6	8.2	22	4	4	6	10	16	17	17
80-84	2	6.5	5	5	5	6	8	8	8	8
85+										
2. MULTIPLE DX										
65-69 YRS	24	20.9	445	4	5	13	26	43	66	96
70-74	14	16.6	260	3	4	11	15	49	56	58
75-79	6	26.8	765	4	4	13	57	66	67	67
80-84	7	29.3	493	6	6	22	49	61	63	63
85+										
TOT. SINGLE DX	31	9.0	27	4	4	8	12	16	20	26
" MULTIPLE DX	51	21.6	427	4	5	13	27	56	63	96
TOTAL 65-69 YRS	36	17.2	335	3	4	10	23	40	50	96
70-74	25	13.3	163	4	5	9	13	20	50	58
75-79	12	17.5	453	4	4	8	16	60	66	67
80-84	9	24.2	471	5	5	19	38	60	63	63
85+										
GRAND TOTAL	82	16.8	311	4	4	10	19	44	57	87

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	18.5	278	5	7	14	22	38	49	98
70-74	37	20.7	184	8	8	16	27	47	50	50
75-79	40	19.5	117	6	7	17	27	33	39	52
80-84	22	17.7	64	6	9	14	23	28	32	37
85+	2	19.0	18	16	16	19	22	22	22	22
2. MULTIPLE DX										
65-69 YRS	114	29.1	342	7	10	25	42	62	89	99+
70-74	146	30.8	349	8	9	28	41	58	75	99+
75-79	133	31.7	320	9	11	28	43	58	73	99+
80-84	61	35.2	408	10	13	30	44	65	77	85
85+	19	30.4	210	9	10	31	36	48	59	65
TOT. SINGLE DX	144	19.2	171	7	8	15	25	35	48	55
" MULTIPLE DX	473	31.2	342	9	10	28	42	61	75	99+
TOTAL 65-69 YRS	157	26.2	345	6	8	22	40	58	84	99+
70-74	183	28.7	332	8	9	26	38	54	69	99
75-79	173	28.8	299	8	9	25	39	56	69	99+
80-84	83	30.6	376	9	12	25	38	62	72	84
85+	21	29.3	202	9	10	28	36	47	58	65
GRAND TOTAL	617	28.4	327	8	9	25	38	57	70	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	32	18.6	321	4	4	14	24	34	49	94
70-74	24	14.3	105	3	3	12	17	25	35	51
75-79	21	14.9	77	5	5	13	21	28	32	34
80-84	7	18.6	234	4	4	16	21	45	50	50
85+	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	75	20.6	156	6	7	17	28	42	49	99+
70-74	71	22.7	281	3	4	19	34	53	79	99+
75-79	47	20.9	270	3	4	16	32	40	58	71
80-84	24	27.0	383	3	7	20	38	59	61	65
85+	12	33.7	375	7	15	29	45	85	97	99+
TOT. SINGLE DX	86	16.3	187	3	4	13	21	28	44	78
" MULTIPLE DX	229	22.7	259	3	5	19	33	49	60	99+
TOTAL 65-69 YRS	107	20.0	204	4	6	17	27	42	49	99+
70-74	95	20.6	249	3	4	17	31	49	56	99+
75-79	68	19.0	217	3	4	16	25	38	43	70
80-84	31	25.1	354	3	5	19	33	58	59	65
85+	14	30.4	395	3	5	29	42	81	95	99+
GRAND TOTAL	315	20.9	247	3	5	17	29	45	57	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	348	14.2	66	6	7	12	17	25	29	49
70-74	251	15.2	89	7	8	12	18	26	33	66
75-79	151	16.7	90	7	8	14	21	29	35	50
80-84	46	19.2	169	7	7	15	24	38	41	75
85+	7	13.3	18	7	8	14	14	20	21	21
2. MULTIPLE DX										
65-69 YRS	746	20.4	219	7	8	16	25	39	56	90
70-74	598	23.1	251	8	9	18	30	45	61	99+
75-79	353	24.4	216	8	10	21	31	47	57	99
80-84	131	25.9	221	10	11	23	31	43	60	93
85+	34	27.9	217	8	10	25	38	56	93	99+
TOT. SINGLE DX	803	15.3	85	6	7	13	18	26	33	52
" MULTIPLE DX	1862	22.5	233	8	9	18	29	43	58	99+
TOTAL 65-69 YRS	1094	18.5	179	7	8	15	23	35	46	86
70-74	849	20.7	216	7	9	16	26	40	56	99+
75-79	504	22.1	191	8	9	18	28	42	54	82
80-84	177	24.1	215	8	10	21	30	41	56	88
85+	41	25.4	213	8	9	23	35	53	84	99+
GRAND TOTAL	2665	20.4	199	7	8	16	25	39	53	93

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	71	11.2	101	2	2	9	14	24	31	50
70-74	34	9.9	48	1	3	9	13	21	24	28
75-79	27	17.2	127	3	4	15	27	33	39	45
80-84	6	13.5	235	3	3	7	17	40	43	43
85+	6	18.3	389	2	2	13	28	50	52	52
2. MULTIPLE DX										
65-69 YRS	171	22.3	305	3	4	17	33	45	59	84
70-74	127	22.4	229	3	7	19	30	45	53	83
75-79	87	24.7	380	4	5	21	31	53	74	98
80-84	27	23.1	334	4	5	17	35	60	74	99+
85+	9	37.7	530	12	13	38	63	89	99+	99+
TOT. SINGLE DX	144	12.4	114	2	2	10	15	28	33	51
" MULTIPLE DX	421	23.2	307	3	5	19	32	50	64	99+
TOTAL 65-69 YRS	242	19.0	271	2	3	14	27	41	58	82
70-74	161	19.8	217	3	5	16	26	42	51	77
75-79	114	22.9	329	3	5	19	29	43	71	96
80-84	33	21.3	322	3	4	16	33	51	70	99+
85+	15	29.9	538	2	3	25	50	77	94	99+
GRAND TOTAL	565	20.4	280	2	4	16	28	44	59	93

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	357	3.7	12	1	1	3	4	7	10	17
70-74	236	4.1	13	1	2	3	5	7	11	18
75-79	119	4.5	21	1	2	3	5	9	16	26
80-84	59	6.0	39	1	2	4	7	12	23	30
85+	31	4.9	12	1	2	4	6	10	12	16
2. MULTIPLE DX										
65-69 YRS	319	7.6	74	2	2	4	9	18	24	44
70-74	166	8.0	60	2	2	5	10	19	25	37
75-79	111	7.4	56	2	2	5	8	17	27	63
80-84	50	9.9	79	2	3	6	12	25	30	36
85+	19	9.3	66	2	3	8	11	23	26	28
TOT. SINGLE DX	802	4.1	16	1	2	3	4	8	11	20
" MULTIPLE DX	665	7.9	68	2	2	5	10	19	26	41
TOTAL 65-69 YRS	676	5.5	45	1	2	3	6	11	18	37
70-74	402	5.7	37	1	2	4	6	13	18	32
75-79	230	5.9	41	1	2	4	6	13	20	39
80-84	109	7.8	61	2	2	5	10	19	27	38
85+	50	6.6	37	2	2	4	8	14	21	28
GRAND TOTAL	1467	5.8	43	1	2	4	6	12	19	36

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1132	2.7	3	1	1	2	3	4	6	11
70-74	866	2.8	4	1	1	2	3	5	6	12
75-79	662	2.9	9	1	1	2	3	4	6	16
80-84	343	3.0	6	1	1	2	3	5	7	14
85+	153	3.0	5	1	1	2	3	5	9	13
2. MULTIPLE DX										
65-69 YRS	974	5.2	31	1	2	3	6	12	16	30
70-74	741	5.7	59	1	2	3	6	13	18	45
75-79	525	6.4	71	1	2	3	7	15	23	40
80-84	281	6.0	51	1	2	3	7	13	19	35
85+	145	7.5	66	1	2	5	10	17	22	44
TOT. SINGLE DX	3156	2.8	6	1	1	2	3	5	7	14
" MULTIPLE DX	2666	5.8	52	1	2	3	6	13	19	38
TOTAL 65-69 YRS	2106	3.8	18	1	1	2	4	8	12	23
70-74	1607	4.1	32	1	1	2	4	8	13	28
75-79	1187	4.5	40	1	1	3	4	9	15	32
80-84	624	4.4	29	1	1	3	5	10	14	26
85+	298	5.2	40	1	1	3	6	11	17	33
GRAND TOTAL	5822	4.2	29	1	1	3	4	8	13	28

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	10.6	54	3	4	9	12	18	27	44
70-74	61	12.3	46	4	6	11	15	20	25	41
75-79	30	11.2	38	5	5	10	15	19	24	27
80-84	23	12.1	47	4	5	11	16	23	26	29
85+	16	12.4	56	4	4	11	16	23	27	29
2. MULTIPLE DX										
65-69 YRS	325	19.3	185	6	7	15	23	39	46	82
70-74	307	18.8	194	6	8	14	23	36	48	72
75-79	266	20.1	192	7	7	17	25	39	59	96
80-84	164	21.7	229	7	9	17	28	41	56	76
85+	74	22.4	176	10	10	19	29	40	47	77
TOT. SINGLE DX	196	11.6	49	4	5	9	15	21	25	37
" MULTIPLE DX	1136	19.9	196	7	8	16	25	39	51	78
TOTAL 65-69 YRS	391	17.8	174	5	7	14	22	36	45	77
70-74	368	17.8	176	6	7	14	21	35	45	70
75-79	296	19.2	184	6	7	16	24	36	54	91
80-84	187	20.5	217	6	8	16	26	40	52	74
85+	90	20.6	169	6	8	17	27	36	41	74
GRAND TOTAL	1332	18.7	183	6	7	15	23	36	48	76

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	6.9	48	1	2	4	8	17	20	32
70-74	20	10.9	144	<1	<1	7	12	31	41	45
75-79	18	7.2	31	2	2	5	11	15	20	22
80-84	9	8.8	72	1	1	6	13	22	27	27
85+	6	12.7	223	2	2	7	13	39	42	42
2. MULTIPLE DX										
65-69 YRS	70	9.9	53	1	2	9	11	19	29	33
70-74	39	13.8	217	2	3	10	18	28	50	69
75-79	32	21.3	397	3	3	13	26	59	66	68
80-84	31	13.9	102	3	4	12	19	28	34	44
85+	10	13.9	60	2	4	13	20	24	28	28
TOT. SINGLE DX	84	8.5	81	1	2	6	11	18	28	44
" MULTIPLE DX	182	13.6	170	2	3	10	17	28	34	67
TOTAL 65-69 YRS	101	9.0	53	1	2	8	11	17	27	33
70-74	59	12.8	192	1	2	8	16	29	41	68
75-79	50	16.2	309	2	2	9	23	42	65	68
80-84	40	12.7	98	1	2	10	17	28	31	44
85+	16	13.4	111	2	2	11	19	27	38	42
GRAND TOTAL	266	12.0	147	1	2	9	18	26	33	66

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	556	5.2	5	3	3	5	6	8	10	14
70-74	340	5.7	11	3	3	5	6	8	11	20
75-79	157	6.4	19	3	3	5	7	11	14	26
80-84	47	6.6	10	3	3	5	9	11	12	15
85+	12	13.0	508	3	3	6	10	33	77	84
2. MULTIPLE DX										
65-69 YRS	606	8.7	60	3	4	6	10	17	22	42
70-74	393	10.4	78	4	4	7	13	21	30	47
75-79	258	10.9	103	4	4	8	13	19	29	61
80-84	99	11.9	86	4	4	9	15	23	29	48
85+	42	15.7	158	4	5	13	19	28	40	71
TOT. SINGLE DX	1112	5.7	15	3	3	5	6	9	11	20
" MULTIPLE DX	1398	10.0	80	3	4	7	12	19	27	48
TOTAL 65-69 YRS	1162	7.0	37	3	3	5	8	12	17	38
70-74	733	8.2	52	3	4	6	9	15	22	41
75-79	415	9.2	76	3	4	6	10	17	24	50
80-84	146	10.2	68	3	4	7	12	20	26	45
85+	54	15.1	229	4	4	11	17	27	43	83
GRAND TOTAL	2510	9.1	56	3	3	6	9	15	21	42

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	5.4	8	2	3	5	7	9	10	17
70-74	60	8.0	34	2	3	6	10	16	18	32
75-79	34	5.9	21	2	3	5	6	9	16	26
80-84	11	9.9	82	4	4	7	9	23	35	36
85+	7	8.1	46	1	1	7	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	230	12.4	161	3	4	8	14	31	38	68
70-74	145	13.2	143	3	4	8	17	29	38	63
75-79	127	16.8	212	4	4	11	23	37	42	69
80-84	45	17.6	236	4	5	12	27	44	63	99+
85+	30	13.9	149	2	5	10	19	25	37	63
TOT. SINGLE DX	202	6.6	25	2	3	5	7	12	17	29
" MULTIPLE DX	577	14.1	176	3	4	9	18	33	42	65
TOTAL 65-69 YRS	320	10.5	128	2	3	6	11	25	35	65
70-74	205	11.7	117	2	4	8	15	26	36	56
75-79	161	14.5	192	3	4	9	21	34	42	63
80-84	56	16.1	214	4	5	10	26	36	58	98
85+	37	12.8	134	2	2	10	17	24	33	63
GRAND TOTAL	779	12.1	147	2	3	7	15	29	37	64

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	17.6	243	4	6	13	19	32	58	78
70-74	22	14.8	63	5	8	12	21	26	31	33
75-79	11	20.5	133	6	8	17	25	38	44	45
80-84	4	16.8	65	8	8	17	23	25	25	25
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	88	20.9	244	6	8	15	26	42	56	80
70-74	64	20.9	224	6	9	16	23	41	51	79
75-79	29	18.7	141	4	6	15	25	37	45	47
80-84	9	29.3	244	14	16	27	33	84	99+	99+
85+	3	23.3	186	11	11	21	34	38	38	38
TOT. SINGLE DX	69	17.0	154	6	7	13	22	28	40	74
" MULTIPLE DX	193	21.0	221	6	8	16	26	41	54	85
TOTAL 65-69 YRS	119	20.0	244	6	7	15	24	41	57	81
70-74	86	19.3	189	6	8	15	22	39	48	75
75-79	40	19.2	136	5	7	15	25	36	45	47
80-84	13	25.5	216	9	12	24	30	71	94	99+
85+	4	19.8	176	9	9	16	29	38	38	38
GRAND TOTAL	262	19.9	206	6	8	15	25	39	51	81

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	2.2	2	<1	<1	2	2	4	5	9
70-74	153	2.2	2	<1	1	2	2	4	4	10
75-79	124	2.1	1	<1	<1	2	3	4	5	6
80-84	90	2.7	2	<1	1	2	3	5	6	7
85+	80	2.6	4	<1	1	2	3	5	7	13
2. MULTIPLE DX										
65-69 YRS	190	6.1	67	1	1	3	8	13	18	43
70-74	149	6.5	68	1	1	3	8	16	21	32
75-79	173	5.8	58	<1	1	3	7	15	22	88
80-84	124	8.1	79	1	1	4	12	20	24	44
85+	89	7.1	69	1	2	4	9	15	22	45
TOT. SINGLE DX	586	2.3	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	725	6.6	68	1	1	3	8	15	23	49
TOTAL 65-69 YRS	329	4.4	43	<1	1	2	4	10	14	37
70-74	302	4.3	40	<1	1	2	4	10	16	29
75-79	297	4.3	38	<1	1	2	4	10	15	51
80-84	214	5.8	54	<1	1	3	7	14	21	35
85+	169	4.9	44	1	1	3	5	11	15	38
GRAND TOTAL	1311	4.7	43	<1	1	2	5	11	16	37

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	492	2.1		<1	1	2	2	3	4	6
70-74	478	2.0	1	<1	<1	2	2	3	4	6
75-79	416	2.2	14	<1	<1	2	2	3	4	8
80-84	299	2.3	5	<1	1	2	2	3	4	13
85+	235	2.3	2	<1	1	2	2	3	5	10
2. MULTIPLE DX										
65-69 YRS	632	4.1	29	1	1	2	4	8	13	34
70-74	586	4.9	65	1	1	2	4	10	18	56
75-79	564	5.5	68	1	1	2	5	13	22	61
80-84	381	5.4	46	1	1	3	6	13	21	39
85+	348	7.0	86	1	1	3	9	18	26	58
TOT. SINGLE DX	1920	2.1	5	<1	1	2	2	3	4	7
" MULTIPLE DX	2511	5.2	58	1	1	2	5	12	20	50
TOTAL 65-69 YRS	1124	3.2	18	1	1	2	3	5	9	23
70-74	1064	3.6	38	<1	1	2	3	6	12	36
75-79	980	4.1	48	<1	1	2	3	9	15	52
80-84	680	4.0	31	<1	1	2	3	9	15	33
85+	583	5.1	58	1	1	2	5	13	20	54
GRAND TOTAL	4431	3.9	37	<1	1	2	3	8	14	36

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	2.7	1	1	2	2	3	4	6	8
70-74	92	2.6	1	1	2	2	3	4	5	6
75-79	73	2.6		1	2	2	3	4	4	8
80-84	50	3.9	40	2	2	3	4	5	6	47
85+	37	3.3	3	2	2	3	4	6	8	10
2. MULTIPLE DX										
65-69 YRS	97	3.2	4	1	2	3	3	5	6	14
70-74	95	3.6	8	2	2	3	4	6	10	16
75-79	105	3.9	10	2	2	3	4	7	10	18
80-84	81	4.7	15	2	2	3	6	8	12	23
85+	63	4.4	10	2	2	3	6	8	11	15
TOT. SINGLE DX	337	2.9	7	1	2	2	3	4	5	8
" MULTIPLE DX	441	3.9	10	2	2	3	4	7	10	16
TOTAL 65-69 YRS	182	2.9	3	1	2	2	3	5	6	11
70-74	187	3.1	5	1	2	2	3	5	6	15
75-79	178	3.4	7	2	2	3	3	6	9	15
80-84	131	4.4	25	2	2	3	5	7	9	28
85+	100	4.0	6	2	2	3	5	8	9	15
GRAND TOTAL	778	3.5	9	2	2	3	4	6	8	16

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	2.2	2	<1	<1	2	3	4	5	7
70-74	16	2.8	4	<1	<1	2	3	4	8	10
75-79	13	2.0	1	1	1	2	2	3	5	6
80-84	7	3.0	10	1	1	2	3	9	10	10
85+	11	2.6	5	1	1	2	3	6	9	9
2. MULTIPLE DX										
65-69 YRS	22	4.4	20	<1	1	2	6	11	16	18
70-74	14	4.7	23	1	1	3	5	11	17	19
75-79	24	4.8	32	1	2	3	5	7	21	26
80-84	18	7.6	74	2	2	3	13	22	26	28
85+	14	5.9	14	2	2	5	10	12	12	12
TOT. SINGLE DX	74	2.4	4	<1	<1	2	3	4	7	10
" MULTIPLE DX	92	5.4	34	1	2	3	6	13	19	27
TOTAL 65-69 YRS	49	3.2	11	<1	<1	2	3	7	9	18
70-74	30	3.7	14	<1	1	2	4	9	10	19
75-79	37	3.8	23	1	1	2	4	6	15	26
80-84	25	6.3	60	1	1	2	8	21	23	28
85+	25	4.4	13	1	1	3	6	11	12	12
GRAND TOTAL	166	4.1	22	<1	1	2	4	10	15	25

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	101	4.3	6	2	2	3	6	8	10	14
70-74	142	4.3	9	1	2	4	5	7	9	14
75-79	139	4.4	9	1	2	4	5	7	9	21
80-84	81	4.4	6	1	2	4	6	8	9	14
85+	48	4.3	6	1	2	4	5	7	8	15
2. MULTIPLE DX										
65-69 YRS	208	5.0	7	2	2	5	6	8	11	16
70-74	242	5.3	14	2	2	5	6	8	10	17
75-79	237	5.8	33	2	3	5	6	9	13	27
80-84	159	6.2	57	2	2	5	6	9	14	41
85+	97	5.5	11	2	2	5	6	9	11	22
TOT. SINGLE DX	511	4.3	8	1	2	4	5	7	9	15
" MULTIPLE DX	943	5.5	25	2	2	5	6	8	11	22
TOTAL 65-69 YRS	309	4.8	7	2	2	4	6	8	10	15
70-74	384	4.9	12	2	2	4	6	8	9	16
75-79	376	5.3	25	2	2	4	6	8	12	23
80-84	240	5.6	41	2	2	5	6	9	12	26
85+	145	5.1	10	2	2	4	6	8	11	19
GRAND TOTAL	1454	5.1	19	2	2	4	6	8	11	19

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	2.1	1	<1	1	2	2	3	4	9
70-74	104	2.5	3	<1	1	2	3	4	6	11
75-79	70	2.6	3	<1	1	2	3	5	7	11
80-84	40	3.2	6	1	1	2	4	6	9	13
85+	30	3.7	10	1	1	3	5	7	11	15
2. MULTIPLE DX										
65-69 YRS	98	4.3	19	1	1	3	6	9	12	27
70-74	115	4.3	20	1	1	3	5	10	12	28
75-79	82	5.2	53	1	1	3	6	11	15	46
80-84	77	4.8	25	1	1	3	5	9	16	28
85+	69	5.1	34	1	1	3	6	12	15	35
TOT. SINGLE DX	380	2.6	4	<1	1	2	3	4	7	12
" MULTIPLE DX	441	4.7	29	1	1	3	5	10	14	28
TOTAL 65-69 YRS	234	3.0	10	<1	1	2	3	6	9	17
70-74	219	3.4	13	1	1	2	4	7	10	24
75-79	152	4.0	32	1	1	2	4	10	12	25
80-84	117	4.2	20	1	1	3	5	9	14	24
85+	99	4.7	28	1	1	3	6	10	14	31
GRAND TOTAL	821	3.7	19	1	1	2	4	7	11	28

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	537	3.4	5	1	2	3	4	6	8	13
70-74	489	3.4	6	1	2	3	4	6	8	13
75-79	418	3.3	5	1	2	3	4	5	8	13
80-84	220	3.2	3	1	2	3	4	5	7	13
85+	83	3.8	8	1	2	3	4	6	8	19
2. MULTIPLE DX										
65-69 YRS	401	4.7	14	2	2	3	5	9	13	19
70-74	402	5.2	25	1	2	4	6	10	13	29
75-79	351	4.5	14	2	2	3	5	9	13	20
80-84	239	5.5	26	2	2	4	6	11	15	27
85+	100	5.2	17	1	2	4	6	10	15	21
TOT. SINGLE DX	1747	3.4	6	1	2	3	4	6	8	13
" MULTIPLE DX	1493	4.9	20	2	2	3	6	10	13	24
TOTAL 65-69 YRS	938	4.0	10	1	2	3	4	8	10	16
70-74	891	4.2	16	1	2	3	5	8	11	23
75-79	769	3.8	10	1	2	3	4	7	11	17
80-84	459	4.4	17	1	2	3	5	8	13	24
85+	183	4.6	14	1	2	3	5	8	13	21
GRAND TOTAL	3240	4.1	13	1	2	3	5	8	11	19

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	391	3.0	5	1	1	2	4	5	8	13
70-74	367	3.0	3	1	1	2	4	6	7	10
75-79	313	3.1	4	1	1	2	4	5	7	12
80-84	169	3.4	8	1	1	2	4	7	9	17
85+	77	3.8	11	1	1	3	5	8	9	21
2. MULTIPLE DX										
65-69 YRS	331	5.5	45	1	2	3	6	11	17	37
70-74	279	4.5	17	1	2	3	5	9	13	22
75-79	284	5.1	25	1	1	3	7	11	14	32
80-84	200	5.7	40	1	1	4	7	12	20	44
85+	108	6.1	90	1	2	4	8	13	17	72
TOT. SINGLE DX	1317	3.1	6	1	1	2	4	6	8	12
" MULTIPLE DX	1202	5.3	34	1	2	3	6	11	16	34
TOTAL 65-69 YRS	722	4.2	25	1	1	3	4	8	12	27
70-74	646	3.6	10	1	1	3	4	7	9	18
75-79	597	4.0	15	1	1	3	5	8	11	18
80-84	369	4.7	27	1	1	3	6	9	15	28
85+	185	5.1	35	1	2	3	6	10	14	48
GRAND TOTAL	2519	4.1	20	1	1	3	5	8	12	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8001	3.0	2	2	2	3	3	4	5	9
70-74	9412	3.0	2	2	2	3	3	4	5	9
75-79	9330	3.1	2	2	2	3	4	4	5	9
80-84	6665	3.1	2	2	2	3	4	5	6	10
85+	4388	3.3	2	2	2	3	4	5	6	11
2. MULTIPLE DX										
65-69 YRS	7072	3.9	14	2	2	3	4	6	9	20
70-74	8745	4.0	16	2	2	3	4	6	9	21
75-79	9029	4.2	17	2	2	3	4	7	10	22
80-84	6704	4.4	21	2	2	3	4	7	11	24
85+	4639	4.6	23	2	2	3	5	8	12	26
TOT. SINGLE DX	37796	3.1	2	2	2	3	3	4	5	9
" MULTIPLE DX	36189	4.2	18	2	2	3	4	7	10	22
TOTAL 65-69 YRS	15073	3.4	8	2	2	3	4	5	7	15
70-74	18157	3.5	9	2	2	3	4	5	7	15
75-79	18359	3.6	10	2	2	3	4	5	7	16
80-84	13369	3.8	12	2	2	3	4	6	8	18
85+	9027	4.0	14	2	2	3	4	6	9	21
GRAND TOTAL	73985	3.6	10	2	2	3	4	5	8	17

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4373	2.4	1	1	2	2	3	3	4	6
70-74	5125	2.4	2	1	2	2	3	3	4	6
75-79	4754	2.5	1	1	2	2	3	3	4	6
80-84	3301	2.5	1	1	2	2	3	4	4	7
85+	1967	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	3100	3.0	8	1	2	2	3	4	7	14
70-74	3740	3.1	8	2	2	2	3	5	7	19
75-79	3608	3.2	6	2	2	2	3	5	7	15
80-84	2575	3.4	10	2	2	3	3	5	8	19
85+	1690	3.7	21	2	2	3	4	6	9	22
TOT. SINGLE DX	19520	2.5	2	1	2	2	3	3	4	6
" MULTIPLE DX	14713	3.2	10	2	2	2	3	5	7	17
TOTAL 65-69 YRS	7473	2.6	4	1	2	2	3	4	5	10
70-74	8865	2.7	5	1	2	2	3	4	5	12
75-79	8362	2.8	4	1	2	2	3	4	5	11
80-84	5876	2.9	6	1	2	2	3	4	6	13
85+	3657	3.1	11	1	2	2	3	4	6	18
GRAND TOTAL	34233	2.8	5	1	2	2	3	4	5	12

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	811	2.6	2	1	2	2	3	4	4	9
70-74	909	2.7	10	1	2	2	3	4	5	6
75-79	843	2.7	1	1	2	2	3	4	5	7
80-84	564	2.9	8	1	2	3	3	4	5	7
85+	340	2.9	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
65-69 YRS	518	3.6	12	1	2	3	4	6	10	19
70-74	674	3.4	13	1	2	3	4	5	8	17
75-79	614	3.6	14	1	2	3	4	6	8	18
80-84	462	3.7	27	2	2	3	4	6	9	18
85+	268	4.7	37	2	2	3	5	9	14	26
TOT. SINGLE DX	3467	2.7	5	1	2	2	3	4	5	7
" MULTIPLE DX	2534	3.7	19	1	2	3	4	6	10	18
TOTAL 65-69 YRS	1327	3.0	6	1	2	2	3	4	6	15
70-74	1583	3.0	12	1	2	3	3	4	5	11
75-79	1457	3.1	7	1	2	3	3	4	6	13
80-84	1026	3.3	17	1	2	3	4	5	6	14
85+	608	3.7	18	1	2	3	4	6	9	18
GRAND TOTAL	6001	3.1	11	1	2	3	3	5	6	14

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	768	4.9	6	2	2	5	6	8	9	15
70-74	498	5.4	7	2	2	5	7	9	11	14
75-79	294	5.4	7	2	3	5	7	9	10	14
80-84	129	5.5	5	2	3	5	7	8	10	13
85+	52	5.4	7	2	3	5	7	8	10	17
2. MULTIPLE DX										
65-69 YRS	737	5.9	12	2	2	5	7	10	13	18
70-74	595	6.3	15	2	3	5	8	10	13	22
75-79	419	6.5	16	2	3	6	8	11	14	22
80-84	181	6.7	22	2	3	5	8	12	15	29
85+	74	7.5	32	2	3	6	9	13	16	33
TOT. SINGLE DX	1741	5.2	7	2	2	5	6	8	10	14
" MULTIPLE DX	2006	6.3	16	2	3	5	8	11	14	21
TOTAL 65-69 YRS	1505	5.4	10	2	2	5	7	9	11	17
70-74	1093	5.9	12	2	2	5	7	10	12	20
75-79	713	6.0	13	2	3	5	7	10	12	19
80-84	310	6.2	15	2	3	5	7	10	13	23
85+	126	6.7	23	2	3	6	8	13	14	30
GRAND TOTAL	3747	5.8	12	2	2	5	7	10	12	18

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	148	3.6	6	1	2	3	4	7	9	13
70-74	128	3.4	7	1	2	3	4	6	8	16
75-79	117	3.5	4	1	2	3	4	6	8	11
80-84	65	3.4	8	1	2	2	4	6	8	17
85+	42	3.6	6	<1	1	3	5	7	8	12
2. MULTIPLE DX										
65-69 YRS	311	5.3	32	1	2	4	6	10	14	22
70-74	279	5.6	39	1	2	4	6	11	14	41
75-79	228	5.8	75	1	2	4	7	11	14	35
80-84	132	4.8	17	1	2	3	6	10	14	24
85+	62	5.9	24	1	2	4	7	14	19	90
TOT. SINGLE DX	500	3.5	6	1	2	3	4	6	8	14
" MULTIPLE DX	1012	5.5	42	1	2	4	6	11	14	25
TOTAL 65-69 YRS	459	4.7	24	1	2	4	6	9	12	19
70-74	407	4.9	31	1	2	3	5	10	13	27
75-79	345	5.0	53	1	2	3	5	9	12	19
80-84	197	4.3	15	1	2	3	5	8	13	20
85+	104	5.0	18	1	1	4	6	12	15	58
GRAND TOTAL	1512	4.8	31	1	2	3	6	9	13	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	76	2.1		1	1	2	2	3	4	6
70-74	42	2.5	1	1	2	2	2	4	5	9
75-79	30	2.1		1	1	2	3	3	3	3
80-84	18	2.0		1	1	2	2	3	4	4
85+	9	1.7		<1	<1	2	2	51	99+	99+
2. MULTIPLE DX										
65-69 YRS	63	4.7	155	1	2	2	3	8	14	88
70-74	64	2.6	1	1	2	2	3	4	5	8
75-79	38	2.8	3	2	2	2	3	5	6	11
80-84	14	4.0	14	<1	1	2	3	11	13	13
85+	4	4.3	11	2	2	3	6	9	9	9
TOT. SINGLE DX	175	2.2	1	1	1	2	2	3	4	9
" MULTIPLE DX	183	3.5	56	1	2	2	3	5	8	20
TOTAL 65-69 YRS	139	3.3	72	1	1	2	3	4	7	29
70-74	106	2.5	2	1	2	2	3	4	5	8
75-79	68	2.5	2	1	1	2	3	3	5	10
80-84	32	2.9	7	1	1	2	3	5	11	13
85+	13	2.5	4	<1	1	2	2	18	82	99+
GRAND TOTAL	358	2.8	30	1	1	2	3	4	6	18

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
TOT. SINGLE DX	6	2.5	4	1	1	2	3	6	6	6
" MULTIPLE DX	6	2.7	1	2	2	3	3	4	4	4
TOTAL 65-69 YRS	4	3.0	1	2	2	3	4	4	4	4
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	1.0		1	1	1	1	1	1	1
GRAND TOTAL	12	2.6	2	1	1	2	3	5	6	6

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	137	4.1	18	1	2	3	4	8	11	26
70-74	111	3.6	5	1	1	3	5	7	8	12
75-79	115	3.8	11	1	2	3	4	7	9	21
80-84	70	3.6	13	1	1	3	4	5	10	21
85+	47	4.4	17	1	1	3	4	12	14	18
2. MULTIPLE DX										
65-69 YRS	197	5.7	38	1	2	4	6	11	18	33
70-74	187	7.5	96	1	2	4	8	20	29	69
75-79	174	7.7	78	2	2	4	9	19	25	44
80-84	126	6.2	49	2	2	4	7	14	20	44
85+	133	8.5	63	1	2	5	12	18	25	39
TOT. SINGLE DX	480	3.9	13	1	1	3	4	7	11	18
" MULTIPLE DX	817	7.1	67	2	2	4	8	16	24	43
TOTAL 65-69 YRS	334	5.0	31	1	2	3	5	10	13	33
70-74	298	6.0	66	1	2	3	6	13	22	50
75-79	289	6.2	55	2	2	4	7	13	21	38
80-84	196	5.3	38	1	2	3	6	10	18	35
85+	180	7.4	54	1	2	5	10	16	20	39
GRAND TOTAL	1297	5.9	49	1	2	4	6	13	20	38

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	137	3.3	15	<1	1	2	3	8	11	22
70-74	129	3.5	16	<1	1	2	3	8	10	21
75-79	99	3.8	23	<1	<1	2	4	8	13	29
80-84	76	4.4	22	<1	1	3	6	10	14	26
85+	85	4.3	17	<1	1	3	5	9	12	22
2. MULTIPLE DX										
65-69 YRS	171	7.5	65	1	2	4	9	17	23	43
70-74	175	7.6	84	1	1	4	10	16	25	48
75-79	155	10.4	158	1	2	6	12	25	35	76
80-84	146	10.1	139	1	2	6	12	24	35	56
85+	135	8.5	72	1	2	6	11	21	27	57
TOT. SINGLE DX	526	3.8	19	<1	1	2	4	8	12	24
" MULTIPLE DX	782	8.8	104	1	2	5	11	20	29	51
TOTAL 65-69 YRS	308	5.6	47	1	1	3	7	14	19	35
70-74	304	5.9	60	<1	1	3	7	13	20	44
75-79	254	7.8	116	<1	1	4	9	19	29	49
80-84	222	8.1	106	1	1	4	9	19	28	54
85+	220	6.9	56	1	1	4	9	16	25	41
GRAND TOTAL	**1308**	**6.7**	**76**	**1**	**1**	**3**	**8**	**16**	**25**	**46**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	371	2.5	1	1	1	2	3	4	4	6
70-74	192	2.6	1	1	1	3	3	4	4	7
75-79	103	2.6		1	2	3	3	3	4	7
80-84	45	2.6	2	1	1	2	3	3	4	12
85+	12	2.9	2	1	1	3	4	5	7	7
2. MULTIPLE DX										
65-69 YRS	131	3.5	13	1	2	3	3	5	8	26
70-74	81	3.4	5	2	2	3	3	6	9	14
75-79	37	2.9	1	2	2	3	3	5	8	99+
80-84	14	3.0	1	2	2	3	3	5	6	7
85+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	723	2.6	1	1	1	2	3	4	4	7
" MULTIPLE DX	265	3.3	9	2	2	3	3	5	8	25
TOTAL 65-69 YRS	502	2.7	5	1	1	2	3	4	5	9
70-74	273	2.9	3	1	2	3	3	4	6	11
75-79	140	2.7	1	1	2	3	3	4	5	17
80-84	59	2.7	3	1	1	2	3	4	5	12
85+	14	2.9	2	1	2	3	3	5	6	7
GRAND TOTAL	**988**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**10**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	262	2.3	1	1	1	2	3	3	4	6
70-74	115	2.3		1	1	2	3	3	3	5
75-79	68	2.5	1	1	2	2	3	4	5	7
80-84	22	2.4		1	1	2	3	4	4	5
85+	7	2.6		2	2	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	262	2.8	8	1	2	2	3	4	5	11
70-74	149	2.9	5	1	2	2	3	4	6	16
75-79	72	2.7	1	1	1	2	3	4	6	8
80-84	24	3.3	11	1	1	2	3	6	13	15
85+	3	2.0	1	1	1	2	3	3	3	3
TOT. SINGLE DX	474	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	510	2.9	7	1	2	2	3	4	5	13
TOTAL 65-69 YRS	524	2.6	5	1	1	2	3	3	4	9
70-74	264	2.6	3	1	2	2	3	3	5	13
75-79	140	2.6	2	1	2	2	3	4	5	8
80-84	46	2.9	6	1	1	2	3	5	7	15
85+	10	2.4		1	1	2	3	3	3	3
GRAND TOTAL	**984**	**2.6**	**4**	**1**	**1**	**2**	**3**	**3**	**5**	**10**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	1.9	1	<1	<1	2	2	3	4	8
70-74	50	1.9	2	<1	<1	2	2	3	4	10
75-79	25	2.0		<1	<1	2	2	2	3	4
80-84	22	2.3	3	<1	<1	2	3	5	7	8
85+	22	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	103	7.0	104	1	1	3	8	21	32	49
70-74	75	7.7	87	<1	1	3	11	20	33	86
75-79	47	9.9	120	1	1	7	13	22	25	59
80-84	23	12.7	157	1	2	10	21	38	64	99+
85+	16	15.6	329	1	2	8	25	33	58	69
TOT. SINGLE DX	187	1.9	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	264	8.8	124	1	1	4	11	23	37	67
TOTAL 65-69 YRS	171	5.0	70	<1	1	2	4	10	23	43
70-74	125	5.4	61	<1	1	2	7	15	21	60
75-79	72	7.2	93	1	1	2	11	20	22	54
80-84	45	7.6	108	<1	<1	3	11	25	39	99+
85+	38	7.4	183	<1	<1	2	4	25	32	69
GRAND TOTAL	451	5.9	85	<1	1	2	6	17	25	56

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	3.9	8	2	2	3	4	7	9	16
70-74	40	3.6	6	1	2	3	4	6	11	13
75-79	28	4.0	9	2	2	3	4	9	13	13
80-84	7	4.3	15	2	2	3	4	11	13	13
85+	4	7.5	35	2	2	7	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	178	5.1	43	2	2	3	5	10	16	37
70-74	104	5.8	30	2	2	4	6	13	17	30
75-79	50	10.8	255	2	2	4	11	23	59	68
80-84	26	9.1	156	2	2	5	8	24	34	62
85+	12	6.2	32	2	2	5	7	14	21	22
TOT. SINGLE DX	160	3.9	9	2	2	3	4	8	12	15
" MULTIPLE DX	370	6.4	79	2	2	4	6	13	20	60
TOTAL 65-69 YRS	259	4.7	33	2	2	3	4	8	14	33
70-74	144	5.1	25	2	2	3	5	11	16	24
75-79	78	8.4	177	2	2	3	7	16	44	66
80-84	33	8.1	129	2	2	4	8	16	27	62
85+	16	6.5	31	2	2	5	9	14	20	22
GRAND TOTAL	530	5.6	59	2	2	3	5	12	16	57

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.8	2	1	1	3	3	5	6	10
70-74	69	3.7	7	1	1	3	4	7	11	13
75-79	37	3.3	4	<1	1	3	4	6	8	9
80-84	12	3.3	8	1	1	2	3	7	11	12
85+	4	6.8	103	<1	<1	2	12	22	22	22
2. MULTIPLE DX										
65-69 YRS	79	6.7	144	1	2	3	5	15	27	74
70-74	45	9.6	362	1	2	3	8	19	39	97
75-79	27	4.6	20	1	1	3	5	10	18	19
80-84	15	8.3	75	1	1	4	14	21	27	29
85+	7	6.4	28	2	2	4	8	15	17	17
TOT. SINGLE DX	226	3.3	6	1	1	3	4	6	8	13
" MULTIPLE DX	173	7.3	172	1	2	3	6	18	23	87
TOTAL 65-69 YRS	183	4.5	67	1	1	3	4	6	13	49
70-74	114	6.0	154	1	1	3	5	11	18	92
75-79	64	3.9	11	1	1	3	4	8	9	19
80-84	27	6.0	51	1	1	3	6	17	22	29
85+	11	6.5	48	<1	1	3	8	19	22	22
GRAND TOTAL	399	5.0	82	1	1	3	4	9	17	46

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	2.7	2	1	1	2	3	4	5	10
70-74	31	2.9	1	1	2	3	4	4	5	5
75-79	15	2.6	1	1	1	3	3	3	5	5
80-84	5	4.2	8	<1	<1	4	5	9	9	9
85+	3	6.7	14	4	4	5	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	199	4.5	15	1	2	3	5	8	12	24
70-74	83	4.5	57	1	2	3	4	9	14	89
75-79	29	3.8	4	2	2	3	4	7	9	10
80-84	13	6.2	20	2	3	4	8	11	18	19
85+	5	4.0	8	2	2	3	5	9	9	9
TOT. SINGLE DX	123	2.9	3	1	1	3	3	4	5	10
" MULTIPLE DX	329	4.5	25	1	2	3	5	8	12	26
TOTAL 65-69 YRS	268	4.0	13	1	2	3	4	7	9	23
70-74	114	4.1	42	1	2	3	4	7	11	79
75-79	44	3.4	4	1	2	3	4	5	8	10
80-84	18	5.7	18	1	2	4	8	9	15	19
85+	8	5.0	11	2	2	4	7	10	11	11
GRAND TOTAL	452	4.1	19	1	2	3	4	7	10	24

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	184	2.5	1	1	1	2	3	4	4	9
70-74	104	2.9	6	1	1	2	3	4	8	16
75-79	44	4.0	16	1	1	3	4	9	12	23
80-84	13	2.7	2	<1	1	3	3	5	7	7
85+	17	5.1	49	2	2	3	4	9	23	31
2. MULTIPLE DX										
65-69 YRS	484	4.2	35	1	2	3	4	7	11	21
70-74	227	4.3	23	1	2	3	4	10	12	26
75-79	129	5.5	28	1	2	4	6	10	17	33
80-84	61	6.5	32	1	2	5	8	15	19	27
85+	35	7.7	119	1	2	5	8	14	34	56
TOT. SINGLE DX	362	2.9	8	1	1	2	3	4	7	13
" MULTIPLE DX	936	4.7	35	1	2	3	5	9	14	28
TOTAL 65-69 YRS	668	3.8	27	1	1	3	4	6	9	20
70-74	331	3.9	19	1	1	3	4	7	11	23
75-79	173	5.1	26	1	2	3	6	10	14	31
80-84	74	5.9	29	1	2	4	7	13	18	26
85+	52	6.9	96	1	2	4	7	12	29	56
GRAND TOTAL	1298	4.2	28	1	2	3	4	8	11	26

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	345	3.0	18	<1	1	2	3	5	7	32
70-74	282	2.6	4	<1	1	2	3	5	6	12
75-79	217	2.9	10	<1	1	2	3	5	8	16
80-84	138	2.9	5	<1	1	2	3	6	8	13
85+	101	3.8	20	1	1	2	4	8	11	26
2. MULTIPLE DX										
65-69 YRS	527	4.8	22	1	1	3	5	11	15	23
70-74	499	6.1	71	1	2	3	6	13	20	49
75-79	339	7.0	100	1	2	4	8	15	21	47
80-84	231	8.3	116	1	2	5	11	17	25	55
85+	219	9.9	132	1	2	7	13	20	28	64
TOT. SINGLE DX	1083	3.0	12	<1	1	2	3	5	8	16
" MULTIPLE DX	1815	6.6	78	1	2	4	8	15	20	44
TOTAL 65-69 YRS	872	4.1	22	1	1	3	4	8	14	24
70-74	781	4.8	50	1	1	3	5	10	15	42
75-79	556	5.4	69	1	1	3	6	11	16	43
80-84	369	6.3	82	1	1	3	8	14	18	37
85+	320	8.0	105	1	1	5	10	18	25	42
GRAND TOTAL	2898	5.3	57	1	1	3	6	12	17	36

544: Miscellaneous operations on nose (21.02-21.0[illegible]; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	4.6	16	1	1	4	6	8	10	22
70-74	142	5.3	14	1	2	4	7	10	12	19
75-79	94	4.3	9	1	1	4	5	8	11	15
80-84	49	5.2	9	1	2	4	6	10	10	18
85+	35	4.0	4	1	1	4	5	7	9	9
2. MULTIPLE DX										
65-69 YRS	333	7.3	52	1	2	6	8	13	18	47
70-74	325	8.0	49	2	2	6	9	15	24	35
75-79	242	8.4	63	2	3	6	10	15	21	43
80-84	171	9.4	132	2	3	6	10	20	35	89
85+	158	7.6	52	1	2	6	10	15	21	41
TOT. SINGLE DX	500	4.8	13	1	1	4	6	9	11	18
" MULTIPLE DX	1229	8.0	65	2	2	6	9	15	23	44
TOTAL 65-69 YRS	513	6.3	41	1	2	5	7	11	15	41
70-74	467	7.1	40	1	2	5	9	14	21	32
75-79	336	7.3	52	1	2	5	9	14	18	39
80-84	220	8.5	108	1	2	5	9	16	32	69
85+	193	7.0	46	1	2	5	8	13	18	37
GRAND TOTAL	1729	7.1	52	1	2	5	8	13	19	41

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	128	3.3	4	1	2	3	4	5	7	12
70-74	86	3.8	13	1	2	3	4	6	9	23
75-79	21	3.3	4	1	2	3	3	6	9	11
80-84	16	5.3	33	1	2	3	6	14	20	22
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	172	5.2	23	2	2	3	5	12	17	26
70-74	105	5.7	38	2	2	4	6	12	18	34
75-79	68	5.9	40	2	2	4	7	12	16	40
80-84	28	7.1	29	2	2	5	11	14	15	24
85+	9	12.2	79	2	3	8	22	24	25	25
TOT. SINGLE DX	253	3.6	9	1	2	3	4	6	8	21
" MULTIPLE DX	382	5.8	33	2	2	4	6	13	18	27
TOTAL 65-69 YRS	300	4.4	16	2	2	3	4	9	13	23
70-74	191	4.9	28	1	2	3	5	8	16	28
75-79	89	5.3	33	2	2	3	5	11	13	36
80-84	44	6.5	31	2	2	4	10	14	17	24
85+	11	10.4	80	2	2	7	20	23	25	25
GRAND TOTAL	**635**	**4.9**	**25**	**2**	**2**	**3**	**5**	**11**	**14**	**26**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	123	3.8	7	1	1	3	5	7	9	15
70-74	71	4.0	14	1	1	3	5	8	12	24
75-79	49	6.8	54	1	1	4	8	14	22	38
80-84	17	6.0	28	2	2	3	8	16	17	18
85+	9	3.7	11	1	1	3	4	9	12	12
2. MULTIPLE DX										
65-69 YRS	219	7.4	92	1	2	4	9	16	22	52
70-74	144	6.5	39	1	2	5	9	13	17	33
75-79	78	8.3	89	2	2	5	10	19	30	89
80-84	38	11.3	111	2	2	7	16	25	35	50
85+	21	9.8	55	2	2	9	15	21	26	27
TOT. SINGLE DX	269	4.6	21	1	1	3	6	9	12	26
" MULTIPLE DX	500	7.7	78	1	2	5	10	17	23	49
TOTAL 65-69 YRS	342	6.1	65	1	2	4	7	13	17	38
70-74	215	5.7	33	1	2	4	8	12	15	29
75-79	127	7.7	76	1	2	4	10	18	27	70
80-84	55	9.7	91	2	2	6	14	19	29	49
85+	30	8.0	50	2	2	5	12	18	25	27
GRAND TOTAL	**769**	**6.6**	**60**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	167	2.7	14	<1	1	2	3	4	5	15
70-74	125	2.8	9	1	1	2	3	4	6	20
75-79	89	2.8	12	1	1	2	3	4	5	24
80-84	70	2.5	2	1	1	2	3	4	4	12
85+	65	2.6	2	1	1	2	3	5	7	85
2. MULTIPLE DX										
65-69 YRS	941	6.3	89	1	2	3	6	16	23	66
70-74	805	6.5	77	1	2	3	7	17	28	80
75-79	633	8.1	104	2	2	4	11	21	29	69
80-84	410	9.0	123	2	2	4	12	22	34	73
85+	301	9.1	134	2	2	5	12	25	34	99+
TOT. SINGLE DX	516	2.7	10	1	1	2	3	4	5	17
" MULTIPLE DX	3090	7.3	100	1	2	3	9	19	28	71
TOTAL 65-69 YRS	1108	5.7	80	1	2	2	5	15	21	59
70-74	930	6.0	70	1	2	3	6	16	25	58
75-79	722	7.5	96	1	2	3	10	19	28	68
80-84	480	8.0	111	2	2	4	10	20	31	70
85+	366	7.9	117	1	2	3	9	23	32	99+
GRAND TOTAL	**3606**	**6.7**	**89**	**1**	**2**	**3**	**7**	**18**	**27**	**68**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	2.4	1	1	1	2	3	4	4	4
70-74	4	3.0	4	2	2	2	4	6	6	6
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	10	6.4	59	<1	<1	3	10	18	26	26
70-74	10	4.6	23	1	1	3	5	12	17	17
75-79	5	8.6	59	2	2	4	17	17	17	17
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	2	3.0	2	2	2	3	4	4	4	4
TOT. SINGLE DX	14	2.6	3	1	1	2	4	6	6	6
" MULTIPLE DX	29	5.6	39	1	1	3	7	17	18	26
TOTAL 65-69 YRS	17	4.8	38	<1	1	2	5	10	20	26
70-74	14	4.1	18	1	1	3	5	9	15	17
75-79	7	7.1	48	1	1	4	14	17	17	17
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	3	2.3	2	1	1	2	3	4	4	4
GRAND TOTAL	**43**	**4.7**	**29**	**1**	**1**	**2**	**5**	**12**	**17**	**26**

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	3.1	2	1	2	3	4	5	6	11
70-74	41	3.2	2	2	2	3	4	5	6	8
75-79	23	3.0	3	<1	1	2	4	6	7	8
80-84	13	3.2	9	1	1	3	3	6	12	13
85+	10	4.3	6	2	2	3	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	117	5.1	46	1	2	3	5	10	14	39
70-74	104	5.1	25	1	2	3	6	12	18	60
75-79	68	5.8	33	1	2	3	7	14	17	29
80-84	32	9.3	180	2	2	4	10	22	32	71
85+	29	9.0	102	1	1	7	11	19	24	52
TOT. SINGLE DX	172	3.2	3	1	2	3	4	5	7	11
" MULTIPLE DX	350	5.9	56	1	2	3	7	13	20	52
TOTAL 65-69 YRS	202	4.2	29	1	2	3	4	7	11	27
70-74	145	4.5	20	1	2	3	4	10	15	31
75-79	91	5.1	27	1	1	3	6	13	16	27
80-84	45	7.6	137	1	2	3	9	14	29	71
85+	39	7.8	82	1	2	6	10	14	23	52
GRAND TOTAL	522	5.0	40	1	2	3	5	11	15	31

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	505	4.3	8	1	2	4	5	7	10	15
70-74	341	4.8	14	2	2	4	5	9	10	19
75-79	204	4.9	20	2	2	4	5	7	10	17
80-84	100	6.0	56	2	2	4	6	9	12	51
85+	56	6.4	19	2	3	5	9	11	20	95
2. MULTIPLE DX										
65-69 YRS	412	7.1	56	2	2	5	8	15	20	43
70-74	354	7.3	44	2	3	5	8	14	20	36
75-79	253	8.3	50	2	3	6	10	17	22	98
80-84	141	9.5	84	2	2	6	13	21	30	39
85+	100	9.6	95	3	3	7	12	16	24	60
TOT. SINGLE DX	1206	4.8	17	2	2	4	5	8	11	19
" MULTIPLE DX	1260	7.9	59	2	3	5	9	16	22	45
TOTAL 65-69 YRS	917	5.6	32	2	2	4	6	11	15	29
70-74	695	6.0	31	2	2	4	7	11	16	33
75-79	457	6.8	40	2	3	5	8	13	18	56
80-84	241	8.0	76	2	2	5	9	17	27	43
85+	156	8.5	70	2	3	6	10	15	23	61
GRAND TOTAL	2466	6.4	41	2	2	4	7	12	17	36

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	5.7	30	2	2	3	10	12	12	12
70-74	3	1.7		1	1	2	2	2	2	2
75-79										
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	2	10.5	13	8	8	10	13	13	13	13
TOT. SINGLE DX	7	4.6	20	1	1	2	8	12	12	12
" MULTIPLE DX	6	6.5	16	3	3	6	8	13	13	13
TOTAL 65-69 YRS	4	5.0	22	2	2	3	8	12	12	12
70-74	5	2.4	1	1	1	2	3	4	4	4
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	3	10.3	6	8	8	10	12	13	13	13
GRAND TOTAL	13	5.5	17	1	2	3	9	12	13	13

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	481	5.2	66	1	1	3	5	11	15	43
70-74	332	4.4	41	<1	1	3	5	9	14	29
75-79	261	4.0	15	1	1	3	5	8	13	21
80-84	138	5.3	43	1	1	3	6	11	18	40
85+	90	4.2	10	1	1	3	5	9	11	16
2. MULTIPLE DX										
65-69 YRS	653	9.5	119	1	2	5	13	23	32	66
70-74	492	8.5	101	1	2	5	11	20	28	50
75-79	433	9.8	138	1	2	6	12	21	34	69
80-84	268	10.5	115	2	2	6	14	26	36	52
85+	203	11.8	152	2	2	9	15	26	35	65
TOT. SINGLE DX	1302	4.7	44	1	1	3	5	10	14	32
" MULTIPLE DX	2049	9.7	123	1	2	6	12	23	32	59
TOTAL 65-69 YRS	1134	7.7	101	1	2	4	9	18	28	54
70-74	824	6.9	81	1	2	4	8	15	23	49
75-79	694	7.7	100	1	1	4	10	17	24	55
80-84	406	8.7	97	1	2	5	11	22	33	48
85+	293	9.5	121	1	2	6	12	22	29	53
GRAND TOTAL	3351	7.7	98	1	2	4	9	18	27	52

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	3.3	23	1	2	2	3	4	6	30
70-74	19	5.4	99	<1	1	2	5	10	29	45
75-79	22	2.8	5	1	1	2	3	5	9	11
80-84	3	2.7	4	1	1	2	4	5	5	5
85+	11	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	27	8.7	80	2	2	3	16	24	27	31
70-74	12	3.1	1	1	2	3	4	4	5	5
75-79	11	15.3	746	1	1	3	15	57	89	92
80-84	5	15.8	489	3	3	5	22	55	55	55
85+	2	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	88	3.5	32	1	1	2	3	5	9	39
" MULTIPLE DX	57	9.2	227	1	2	3	9	24	33	89
TOTAL 65-69 YRS	60	5.7	56	2	2	3	4	17	25	31
70-74	31	4.5	61	1	1	3	4	8	10	45
75-79	33	7.0	272	1	1	2	4	12	31	92
80-84	8	10.9	327	1	1	5	8	42	55	55
85+	13	2.1	1	<1	<1	2	3	4	4	4
GRAND TOTAL	145	5.7	115	1	1	3	4	11	25	57

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	2.2	1	1	1	2	2	5	5	5
70-74	6	1.7		1	1	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	3	1.7		<1	<1	2	2	2	2	2
85+	14	8.7	605	<1	1	2	2	17	77	94
2. MULTIPLE DX										
65-69 YRS	6	1.8		1	1	2	2	2	2	2
70-74	3	1.7		1	1	2	2	2	2	2
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	8	1.6		<1	<1	2	2	2	2	2
TOT. SINGLE DX	38	4.4	224	<1	1	2	2	4	7	94
" MULTIPLE DX	20	1.8		<1	1	2	2	2	3	3
TOTAL 65-69 YRS	19	2.1	1	1	1	2	2	4	5	5
70-74	9	1.7		1	1	2	2	2	2	2
75-79	4	1.8	1	1	1	2	2	3	3	3
80-84	4	1.8		<1	<1	2	2	2	2	2
85+	22	6.1	387	<1	<1	2	2	4	42	94
GRAND TOTAL	58	3.5	147	<1	1	2	2	3	5	87

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74										
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	4	1.5		<1	<1	1	2	2	2	2
70-74	2	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	5.0		5	5	5	5	5	5	5
85+	5	1.4	1	1	1	1	2	3	3	3
TOT. SINGLE DX	3	2.0	1	1	1	2	3	3	3	3
" MULTIPLE DX	13	1.6	1	<1	<1	1	2	3	5	5
TOTAL 65-69 YRS	6	1.7	1	<1	<1	1	2	3	3	3
70-74	2	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	1.4	1	1	1	1	2	3	3	3
GRAND TOTAL	16	1.7	1	<1	<1	1	2	3	4	5

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	142	4.4	17	1	2	3	5	11	15	28
70-74	115	6.1	53	1	1	4	8	11	17	42
75-79	80	4.3	13	1	1	3	6	9	12	19
80-84	22	4.7	12	1	2	4	7	8	12	16
85+	17	5.8	16	2	2	5	8	11	15	17
2. MULTIPLE DX										
65-69 YRS	214	11.7	244	2	2	6	13	32	48	80
70-74	194	10.5	183	1	2	5	14	22	44	76
75-79	120	12.5	187	2	2	10	15	26	38	75
80-84	46	11.2	144	2	2	8	16	23	35	67
85+	33	20.6	375	2	3	14	29	45	71	74
TOT. SINGLE DX	376	5.0	28	1	2	3	7	10	15	29
" MULTIPLE DX	607	11.9	216	2	2	7	15	28	46	78
TOTAL 65-69 YRS	356	8.8	166	1	2	4	10	20	38	79
70-74	309	8.9	139	1	2	5	10	20	35	66
75-79	200	9.2	134	1	2	6	12	19	29	63
80-84	68	9.1	110	2	2	6	11	19	24	62
85+	50	15.6	301	2	2	9	20	39	55	74
GRAND TOTAL	983	9.3	156	1	2	5	11	20	37	73

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	4.4	18	1	1	4	5	8	9	28
70-74	76	3.4	3	1	1	3	4	6	7	9
75-79	40	4.8	23	<1	1	4	6	8	16	25
80-84	34	3.4	5	1	1	3	4	7	9	10
85+	26	3.7	4	<1	1	3	5	7	8	9
2. MULTIPLE DX										
65-69 YRS	158	5.5	18	1	2	4	7	10	13	26
70-74	142	6.7	40	1	2	5	8	13	17	39
75-79	123	6.8	48	1	2	5	8	13	19	44
80-84	97	8.3	48	1	2	6	11	18	24	31
85+	88	5.4	12	1	2	5	6	10	13	18
TOT. SINGLE DX	261	4.0	12	1	1	3	5	7	8	24
" MULTIPLE DX	608	6.5	35	1	2	5	8	13	17	33
TOTAL 65-69 YRS	243	5.1	19	1	1	4	6	9	12	27
70-74	218	5.6	30	1	2	4	6	11	14	32
75-79	163	6.3	43	1	2	5	7	11	19	41
80-84	131	7.0	42	1	2	5	9	16	22	30
85+	114	5.0	12	1	1	4	6	9	13	17
GRAND TOTAL	**869**	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	73	11.3	140	1	2	10	16	21	25	76
70-74	48	9.8	65	2	2	9	14	21	29	30
75-79	28	13.9	342	1	2	11	16	26	46	96
80-84	10	16.8	567	1	1	9	12	57	78	78
85+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	112	16.3	202	2	2	14	22	30	44	82
70-74	60	18.9	222	2	3	16	22	33	51	83
75-79	43	13.9	134	1	2	12	19	32	36	51
80-84	13	28.9	239	10	12	27	39	54	59	60
85+	4	32.0	1926	2	2	14	58	97	97	97
TOT. SINGLE DX	161	11.5	177	1	2	10	16	23	29	87
" MULTIPLE DX	232	17.5	231	2	2	15	22	33	47	85
TOTAL 65-69 YRS	185	14.3	183	2	2	12	18	27	33	83
70-74	108	14.8	173	2	2	13	20	29	35	70
75-79	71	13.9	213	1	2	12	17	30	37	87
80-84	23	23.7	400	2	4	17	36	54	66	78
85+	6	22.3	1380	2	2	7	19	89	97	97
GRAND TOTAL	**393**	**15.1**	**217**	**2**	**2**	**13**	**19**	**30**	**40**	**86**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	687	2.3	5	<1	1	2	2	3	5	13
70-74	449	2.4	5	1	1	2	2	3	5	14
75-79	254	2.8	13	1	1	2	2	4	7	21
80-84	98	3.4	38	1	1	2	3	5	11	41
85+	42	3.3	9	1	2	2	3	7	8	19
2. MULTIPLE DX										
65-69 YRS	633	5.6	58	1	1	2	7	13	20	39
70-74	413	5.8	53	1	1	2	6	14	23	37
75-79	245	7.0	90	1	1	3	9	18	26	67
80-84	105	8.8	161	1	2	3	10	25	35	65
85+	44	11.0	263	1	2	4	14	28	45	87
TOT. SINGLE DX	1530	2.5	9	1	1	2	2	4	6	15
" MULTIPLE DX	1440	6.3	77	1	1	3	7	15	24	44
TOTAL 65-69 YRS	1320	3.9	34	1	1	2	3	9	14	30
70-74	862	4.0	32	1	1	2	3	9	15	31
75-79	499	4.8	56	1	1	2	4	13	19	38
80-84	203	6.2	109	1	1	2	5	13	26	57
85+	86	7.2	153	1	2	2	6	19	28	72
GRAND TOTAL	**2970**	**4.3**	**46**	**1**	**1**	**2**	**4**	**10**	**16**	**35**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	83	16.7	56	10	11	14	18	25	33	45
70-74	60	17.8	70	9	11	15	20	33	41	94
75-79	26	18.8	69	10	11	15	24	34	34	35
80-84	9	20.1	64	13	13	16	26	33	36	36
85+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
65-69 YRS	176	24.8	162	11	13	21	30	45	57	90
70-74	112	24.5	231	11	13	20	28	47	67	99+
75-79	64	26.1	302	10	12	22	35	49	91	99+
80-84	25	23.6	115	11	11	23	29	41	44	44
85+	11	35.9	452	12	13	31	54	69	70	70
TOT. SINGLE DX	179	17.5	63	10	11	15	20	31	36	48
" MULTIPLE DX	388	25.2	212	11	13	21	31	46	63	99+
TOTAL 65-69 YRS	259	22.2	143	10	11	19	27	39	52	65
70-74	172	22.2	185	10	11	19	26	39	60	99+
75-79	90	24.0	245	10	11	20	31	41	72	99+
80-84	34	22.6	102	11	12	21	28	40	43	44
85+	12	34.9	423	12	13	28	50	69	70	70
GRAND TOTAL	**567**	**22.8**	**177**	**10**	**11**	**19**	**28**	**40**	**55**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	19.0	288	7	7	19	31	31	31	31
70-74	3	17.7	142	8	8	14	27	31	31	31
75-79	6	16.5	164	4	4	14	23	36	37	37
80-84										
85+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
65-69 YRS	53	35.9	584	6	9	35	54	82	99+	99+
70-74	48	36.2	654	6	11	36	66	99+	99+	99+
75-79	21	34.8	396	13	14	33	45	75	87	99+
80-84	19	31.0	383	5	9	32	50	87	99+	99+
85+	5	46.2	885	16	20	71	99+	99+	99+	99+
TOT. SINGLE DX	12	18.3	139	4	6	17	30	33	36	37
" MULTIPLE DX	146	35.6	555	7	11	35	57	97	99+	99+
TOTAL 65-69 YRS	55	35.3	578	6	9	34	54	82	99+	99+
70-74	51	35.1	640	7	9	35	61	99	99+	99+
75-79	27	30.7	396	6	9	29	41	72	80	99+
80-84	19	31.0	384	5	9	32	50	87	99+	99+
85+	6	43.3	758	16	21	47	99+	99+	99+	99+
GRAND TOTAL	158	34.3	544	7	9	33	55	96	99+	99+

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	64	7.7	95	1	1	4	12	21	29	94
70-74	47	11.8	263	1	1	4	15	38	59	63
75-79	32	18.3	755	1	2	4	24	82	98	99+
80-84	14	9.7	65	2	2	8	13	22	28	30
85+	5	36.8	758	2	3	50	65	96	99+	99+
2. MULTIPLE DX										
65-69 YRS	421	33.7	622	2	3	33	54	77	95	99+
70-74	286	36.9	718	2	3	37	60	87	99+	99+
75-79	207	38.4	669	2	4	39	60	91	99+	99+
80-84	85	33.2	413	4	8	37	60	99+	99+	99+
85+	50	39.3	434	6	13	42	52	82	92	99+
TOT. SINGLE DX	162	12.0	317	1	1	5	15	43	66	99+
" MULTIPLE DX	1049	35.7	635	2	4	36	57	85	99+	99+
TOTAL 65-69 YRS	485	30.3	630	2	2	29	51	74	94	99+
70-74	333	33.3	730	2	2	32	57	83	99+	99+
75-79	239	35.7	726	2	3	37	59	91	99+	99+
80-84	99	29.9	430	2	6	34	55	99+	99+	99+
85+	55	39.1	451	5	12	42	54	84	97	99+
GRAND TOTAL	1211	32.5	657	2	2	32	55	83	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	761	8.3	70	1	2	6	11	18	23	42
70-74	642	8.9	61	1	2	7	12	19	24	39
75-79	401	8.8	58	1	2	7	12	18	23	39
80-84	192	8.3	57	1	2	6	11	16	21	33
85+	75	11.3	141	2	2	8	16	23	30	73
2. MULTIPLE DX										
65-69 YRS	3002	13.7	126	2	3	11	18	28	36	60
70-74	2634	14.0	134	2	3	11	18	28	37	60
75-79	1791	14.9	148	2	3	12	20	31	40	68
80-84	971	16.0	165	3	4	13	21	33	44	83
85+	444	17.3	151	3	5	14	22	34	42	65
TOT. SINGLE DX	2071	8.7	67	1	2	6	12	18	23	39
" MULTIPLE DX	8842	14.5	140	2	3	11	19	29	39	64
TOTAL 65-69 YRS	3763	12.6	120	2	3	10	16	26	34	58
70-74	3276	13.0	124	2	3	10	17	26	35	58
75-79	2192	13.8	137	2	3	11	18	29	37	65
80-84	1163	14.7	156	2	3	12	19	30	41	78
85+	519	16.4	154	2	4	14	22	32	42	66
GRAND TOTAL	10913	13.4	131	2	3	10	17	28	36	60

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	21.0		21	21	21	21	21	21	21
85+										
2. MULTIPLE DX										
65-69 YRS	6	9.3	17	2	3	10	12	14	14	14
70-74	1	28.0		28	28	28	28	28	28	28
75-79	3	22.3	220	6	6	26	33	35	35	35
80-84										
85+	1	21.0		21	21	21	21	21	21	21
TOT. SINGLE DX	2	12.5	145	4	4	12	21	21	21	21
" MULTIPLE DX	11	15.6	108	2	4	12	25	31	35	35
TOTAL 65-69 YRS	6	9.3	17	2	3	10	12	14	14	14
70-74	1	28.0		28	28	28	28	28	28	28
75-79	4	17.8	231	4	4	16	30	35	35	35
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	21.0		21	21	21	21	21	21	21
GRAND TOTAL	13	15.2	103	2	4	12	22	29	34	35

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	475	11.7	63	1	2	10	15	21	26	40
70-74	356	12.4	88	1	2	11	18	24	27	50
75-79	213	12.6	94	1	2	11	18	24	31	46
80-84	92	12.8	95	2	3	10	19	28	33	41
85+	34	12.4	103	2	3	9	17	24	34	48
2. MULTIPLE DX										
65-69 YRS	1432	16.4	143	3	4	14	22	31	39	66
70-74	1185	17.6	157	3	5	15	23	33	41	63
75-79	742	17.0	146	2	4	15	23	33	41	59
80-84	343	17.8	202	2	4	15	23	36	46	75
85+	130	16.6	180	3	4	13	20	36	45	94
TOT. SINGLE DX	1170	12.2	80	1	2	10	17	23	28	46
" MULTIPLE DX	3832	17.0	155	3	4	14	22	32	41	66
TOTAL 65-69 YRS	1907	15.2	128	2	4	13	20	29	35	62
70-74	1541	16.4	146	2	4	14	22	31	38	59
75-79	955	16.0	138	2	3	14	22	32	40	57
80-84	435	16.7	184	2	3	14	22	33	41	74
85+	164	15.7	167	3	4	12	20	35	44	87
GRAND TOTAL	5002	15.9	142	2	4	13	21	30	38	62

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	287	15.9	46	8	9	15	19	26	29	40
70-74	197	17.0	70	8	9	15	20	27	32	51
75-79	95	19.0	86	9	10	17	22	30	36	57
80-84	16	19.3	54	10	11	18	21	29	36	39
85+	5	17.8	60	9	9	21	24	26	26	26
2. MULTIPLE DX										
65-69 YRS	769	20.8	144	9	10	18	25	35	44	75
70-74	533	21.2	137	9	10	19	25	34	44	72
75-79	277	21.9	126	9	10	19	27	36	43	63
80-84	64	23.8	225	9	10	19	29	42	61	76
85+	14	27.6	204	7	9	26	39	45	54	56
TOT. SINGLE DX	600	16.9	62	8	9	15	20	27	31	47
" MULTIPLE DX	1657	21.3	143	9	10	18	26	35	44	73
TOTAL 65-69 YRS	1056	19.5	122	8	9	17	24	32	40	71
70-74	730	20.1	122	9	10	18	24	33	41	68
75-79	372	21.1	118	9	10	18	26	36	41	61
80-84	80	22.9	193	9	11	18	27	39	57	74
85+	19	25.1	181	7	9	24	32	44	51	56
GRAND TOTAL	2257	20.1	125	9	10	17	24	33	41	68

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	783	7.4	49	1	1	5	10	17	22	36
70-74	608	8.3	72	1	2	5	11	18	25	43
75-79	364	8.5	63	1	2	6	11	19	24	38
80-84	160	9.3	61	1	2	8	14	19	24	36
85+	79	11.3	82	1	1	9	15	23	30	43
2. MULTIPLE DX										
65-69 YRS	2805	13.1	135	2	3	10	17	26	35	64
70-74	2526	14.1	151	2	3	11	18	29	39	74
75-79	1766	15.6	169	2	4	12	20	32	43	78
80-84	931	16.8	177	3	4	14	22	33	46	85
85+	540	17.9	189	3	5	14	24	36	49	99+
TOT. SINGLE DX	1994	8.2	62	1	2	6	11	18	23	37
" MULTIPLE DX	8568	14.6	157	2	3	11	19	30	40	74
TOTAL 65-69 YRS	3588	11.9	122	2	2	9	16	24	33	62
70-74	3134	13.0	141	2	2	10	17	27	37	66
75-79	2130	14.4	158	2	3	11	19	30	41	73
80-84	1091	15.7	167	2	3	13	21	32	43	84
85+	619	17.1	180	3	4	14	22	35	45	88
GRAND TOTAL	10562	13.4	146	2	2	10	18	28	37	68

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	26	9.9	51	1	1	9	14	22	24	26
70-74	16	9.1	39	1	2	9	14	19	20	20
75-79	6	16.8	191	5	5	13	16	41	44	44
80-84	5	11.8	79	4	4	10	15	27	27	27
85+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	90	15.5	238	2	3	9	21	35	46	78
70-74	104	14.6	148	2	3	11	18	32	42	79
75-79	74	14.9	101	3	5	13	20	29	35	52
80-84	40	18.8	243	2	3	14	24	39	53	74
85+	23	19.5	362	3	4	13	27	48	70	71
TOT. SINGLE DX	55	10.5	65	1	2	10	14	20	25	43
" MULTIPLE DX	331	15.8	189	2	4	12	21	32	44	75
TOTAL 65-69 YRS	116	14.3	202	1	2	9	19	28	41	77
70-74	120	13.9	137	2	2	11	18	31	41	73
75-79	80	15.1	106	3	5	13	20	30	35	53
80-84	45	18.0	228	2	4	13	23	34	51	74
85+	25	18.5	348	2	3	12	26	42	70	71
GRAND TOTAL	386	15.0	175	2	3	11	20	31	42	73

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	198	12.9	76	3	4	11	18	26	32	39
70-74	145	12.2	74	3	4	10	17	23	29	40
75-79	92	13.9	107	4	5	11	18	28	37	49
80-84	40	10.6	53	2	4	8	15	21	24	34
85+	21	11.4	133	2	3	7	20	29	39	42
2. MULTIPLE DX										
65-69 YRS	1023	16.6	161	4	5	13	22	33	43	65
70-74	934	17.9	200	4	5	14	23	38	50	79
75-79	705	18.5	179	4	6	15	24	37	46	73
80-84	381	18.8	204	4	5	15	25	36	48	70
85+	271	19.9	210	5	7	16	24	41	54	74
TOT. SINGLE DX	496	12.6	82	3	4	10	18	24	32	40
" MULTIPLE DX	3314	17.9	186	4	5	14	23	36	46	71
TOTAL 65-69 YRS	1221	16.0	149	4	5	12	21	32	40	64
70-74	1079	17.2	187	4	5	13	22	36	47	77
75-79	797	17.9	174	4	5	14	24	36	45	71
80-84	421	18.0	196	4	5	15	23	35	46	69
85+	292	19.3	210	4	6	15	24	39	51	71
GRAND TOTAL	3810	17.2	176	4	5	14	22	35	44	68

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	269	9.3	65	1	2	8	13	20	22	50
70-74	182	10.5	116	1	2	6	14	25	33	52
75-79	122	11.2	102	1	2	9	15	22	31	51
80-84	60	8.5	40	1	2	6	14	19	20	24
85+	32	11.5	166	2	2	7	15	26	33	65
2. MULTIPLE DX										
65-69 YRS	881	14.9	143	2	3	12	19	30	38	61
70-74	767	15.6	159	3	3	12	21	31	38	61
75-79	610	16.5	182	2	4	13	21	34	45	81
80-84	340	17.7	201	3	4	14	23	38	48	69
85+	219	16.8	157	4	5	14	22	32	41	96
TOT. SINGLE DX	665	10.0	89	1	2	8	13	21	28	52
" MULTIPLE DX	2817	15.9	165	3	4	13	21	32	41	70
TOTAL 65-69 YRS	1150	13.6	131	2	3	11	18	28	35	61
70-74	949	14.6	155	2	3	11	20	30	38	59
75-79	732	15.6	173	2	3	13	21	33	43	79
80-84	400	16.3	188	3	3	13	21	35	46	68
85+	251	16.2	161	3	4	13	22	32	41	94
GRAND TOTAL	3482	14.8	156	2	3	12	20	30	40	66

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	160	16.4	59	10	10	14	18	25	30	52
70-74	82	17.4	54	9	10	15	21	25	27	52
75-79	40	19.9	60	11	12	18	25	32	36	38
80-84	11	17.5	38	12	12	14	22	28	30	30
85+										
2. MULTIPLE DX										
65-69 YRS	839	21.4	162	10	11	18	26	37	50	82
70-74	505	22.7	148	11	12	19	28	40	49	80
75-79	235	23.5	195	10	12	19	28	45	56	85
80-84	57	28.2	186	12	13	23	39	50	67	99+
85+	9	19.9	159	7	8	19	22	40	50	50
TOT. SINGLE DX	293	17.2	58	10	10	15	20	26	30	52
" MULTIPLE DX	1645	22.3	165	10	11	18	27	40	51	83
TOTAL 65-69 YRS	999	20.6	149	10	11	17	24	35	47	80
70-74	587	21.9	139	10	11	18	27	39	48	74
75-79	275	23.0	178	11	12	19	27	43	55	81
80-84	68	26.5	177	12	13	22	36	48	63	99+
85+	9	19.9	159	7	8	19	22	40	50	50
GRAND TOTAL	1938	21.5	152	10	11	18	26	37	50	80

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1046	13.5	29	8	9	12	15	20	24	30
70-74	484	14.6	39	8	9	13	17	22	26	40
75-79	122	15.7	37	9	10	14	18	23	29	38
80-84	15	18.5	161	9	9	14	22	26	51	60
85+	3	10.0	12	8	8	8	13	14	14	14
2. MULTIPLE DX										
65-69 YRS	4272	17.2	89	9	9	14	20	28	36	60
70-74	2208	18.9	114	9	10	16	23	32	39	66
75-79	693	21.3	158	9	11	17	25	38	46	71
80-84	107	22.0	139	10	11	18	27	42	50	82
85+	15	26.1	218	10	12	20	33	45	58	62
TOT. SINGLE DX	1670	14.1	35	8	9	13	16	21	25	37
" MULTIPLE DX	7295	18.2	107	9	10	15	21	31	38	63
TOTAL 65-69 YRS	5318	16.5	80	9	9	14	19	27	34	58
70-74	2692	18.1	104	9	10	15	21	30	37	61
75-79	815	20.4	144	9	10	16	24	37	44	69
80-84	122	21.6	142	10	11	17	26	41	50	77
85+	18	23.4	219	8	8	19	29	45	55	62
GRAND TOTAL	8965	17.4	96	9	9	14	20	29	37	60

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2225	3.8	17	1	2	2	3	8	12	21
70-74	943	3.7	15	1	2	2	4	8	11	19
75-79	266	4.9	21	2	2	3	6	11	15	23
80-84	50	4.9	15	2	2	3	7	10	14	17
85+	8	6.8	34	1	1	5	10	16	18	18
2. MULTIPLE DX										
65-69 YRS	8103	6.2	48	2	2	3	8	14	19	33
70-74	4129	7.4	62	2	2	4	10	17	22	39
75-79	1447	8.5	68	2	2	5	12	19	25	41
80-84	320	10.3	117	2	2	7	14	26	31	56
85+	89	14.8	208	2	2	10	20	36	48	64
TOT. SINGLE DX	3492	3.8	17	1	2	2	4	9	12	21
" MULTIPLE DX	14088	6.9	59	2	2	4	9	16	21	37
TOTAL 65-69 YRS	10328	5.7	43	2	2	3	7	13	18	31
70-74	5072	6.7	55	2	2	3	9	16	21	37
75-79	1713	7.9	63	2	2	5	11	18	24	39
80-84	370	9.6	107	2	2	6	13	24	30	47
85+	97	14.1	199	1	2	10	19	34	47	62
GRAND TOTAL	17580	6.3	52	2	2	3	8	15	20	35

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	702	7.2	34	2	2	6	9	15	18	29
70-74	948	7.2	35	2	2	5	9	15	18	31
75-79	1061	6.8	27	2	2	5	9	13	16	27
80-84	903	7.1	31	2	2	5	9	14	18	27
85+	771	7.1	38	2	2	6	9	14	18	31
2. MULTIPLE DX										
65-69 YRS	3731	13.4	97	3	4	11	17	25	31	51
70-74	5116	13.5	105	3	4	11	17	26	33	55
75-79	5776	14.0	114	3	4	11	18	27	34	58
80-84	5044	14.1	110	3	4	12	18	27	34	54
85+	4172	14.4	128	3	4	12	18	28	35	64
TOT. SINGLE DX	4385	7.1	33	2	2	5	9	14	18	28
" MULTIPLE DX	23839	13.9	112	3	4	11	18	26	34	57
TOTAL 65-69 YRS	4433	12.4	93	2	3	10	16	24	29	49
70-74	6064	12.5	100	2	3	10	16	24	31	52
75-79	6837	12.9	107	3	3	10	17	25	33	55
80-84	5947	13.0	105	2	4	11	17	25	32	52
85+	4943	13.3	121	2	3	10	17	26	34	61
GRAND TOTAL	28224	12.8	105	2	3	10	17	25	32	53

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	11.4	76	2	2	9	17	20	28	41
70-74	18	10.3	103	3	3	7	14	23	36	43
75-79	10	10.3	56	<1	2	7	15	22	24	24
80-84	4	8.0	25	3	3	7	11	15	15	15
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	247	15.4	132	2	4	13	20	28	38	63
70-74	182	18.8	182	4	5	15	25	39	44	80
75-79	71	17.0	125	4	5	14	23	33	39	53
80-84	39	21.2	222	6	7	19	25	38	49	83
85+	20	23.5	405	2	4	19	28	58	67	70
TOT. SINGLE DX	90	10.9	75	2	2	8	16	20	25	42
" MULTIPLE DX	559	17.4	167	3	5	14	22	35	43	70
TOTAL 65-69 YRS	304	14.6	124	2	3	13	19	28	38	62
70-74	200	18.0	181	3	5	14	24	38	43	77
75-79	81	16.1	121	3	4	13	22	32	39	52
80-84	43	20.0	218	5	7	16	25	37	47	83
85+	21	23.1	388	3	5	19	28	57	67	70
GRAND TOTAL	649	16.5	159	2	4	14	21	33	41	68

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	501	5.0	51	1	1	2	5	13	17	34
70-74	353	6.1	79	1	1	2	7	15	20	50
75-79	233	6.7	83	1	1	3	9	17	23	55
80-84	139	9.1	120	1	1	6	13	22	27	55
85+	99	7.6	54	1	1	5	10	19	23	34
2. MULTIPLE DX										
65-69 YRS	1944	12.3	119	2	2	9	17	26	34	57
70-74	1915	13.5	139	2	2	10	18	29	37	60
75-79	1691	15.0	150	2	3	12	21	31	40	66
80-84	1398	16.0	158	3	4	13	21	32	41	64
85+	1232	16.9	162	3	5	14	22	33	44	73
TOT. SINGLE DX	1325	6.2	73	1	1	3	8	16	22	44
" MULTIPLE DX	8180	14.5	146	2	3	11	19	30	39	63
TOTAL 65-69 YRS	2445	10.8	114	1	2	8	15	24	32	55
70-74	2268	12.4	137	1	2	9	16	27	36	58
75-79	1924	14.0	150	2	2	11	19	30	39	61
80-84	1537	15.4	159	2	3	12	20	31	40	64
85+	1331	16.2	160	2	4	13	21	33	42	70
GRAND TOTAL	9505	13.3	144	2	2	10	18	29	37	61

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	496	6.0	26	2	3	5	7	10	13	28
70-74	224	7.0	42	2	3	5	8	13	18	40
75-79	95	9.1	81	2	3	6	11	17	29	52
80-84	33	6.8	20	2	3	6	8	13	18	21
85+	15	11.9	167	1	3	8	17	25	44	51
2. MULTIPLE DX										
65-69 YRS	440	9.3	59	3	3	7	12	18	25	38
70-74	246	11.6	125	3	4	8	15	21	34	55
75-79	140	15.0	166	3	3	11	20	30	38	58
80-84	69	16.1	153	3	4	13	23	37	40	53
85+	34	20.1	220	4	6	18	25	35	40	80
TOT. SINGLE DX	863	6.7	40	2	3	5	7	12	17	37
" MULTIPLE DX	929	11.7	113	3	3	8	15	24	34	53
TOTAL 65-69 YRS	936	7.5	44	2	3	5	9	15	20	37
70-74	470	9.4	91	2	3	6	11	19	25	51
75-79	235	12.6	140	3	3	9	16	28	35	55
80-84	102	13.1	129	3	3	9	18	29	39	52
85+	49	17.6	215	3	4	15	24	34	41	80
GRAND TOTAL	1792	9.3	84	2	3	6	11	19	27	50

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	750	12.5	57	3	6	11	15	20	24	46
70-74	489	13.8	110	3	5	12	15	24	31	60
75-79	321	13.9	53	4	6	13	17	22	28	39
80-84	130	14.1	34	6	7	14	17	21	23	35
85+	53	17.9	80	6	8	16	24	30	36	39
2. MULTIPLE DX										
65-69 YRS	2891	18.8	185	6	8	15	22	35	47	84
70-74	2371	20.0	208	6	8	16	24	40	55	99+
75-79	1436	21.6	201	7	9	18	27	42	54	82
80-84	699	23.9	239	7	10	20	30	46	66	99+
85+	315	24.3	195	10	11	20	29	43	54	75
TOT. SINGLE DX	1743	13.4	71	4	6	12	16	22	28	46
" MULTIPLE DX	7712	20.4	204	6	8	16	25	39	52	89
TOTAL 65-69 YRS	3641	17.5	166	5	7	14	21	32	44	80
70-74	2860	18.9	197	5	8	15	22	37	51	96
75-79	1757	20.2	183	6	8	16	25	38	50	80
80-84	829	22.4	220	7	9	18	28	42	57	99+
85+	368	23.3	184	9	11	20	28	41	52	74
GRAND TOTAL	9455	19.1	187	6	8	15	23	36	49	86

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	16.0	49	8	8	19	20	21	21	21
70-74	8	23.0	113	9	10	21	33	36	37	37
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	14	16.9	191	8	8	13	21	61	90	99+
70-74	7	22.9	510	9	9	15	21	63	73	73
75-79	4	16.8	75	9	9	14	22	29	29	29
80-84	1	16.0		16	16	16	16	16	16	16
85+										
TOT. SINGLE DX	12	20.8	92	8	9	19	28	35	37	37
" MULTIPLE DX	26	18.5	238	8	9	14	21	55	77	99+
TOTAL 65-69 YRS	17	16.8	162	8	8	13	21	51	84	99+
70-74	15	22.9	276	9	9	18	31	37	64	73
75-79	5	17.0	57	9	9	16	21	29	29	29
80-84	1	16.0		16	16	16	16	16	16	16
85+										
GRAND TOTAL	38	19.2	190	8	9	16	22	36	68	99+

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	40	5.9	35	<1	1	4	7	15	20	26
70-74	68	5.0	28	<1	<1	3	7	12	15	26
75-79	23	10.7	82	1	1	8	17	25	28	30
80-84	11	5.2	58	<1	<1	2	4	17	26	27
85+	3	28.0	421	8	8	27	43	49	49	49
2. MULTIPLE DX										
65-69 YRS	1322	9.5	118	1	2	7	11	20	29	68
70-74	817	10.0	140	1	2	7	12	21	32	74
75-79	466	11.0	135	1	2	8	13	24	35	64
80-84	180	10.7	132	<1	2	7	14	22	31	69
85+	48	10.6	128	2	3	7	11	26	31	63
TOT. SINGLE DX	145	6.7	59	<1	<1	4	8	16	24	31
" MULTIPLE DX	2833	10.0	129	1	2	7	12	21	31	71
TOTAL 65-69 YRS	1362	9.4	117	1	2	6	11	20	29	67
70-74	885	9.6	134	1	2	6	11	21	31	72
75-79	489	11.0	133	1	2	8	13	24	34	62
80-84	191	10.4	129	<1	1	7	14	22	29	68
85+	51	11.6	154	2	3	7	13	29	36	63
GRAND TOTAL	2978	9.8	126	1	2	7	12	21	31	70

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2160	10.0	45	2	4	9	12	17	22	35
70-74	1754	10.5	55	2	4	9	13	19	24	37
75-79	1197	10.9	55	3	4	9	14	19	24	40
80-84	516	11.4	54	2	3	9	15	21	24	36
85+	236	11.8	117	2	3	9	15	22	28	71
2. MULTIPLE DX										
65-69 YRS	7602	15.1	159	3	4	12	18	29	40	76
70-74	6615	16.4	160	4	5	13	20	32	43	73
75-79	4599	17.2	182	4	5	14	22	34	46	83
80-84	2079	18.3	179	4	6	15	24	37	48	96
85+	1237	19.3	214	4	6	15	25	40	51	93
TOT. SINGLE DX	5863	10.5	54	2	4	9	13	19	23	38
" MULTIPLE DX	22132	16.5	171	4	5	13	21	33	44	79
TOTAL 65-69 YRS	9762	14.0	139	3	4	11	17	27	37	70
70-74	8369	15.1	144	3	5	12	19	29	39	70
75-79	5796	15.9	163	3	5	13	20	32	42	77
80-84	2595	16.9	163	3	5	14	22	34	45	81
85+	1473	18.1	206	3	5	15	23	36	48	91
GRAND TOTAL	27995	15.2	153	3	5	12	19	30	40	74

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	598	7.0	36	1	2	5	10	15	18	28
70-74	401	7.3	43	1	2	5	10	15	20	31
75-79	248	8.6	100	1	2	5	11	19	26	52
80-84	130	7.9	50	1	2	5	11	18	25	46
85+	68	8.6	49	1	2	7	11	18	23	36
2. MULTIPLE DX										
65-69 YRS	1356	12.2	115	2	3	10	16	25	31	61
70-74	1174	13.2	146	2	3	10	17	26	35	70
75-79	769	13.5	171	2	3	10	17	28	42	69
80-84	457	13.9	153	3	4	10	17	27	38	69
85+	271	15.1	167	2	4	12	20	30	40	77
TOT. SINGLE DX	1445	7.5	52	1	2	5	10	16	21	33
" MULTIPLE DX	4027	13.1	144	2	3	10	17	26	36	68
TOTAL 65-69 YRS	1954	10.6	97	2	2	8	14	22	28	55
70-74	1575	11.7	127	2	2	9	15	24	32	64
75-79	1017	12.3	158	2	2	9	16	26	38	66
80-84	587	12.5	136	2	3	10	15	25	33	68
85+	339	13.8	150	2	3	10	19	27	39	73
GRAND TOTAL	5472	11.6	125	2	2	9	15	24	31	63

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	137	10.3	86	2	3	8	12	19	26	46
70-74	74	9.8	51	2	4	8	12	18	21	45
75-79	49	13.0	84	4	5	10	16	27	33	47
80-84	15	15.1	89	4	6	14	19	27	35	38
85+	10	9.8	37	4	4	7	15	19	20	20
2. MULTIPLE DX										
65-69 YRS	338	13.5	143	3	5	10	16	26	36	82
70-74	244	14.8	127	3	5	11	18	32	40	56
75-79	163	15.5	185	5	5	12	18	32	43	88
80-84	96	15.9	196	3	5	13	21	32	40	95
85+	43	12.8	125	4	5	10	15	21	37	65
TOT. SINGLE DX	285	10.9	77	3	4	8	13	20	27	45
" MULTIPLE DX	884	14.5	152	3	5	11	18	30	40	82
TOTAL 65-69 YRS	475	12.6	129	3	4	9	15	24	35	79
70-74	318	13.6	114	3	4	10	17	30	37	55
75-79	212	14.9	163	4	5	11	18	30	39	86
80-84	111	15.8	181	3	5	13	20	32	40	93
85+	53	12.2	110	4	5	9	15	20	33	64
GRAND TOTAL	1169	13.6	136	3	4	10	17	27	36	74

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	8.5	41	4	4	8	13	13	13	13
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85+										
TOT. SINGLE DX	3	6.3	34	2	2	4	11	13	13	13
" MULTIPLE DX	4	6.3	19	2	2	5	9	12	12	12
TOTAL 65-69 YRS	2	7.0	50	2	2	7	12	12	12	12
70-74	3	6.3	34	2	2	4	11	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85+										
GRAND TOTAL	7	6.3	21	2	2	4	11	13	13	13

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL 65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84										
85+										
GRAND TOTAL	1	7.0		7	7	7	7	7	7	7

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	604	10.4	83	2	3	8	13	21	29	45
70-74	610	10.5	85	2	3	8	13	20	28	50
75-79	440	10.6	82	2	3	8	13	22	29	47
80-84	274	11.7	107	2	3	9	14	22	32	57
85+	201	10.4	50	2	3	9	14	19	22	34
2. MULTIPLE DX										
65-69 YRS	3754	14.2	130	3	4	11	18	27	38	64
70-74	4016	14.9	147	3	4	12	19	30	41	80
75-79	3916	15.4	144	4	5	12	19	30	40	70
80-84	2851	15.8	153	4	5	13	20	30	40	77
85+	2167	16.2	151	4	5	13	20	31	42	81
TOT. SINGLE DX	2129	10.7	84	2	3	8	13	21	28	49
" MULTIPLE DX	16704	15.2	145	3	5	12	19	30	40	74
TOTAL 65-69 YRS	4358	13.7	126	3	4	11	17	27	37	62
70-74	4626	14.3	142	3	4	11	18	29	40	77
75-79	4356	14.9	140	3	4	12	19	30	39	69
80-84	3125	15.4	151	4	5	12	19	29	40	75
85+	2368	15.7	146	4	5	13	20	30	41	78
GRAND TOTAL	18833	14.7	140	3	4	12	18	29	39	71

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	17.6	328	1	2	9	27	46	56	75
70-74	24	16.4	345	1	3	12	18	42	65	77
75-79	28	14.4	184	2	2	13	18	31	41	64
80-84	5	7.6	37	2	2	5	13	16	16	16
85+	8	20.9	576	1	1	10	34	61	70	70
2. MULTIPLE DX										
65-69 YRS	364	18.6	247	2	4	14	25	40	52	89
70-74	287	20.5	262	3	5	16	28	43	51	77
75-79	238	20.0	237	5	6	16	26	41	54	77
80-84	136	23.7	315	4	6	18	34	46	56	86
85+	110	23.4	316	5	7	19	30	41	59	92
TOT. SINGLE DX	99	16.2	292	1	2	11	20	39	59	76
" MULTIPLE DX	1135	20.5	266	3	5	16	27	42	53	82
TOTAL 65-69 YRS	398	18.5	254	2	4	14	25	40	52	86
70-74	311	20.2	269	3	4	15	27	43	52	79
75-79	266	19.4	234	4	5	16	25	40	54	75
80-84	141	23.1	314	3	5	17	34	46	56	85
85+	118	23.2	330	4	6	19	30	42	66	92
GRAND TOTAL	1234	20.1	269	3	5	16	27	42	54	81

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	328	8.1	79	1	1	5	10	20	26	43
70-74	322	8.2	90	1	1	5	10	19	28	48
75-79	221	6.5	44	1	2	5	9	14	18	28
80-84	149	8.4	82	1	1	6	11	18	25	45
85+	100	8.3	126	<1	1	5	9	15	39	58
2. MULTIPLE DX										
65-69 YRS	1370	11.8	126	2	2	9	15	26	36	57
70-74	1326	12.1	142	2	2	9	15	25	35	67
75-79	1164	12.7	152	2	2	9	16	28	38	72
80-84	718	13.2	144	2	3	9	17	28	37	65
85+	515	14.4	182	2	3	11	18	29	44	78
TOT. SINGLE DX	1120	7.9	80	1	1	5	10	18	24	47
" MULTIPLE DX	5093	12.5	145	2	2	9	16	27	37	66
TOTAL 65-69 YRS	1698	11.1	120	1	2	8	14	24	34	55
70-74	1648	11.3	135	2	2	8	14	24	34	65
75-79	1385	11.7	140	2	2	8	14	27	35	65
80-84	867	12.4	137	2	2	9	16	26	36	60
85+	615	13.4	178	2	2	10	17	29	44	74
GRAND TOTAL	6213	11.7	137	2	2	8	15	25	35	63

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	15.0	39	7	8	14	17	25	27	27
70-74	11	16.5	50	5	7	15	22	25	29	29
75-79	6	19.0	34	11	11	18	24	27	27	27
80-84	4	15.3	101	4	4	14	22	28	28	28
85+	4	28.0	342	4	4	29	40	49	49	49
2. MULTIPLE DX										
65-69 YRS	40	21.3	366	8	8	14	23	39	72	90
70-74	30	21.5	348	8	8	16	24	37	70	94
75-79	33	22.5	200	6	9	21	27	46	55	60
80-84	17	21.8	102	6	12	19	27	39	41	42
85+	18	31.4	548	8	10	22	44	70	83	89
TOT. SINGLE DX	35	17.7	85	4	7	15	24	28	30	49
" MULTIPLE DX	138	23.0	316	8	9	18	25	44	60	91
TOTAL 65-69 YRS	50	20.0	305	8	8	14	23	36	55	90
70-74	41	20.2	271	7	8	15	23	29	57	94
75-79	39	22.0	175	6	9	19	25	40	55	60
80-84	21	20.6	104	4	8	19	27	36	41	42
85+	22	30.8	495	6	9	23	44	64	81	89
GRAND TOTAL	173	21.9	273	7	9	17	25	41	55	90

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	15.9	124	3	5	14	22	30	50	99+
70-74	32	23.5	256	7	7	20	38	58	94	99+
75-79	43	19.7	330	4	6	13	27	56	94	99+
80-84	22	17.7	227	5	6	13	20	51	75	99+
85+	23	16.8	263	4	6	10	21	31	54	79
2. MULTIPLE DX										
65-69 YRS	268	28.0	355	7	9	24	39	67	85	99+
70-74	324	27.5	374	6	8	24	40	66	99	99+
75-79	334	29.8	388	6	9	26	43	68	87	99+
80-84	293	27.9	408	6	9	24	42	74	99+	99+
85+	386	27.2	298	5	8	25	39	56	70	99+
TOT. SINGLE DX	155	18.9	246	5	6	15	26	47	75	99+
" MULTIPLE DX	1605	28.1	362	6	8	25	41	65	90	99+
TOTAL 65-69 YRS	303	26.6	343	6	8	22	37	64	84	99+
70-74	356	27.1	364	6	8	23	40	65	99	99+
75-79	377	28.7	391	5	8	25	42	66	90	99+
80-84	315	27.1	402	6	8	23	42	73	99+	99+
85+	409	26.6	302	5	8	23	39	56	70	99+
GRAND TOTAL	1760	27.3	359	6	8	23	40	64	88	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	360	7.2	28	1	2	6	9	13	17	27
70-74	348	7.5	32	1	1	6	10	14	18	29
75-79	257	7.7	39	<1	1	6	10	16	21	33
80-84	169	9.2	43	1	2	8	12	17	22	31
85+	100	10.4	83	2	3	8	12	16	23	57
2. MULTIPLE DX										
65-69 YRS	2599	11.6	83	3	4	9	14	22	29	49
70-74	2531	12.2	83	3	4	10	15	23	30	47
75-79	2255	13.0	102	3	4	10	16	24	32	56
80-84	1504	14.2	124	3	5	11	17	27	37	65
85+	1145	14.9	136	4	5	12	19	28	37	77
TOT. SINGLE DX	1234	7.9	39	1	2	7	10	15	19	30
" MULTIPLE DX	10034	12.8	101	3	4	10	16	24	32	56
TOTAL 65-69 YRS	2959	11.0	79	2	3	9	13	21	27	48
70-74	2879	11.6	79	2	4	9	14	22	29	46
75-79	2512	12.5	98	2	4	10	16	24	31	55
80-84	1673	13.7	119	3	4	11	16	26	34	60
85+	1245	14.6	134	4	5	11	18	28	37	77
GRAND TOTAL	11268	12.3	97	3	4	10	15	23	30	54

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	16.2	71	8	9	14	19	26	30	53
70-74	186	18.5	118	9	10	16	21	30	40	65
75-79	108	17.6	68	9	10	16	20	27	31	52
80-84	61	21.6	144	11	12	20	24	32	42	76
85+	33	22.5	91	11	11	21	29	35	40	48
2. MULTIPLE DX										
65-69 YRS	791	23.4	231	9	10	19	28	45	60	94
70-74	697	24.5	233	9	11	20	30	46	59	91
75-79	592	25.5	220	11	12	21	31	47	62	89
80-84	355	26.9	209	10	13	24	33	46	59	99+
85+	203	28.9	210	13	14	27	36	51	72	99+
TOT. SINGLE DX	605	18.0	97	9	10	16	21	28	34	63
" MULTIPLE DX	2638	25.0	227	10	11	21	31	46	60	96
TOTAL 65-69 YRS	1008	21.8	205	9	10	17	26	39	57	91
70-74	883	23.2	215	9	10	19	28	43	57	88
75-79	700	24.2	205	10	11	20	30	43	58	85
80-84	416	26.1	203	11	13	23	31	45	58	99
85+	236	28.0	199	12	14	25	34	49	61	99+
GRAND TOTAL	**3243**	**23.7**	**210**	**9**	**11**	**20**	**29**	**43**	**58**	**92**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	21.3	151	11	12	18	25	29	35	78
70-74	36	23.6	121	12	13	20	30	37	57	99+
75-79	25	22.8	65	12	14	22	26	33	38	50
80-84	9	22.8	56	12	13	23	29	31	33	33
85+	2	20.0	72	14	14	20	26	26	26	26
2. MULTIPLE DX										
65-69 YRS	132	28.1	255	12	14	24	33	48	56	92
70-74	108	28.9	219	12	14	25	37	51	66	99+
75-79	111	28.7	219	11	13	25	36	46	65	79
80-84	26	26.3	152	12	17	23	34	39	47	71
85+	12	31.0	220	13	16	25	42	56	56	56
TOT. SINGLE DX	103	22.6	108	12	13	21	27	34	41	88
" MULTIPLE DX	389	28.4	226	12	14	24	35	48	64	93
TOTAL 65-69 YRS	163	26.8	242	12	14	23	31	46	53	90
70-74	144	27.5	199	12	14	24	34	49	64	99+
75-79	136	27.6	196	12	13	24	33	42	55	75
80-84	35	25.4	128	12	14	23	29	39	41	71
85+	14	29.4	208	12	14	25	42	56	56	56
GRAND TOTAL	**492**	**27.2**	**207**	**12**	**14**	**23**	**33**	**45**	**57**	**93**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	72	15.3	89	6	7	13	18	23	39	52
70-74	61	15.7	67	8	8	14	18	26	33	49
75-79	35	17.0	59	9	10	15	20	29	34	38
80-84	27	15.3	26	9	10	15	17	22	41	99+
85+	7	27.4	124	9	11	30	37	39	39	39
2. MULTIPLE DX										
65-69 YRS	237	19.9	156	8	9	16	23	39	50	99+
70-74	211	21.1	144	8	10	18	24	38	47	66
75-79	145	21.8	121	10	11	19	27	37	50	99+
80-84	95	25.9	252	10	12	22	33	40	50	95
85+	47	24.2	157	11	11	19	30	43	49	67
TOT. SINGLE DX	202	16.1	74	7	8	14	19	27	37	51
" MULTIPLE DX	735	21.7	162	9	10	18	26	39	49	85
TOTAL 65-69 YRS	309	18.9	145	7	9	16	22	37	48	88
70-74	272	19.9	132	8	9	17	24	35	45	63
75-79	180	20.9	113	10	11	18	26	35	47	87
80-84	122	23.5	221	10	11	19	29	38	50	98
85+	54	24.6	152	10	11	20	31	42	48	66
GRAND TOTAL	**937**	**20.5**	**148**	**8**	**10**	**17**	**24**	**37**	**47**	**81**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	184	13.0	68	6	7	10	16	23	29	49
70-74	138	15.4	106	6	7	12	19	26	35	66
75-79	103	14.7	71	7	8	13	18	23	30	52
80-84	65	14.8	62	5	6	13	17	25	33	39
85+	64	18.7	148	5	8	16	23	33	41	67
2. MULTIPLE DX										
65-69 YRS	662	20.4	245	7	8	15	24	41	55	91
70-74	590	21.8	206	8	9	18	27	40	56	84
75-79	485	23.0	214	8	10	19	29	45	54	86
80-84	309	26.4	290	8	10	22	35	50	64	94
85+	266	24.6	209	9	11	21	31	44	54	87
TOT. SINGLE DX	554	14.8	89	6	7	12	17	26	32	56
" MULTIPLE DX	2312	22.6	234	8	9	18	29	44	57	88
TOTAL 65-69 YRS	846	18.8	216	6	7	14	23	37	51	86
70-74	728	20.6	193	7	8	16	25	38	54	78
75-79	588	21.6	199	8	9	17	27	40	53	83
80-84	374	24.4	270	8	9	19	33	48	62	93
85+	330	23.5	203	8	10	19	30	42	53	86
GRAND TOTAL	**2866**	**21.1**	**216**	**7**	**8**	**17**	**26**	**41**	**54**	**86**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	961	4.6	25	1	1	2	6	11	15	24
70-74	838	4.8	29	1	1	2	6	11	16	26
75-79	535	5.8	52	1	1	3	7	14	20	31
80-84	322	6.3	55	1	1	3	8	14	20	35
85+	154	7.7	53	1	1	4	11	17	23	32
2. MULTIPLE DX										
65-69 YRS	3023	10.1	94	1	2	8	13	21	28	49
70-74	3092	10.9	99	1	2	9	14	22	30	56
75-79	2573	11.8	117	2	2	9	15	24	32	56
80-84	1693	13.2	132	2	3	10	17	28	35	73
85+	1030	14.4	138	3	4	12	18	28	38	69
TOT. SINGLE DX	2810	5.3	38	1	1	3	7	13	17	29
" MULTIPLE DX	11411	11.5	112	2	2	9	15	24	32	58
TOTAL 65-69 YRS	3984	8.7	83	1	1	6	11	19	25	47
70-74	3930	9.6	91	1	2	7	13	21	27	50
75-79	3108	10.8	111	1	2	8	14	23	31	55
80-84	2015	12.1	127	1	2	9	16	25	34	71
85+	1184	13.5	133	2	3	11	17	26	36	67
GRAND TOTAL	14221	10.3	104	1	2	8	14	22	30	55

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	121	16.1	120	7	8	14	19	24	33	69
70-74	74	16.7	142	6	8	14	19	25	29	85
75-79	68	15.6	63	7	8	14	18	25	30	52
80-84	52	17.7	83	8	8	16	23	29	35	49
85+	40	18.2	141	6	7	17	21	26	40	73
2. MULTIPLE DX										
65-69 YRS	516	22.6	241	8	9	18	28	46	61	99+
70-74	501	23.5	239	8	10	19	30	44	60	99+
75-79	464	23.8	238	9	10	19	30	45	60	98
80-84	346	23.0	202	9	10	19	29	41	53	99+
85+	251	23.8	163	10	11	21	29	41	51	98
TOT. SINGLE DX	355	16.6	110	7	8	14	19	26	33	61
" MULTIPLE DX	2078	23.3	224	9	10	19	29	44	58	99+
TOTAL 65-69 YRS	637	21.4	225	7	9	17	26	41	55	97
70-74	575	22.6	232	8	10	18	28	42	59	99+
75-79	532	22.8	223	8	10	18	29	43	58	94
80-84	398	22.3	189	9	10	19	28	39	50	99+
85+	291	23.0	164	9	10	20	28	40	50	89
GRAND TOTAL	2433	22.3	213	8	10	18	28	42	55	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1233	14.3	34	8	9	13	16	21	26	36
70-74	1115	15.2	40	9	9	14	18	23	27	39
75-79	875	17.1	81	9	10	15	19	26	33	56
80-84	525	18.2	76	9	11	16	21	28	35	51
85+	312	20.0	106	10	11	18	23	33	42	68
2. MULTIPLE DX										
65-69 YRS	4169	19.4	120	9	10	16	23	32	41	75
70-74	4462	20.8	141	9	10	18	25	35	45	82
75-79	3900	22.2	163	10	11	19	26	39	50	83
80-84	2624	24.0	176	10	12	21	28	41	53	83
85+	1645	25.6	180	11	13	22	32	44	53	99+
TOT. SINGLE DX	4060	16.1	60	9	10	14	18	25	30	48
" MULTIPLE DX	16800	21.7	155	10	11	18	26	38	48	83
TOTAL 65-69 YRS	5402	18.2	106	9	10	15	21	30	39	67
70-74	5577	19.7	126	9	10	17	23	33	42	77
75-79	4775	21.3	152	10	11	18	25	37	47	78
80-84	3149	23.0	164	10	11	20	27	39	50	82
85+	1957	24.7	173	11	12	21	30	43	51	98
GRAND TOTAL	20860	20.6	141	9	10	17	24	35	45	78

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	15.2	57	8	8	12	21	29	30	34
70-74	45	17.6	132	5	8	13	21	32	45	52
75-79	36	12.6	53	6	8	11	14	17	23	48
80-84	21	17.1	52	8	9	15	21	29	30	32
85+	23	19.7	157	7	9	16	23	37	47	56
2. MULTIPLE DX										
65-69 YRS	236	22.8	232	8	10	19	26	41	56	83
70-74	245	22.4	200	8	10	19	28	40	53	76
75-79	213	23.5	162	9	11	21	29	41	54	86
80-84	153	25.5	194	9	12	23	31	50	58	98
85+	149	25.1	194	9	11	22	33	43	61	99+
TOT. SINGLE DX	170	16.1	92	7	8	13	20	29	35	51
" MULTIPLE DX	996	23.6	199	9	10	20	30	43	55	80
TOTAL 65-69 YRS	281	21.6	212	8	9	17	25	38	54	80
70-74	290	21.7	193	8	9	17	27	40	52	75
75-79	249	21.9	161	8	10	19	28	39	52	79
80-84	174	24.5	185	9	11	21	30	47	56	93
85+	172	24.3	192	9	11	21	32	43	58	94
GRAND TOTAL	1166	22.5	190	8	10	19	28	41	53	78

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	317	11.0	23	5	6	11	13	16	19	29
70-74	319	11.3	36	3	5	10	14	19	23	38
75-79	244	12.1	44	4	5	11	14	18	23	40
80-84	128	13.8	52	7	8	12	15	23	26	48
85+	66	13.9	89	4	6	11	15	27	32	55
2. MULTIPLE DX										
65-69 YRS	927	16.7	146	6	7	13	20	32	44	68
70-74	952	17.4	163	6	8	14	20	32	46	76
75-79	777	18.1	151	7	8	15	22	32	41	88
80-84	467	18.4	170	7	8	14	21	35	45	67
85+	327	20.4	191	7	9	16	24	41	48	72
TOT. SINGLE DX	1074	11.8	41	4	6	11	14	19	24	39
" MULTIPLE DX	3450	17.8	161	6	8	14	21	33	45	76
TOTAL 65-69 YRS	1244	15.3	121	6	7	12	17	28	38	65
70-74	1271	15.9	139	5	7	12	18	29	42	75
75-79	1021	16.5	133	6	7	14	20	30	38	79
80-84	595	17.4	149	7	8	14	20	32	42	66
85+	393	19.3	180	6	8	15	23	37	47	71
GRAND TOTAL	4524	16.4	139	6	7	13	19	30	41	70

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	86	16.3	56	8	9	14	21	28	33	78
70-74	81	20.6	89	8	9	20	25	32	39	48
75-79	74	18.1	67	7	9	17	24	28	32	46
80-84	47	20.0	92	8	10	17	26	36	38	44
85+	46	21.7	121	7	10	21	27	37	40	58
2. MULTIPLE DX										
65-69 YRS	580	26.0	255	10	11	21	33	48	65	99+
70-74	547	25.5	236	10	11	22	32	48	67	99+
75-79	472	27.0	242	10	12	23	35	50	67	99+
80-84	349	28.5	258	10	12	24	36	55	66	99+
85+	312	28.6	261	11	13	25	36	52	69	99+
TOT. SINGLE DX	334	19.0	84	8	9	17	24	32	37	49
" MULTIPLE DX	2260	26.8	251	10	12	23	34	50	66	99+
TOTAL 65-69 YRS	666	24.7	240	9	11	20	31	47	60	99+
70-74	628	24.9	220	9	11	22	31	46	62	99+
75-79	546	25.8	228	9	11	22	33	47	63	99+
80-84	396	27.5	247	10	12	24	35	52	63	99+
85+	358	27.7	249	10	13	24	35	50	66	99+
GRAND TOTAL	2594	25.8	236	9	11	22	33	48	63	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	468	8.0	22	3	4	7	10	14	17	27
70-74	286	8.4	19	3	4	7	11	15	17	22
75-79	174	9.2	35	3	4	8	11	15	20	29
80-84	92	10.7	41	4	5	8	14	19	23	36
85+	56	9.3	54	3	4	7	11	16	26	43
2. MULTIPLE DX										
65-69 YRS	600	13.0	75	4	5	11	16	24	30	48
70-74	469	13.7	98	5	5	12	16	23	29	73
75-79	325	15.1	110	5	6	12	18	27	34	60
80-84	230	17.2	119	6	8	14	21	30	39	65
85+	161	17.6	125	5	7	15	22	33	39	69
TOT. SINGLE DX	1076	8.6	28	3	4	7	11	15	19	28
" MULTIPLE DX	1785	14.5	101	5	6	12	18	26	33	59
TOTAL 65-69 YRS	1068	10.8	59	4	4	9	13	20	25	40
70-74	755	11.7	75	4	5	10	15	21	24	49
75-79	499	13.0	91	4	5	10	16	25	29	55
80-84	322	15.3	106	5	6	13	18	28	33	63
85+	217	15.4	120	4	5	12	20	31	37	66
GRAND TOTAL	2861	12.3	81	4	5	10	15	22	29	49

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	11.3	9	8	8	12	14	15	15	15
70-74	4	8.3	2	7	7	8	9	10	10	10
75-79										
80-84	1	36.0		36	36	36	36	36	36	36
85+										
2. MULTIPLE DX										
65-69 YRS	20	18.5	93	6	7	17	24	33	36	37
70-74	12	19.6	515	4	5	11	23	55	77	81
75-79	11	19.4	260	5	6	14	21	48	56	57
80-84	2	19.0	72	13	13	19	25	25	25	25
85+	6	15.2	24	9	9	15	20	21	21	21
TOT. SINGLE DX	12	12.3	63	7	7	10	13	21	34	36
" MULTIPLE DX	51	18.5	207	5	6	14	23	36	44	81
TOTAL 65-69 YRS	27	16.6	81	7	8	13	23	30	36	37
70-74	16	16.8	404	4	5	9	15	43	70	81
75-79	11	19.4	260	5	6	14	21	48	56	57
80-84	3	24.7	132	13	13	25	33	36	36	36
85+	6	15.2	25	9	9	15	20	21	21	21
GRAND TOTAL	63	17.4	184	5	6	13	21	36	43	78

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	13.1	38	5	6	12	16	23	25	25
70-74	8	19.8	161	7	7	17	27	39	43	43
75-79	5	7.8	30	2	2	10	12	14	14	14
80-84	2	14.0	18	11	11	14	17	17	17	17
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	13	16.6	107	6	8	15	18	26	44	48
70-74	12	17.8	146	6	7	15	25	37	40	41
75-79	2	25.0	72	19	19	25	31	31	31	31
80-84	10	23.5	82	10	11	25	33	34	35	35
85+	4	22.8	195	13	13	17	32	43	43	43
TOT. SINGLE DX	24	14.4	87	2	5	12	17	26	33	43
" MULTIPLE DX	41	19.7	118	7	8	17	27	35	42	48
TOTAL 65-69 YRS	21	15.3	81	5	6	15	17	23	35	48
70-74	20	18.6	145	6	7	15	27	38	42	43
75-79	7	12.7	103	2	2	11	18	29	31	31
80-84	12	21.9	83	10	11	20	30	34	35	35
85+	5	21.2	158	13	13	15	26	43	43	43
GRAND TOTAL	65	17.7	111	5	7	15	23	33	41	47

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	343	6.1	52	1	2	4	7	14	19	38
70-74	330	5.5	47	1	1	4	7	11	15	26
75-79	310	6.0	43	1	2	4	7	12	17	35
80-84	191	7.2	45	2	2	5	9	14	19	38
85+	155	9.1	87	2	2	6	11	20	25	41
2. MULTIPLE DX										
65-69 YRS	863	10.3	97	2	3	7	13	21	28	59
70-74	938	10.6	106	2	3	8	13	21	31	60
75-79	858	11.0	105	2	2	8	14	23	29	49
80-84	626	13.0	147	2	3	10	17	26	34	76
85+	566	14.5	153	3	4	11	18	30	39	84
TOT. SINGLE DX	1329	6.5	53	1	2	4	8	14	19	37
" MULTIPLE DX	3851	11.6	120	2	3	8	15	24	32	62
TOTAL 65-69 YRS	1206	9.1	88	2	2	6	11	19	25	52
70-74	1268	9.3	96	2	2	7	11	19	27	48
75-79	1168	9.7	94	2	2	7	12	21	28	45
80-84	817	11.7	130	2	2	8	15	24	31	67
85+	721	13.4	144	2	3	10	17	29	37	74
GRAND TOTAL	5180	10.3	108	2	2	7	13	22	30	57

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	5.5	10	2	2	5	6	9	14	16
70-74	37	6.4	46	2	2	4	7	12	21	37
75-79	25	6.6	21	1	2	5	8	14	16	22
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	11	11.2	96	1	3	8	14	28	33	34
2. MULTIPLE DX										
65-69 YRS	122	9.4	130	2	2	6	11	18	23	66
70-74	94	11.3	115	2	3	9	13	23	27	63
75-79	59	14.3	185	2	3	11	17	27	34	86
80-84	30	16.0	248	3	4	10	25	57	97	99+
85+	21	18.5	126	3	5	16	24	35	42	44
TOT. SINGLE DX	162	6.2	28	2	2	5	8	12	15	33
" MULTIPLE DX	326	12.0	153	2	3	9	15	25	33	90
TOTAL 65-69 YRS	209	7.7	84	2	2	5	9	15	20	53
70-74	131	9.9	100	2	2	7	12	22	25	54
75-79	84	12.0	149	2	3	9	15	25	31	74
80-84	32	15.2	242	2	3	10	25	52	95	99+
85+	32	16.0	125	2	4	14	21	33	39	44
GRAND TOTAL	488	10.1	118	2	2	7	12	22	30	76

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	341	17.2	40	9	10	16	20	25	30	38
70-74	291	18.5	70	9	11	17	22	29	34	45
75-79	227	19.0	73	10	11	17	23	29	33	53
80-84	119	21.7	163	10	11	19	25	35	43	78
85+	70	22.2	126	9	12	19	27	38	49	57
2. MULTIPLE DX										
65-69 YRS	921	22.5	142	10	11	20	27	38	48	79
70-74	946	23.1	148	10	12	20	28	38	47	78
75-79	696	24.8	165	10	13	22	30	42	53	88
80-84	446	28.2	254	12	13	24	34	53	65	91
85+	251	27.8	239	11	13	24	33	48	65	90
TOT. SINGLE DX	1048	18.8	78	9	11	17	22	29	34	52
" MULTIPLE DX	3260	24.4	176	10	12	21	29	42	53	88
TOTAL 65-69 YRS	1262	21.1	120	10	11	19	25	35	43	69
70-74	1237	22.0	134	10	11	19	27	37	45	71
75-79	923	23.4	149	10	12	20	28	39	49	82
80-84	565	26.8	242	11	13	23	32	49	62	90
85+	321	26.6	220	10	13	23	31	47	57	86
GRAND TOTAL	4308	23.0	158	10	12	20	27	39	49	79

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	937	6.3	29	1	1	5	8	12	15	30
70-74	786	6.1	26	1	1	5	8	12	15	28
75-79	549	6.9	32	1	2	6	9	13	17	26
80-84	347	7.4	31	1	2	6	10	14	17	28
85+	200	9.3	66	2	3	8	11	16	21	48
2. MULTIPLE DX										
65-69 YRS	5671	9.7	59	2	3	8	12	19	24	40
70-74	5241	10.3	67	2	3	8	13	19	26	43
75-79	4299	11.2	82	3	4	9	14	21	29	50
80-84	2921	12.1	93	3	4	9	15	23	30	53
85+	2058	13.0	102	3	4	10	16	25	32	61
TOT. SINGLE DX	2819	6.7	33	1	1	5	9	13	16	30
" MULTIPLE DX	20190	10.8	77	2	3	9	13	21	27	48
TOTAL 65-69 YRS	6608	9.2	57	2	3	7	11	18	23	39
70-74	6027	9.8	64	2	3	8	12	18	25	41
75-79	4848	10.7	78	2	3	8	13	20	28	49
80-84	3268	11.6	89	3	4	9	14	22	30	52
85+	2258	12.7	100	3	4	10	16	24	31	61
GRAND TOTAL	23009	10.3	73	2	3	8	13	20	26	47

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	141	3.8	4	2	2	3	5	6	7	13
70-74	86	4.1	5	1	2	4	5	6	8	15
75-79	35	5.3	33	<1	1	4	6	10	17	31
80-84	7	4.0	1	3	3	4	5	6	6	6
85+	8	9.3	301	<1	<1	3	5	38	52	52
2. MULTIPLE DX										
65-69 YRS	236	6.7	53	2	2	4	7	12	18	33
70-74	151	7.9	92	3	3	5	9	14	20	55
75-79	87	9.3	88	3	3	6	11	23	37	83
80-84	42	9.9	95	3	4	8	11	15	40	47
85+	12	18.4	417	3	3	11	21	58	61	62
TOT. SINGLE DX	277	4.3	17	1	2	4	5	6	8	19
" MULTIPLE DX	528	8.0	85	2	3	5	9	15	24	56
TOTAL 65-69 YRS	377	5.6	37	2	2	4	6	10	14	30
70-74	237	6.5	64	2	2	5	7	11	16	37
75-79	122	8.2	76	2	2	5	9	17	30	67
80-84	49	9.1	86	3	3	7	9	14	40	47
85+	20	14.8	374	1	2	6	12	54	59	62
GRAND TOTAL	805	6.7	64	2	2	4	7	12	18	49

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	80	4.5	9	2	2	4	5	7	9	21
70-74	64	4.5	12	1	2	4	5	8	9	22
75-79	32	4.9	14	2	2	4	5	9	10	22
80-84	25	5.0	8	2	3	4	6	10	11	14
85+	11	5.3	24	2	2	4	6	12	18	19
2. MULTIPLE DX										
65-69 YRS	341	6.6	68	2	3	5	7	11	14	32
70-74	244	7.6	65	2	3	5	8	14	22	54
75-79	138	8.7	59	2	3	6	11	16	23	51
80-84	84	11.3	105	3	3	8	14	24	33	89
85+	49	11.5	125	3	4	8	13	22	26	63
TOT. SINGLE DX	212	4.7	12	2	2	4	5	8	10	22
" MULTIPLE DX	856	7.9	75	2	3	5	9	14	22	54
TOTAL 65-69 YRS	421	6.2	58	2	3	5	7	10	13	28
70-74	308	7.0	56	2	2	5	7	13	20	48
75-79	170	8.0	53	2	3	5	10	15	22	47
80-84	109	9.8	90	3	3	6	11	23	31	81
85+	60	10.3	112	2	3	7	12	20	24	62
GRAND TOTAL	1068	7.3	64	2	3	5	8	14	20	51

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	315	5.5	6	2	3	5	6	8	10	16
70-74	154	5.5	7	2	3	5	7	9	10	15
75-79	81	6.1	10	2	3	5	7	10	12	19
80-84	32	7.7	15	2	3	7	10	14	15	16
85+	24	7.0	16	1	3	7	8	11	16	19
2. MULTIPLE DX										
65-69 YRS	1800	7.4	27	3	3	6	9	13	17	26
70-74	1121	7.9	32	3	4	6	9	14	18	29
75-79	644	9.0	42	3	4	7	11	16	21	37
80-84	301	11.3	91	3	4	8	14	23	32	51
85+	176	12.2	83	3	4	10	15	25	33	54
TOT. SINGLE DX	606	5.7	8	2	3	5	7	9	11	16
" MULTIPLE DX	4042	8.3	40	3	4	6	10	15	20	34
TOTAL 65-69 YRS	2115	7.1	25	3	3	6	8	12	16	25
70-74	1275	7.6	30	3	3	6	9	13	18	27
75-79	725	8.6	39	3	4	7	11	16	20	35
80-84	333	11.0	86	3	4	8	14	22	31	48
85+	200	11.6	78	3	4	9	14	24	30	50
GRAND TOTAL	4648	8.0	37	3	3	6	9	14	19	33

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	159	4.9	21	1	1	4	6	10	12	22
70-74	87	4.8	10	1	2	4	6	9	11	17
75-79	56	5.7	18	2	2	5	7	9	14	26
80-84	32	7.0	23	2	3	6	9	14	19	23
85+	29	7.1	32	2	2	6	7	13	20	29
2. MULTIPLE DX										
65-69 YRS	321	9.2	74	2	3	6	11	19	25	50
70-74	270	9.9	81	2	3	7	13	21	30	46
75-79	189	8.8	40	2	3	7	13	17	22	28
80-84	112	13.3	180	3	3	9	15	26	36	74
85+	88	11.2	54	2	3	9	15	23	27	30
TOT. SINGLE DX	363	5.4	20	1	2	4	6	10	13	23
" MULTIPLE DX	980	10.0	82	2	3	7	13	21	27	46
TOTAL 65-69 YRS	480	7.8	61	1	2	5	10	16	23	44
70-74	357	8.7	69	2	2	6	11	18	26	44
75-79	245	8.1	37	2	3	6	11	17	20	28
80-84	144	11.9	152	3	3	8	14	24	31	62
85+	117	10.2	52	2	3	8	14	22	26	30
GRAND TOTAL	1343	8.7	69	2	2	6	11	18	25	43

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	16.0	106	<1	1	17	27	29	29	29
70-74	3	4.7	30	<1	<1	2	9	11	11	11
75-79	6	10.8	93	1	1	9	21	23	23	23
80-84	3	21.0	16	17	17	21	24	25	25	25
85+										
2. MULTIPLE DX										
65-69 YRS	34	28.4	362	5	10	26	35	54	70	88
70-74	40	23.1	378	3	4	18	31	45	61	96
75-79	24	21.6	134	5	9	22	27	45	65	99+
80-84	7	28.0	31	22	22	27	32	36	37	37
85+	11	30.4	322	10	10	26	44	56	62	63
TOT. SINGLE DX	25	14.0	98	<1	1	15	22	27	29	29
" MULTIPLE DX	116	25.3	299	4	7	22	34	46	63	97
TOTAL 65-69 YRS	47	25.0	319	2	5	23	33	43	64	88
70-74	43	21.8	376	2	3	17	31	45	60	96
75-79	30	19.5	142	2	4	20	25	38	53	99+
80-84	10	25.9	36	17	19	25	28	35	37	37
85+	11	30.4	322	10	10	26	44	56	62	63
GRAND TOTAL	141	23.3	281	2	4	21	31	45	60	96

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	346	8.4	76	1	1	6	12	18	23	37
70-74	229	8.2	68	1	1	6	12	18	22	29
75-79	146	10.3	83	1	2	8	15	22	26	52
80-84	66	10.8	105	1	1	7	16	22	27	50
85+	22	14.1	192	1	2	11	17	29	50	56
2. MULTIPLE DX										
65-69 YRS	1758	14.1	133	2	3	11	19	29	38	60
70-74	1329	15.2	140	2	3	13	20	29	37	59
75-79	961	15.8	164	2	3	13	20	31	41	67
80-84	428	18.0	180	3	5	14	24	35	43	72
85+	219	19.4	174	4	6	18	25	37	47	89
TOT. SINGLE DX	809	9.0	82	1	1	7	13	20	24	46
" MULTIPLE DX	4695	15.4	150	2	3	12	20	31	39	63
TOTAL 65-69 YRS	2104	13.2	129	1	2	11	17	28	37	58
70-74	1558	14.2	136	1	2	11	19	28	36	58
75-79	1107	15.1	158	2	3	12	20	30	39	65
80-84	494	17.0	176	2	4	13	23	34	42	70
85+	241	18.9	178	3	5	17	25	37	47	85
GRAND TOTAL	5504	14.4	145	2	2	12	19	29	38	62

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3433	9.5	18	5	6	8	11	15	17	24
70-74	2370	10.4	23	5	6	9	12	16	20	27
75-79	1400	11.2	25	6	6	10	13	18	20	28
80-84	657	13.3	38	7	7	12	16	21	25	34
85+	326	14.5	48	7	7	13	17	23	28	40
2. MULTIPLE DX										
65-69 YRS	7806	13.8	69	6	7	12	16	23	29	48
70-74	6742	15.3	82	7	7	13	18	25	31	53
75-79	4831	17.1	103	7	8	15	21	29	36	62
80-84	2729	19.0	119	8	9	16	23	32	41	66
85+	1793	21.0	139	9	10	18	26	35	45	72
TOT. SINGLE DX	8186	10.5	25	5	6	9	12	17	20	28
" MULTIPLE DX	23901	16.0	96	7	8	14	19	27	35	58
TOTAL 65-69 YRS	11239	12.5	57	6	6	10	15	21	26	44
70-74	9112	14.0	71	6	7	12	17	24	29	49
75-79	6231	15.8	92	7	8	13	19	27	34	58
80-84	3386	17.9	109	8	8	15	22	30	39	63
85+	2119	20.0	131	8	9	17	24	34	43	69
GRAND TOTAL	32087	14.6	83	6	7	12	18	25	31	53

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	171	13.6	69	2	3	12	19	24	28	43
70-74	184	14.2	92	2	3	13	18	27	35	44
75-79	124	15.8	112	2	4	14	21	26	31	60
80-84	110	17.1	140	2	4	15	22	31	37	64
85+	79	17.6	86	4	5	17	24	31	35	43
2. MULTIPLE DX										
65-69 YRS	656	21.2	175	7	9	18	26	36	45	74
70-74	692	20.1	133	7	9	18	25	33	41	69
75-79	603	21.4	155	7	9	19	26	37	46	69
80-84	453	22.8	180	9	10	20	28	40	54	83
85+	367	24.1	215	8	10	20	30	43	57	90
TOT. SINGLE DX	668	15.2	99	2	4	14	21	27	33	45
" MULTIPLE DX	2771	21.6	168	7	9	19	26	37	48	77
TOTAL 65-69 YRS	827	19.6	163	4	8	17	24	34	44	70
70-74	876	18.8	130	4	7	17	24	33	40	64
75-79	727	20.4	152	5	8	18	25	35	44	68
80-84	563	21.7	177	6	9	19	26	38	52	83
85+	446	23.0	198	7	9	20	29	42	53	90
GRAND TOTAL	3439	20.4	161	5	8	18	25	36	45	74

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	12.1	168	1	2	8	15	30	40	62
70-74	120	13.1	133	1	2	10	20	26	33	55
75-79	72	13.0	127	1	2	10	19	25	43	50
80-84	44	8.4	72	1	1	4	12	24	28	32
85+	32	12.3	188	1	2	7	18	25	43	65
2. MULTIPLE DX										
65-69 YRS	489	18.8	224	2	3	15	26	38	50	76
70-74	397	19.3	240	2	3	16	26	40	54	84
75-79	305	19.3	242	3	5	15	25	37	52	95
80-84	161	17.8	174	3	5	14	25	37	50	96
85+	92	17.1	165	3	4	14	24	32	46	62
TOT. SINGLE DX	404	12.2	142	1	2	9	18	26	38	59
" MULTIPLE DX	1444	18.8	223	2	4	15	25	38	51	79
TOTAL 65-69 YRS	625	17.4	220	2	2	13	24	38	48	75
70-74	517	17.9	222	2	2	14	25	37	51	80
75-79	377	18.1	227	2	4	14	24	36	48	88
80-84	205	15.8	167	2	2	12	23	34	41	82
85+	124	15.8	175	2	3	12	22	31	45	65
GRAND TOTAL	1848	17.4	213	2	3	14	24	37	48	76

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1703	5.6	33	1	1	4	7	11	15	27
70-74	1526	5.9	39	1	1	4	8	12	16	27
75-79	1149	6.0	33	1	1	4	8	11	16	29
80-84	747	6.9	36	1	2	5	9	14	18	31
85+	502	7.4	43	2	2	6	9	14	19	38
2. MULTIPLE DX										
65-69 YRS	8642	8.6	59	2	2	7	11	16	23	40
70-74	9111	9.1	63	2	3	7	11	17	23	42
75-79	8331	9.8	69	2	3	8	12	19	25	46
80-84	6365	10.6	86	2	3	8	13	20	28	54
85+	4773	11.2	88	3	3	9	14	21	28	54
TOT. SINGLE DX	5627	6.1	36	1	1	5	8	12	16	29
" MULTIPLE DX	37222	9.7	72	2	3	7	12	19	25	47
TOTAL 65-69 YRS	10345	8.1	57	2	2	6	10	16	21	39
70-74	10637	8.6	61	2	2	7	11	17	22	41
75-79	9480	9.4	67	2	3	7	12	18	24	44
80-84	7112	10.2	82	2	3	8	12	20	27	51
85+	5275	10.8	86	2	3	8	13	21	28	52
GRAND TOTAL	42849	9.2	69	2	2	7	11	18	24	45

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5087	4.5	5	2	3	4	5	7	8	11
70-74	3858	4.8	5	2	3	4	6	7	9	13
75-79	2723	5.2	7	2	3	5	6	8	10	14
80-84	1374	5.8	8	2	3	5	7	9	11	16
85+	746	6.4	18	2	3	5	8	10	13	21
2. MULTIPLE DX										
65-69 YRS	5180	6.7	28	3	3	5	8	11	16	28
70-74	4683	7.6	39	3	3	6	9	14	18	34
75-79	3574	8.4	47	3	3	6	10	15	20	36
80-84	2136	9.5	67	3	4	7	11	17	24	55
85+	1369	11.8	108	3	4	9	14	23	32	68
TOT. SINGLE DX	13788	5.0	7	2	3	4	6	8	9	14
" MULTIPLE DX	16942	8.1	49	3	3	6	9	15	20	39
TOTAL 65-69 YRS	10267	5.6	18	2	3	5	6	9	12	22
70-74	8541	6.4	26	2	3	5	7	11	15	26
75-79	6297	7.0	33	3	3	5	8	12	16	30
80-84	3510	8.1	48	3	3	6	9	14	19	41
85+	2115	9.9	83	3	4	7	11	19	27	59
GRAND TOTAL	30730	6.7	33	2	3	5	8	12	16	30

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	693	5.2	5	2	3	5	6	8	9	15
70-74	524	5.6	6	3	3	5	7	8	10	16
75-79	327	5.7	6	3	3	5	7	9	11	15
80-84	147	6.3	7	3	4	6	8	10	11	16
85+	94	6.9	12	2	4	6	9	12	14	18
2. MULTIPLE DX										
65-69 YRS	760	6.9	15	3	3	6	8	12	14	23
70-74	667	8.2	35	3	4	6	10	15	20	32
75-79	517	9.0	39	3	4	7	10	17	21	35
80-84	274	10.3	61	3	4	8	12	19	28	50
85+	174	13.2	124	4	5	10	15	23	37	66
TOT. SINGLE DX	1785	5.6	7	3	3	5	7	9	10	16
" MULTIPLE DX	2392	8.6	42	3	4	7	10	15	21	36
TOTAL 65-69 YRS	1453	6.1	12	3	3	5	7	10	12	20
70-74	1191	7.1	25	3	3	6	8	12	16	27
75-79	844	7.8	29	3	3	6	9	14	18	31
80-84	421	8.9	46	3	4	7	11	15	21	40
85+	268	11.0	94	3	4	8	12	20	27	63
GRAND TOTAL	4177	7.3	29	3	3	6	8	13	17	29

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	288	5.4	9	2	2	5	7	8	11	19
70-74	226	6.3	25	2	3	5	7	10	15	30
75-79	203	6.5	8	3	3	6	8	11	12	15
80-84	133	7.9	28	3	4	7	9	13	18	32
85+	127	8.0	19	3	4	7	9	14	17	24
2. MULTIPLE DX										
65-69 YRS	257	8.6	48	3	3	7	10	17	22	35
70-74	325	9.7	61	3	4	8	12	17	22	37
75-79	279	11.6	126	3	4	9	13	21	35	57
80-84	261	13.4	112	4	5	10	16	28	35	99
85+	233	15.1	112	4	6	12	20	29	36	50
TOT. SINGLE DX	977	6.5	18	2	3	6	8	11	14	22
" MULTIPLE DX	1355	11.5	96	3	4	8	14	23	31	54
TOTAL 65-69 YRS	545	6.9	31	2	3	6	8	12	18	29
70-74	551	8.3	50	3	3	6	10	16	21	37
75-79	482	9.5	83	3	3	7	10	16	23	49
80-84	394	11.5	91	3	4	8	14	24	31	79
85+	360	12.6	91	4	5	9	15	25	32	46
GRAND TOTAL	2332	9.4	69	3	3	7	11	18	26	45

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	232	5.3	11	2	2	5	6	9	11	19
70-74	164	5.6	12	2	2	5	7	9	12	18
75-79	109	6.5	18	2	2	6	8	10	13	26
80-84	50	8.7	137	2	3	6	10	14	15	85
85+	25	8.0	21	2	3	7	10	16	17	20
2. MULTIPLE DX										
65-69 YRS	452	9.8	67	3	3	7	12	19	24	51
70-74	326	10.8	76	3	3	9	13	21	26	50
75-79	198	11.3	73	3	4	9	13	23	29	46
80-84	115	12.7	129	3	4	10	16	25	35	99+
85+	79	13.5	131	4	5	9	17	27	32	71
TOT. SINGLE DX	580	6.0	25	2	2	5	7	10	13	21
" MULTIPLE DX	1170	10.9	82	3	4	8	13	21	28	55
TOTAL 65-69 YRS	684	8.2	53	2	3	6	10	16	20	34
70-74	490	9.0	61	2	3	7	11	18	23	44
75-79	307	9.6	59	2	4	8	11	20	26	36
80-84	165	11.5	134	3	3	9	13	23	29	99
85+	104	12.2	110	4	4	9	15	24	29	65
GRAND TOTAL	1750	9.2	69	2	3	7	11	18	24	46

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	978	7.0	11	3	3	6	9	11	13	19
70-74	690	7.3	14	3	3	7	9	12	14	20
75-79	400	7.6	14	3	4	7	9	12	16	21
80-84	170	8.5	23	3	4	7	10	15	17	28
85+	80	9.4	85	2	3	8	11	15	19	63
2. MULTIPLE DX										
65-69 YRS	1489	10.7	74	3	4	9	12	18	25	45
70-74	1191	11.3	73	4	5	9	13	20	25	46
75-79	795	12.4	75	4	5	10	15	23	31	46
80-84	411	13.3	73	4	6	11	16	24	28	51
85+	215	14.2	105	4	5	12	18	24	32	92
TOT. SINGLE DX	2318	7.4	17	3	3	7	9	12	15	21
" MULTIPLE DX	4101	11.6	77	4	5	9	14	21	26	47
TOTAL 65-69 YRS	2467	9.2	53	3	4	8	11	16	20	36
70-74	1881	9.8	55	3	4	8	11	17	22	41
75-79	1195	10.8	60	4	4	9	13	19	26	42
80-84	581	11.9	63	4	5	10	15	22	26	43
85+	295	12.9	104	3	4	11	16	22	30	84
GRAND TOTAL	6419	10.1	59	3	4	8	12	18	23	40

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	9.1	20	3	4	9	12	14	17	24
70-74	70	11.4	48	4	5	9	15	21	26	34
75-79	40	12.1	30	4	5	12	16	20	21	25
80-84	19	12.4	42	3	5	11	15	20	27	31
85+	17	15.1	70	3	5	14	17	27	33	36
2. MULTIPLE DX										
65-69 YRS	354	15.0	75	6	7	13	18	25	32	60
70-74	260	15.7	96	7	8	13	19	28	33	54
75-79	174	18.8	154	7	8	16	22	33	42	90
80-84	97	22.0	197	5	8	18	27	45	54	85
85+	54	20.7	184	6	9	16	26	36	44	75
TOT. SINGLE DX	242	10.9	38	3	4	10	14	18	23	33
" MULTIPLE DX	939	16.9	120	6	8	14	21	30	39	64
TOTAL 65-69 YRS	450	13.7	69	4	6	12	17	23	29	45
70-74	330	14.8	89	5	7	12	18	27	33	53
75-79	214	17.5	138	6	8	15	21	31	41	79
80-84	116	20.4	184	5	8	17	25	42	52	79
85+	71	19.3	162	4	8	15	26	34	42	73
GRAND TOTAL	1181	15.7	109	5	7	13	19	28	36	62

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	334	10.0	79	1	2	7	13	21	28	42
70-74	260	10.9	91	2	2	8	14	20	31	47
75-79	177	9.9	92	1	2	8	12	20	26	58
80-84	92	10.8	73	2	2	10	14	21	34	78
85+	67	11.1	77	2	3	9	14	20	27	52
2. MULTIPLE DX										
65-69 YRS	1529	15.1	160	2	3	12	20	31	40	66
70-74	1315	15.6	156	2	4	13	21	31	42	68
75-79	1064	15.9	164	2	3	13	21	33	41	67
80-84	562	17.7	192	3	4	15	22	37	47	77
85+	388	17.4	171	3	4	14	22	35	45	75
TOT. SINGLE DX	930	10.4	84	2	2	8	13	21	28	50
" MULTIPLE DX	4858	15.9	165	2	4	13	21	32	42	68
TOTAL 65-69 YRS	1863	14.2	149	2	3	11	19	29	38	61
70-74	1575	14.8	149	2	3	12	19	29	40	65
75-79	1241	15.1	158	2	3	12	20	32	39	63
80-84	654	16.7	181	2	3	14	21	36	45	78
85+	455	16.5	163	3	4	14	21	34	41	73
GRAND TOTAL	5788	15.0	156	2	3	12	20	31	40	66

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	260	13.0	77	4	5	11	16	22	29	49
70-74	173	13.8	74	4	6	12	17	26	31	46
75-79	172	15.1	89	5	6	12	18	29	35	49
80-84	88	17.6	152	6	7	15	21	30	39	76
85+	66	16.7	67	7	9	14	21	30	35	41
2. MULTIPLE DX										
65-69 YRS	944	20.7	217	6	8	17	25	39	54	91
70-74	815	20.5	182	7	9	17	25	37	52	89
75-79	611	22.0	188	8	9	18	28	40	52	77
80-84	379	23.9	241	8	10	20	30	43	58	97
85+	277	24.7	269	8	10	21	30	44	61	94
TOT. SINGLE DX	759	14.5	89	4	6	12	18	26	32	50
" MULTIPLE DX	3026	21.7	212	7	9	18	27	40	54	90
TOTAL 65-69 YRS	1204	19.0	197	6	7	15	23	37	50	85
70-74	988	19.3	170	6	8	16	24	35	49	84
75-79	783	20.5	175	7	8	17	26	39	48	75
80-84	467	22.7	231	7	9	19	29	42	54	93
85+	343	23.2	241	7	9	20	28	41	57	89
GRAND TOTAL	3785	20.2	195	6	8	16	25	38	51	87

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	4.8	22	1	1	3	7	12	15	23
70-74	28	5.6	36	1	1	3	7	15	17	27
75-79	15	7.3	152	1	1	2	6	27	40	45
80-84	6	11.7	167	1	1	7	19	32	34	34
85+	9	2.2	3	<1	<1	2	2	5	7	7
2. MULTIPLE DX										
65-69 YRS	99	10.6	157	1	1	6	14	25	38	86
70-74	80	12.2	186	1	2	9	16	28	35	78
75-79	64	12.0	182	2	2	10	14	21	40	99
80-84	25	12.2	92	1	1	11	17	29	31	31
85+	17	14.2	226	1	1	12	21	26	50	62
TOT. SINGLE DX	105	5.5	52	1	1	2	7	12	20	39
" MULTIPLE DX	285	11.7	168	1	2	9	15	26	37	93
TOTAL 65-69 YRS	146	8.7	121	1	1	5	12	19	30	74
70-74	108	10.5	155	1	2	6	14	25	31	68
75-79	79	11.1	178	1	2	9	14	22	41	98
80-84	31	12.1	102	1	1	11	18	30	31	34
85+	26	10.1	180	<1	1	3	14	24	34	62
GRAND TOTAL	390	10.1	144	1	1	6	14	24	32	82

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	322	11.5	48	4	5	10	14	19	23	44
70-74	254	12.8	31	5	7	12	16	20	23	30
75-79	180	13.4	52	4	7	12	17	23	26	36
80-84	121	13.8	50	7	8	12	16	21	28	41
85+	104	15.9	75	7	8	14	19	26	31	53
2. MULTIPLE DX										
65-69 YRS	1130	18.3	180	5	7	14	22	34	47	75
70-74	927	19.8	197	7	8	16	23	38	51	79
75-79	783	20.7	202	7	9	17	25	38	50	84
80-84	516	20.9	176	7	9	18	26	38	50	96
85+	354	21.5	184	8	10	18	26	41	52	99
TOT. SINGLE DX	981	12.9	49	5	6	12	16	21	26	39
" MULTIPLE DX	3710	19.8	190	6	8	16	24	37	50	79
TOTAL 65-69 YRS	1452	16.8	159	5	6	13	20	32	43	69
70-74	1181	18.3	170	6	8	15	21	34	47	76
75-79	963	19.3	183	6	8	15	24	35	46	79
80-84	637	19.5	160	7	9	16	24	35	46	84
85+	458	20.2	165	7	9	17	25	37	50	86
GRAND TOTAL	4691	18.4	169	6	8	15	22	34	46	76

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	225	13.4	27	7	8	12	16	21	25	29
70-74	172	14.7	66	7	9	13	17	24	28	42
75-79	106	15.9	62	8	9	14	19	26	35	44
80-84	47	14.9	38	8	9	14	18	25	28	31
85+	23	17.3	38	9	11	15	21	28	29	30
2. MULTIPLE DX										
65-69 YRS	703	18.5	143	8	9	15	22	31	43	74
70-74	616	19.1	120	8	9	16	23	32	41	65
75-79	445	20.8	146	9	10	18	25	35	46	71
80-84	235	22.0	128	9	11	19	27	36	45	68
85+	123	22.5	140	9	11	20	27	37	48	87
TOT. SINGLE DX	573	14.5	48	8	8	13	17	23	27	39
" MULTIPLE DX	2122	19.8	137	8	9	17	24	34	43	70
TOTAL 65-69 YRS	928	17.2	120	8	9	14	20	29	39	68
70-74	788	18.2	112	8	9	15	21	31	39	63
75-79	551	19.9	134	9	9	17	24	34	44	64
80-84	282	20.8	121	9	10	18	26	34	42	66
85+	146	21.7	128	10	11	19	26	35	47	83
GRAND TOTAL	2695	18.7	123	8	9	16	22	31	41	66

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	329	10.3	38	2	3	10	13	17	22	27
70-74	194	10.8	46	2	2	10	14	19	23	37
75-79	108	10.7	45	2	2	10	13	17	26	32
80-84	36	10.3	58	1	2	9	15	19	25	32
85+	13	13.8	58	4	6	11	19	24	29	30
2. MULTIPLE DX										
65-69 YRS	834	14.6	104	3	4	12	18	26	35	56
70-74	647	16.5	129	3	5	14	21	32	38	53
75-79	387	16.7	130	4	6	14	20	31	42	66
80-84	182	19.8	179	4	6	16	27	38	44	82
85+	83	19.6	170	4	8	17	25	38	43	63
TOT. SINGLE DX	680	10.6	43	2	2	10	13	18	23	31
" MULTIPLE DX	2133	16.2	128	3	5	14	21	31	39	60
TOTAL 65-69 YRS	1163	13.4	89	2	4	11	16	24	32	53
70-74	841	15.2	116	2	4	13	19	29	35	51
75-79	495	15.4	118	2	4	13	19	28	39	60
80-84	218	18.2	172	3	5	15	25	36	42	75
85+	96	18.8	158	4	7	16	23	37	40	62
GRAND TOTAL	2813	14.8	113	2	4	12	19	28	36	56

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	260	10.0	19	4	5	9	12	15	17	27
70-74	164	10.7	27	4	6	10	12	16	18	31
75-79	93	12.3	49	4	6	11	14	19	25	42
80-84	30	11.4	22	4	5	10	15	18	19	21
85+	10	12.0	54	3	4	10	13	24	29	29
2. MULTIPLE DX										
65-69 YRS	489	13.5	72	4	6	11	16	22	27	55
70-74	364	14.3	93	4	6	12	17	25	34	51
75-79	226	17.1	121	5	7	14	21	29	34	61
80-84	107	16.8	102	4	8	15	23	28	40	51
85+	55	18.9	142	6	7	15	26	33	47	53
TOT. SINGLE DX	557	10.7	28	4	5	10	13	17	19	32
" MULTIPLE DX	1241	14.9	96	4	6	12	18	25	33	55
TOTAL 65-69 YRS	749	12.2	57	4	6	11	15	20	24	42
70-74	528	13.2	76	4	6	11	16	22	29	49
75-79	319	15.7	105	5	7	13	19	27	34	58
80-84	137	15.6	89	4	7	13	21	26	35	50
85+	65	17.8	134	5	6	14	25	33	46	52
GRAND TOTAL	1798	13.6	78	4	6	11	16	24	29	51

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	12.5	36	2	4	13	18	20	20	21
70-74	35	17.1	118	5	8	15	21	29	42	55
75-79	10	21.7	268	3	4	18	28	46	61	61
80-84	7	17.1	56	5	6	18	22	27	28	28
85+	3	16.7	126	7	7	14	25	29	29	29
2. MULTIPLE DX										
65-69 YRS	128	24.3	231	5	9	22	32	49	55	86
70-74	102	22.0	150	8	10	19	28	38	41	69
75-79	79	23.4	198	7	9	21	31	41	52	71
80-84	28	24.8	184	8	11	22	32	43	53	66
85+	16	17.8	93	5	6	17	25	33	35	35
TOT. SINGLE DX	85	16.0	105	3	5	15	20	28	33	59
" MULTIPLE DX	353	23.2	191	7	9	20	31	40	53	73
TOTAL 65-69 YRS	158	22.1	215	4	8	19	29	44	54	83
70-74	137	20.7	146	8	9	18	25	37	42	66
75-79	89	23.2	203	7	9	20	31	41	57	70
80-84	35	23.2	166	6	11	21	28	36	50	66
85+	19	17.6	92	5	6	16	26	32	35	35
GRAND TOTAL	438	21.8	182	5	9	19	28	39	52	67

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	259	5.4	15	1	2	5	7	10	13	17
70-74	163	6.0	20	1	2	5	8	12	16	23
75-79	88	7.4	25	2	3	6	9	14	17	26
80-84	31	6.3	29	2	2	5	8	10	13	31
85+	19	6.0	10	2	2	6	8	11	12	13
2. MULTIPLE DX										
65-69 YRS	388	8.8	52	2	3	7	11	17	22	49
70-74	313	10.1	79	2	3	8	13	22	27	52
75-79	180	11.7	99	3	4	9	13	23	32	61
80-84	99	11.2	51	2	4	10	14	24	27	30
85+	49	14.7	143	2	3	10	20	33	41	51
TOT. SINGLE DX	560	6.0	19	1	2	5	8	12	14	23
" MULTIPLE DX	1029	10.2	75	2	3	8	13	21	26	50
TOTAL 65-69 YRS	647	7.4	40	2	2	6	9	14	19	39
70-74	476	8.7	63	2	2	6	11	17	24	48
75-79	268	10.3	79	3	3	8	13	20	25	49
80-84	130	10.1	50	2	3	9	13	21	27	30
85+	68	12.3	121	2	2	8	15	29	39	50
GRAND TOTAL	1589	8.7	60	2	2	6	11	17	24	42

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2666	4.3	19	1	1	3	5	9	12	21
70-74	2355	4.5	20	1	1	3	6	10	13	22
75-79	1737	4.9	26	1	1	3	6	11	15	24
80-84	1030	5.6	37	1	1	3	7	12	16	29
85+	602	6.3	48	1	1	4	8	13	18	35
2. MULTIPLE DX										
65-69 YRS	8449	8.5	82	1	2	6	11	18	25	46
70-74	8431	9.3	95	1	2	7	12	20	28	53
75-79	7347	10.6	110	1	2	8	14	23	32	60
80-84	4957	12.3	145	2	2	9	16	26	35	71
85+	3694	13.2	138	2	3	10	17	27	37	71
TOT. SINGLE DX	8390	4.8	26	1	1	3	6	10	14	24
" MULTIPLE DX	32878	10.3	110	1	2	7	13	22	31	58
TOTAL 65-69 YRS	11115	7.5	71	1	1	5	9	16	23	44
70-74	10786	8.3	83	1	2	6	11	18	25	49
75-79	9084	9.5	100	1	2	7	12	21	29	55
80-84	5987	11.1	133	1	2	8	14	24	33	66
85+	4296	12.2	132	2	2	9	16	26	36	67
GRAND TOTAL	41268	9.2	98	1	2	6	12	20	28	53

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1970	4.4	13	1	2	3	5	8	10	18
70-74	1985	4.5	14	1	2	4	5	8	11	18
75-79	1503	5.2	24	1	2	4	6	9	13	24
80-84	1056	5.4	19	2	2	4	7	10	13	23
85+	753	6.4	31	2	2	5	8	12	16	30
2. MULTIPLE DX										
65-69 YRS	2866	7.4	63	2	2	5	9	15	21	41
70-74	3253	7.7	62	2	2	5	9	16	22	42
75-79	2899	8.7	79	2	2	6	10	18	25	47
80-84	2016	9.8	89	2	2	7	12	20	27	56
85+	1610	11.2	119	2	3	8	14	23	30	63
TOT. SINGLE DX	7267	4.9	19	1	2	4	6	9	12	22
" MULTIPLE DX	12644	8.7	80	2	2	6	10	18	25	50
TOTAL 65-69 YRS	4836	6.2	45	1	2	4	7	12	17	36
70-74	5238	6.5	47	1	2	4	8	13	19	36
75-79	4402	7.5	63	2	2	5	9	15	22	41
80-84	3072	8.3	70	2	2	6	10	17	23	50
85+	2363	9.7	96	2	2	7	12	19	26	54
GRAND TOTAL	19911	7.3	61	2	2	5	9	15	21	41

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	560	8.7	70	1	2	5	12	20	25	36
70-74	489	7.7	49	1	2	5	11	17	20	33
75-79	382	8.4	57	1	2	6	12	19	22	35
80-84	211	8.5	68	2	2	6	12	17	21	45
85+	138	8.7	69	1	2	7	12	17	22	47
2. MULTIPLE DX										
65-69 YRS	1407	12.5	133	2	2	10	17	26	35	62
70-74	1510	13.9	165	2	3	10	18	31	40	74
75-79	1370	13.8	166	2	3	11	18	29	41	94
80-84	883	14.3	138	2	3	11	20	30	39	76
85+	730	15.4	146	3	4	12	21	31	41	86
TOT. SINGLE DX	1780	8.3	62	1	2	6	12	18	23	36
" MULTIPLE DX	5900	13.8	152	2	3	11	18	30	39	78
TOTAL 65-69 YRS	1967	11.4	118	2	2	9	15	25	32	55
70-74	1999	12.3	144	2	2	9	16	28	37	66
75-79	1752	12.6	148	2	2	10	17	27	37	87
80-84	1094	13.2	130	2	3	10	18	28	38	69
85+	868	14.3	140	2	3	11	20	29	39	82
GRAND TOTAL	7680	12.5	137	2	2	9	17	27	36	68

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	3.5	5	<1	1	2	5	7	8	8
70-74	22	3.6	8	<1	1	3	5	6	9	14
75-79	12	3.3	7	<1	1	2	5	8	9	9
80-84	1	7.0		7	7	7	7	7	7	7
85+	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	79	5.9	27	1	2	4	7	14	17	25
70-74	45	5.9	40	1	2	4	7	12	16	37
75-79	40	5.8	16	2	2	5	8	11	15	17
80-84	21	11.7	291	1	2	5	12	28	55	75
85+	20	13.6	93	2	3	13	20	31	66	99+
TOT. SINGLE DX	55	3.5	7	<1	1	2	5	7	8	14
" MULTIPLE DX	205	7.2	67	2	2	5	9	16	21	55
TOTAL 65-69 YRS	96	5.5	24	1	2	4	7	13	15	24
70-74	67	5.1	31	1	2	3	6	11	14	34
75-79	52	5.3	15	1	2	4	7	10	13	17
80-84	22	11.5	279	1	2	6	11	26	53	75
85+	23	12.2	96	1	2	11	19	27	57	99+
GRAND TOTAL	260	6.4	57	1	2	4	8	14	20	39

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	161	5.0	26	2	2	4	6	9	11	27
70-74	182	5.0	15	1	2	4	6	9	12	20
75-79	110	5.1	19	1	1	4	6	10	14	23
80-84	64	5.2	27	1	2	4	6	10	15	29
85+	30	5.5	27	1	1	4	7	10	12	29
2. MULTIPLE DX										
65-69 YRS	341	6.9	45	1	2	5	8	15	19	32
70-74	308	8.1	74	2	2	5	11	16	21	46
75-79	268	8.3	77	2	2	6	10	17	25	42
80-84	194	9.2	71	2	2	7	11	19	28	45
85+	120	11.7	101	2	3	8	15	26	30	47
TOT. SINGLE DX	547	5.0	21	1	2	4	6	9	13	28
" MULTIPLE DX	1231	8.3	71	2	2	6	10	17	25	42
TOTAL 65-69 YRS	502	6.3	40	1	2	4	7	13	17	31
70-74	490	7.0	55	2	2	4	9	14	18	36
75-79	378	7.4	63	1	2	5	9	15	22	40
80-84	258	8.2	64	2	2	6	10	17	27	42
85+	150	10.5	93	2	3	7	13	25	29	37
GRAND TOTAL	1778	7.3	58	2	2	5	9	15	22	36

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	263	3.7	13	<1	1	3	4	8	10	16
70-74	225	4.0	13	1	1	3	5	8	12	20
75-79	168	4.1	13	1	1	3	5	8	10	20
80-84	89	6.5	46	1	2	5	7	12	19	36
85+	83	6.4	32	1	2	5	8	14	17	31
2. MULTIPLE DX										
65-69 YRS	1412	7.8	68	1	2	5	10	16	21	44
70-74	1454	9.2	91	1	2	7	12	19	26	52
75-79	1243	9.7	82	2	2	7	13	19	25	50
80-84	855	11.3	111	2	2	8	15	24	32	58
85+	681	12.3	106	2	3	10	16	24	31	50
TOT. SINGLE DX	828	4.4	20	1	1	3	6	9	12	24
" MULTIPLE DX	5645	9.6	91	2	2	7	13	20	27	50
TOTAL 65-69 YRS	1675	7.1	62	1	2	5	9	15	20	43
70-74	1679	8.5	84	1	2	6	11	18	24	47
75-79	1411	9.1	77	2	2	7	12	18	23	50
80-84	944	10.8	107	2	2	8	14	23	31	57
85+	764	11.6	102	2	3	9	15	23	29	49
GRAND TOTAL	6473	9.0	85	1	2	6	12	19	25	48

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	190	4.7	10	1	2	4	6	9	12	16
70-74	164	5.2	18	2	2	4	6	9	12	27
75-79	118	5.8	25	2	2	5	7	10	15	29
80-84	79	5.6	14	1	2	4	7	11	14	18
85+	38	6.1	9	2	3	6	8	9	12	18
2. MULTIPLE DX										
65-69 YRS	481	8.2	65	2	2	6	10	16	23	39
70-74	484	8.6	72	2	2	6	11	17	24	49
75-79	388	9.2	78	2	3	6	11	20	26	50
80-84	233	11.0	135	2	3	8	13	20	30	63
85+	180	10.5	79	3	3	8	13	23	34	84
TOT. SINGLE DX	589	5.2	16	1	2	4	6	10	12	19
" MULTIPLE DX	1766	9.1	82	2	2	6	11	19	26	49
TOTAL 65-69 YRS	671	7.2	52	2	2	5	9	14	20	38
70-74	648	7.7	61	2	2	5	10	16	20	38
75-79	506	8.4	68	2	2	6	10	18	24	42
80-84	312	9.6	110	2	3	7	11	18	25	57
85+	218	9.7	70	3	3	7	12	20	30	65
GRAND TOTAL	2355	8.2	68	2	2	6	10	16	23	44

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	210	9.5	17	5	6	9	11	13	16	27
70-74	145	10.3	19	5	6	9	12	16	20	26
75-79	86	10.3	8	6	7	10	12	14	16	19
80-84	28	10.7	16	5	5	11	13	16	19	20
85+	11	12.3	66	6	6	10	13	25	33	34
2. MULTIPLE DX										
65-69 YRS	379	11.9	45	6	6	10	14	20	24	41
70-74	300	12.4	44	6	7	11	15	20	23	33
75-79	203	13.1	72	7	7	11	15	22	26	69
80-84	80	14.4	58	7	8	12	18	23	31	45
85+	21	17.3	100	7	8	16	22	31	40	46
TOT. SINGLE DX	480	10.0	17	5	6	9	11	15	18	27
" MULTIPLE DX	983	12.6	54	6	7	10	15	21	25	42
TOTAL 65-69 YRS	589	11.0	37	6	6	9	12	18	22	37
70-74	445	11.7	37	6	7	10	14	19	22	32
75-79	289	12.3	55	7	7	10	14	19	24	61
80-84	108	13.4	50	6	7	11	16	20	26	42
85+	32	15.6	92	6	7	13	19	30	35	46
GRAND TOTAL	1463	11.8	43	6	7	10	14	19	23	36

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	63	8.9	15	3	5	9	11	15	16	18
70-74	45	9.6	14	4	6	9	11	14	17	25
75-79	30	8.3	22	3	4	8	10	12	16	28
80-84	9	10.8	9	7	7	11	12	15	16	16
85+	9	9.3	11	5	5	10	12	14	14	14
2. MULTIPLE DX										
65-69 YRS	113	10.1	24	4	5	9	12	17	20	24
70-74	79	11.8	78	5	6	10	14	22	28	91
75-79	73	11.0	32	5	6	9	14	18	21	33
80-84	36	13.0	69	6	7	11	15	18	29	50
85+	19	10.8	38	2	3	9	14	21	24	25
TOT. SINGLE DX	156	9.1	16	4	5	9	11	14	16	25
" MULTIPLE DX	320	11.1	46	4	5	9	14	18	23	40
TOTAL 65-69 YRS	176	9.6	21	4	5	9	12	16	19	24
70-74	124	11.0	56	5	6	9	12	18	24	77
75-79	103	10.2	31	4	5	8	12	17	21	32
80-84	45	12.6	58	6	7	11	15	17	27	50
85+	28	10.3	30	3	4	10	13	17	23	25
GRAND TOTAL	476	10.4	37	4	5	9	12	17	21	32

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	7.7	74	1	1	3	11	26	27	27
70-74	13	6.9	9	3	4	6	9	11	13	14
75-79	15	5.7	14	2	2	5	7	11	14	15
80-84	7	10.3	72	2	2	9	18	22	23	23
85+	4	8.5	69	4	4	5	13	21	21	21
2. MULTIPLE DX										
65-69 YRS	91	10.4	85	2	2	8	14	21	27	51
70-74	56	12.8	92	2	3	10	20	25	34	40
75-79	55	12.6	129	2	2	9	17	27	37	51
80-84	25	17.6	182	3	4	16	23	43	49	50
85+	19	13.3	83	3	5	11	16	28	36	38
TOT. SINGLE DX	54	7.4	40	2	2	5	10	15	23	27
" MULTIPLE DX	246	12.4	109	2	2	9	17	25	36	50
TOTAL 65-69 YRS	106	10.0	84	2	2	8	13	22	27	48
70-74	69	11.7	82	2	3	9	15	25	29	40
75-79	70	11.1	112	2	2	7	15	27	36	50
80-84	32	16.0	165	2	3	14	21	35	48	50
85+	23	12.4	82	3	4	11	16	24	35	38
GRAND TOTAL	300	11.5	100	2	2	9	16	25	32	49

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	8.1	46	1	1	8	14	18	18	18
70-74	5	9.4	9	5	5	10	12	12	12	12
75-79	5	16.2	192	5	5	16	22	39	39	39
80-84	5	19.6	386	5	5	7	34	50	50	50
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
65-69 YRS	42	18.3	69	5	6	19	23	29	33	39
70-74	43	17.3	230	1	4	14	23	28	43	92
75-79	29	18.3	344	<1	1	16	23	41	67	77
80-84	23	18.0	214	3	3	16	24	33	53	63
85+	15	12.6	59	4	5	12	16	24	30	32
TOT. SINGLE DX	25	12.9	140	1	2	10	16	29	42	50
" MULTIPLE DX	152	17.4	186	2	3	16	23	29	42	77
TOTAL 65-69 YRS	51	16.5	80	2	4	18	22	28	32	39
70-74	48	16.5	213	2	5	13	20	28	43	92
75-79	34	18.0	316	<1	1	16	23	39	61	77
80-84	28	18.3	233	3	3	15	24	42	51	63
85+	16	13.3	62	4	5	12	17	24	30	32
GRAND TOTAL	177	16.8	181	2	3	15	22	29	41	74

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4813	7.1	10	4	4	6	8	11	13	19
70-74	4510	7.6	12	4	4	7	9	12	14	21
75-79	3256	8.1	18	4	5	7	9	12	15	23
80-84	1723	8.7	22	4	5	8	10	14	16	27
85+	921	9.7	29	4	5	8	12	16	19	27
2. MULTIPLE DX										
65-69 YRS	10359	10.2	53	4	5	8	12	18	23	42
70-74	11205	11.3	69	4	5	9	13	21	27	48
75-79	9445	12.4	87	4	5	10	15	23	30	54
80-84	6095	14.1	105	5	6	11	17	26	34	58
85+	4031	16.0	119	5	6	13	20	30	39	60
TOT. SINGLE DX	15223	7.8	16	4	4	7	9	12	15	22
" MULTIPLE DX	41135	12.1	83	4	5	9	14	23	30	52
TOTAL 65-69 YRS	15172	9.2	42	4	5	7	10	16	21	37
70-74	15715	10.2	56	4	5	8	12	18	24	42
75-79	12701	11.3	73	4	5	9	13	20	27	49
80-84	7818	12.9	92	5	5	10	15	24	31	56
85+	4952	14.9	109	5	6	12	18	28	36	59
GRAND TOTAL	56358	11.0	69	4	5	8	13	20	27	47

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	626	12.9	26	7	8	12	15	18	22	29
70-74	472	12.4	21	7	8	11	15	19	21	27
75-79	308	12.6	21	6	8	12	15	19	22	28
80-84	119	13.4	43	5	7	13	16	21	23	42
85+	68	15.5	44	7	9	15	18	23	27	46
2. MULTIPLE DX										
65-69 YRS	1303	14.6	50	7	8	13	17	23	27	38
70-74	1354	15.4	59	8	9	14	18	24	30	48
75-79	1007	16.6	70	8	9	14	19	26	33	50
80-84	540	19.2	125	8	10	17	23	31	40	73
85+	271	21.0	112	8	10	15	25	33	42	59
TOT. SINGLE DX	1593	12.8	26	7	8	12	15	19	22	29
" MULTIPLE DX	4475	16.2	74	7	9	14	19	26	32	52
TOTAL 65-69 YRS	1929	14.0	43	7	8	13	17	21	26	35
70-74	1826	14.6	51	7	8	13	17	23	28	46
75-79	1315	15.6	62	7	9	14	18	25	30	46
80-84	659	18.1	116	7	9	16	21	29	37	71
85+	339	19.9	104	8	10	18	24	31	41	54
GRAND TOTAL	6068	15.3	64	7	8	13	18	24	29	49

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1033	3.3	9	1	1	2	4	6	8	16
70-74	931	3.7	13	1	1	3	4	8	10	21
75-79	506	4.1	18	1	1	3	4	8	12	21
80-84	243	4.4	21	1	1	3	5	8	11	23
85+	101	6.9	50	1	2	5	8	13	23	39
2. MULTIPLE DX										
65-69 YRS	1392	7.0	47	1	2	5	9	16	20	38
70-74	1330	7.8	65	1	2	5	10	17	22	41
75-79	1026	9.5	91	2	2	6	13	21	26	43
80-84	585	11.1	126	2	2	8	14	23	30	60
85+	314	12.7	119	2	3	10	17	25	34	55
TOT. SINGLE DX	2814	3.8	16	1	1	3	4	8	10	21
" MULTIPLE DX	4647	8.7	80	2	2	6	11	19	25	45
TOTAL 65-69 YRS	2425	5.4	35	1	2	3	7	12	17	30
70-74	2261	6.1	48	1	2	4	7	14	20	36
75-79	1532	7.7	74	1	2	4	10	18	23	39
80-84	828	9.1	105	2	2	6	12	20	26	56
85+	415	11.3	109	2	2	8	14	24	32	51
GRAND TOTAL	7461	6.8	61	1	2	4	9	16	21	39

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	4.1	5	1	2	4	5	6	9	14
70-74	69	4.4	10	1	2	3	5	8	10	20
75-79	35	5.9	56	1	2	3	6	14	18	42
80-84	14	5.9	25	1	2	4	8	13	17	18
85+	4	4.5	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	137	7.9	65	2	2	5	9	16	21	45
70-74	123	10.3	158	2	3	5	11	21	39	63
75-79	87	14.7	231	2	3	10	18	32	40	88
80-84	62	14.5	235	2	3	9	18	30	45	82
85+	31	11.8	78	3	4	9	15	27	31	36
TOT. SINGLE DX	237	4.6	16	1	2	4	5	8	11	19
" MULTIPLE DX	440	11.1	155	2	3	7	13	24	36	72
TOTAL 65-69 YRS	252	6.2	42	2	2	4	7	12	16	37
70-74	192	8.2	113	2	2	4	9	15	27	58
75-79	122	12.2	196	2	2	8	14	27	39	82
80-84	76	12.9	207	2	3	8	16	27	40	81
85+	35	10.9	75	2	3	8	14	25	30	36
GRAND TOTAL	677	8.8	116	2	2	5	10	18	28	58

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	234	6.2	28	1	2	4	8	12	14	25
70-74	254	5.7	31	2	2	4	7	13	17	25
75-79	210	6.3	34	2	2	4	8	13	20	37
80-84	106	5.5	16	2	2	4	7	11	13	21
85+	45	8.4	50	1	2	7	10	20	25	31
2. MULTIPLE DX										
65-69 YRS	548	10.5	109	2	2	7	14	22	30	63
70-74	670	9.9	80	2	3	7	13	21	28	49
75-79	596	12.0	145	2	3	8	16	27	34	66
80-84	405	12.5	103	3	3	10	17	26	30	55
85+	237	13.1	108	3	3	10	18	28	33	50
TOT. SINGLE DX	849	6.1	31	2	2	4	8	13	17	28
" MULTIPLE DX	2456	11.3	110	2	3	8	15	24	31	55
TOTAL 65-69 YRS	782	9.2	89	2	2	6	12	20	26	50
70-74	924	8.8	70	2	2	6	12	18	24	44
75-79	806	10.5	123	2	2	7	13	24	32	62
80-84	511	11.0	94	2	3	9	14	24	29	51
85+	282	12.3	102	2	3	9	16	27	31	49
GRAND TOTAL	3305	9.9	95	2	2	7	13	22	29	51

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	27.5	2213	2	2	5	52	98	98	98
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	19.0	512	3	3	19	35	35	35	35
85+										
TOT. SINGLE DX	4	5.3	12	1	1	5	8	9	9	9
" MULTIPLE DX	8	19.5	1127	2	2	4	21	79	98	98
TOTAL 65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	5	22.2	1801	1	1	3	30	98	98	98
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	15.7	289	3	3	9	28	35	35	35
85+										
GRAND TOTAL	12	14.8	770	1	2	4	8	54	92	98

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	3.8	5	2	2	3	4	9	9	9
70-74	10	8.7	52	2	2	5	14	20	21	21
75-79	9	13.6	201	3	3	6	21	38	44	44
80-84										
85+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	22	7.9	57	2	2	5	9	22	27	29
70-74	15	8.2	115	1	2	5	11	15	37	44
75-79	8	18.0	276	3	4	9	33	42	46	46
80-84	10	20.2	224	6	6	13	39	41	42	42
85+	6	9.7	43	4	4	9	10	21	22	22
TOT. SINGLE DX	35	7.6	81	2	2	4	9	20	26	44
" MULTIPLE DX	61	11.5	142	2	3	6	12	33	41	46
TOTAL 65-69 YRS	35	6.4	42	2	2	4	8	12	24	29
70-74	25	8.4	87	2	2	5	12	20	27	44
75-79	17	15.6	227	3	3	7	29	42	45	46
80-84	10	20.2	224	6	6	13	39	41	42	42
85+	9	7.3	41	1	1	5	9	17	22	22
GRAND TOTAL	96	10.1	123	2	2	5	12	28	40	45

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	8.6	20	3	3	8	12	15	16	16
70-74	13	10.3	35	2	3	8	15	19	21	21
75-79	8	6.0	5	2	3	6	8	9	9	9
80-84	4	8.5	33	5	5	6	12	17	17	17
85+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	36	9.5	50	2	2	8	12	16	27	35
70-74	33	11.5	86	5	6	7	14	20	27	52
75-79	31	12.4	64	5	6	11	14	18	34	42
80-84	24	18.4	232	6	6	16	22	32	57	70
85+	15	14.0	42	7	9	12	16	28	28	28
TOT. SINGLE DX	35	8.3	25	2	3	7	10	16	18	21
" MULTIPLE DX	139	12.6	99	4	5	10	15	22	31	54
TOTAL 65-69 YRS	43	9.3	45	2	3	8	12	16	22	35
70-74	46	11.2	71	4	5	8	14	20	23	52
75-79	39	11.1	58	3	5	9	14	16	28	42
80-84	28	17.0	214	5	5	13	22	29	54	70
85+	18	12.4	50	3	5	10	15	25	28	28
GRAND TOTAL	174	11.8	87	3	5	9	14	21	29	52

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	371	3.7	6	2	2	3	4	6	7	10
70-74	204	4.0	6	2	2	3	5	6	7	16
75-79	105	4.0	3	2	2	3	5	7	7	11
80-84	40	4.7	5	1	2	4	6	8	9	12
85+	19	5.2	6	3	3	5	6	6	11	15
2. MULTIPLE DX										
65-69 YRS	471	5.8	18	2	2	4	7	12	16	21
70-74	301	6.2	19	2	3	5	7	12	16	23
75-79	198	8.1	76	2	3	5	9	14	23	35
80-84	63	7.9	46	2	3	5	11	17	19	38
85+	29	11.4	64	3	4	10	14	18	21	45
TOT. SINGLE DX	739	3.9	6	2	2	3	5	6	7	12
" MULTIPLE DX	1062	6.6	34	2	2	5	8	13	17	28
TOTAL 65-69 YRS	842	4.9	15	2	2	4	5	9	12	20
70-74	505	5.3	15	2	2	4	6	10	14	21
75-79	303	6.7	55	2	2	5	7	13	17	34
80-84	103	6.7	33	2	3	5	8	14	18	30
85+	48	8.9	50	3	3	6	12	16	18	45
GRAND TOTAL	1801	5.5	24	2	2	4	6	11	14	24

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	2.3		<1	1	2	3	4	4	5
70-74	94	2.5	1	1	1	2	3	4	4	8
75-79	53	2.3	1	<1	1	2	3	4	5	7
80-84	37	4.0	48	1	2	2	3	5	8	44
85+	20	2.5	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	330	5.3	35	1	2	3	6	13	19	30
70-74	261	5.8	32	1	2	3	8	14	19	28
75-79	186	6.3	51	1	2	4	8	15	20	43
80-84	125	8.0	55	1	2	6	11	19	25	33
85+	92	9.4	127	2	2	6	12	20	24	69
TOT. SINGLE DX	429	2.5	6	<1	1	2	3	4	5	9
" MULTIPLE DX	1182	6.4	53	1	2	3	8	15	22	36
TOTAL 65-69 YRS	550	4.5	32	1	1	3	4	11	15	30
70-74	428	4.8	27	1	2	3	5	11	17	28
75-79	296	5.4	44	1	1	3	6	13	19	38
80-84	196	7.1	58	1	2	4	9	16	24	39
85+	141	8.1	97	2	2	5	10	19	23	54
GRAND TOTAL	1611	5.4	43	1	2	3	6	12	19	33

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	162	4.8	13	1	2	4	6	8	11	16
70-74	67	5.0	11	1	1	4	6	10	12	16
75-79	45	5.5	17	2	2	5	8	11	14	23
80-84	17	7.8	60	2	2	5	9	18	27	31
85+	9	11.6	405	2	2	5	7	42	65	65
2. MULTIPLE DX										
65-69 YRS	300	6.7	34	2	2	5	8	13	16	29
70-74	167	8.8	86	2	3	6	10	18	26	50
75-79	80	11.5	255	2	2	6	11	30	44	87
80-84	36	14.1	298	2	3	8	14	35	59	79
85+	27	14.5	78	3	3	16	19	24	32	38
TOT. SINGLE DX	300	5.4	28	1	2	4	7	10	13	27
" MULTIPLE DX	610	8.7	100	2	2	6	9	17	26	55
TOTAL 65-69 YRS	462	6.0	28	1	2	5	7	10	14	28
70-74	234	7.7	67	2	2	5	9	15	24	47
75-79	125	9.4	176	2	2	6	9	18	36	86
80-84	53	12.1	228	2	2	7	13	31	39	79
85+	36	13.8	152	2	3	12	17	24	36	65
GRAND TOTAL	910	7.6	79	2	2	5	8	14	21	49

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	11.1	54	3	5	9	13	24	26	35
70-74	22	12.0	47	5	6	10	15	18	28	36
75-79	10	13.6	71	4	6	13	18	26	32	32
80-84	5	11.8	26	7	7	12	14	20	20	20
85+	6	19.0	215	7	7	14	18	45	48	48
2. MULTIPLE DX										
65-69 YRS	86	16.6	143	6	7	12	20	30	43	63
70-74	76	16.9	120	6	7	14	20	29	42	58
75-79	59	19.4	122	7	8	17	24	36	44	54
80-84	37	20.2	126	9	9	19	23	32	45	60
85+	36	26.8	235	8	11	22	35	54	60	63
TOT. SINGLE DX	76	12.4	65	5	6	10	15	22	30	45
" MULTIPLE DX	294	18.9	151	6	8	15	23	35	47	61
TOTAL 65-69 YRS	119	15.1	124	5	6	11	19	29	41	57
70-74	98	15.8	107	6	7	13	19	27	39	57
75-79	69	18.6	118	6	7	16	23	36	42	53
80-84	42	19.2	121	8	9	17	23	31	41	60
85+	42	25.7	235	8	10	21	35	50	58	63
GRAND TOTAL	370	17.6	140	6	7	14	22	35	43	60

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	9.3	21	5	5	8	11	17	18	28
70-74	42	10.5	15	5	6	9	13	17	19	20
75-79	23	11.0	27	6	7	9	13	17	22	29
80-84	13	15.2	32	6	8	17	19	22	24	25
85+	12	11.0	45	3	4	9	14	21	2[illegible]	26
2. MULTIPLE DX										
65-69 YRS	143	15.3	113	6	7	13	18	28	34	82
70-74	142	17.2	155	6	7	13	21	32	48	72
75-79	83	18.3	187	6	8	14	23	35	48	75
80-84	66	19.0	141	7	8	17	22	29	36	72
85+	40	21.1	133	7	9	19	25	40	47	51
TOT. SINGLE DX	137	10.6	26	5	6	9	13	18	20	28
" MULTIPLE DX	474	17.4	146	6	7	14	21	32	44	72
TOTAL 65-69 YRS	190	13.8	97	5	6	11	17	24	32	74
70-74	184	15.6	132	6	7	12	18	29	42	68
75-79	106	16.7	161	6	7	12	20	33	45	70
80-84	79	18.3	125	7	8	17	22	28	32	71
85+	52	18.7	130	4	7	16	23	37	44	51
GRAND TOTAL	611	15.9	127	6	7	13	19	29	39	68

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	9.6	18	6	6	9	10	14	17	30
70-74	57	10.5	20	6	6	9	12	16	19	27
75-79	27	9.7	18	5	6	9	11	17	19	22
80-84	10	12.4	51	6	6	10	16	24	27	27
85+	6	28.7	757	10	10	18	30	79	84	84
2. MULTIPLE DX										
65-69 YRS	206	14.9	101	6	6	12	19	29	35	84
70-74	165	14.8	96	7	7	11	17	25	38	48
75-79	122	18.7	113	8	9	16	23	33	44	75
80-84	67	20.1	145	8	9	17	24	36	41	73
85+	42	19.2	101	7	9	16	25	35	40	49
TOT. SINGLE DX	168	10.8	56	6	6	9	12	17	21	32
" MULTIPLE DX	602	16.5	111	6	7	14	20	31	39	67
TOTAL 65-69 YRS	274	13.6	86	6	6	10	17	27	33	67
70-74	222	13.7	80	6	7	11	16	23	34	47
75-79	149	17.0	108	6	8	15	21	31	39	66
80-84	77	19.1	139	7	8	16	23	31	40	71
85+	48	20.4	182	8	9	16	25	37	42	84
GRAND TOTAL	770	15.3	105	6	7	12	18	29	37	64

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	14.5	25	11	11	14	18	18	18	18
70-74	3	6.7	65	2	2	2	13	16	16	16
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	8	14.9	107	3	3	14	19	31	35	35
70-74	5	15.0	106	3	3	15	23	28	28	28
75-79	5	13.8	172	6	6	10	17	37	37	37
80-84	5	18.8	215	3	3	16	23	43	43	43
85+	2	10.0	8	8	8	10	12	12	12	12
TOT. SINGLE DX	7	9.4	39	2	2	10	15	18	18	18
" MULTIPLE DX	25	15.1	119	3	3	13	19	35	38	43
TOTAL 65-69 YRS	10	14.8	86	3	3	14	18	28	35	35
70-74	8	11.9	98	2	2	11	19	26	28	28
75-79	5	13.8	172	6	6	10	17	37	37	37
80-84	6	16.8	195	3	3	15	17	40	43	43
85+	3	10.0	4	8	8	10	11	12	12	12
GRAND TOTAL	32	13.8	106	2	3	11	17	30	37	43

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	10.2	41	4	4	8	16	20	20	20
70-74	2	11.0		11	11	11	11	11	11	11
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	6	9.3	63	2	2	7	17	21	21	21
75-79	8	15.0	70	5	6	14	21	27	27	27
80-84	2	15.5	265	4	4	15	27	27	27	27
85+										
TOT. SINGLE DX	9	10.9	28	4	4	11	15	18	20	20
" MULTIPLE DX	17	12.5	78	2	3	9	18	27	27	27
TOTAL 65-69 YRS	7	9.4	38	4	4	8	14	19	20	20
70-74	8	9.8	46	2	2	9	14	20	21	21
75-79	9	15.0	61	5	6	15	19	27	27	27
80-84	2	15.5	265	4	4	15	27	27	27	27
85+										
GRAND TOTAL	26	11.9	60	2	4	10	16	26	27	27

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	109	3.0	6	1	1	2	3	5	9	15
70-74	52	3.5	25	1	1	2	3	7	7	36
75-79	22	3.4	4	1	1	3	4	5	8	12
80-84	14	3.8	12	<1	1	3	4	7	13	15
85+	8	6.3	30	<1	1	4	11	15	15	15
2. MULTIPLE DX										
65-69 YRS	96	4.9	34	1	2	3	5	10	16	37
70-74	86	6.8	122	1	2	3	7	14	23	66
75-79	43	5.9	38	1	2	3	7	13	21	31
80-84	21	8.5	117	1	2	4	9	23	37	44
85+	11	7.1	27	1	1	8	10	15	17	17
TOT. SINGLE DX	205	3.4	13	1	1	2	3	6	9	17
" MULTIPLE DX	257	6.1	71	1	2	3	6	13	18	44
TOTAL 65-69 YRS	205	3.9	21	1	1	3	4	8	11	23
70-74	138	5.6	88	1	1	3	5	11	15	50
75-79	65	5.0	28	1	2	3	5	12	15	30
80-84	35	6.6	79	1	2	3	7	16	28	44
85+	19	6.7	27	<1	1	4	10	15	16	17
GRAND TOTAL	462	4.9	47	1	1	3	4	10	15	42

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	275	3.9	13	1	1	2	5	9	11	15
70-74	165	4.4	35	1	1	3	5	9	11	28
75-79	123	4.9	15	1	2	4	7	10	13	20
80-84	44	5.9	20	1	2	4	8	12	16	20
85+	31	7.4	42	2	2	6	9	14	18	34
2. MULTIPLE DX										
65-69 YRS	557	6.4	47	1	2	4	8	14	18	35
70-74	416	8.0	74	2	2	6	10	16	24	45
75-79	330	9.0	101	2	2	7	11	16	23	52
80-84	171	10.2	117	2	2	7	12	23	34	65
85+	94	11.6	159	2	2	8	14	24	41	90
TOT. SINGLE DX	638	4.5	22	1	1	3	6	9	12	20
" MULTIPLE DX	1568	8.1	83	2	2	6	10	16	24	53
TOTAL 65-69 YRS	832	5.5	38	1	2	3	7	12	15	30
70-74	581	7.0	66	1	2	4	9	13	21	43
75-79	453	7.9	82	1	2	6	10	15	21	47
80-84	215	9.3	101	2	2	6	11	21	28	64
85+	125	10.5	133	2	2	7	13	22	36	83
GRAND TOTAL	2206	7.0	68	1	2	4	9	14	21	45

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74										
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	4	7.0	18	3	3	6	10	13	13	13
TOTAL 65-69 YRS	3	4.7	2	3	3	5	6	6	6	6
70-74										
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	5	6.6	14	3	3	6	8	13	13	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	3.9	8	1	2	3	6	10	10	11
70-74	18	8.3	365	1	1	2	4	16	57	83
75-79	14	4.4	21	2	2	2	4	14	16	16
80-84	7	4.6	8	2	2	3	7	9	9	9
85+	7	3.6	8	2	2	3	3	9	10	10
2. MULTIPLE DX										
65-69 YRS	65	9.0	157	1	2	5	12	20	25	81
70-74	76	8.3	85	1	2	4	12	18	26	48
75-79	44	9.4	169	1	2	4	11	22	44	63
80-84	35	11.3	127	2	2	6	18	30	43	99+
85+	20	18.0	485	<1	1	10	20	49	70	87
TOT. SINGLE DX	76	5.1	95	1	2	3	5	10	13	66
" MULTIPLE DX	240	9.9	163	1	2	5	13	22	40	87
TOTAL 65-69 YRS	95	7.4	115	1	2	4	10	18	22	64
70-74	94	8.3	136	1	2	4	11	18	27	68
75-79	58	8.2	137	2	2	4	9	16	33	62
80-84	42	10.1	113	2	2	5	16	27	43	99+
85+	27	14.2	398	1	2	6	12	44	58	87
GRAND TOTAL	316	8.8	150	1	2	4	11	20	31	84

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	656	9.2	14	5	6	8	10	13	16	25
70-74	415	9.5	12	6	6	9	11	14	17	23
75-79	219	11.1	41	6	7	9	13	16	22	43
80-84	127	11.6	31	6	7	10	14	18	24	32
85+	41	12.3	26	6	7	12	14	18	23	31
2. MULTIPLE DX										
65-69 YRS	2309	11.6	58	6	6	9	13	19	24	46
70-74	1593	12.7	67	6	7	10	15	21	27	47
75-79	902	14.1	72	6	7	11	17	24	32	47
80-84	394	15.9	91	7	8	13	19	27	34	51
85+	200	16.2	114	6	7	13	21	30	39	85
TOT. SINGLE DX	1458	9.9	21	6	6	9	11	15	18	26
" MULTIPLE DX	5398	12.8	70	6	7	10	15	22	28	49
TOTAL 65-69 YRS	2965	11.0	50	6	6	9	12	18	23	41
70-74	2008	12.1	58	6	7	10	14	20	25	44
75-79	1121	13.5	68	6	7	11	16	23	30	47
80-84	521	14.9	80	7	7	12	18	25	31	49
85+	241	15.6	101	6	7	13	19	29	37	73
GRAND TOTAL	6856	12.2	61	6	7	10	14	20	26	46

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	480	8.4	8	5	6	8	9	12	14	18
70-74	361	8.6	7	5	6	8	10	12	14	20
75-79	220	9.3	19	5	6	8	10	13	16	28
80-84	91	9.5	15	6	6	9	11	13	15	29
85+	29	9.5	16	5	5	9	11	14	16	24
2. MULTIPLE DX										
65-69 YRS	1492	9.4	20	6	6	8	10	14	16	25
70-74	1216	9.9	20	6	6	9	11	15	17	27
75-79	741	10.5	27	6	6	9	12	16	19	30
80-84	290	13.0	70	6	7	10	15	24	29	54
85+	110	14.8	119	6	7	11	16	25	36	59
TOT. SINGLE DX	1181	8.7	11	5	6	8	10	12	14	23
" MULTIPLE DX	3849	10.2	30	6	6	9	11	15	19	31
TOTAL 65-69 YRS	1972	9.2	18	5	6	8	10	13	16	24
70-74	1577	9.6	18	6	6	9	11	14	17	25
75-79	961	10.2	26	6	6	9	11	15	18	30
80-84	381	12.2	59	6	7	10	14	22	27	42
85+	139	13.7	103	5	6	11	16	24	34	53
GRAND TOTAL	5030	9.9	26	6	6	9	11	15	18	29

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	14.6	44	6	9	14	17	21	29	37
70-74	13	17.8	96	7	9	17	21	28	43	46
75-79	9	16.1	53	6	7	15	19	27	31	31
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	47	20.2	268	8	8	15	20	39	59	87
70-74	21	21.1	146	7	9	20	27	39	44	50
75-79	13	22.9	193	8	9	20	25	46	52	54
80-84	7	23.9	91	16	16	19	31	39	40	40
85+										
TOT. SINGLE DX	47	15.7	60	7	9	14	19	23	32	46
" MULTIPLE DX	88	21.1	210	8	9	17	23	40	50	82
TOTAL 65-69 YRS	72	18.3	196	8	9	15	19	33	41	84
70-74	34	19.9	127	7	9	18	23	39	45	50
75-79	22	20.1	143	7	9	18	21	40	48	54
80-84	7	23.9	91	16	16	19	31	39	40	40
85+										
GRAND TOTAL	135	19.3	164	8	9	16	21	37	43	77

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1263	2.4	6	<1	1	2	2	4	6	12
70-74	801	2.9	6	1	1	2	3	6	8	13
75-79	473	3.3	11	1	1	2	3	7	10	16
80-84	221	4.4	51	1	2	2	4	8	12	50
85+	137	4.3	15	1	1	3	5	9	13	20
2. MULTIPLE DX										
65-69 YRS	2126	4.3	26	1	1	2	4	10	14	25
70-74	1539	5.6	56	1	1	3	6	13	19	35
75-79	979	6.2	64	1	2	3	7	14	21	36
80-84	527	6.6	63	1	2	4	8	15	22	53
85+	301	8.5	103	2	2	5	12	19	25	59
TOT. SINGLE DX	2895	2.9	12	<1	1	2	3	5	8	15
" MULTIPLE DX	5472	5.5	51	1	1	3	6	12	18	36
TOTAL 65-69 YRS	3389	3.6	20	<1	1	2	3	8	11	24
70-74	2340	4.7	41	1	1	2	5	10	15	32
75-79	1452	5.3	49	1	1	3	6	12	17	34
80-84	748	6.0	61	1	2	3	7	13	21	53
85+	438	7.2	80	1	2	4	9	17	22	47
GRAND TOTAL	8367	4.6	39	1	1	2	5	10	15	32

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	3	3.3	10	1	1	2	6	7	7	7
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	4.6	12	2	2	4	5	11	12	12
70-74	7	7.3	13	3	3	8	10	12	13	13
75-79	6	27.2	670	3	3	20	42	67	70	70
80-84	5	8.4	39	2	2	10	13	16	16	16
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	6	2.5	5	1	1	2	2	7	7	7
" MULTIPLE DX	26	11.5	226	2	2	8	12	29	48	70
TOTAL 65-69 YRS	8	4.1	12	1	1	3	5	10	12	12
70-74	10	6.1	15	1	1	6	8	11	13	13
75-79	8	20.9	614	2	2	8	36	62	70	70
80-84	5	8.4	39	2	2	10	13	16	16	16
85+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	32	9.8	195	1	2	5	10	20	41	70

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	7.3	4	3	4	7	9	10	10	10
70-74	5	8.4	2	6	6	9	9	10	10	10
75-79	5	12.6	41	7	7	11	16	23	23	23
80-84	2	12.0		12	12	12	12	12	12	12
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	12	10.3	38	5	6	8	11	18	27	28
70-74	13	14.1	78	7	7	10	17	26	36	38
75-79	8	10.0	8	7	7	9	11	15	16	16
80-84	2	27.5	1013	5	5	27	50	50	50	50
85+	5	13.2	78	9	9	9	15	29	29	29
TOT. SINGLE DX	21	9.5	16	5	6	9	11	13	18	23
" MULTIPLE DX	40	12.7	86	5	6	9	14	25	33	50
TOTAL 65-69 YRS	20	9.1	26	4	5	8	10	13	21	28
70-74	18	12.5	63	6	7	9	15	22	32	38
75-79	13	11.0	21	7	7	9	13	17	22	23
80-84	4	19.8	418	5	5	12	31	50	50	50
85+	6	13.0	63	9	9	10	12	27	29	29
GRAND TOTAL	61	11.6	63	5	6	9	12	20	28	49

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	4.4	3	2	3	4	5	6	7	14
70-74	32	4.4	8	2	3	4	4	6	8	19
75-79	20	3.9	2	1	2	4	4	6	7	8
80-84	5	3.8	4	2	2	4	5	7	7	7
85+	7	3.9		3	3	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	52	4.2	14	1	2	4	4	6	8	27
70-74	49	6.2	35	2	2	4	7	13	15	37
75-79	38	5.6	47	1	2	4	5	11	15	42
80-84	14	10.7	140	2	3	6	9	33	38	40
85+	21	11.1	228	3	3	5	13	23	44	70
TOT. SINGLE DX	103	4.2	5	2	3	4	5	6	7	16
" MULTIPLE DX	174	6.4	67	2	2	4	6	13	22	42
TOTAL 65-69 YRS	91	4.3	10	2	2	4	5	6	8	22
70-74	81	5.5	25	2	3	4	5	11	15	31
75-79	58	5.0	32	1	2	4	5	8	13	40
80-84	19	8.9	112	2	2	5	7	28	36	40
85+	28	9.3	180	3	3	5	8	23	28	70
GRAND TOTAL	277	5.6	45	2	2	4	5	8	15	39

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	573	7.4	9	4	4	7	9	11	13	19
70-74	418	7.6	10	4	4	7	9	11	14	21
75-79	253	7.8	9	4	5	7	9	11	14	19
80-84	84	8.5	11	4	5	8	10	13	16	19
85+	21	8.8	13	4	5	8	11	14	17	19
2. MULTIPLE DX										
65-69 YRS	961	9.3	25	5	5	8	11	14	18	26
70-74	798	9.6	26	5	5	8	11	15	18	25
75-79	469	10.3	46	5	6	9	12	15	20	44
80-84	184	11.8	78	5	6	10	13	17	25	50
85+	70	12.3	47	6	6	10	15	21	27	89
TOT. SINGLE DX	1349	7.7	10	4	4	7	9	11	14	19
" MULTIPLE DX	2482	9.8	35	5	5	9	11	15	19	31
TOTAL 65-69 YRS	1534	8.6	20	4	5	8	10	13	16	25
70-74	1216	8.9	22	4	5	8	10	14	17	23
75-79	722	9.4	35	4	5	8	11	14	17	29
80-84	268	10.8	60	5	5	9	12	17	20	43
85+	91	11.5	41	5	6	10	14	20	23	77
GRAND TOTAL	3831	9.1	27	4	5	8	10	14	17	26

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	7.6	26	2	3	7	9	13	17	29
70-74	26	6.4	11	1	2	7	8	9	11	18
75-79	15	7.9	12	2	4	8	9	10	16	18
80-84	9	7.7	9	4	4	7	9	13	13	13
85+	4	6.5	41	1	1	5	11	15	15	15
2. MULTIPLE DX										
65-69 YRS	83	9.4	83	3	3	8	11	16	21	62
70-74	74	11.3	82	3	4	9	14	20	31	51
75-79	55	13.6	222	3	4	9	15	23	42	94
80-84	24	10.7	47	3	3	8	13	19	26	32
85+	18	16.1	142	1	3	15	24	36	37	37
TOT. SINGLE DX	107	7.3	20	2	2	7	9	12	17	27
" MULTIPLE DX	254	11.5	116	3	4	8	14	22	31	53
TOTAL 65-69 YRS	136	8.7	62	2	3	7	10	15	20	36
70-74	100	10.0	69	2	4	8	10	18	27	49
75-79	70	12.4	182	3	4	9	14	22	33	87
80-84	33	9.8	38	3	4	8	12	17	22	32
85+	22	14.4	136	1	2	13	19	34	37	37
GRAND TOTAL	361	10.2	91	2	3	8	11	18	27	49

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	158	5.1	11	1	2	4	7	10	11	16
70-74	161	6.5	26	2	2	6	8	11	15	33
75-79	111	5.5	12	1	2	5	7	10	12	19
80-84	71	6.3	15	2	2	6	8	12	13	19
85+	35	5.7	12	2	2	5	8	11	13	15
2. MULTIPLE DX										
65-69 YRS	370	8.6	66	2	2	7	10	17	26	46
70-74	314	10.1	86	2	3	7	11	23	32	50
75-79	286	10.1	79	2	3	8	12	19	28	46
80-84	180	11.6	77	3	4	9	15	23	29	47
85+	104	11.9	130	2	2	10	15	23	32	63
TOT. SINGLE DX	536	5.8	17	1	2	5	8	10	13	19
" MULTIPLE DX	1254	10.0	82	2	3	8	12	21	29	49
TOTAL 65-69 YRS	528	7.6	52	2	2	6	9	14	21	44
70-74	475	8.9	69	2	2	7	10	18	28	46
75-79	397	8.8	65	2	2	7	10	16	25	45
80-84	251	10.1	66	2	3	8	13	21	25	40
85+	139	10.3	108	2	2	8	13	20	29	61
GRAND TOTAL	1790	8.8	67	2	2	7	10	17	25	46

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	3.3	12	1	1	2	3	6	8	26
70-74	117	3.6	12	<1	1	3	4	7	9	23
75-79	85	3.7	16	1	1	2	4	7	13	24
80-84	48	4.8	19	1	1	3	6	11	14	21
85+	31	6.3	49	1	1	4	8	12	22	35
2. MULTIPLE DX										
65-69 YRS	185	8.6	110	1	2	4	10	19	35	53
70-74	188	7.6	71	2	2	5	10	16	20	51
75-79	128	10.8	137	2	2	7	14	23	30	74
80-84	86	10.2	122	2	2	7	12	24	38	86
85+	64	10.6	70	2	3	9	15	25	34	99+
TOT. SINGLE DX	421	3.9	17	1	1	3	4	8	11	24
" MULTIPLE DX	651	9.1	103	2	2	6	12	19	29	61
TOTAL 65-69 YRS	325	6.3	75	1	1	3	7	14	21	49
70-74	305	6.1	53	1	2	3	7	14	18	35
75-79	213	8.0	101	1	2	4	10	17	25	60
80-84	134	8.3	92	1	2	6	9	18	28	67
85+	95	9.2	67	1	2	6	13	21	32	99+
GRAND TOTAL	1072	7.1	76	1	2	4	9	16	23	54

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	9.0	91	2	2	6	10	21	29	48
70-74	38	8.2	51	1	2	6	10	20	24	30
75-79	31	16.2	147	2	3	14	24	30	40	51
80-84	18	13.6	135	1	2	10	19	33	39	41
85+	17	10.2	30	3	4	9	16	17	19	20
2. MULTIPLE DX										
65-69 YRS	52	18.3	324	3	4	16	25	42	67	99+
70-74	63	19.5	210	2	3	17	29	39	41	72
75-79	55	21.8	366	3	5	15	32	45	65	89
80-84	43	20.0	279	6	7	15	27	44	68	99+
85+	35	20.1	267	4	5	14	27	45	54	75
TOT. SINGLE DX	140	11.1	99	2	2	8	16	25	30	48
" MULTIPLE DX	248	19.9	286	3	5	16	27	43	56	96
TOTAL 65-69 YRS	88	14.5	248	2	2	9	20	31	49	98
70-74	101	15.2	180	2	3	11	23	36	39	60
75-79	86	19.8	292	3	3	15	25	44	51	86
80-84	61	18.1	243	3	5	13	24	39	51	99
85+	52	16.8	209	4	5	14	19	36	49	75
GRAND TOTAL	388	16.7	236	2	3	12	22	38	45	92

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	2.7	3	<1	<1	2	5	6	6	6
70-74	6	12.2	349	1	1	5	8	46	50	50
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	11.3	56	4	4	11	17	19	19	19
85+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	11	12.1	188	1	2	9	18	31	47	48
70-74	6	15.5	199	2	2	10	24	38	40	40
75-79	8	9.4	69	2	3	8	9	23	29	29
80-84	3	5.3	17	2	2	4	8	10	10	10
85+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	22	6.9	111	<1	1	4	6	14	31	50
" MULTIPLE DX	29	11.2	130	2	2	9	12	27	40	48
TOTAL 65-69 YRS	21	7.6	119	<1	1	3	9	19	33	48
70-74	12	13.8	252	1	2	7	17	43	49	50
75-79	9	8.7	65	2	2	7	9	21	29	29
80-84	6	8.3	40	2	2	7	11	18	19	19
85+	3	7.7	17	3	3	9	10	11	11	11
GRAND TOTAL	51	9.4	125	1	1	6	10	22	39	50

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	3.0	1	2	2	3	4	4	4	4
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
2. MULTIPLE DX										
65-69 YRS	11	3.5	9	1	1	2	5	8	11	11
70-74	11	8.3	83	1	1	5	11	20	32	33
75-79	7	16.7	481	2	2	6	27	54	60	60
80-84	3	10.3	129	1	1	7	19	23	23	23
85+	7	17.9	288	4	4	11	22	47	53	53
TOT. SINGLE DX	5	2.4	1	<1	<1	2	3	4	4	4
" MULTIPLE DX	39	10.3	185	1	1	5	11	28	44	60
TOTAL 65-69 YRS	14	3.4	7	1	1	3	4	7	10	11
70-74	11	8.3	84	1	1	5	11	20	32	33
75-79	8	14.9	439	2	2	4	22	52	60	60
80-84	4	8.0	108	<1	<1	4	15	23	23	23
85+	7	17.9	288	4	4	11	22	47	53	53
GRAND TOTAL	44	9.4	170	1	1	4	11	24	39	60

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	54	7.6	67	2	2	4	9	17	23	41
70-74	42	7.4	64	2	2	5	11	16	19	46
75-79	26	8.3	117	1	2	5	9	17	34	51
80-84	10	9.4	69	2	2	6	9	24	27	27
85+	9	12.6	294	2	2	5	16	41	55	55
2. MULTIPLE DX										
65-69 YRS	120	11.0	181	2	2	6	16	23	30	79
70-74	66	10.7	199	2	2	5	13	33	43	97
75-79	56	10.0	104	2	2	8	13	24	43	96
80-84	31	11.7	216	2	2	7	13	24	49	72
85+	27	12.0	114	2	2	9	17	26	31	45
TOT. SINGLE DX	141	8.1	88	2	2	5	10	18	25	51
" MULTIPLE DX	300	10.9	167	2	2	6	14	25	38	84
TOTAL 65-69 YRS	174	9.9	148	2	2	5	13	22	29	73
70-74	108	9.4	149	2	2	5	11	23	36	89
75-79	82	9.4	108	2	2	6	12	23	42	84
80-84	41	11.1	179	2	2	7	12	24	37	72
85+	36	12.1	152	2	2	7	17	26	40	55
GRAND TOTAL	441	10.0	143	2	2	5	13	23	33	75

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	5.6	18	2	3	4	7	11	15	22
70-74	16	5.9	25	2	2	4	6	15	18	19
75-79	4	9.3	33	3	3	8	13	17	17	17
80-84	2	20.0	128	12	12	20	28	28	28	28
85+	2	10.5	145	2	2	10	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	39	7.6	53	2	2	5	11	19	24	33
70-74	23	13.1	392	1	2	6	13	69	81	99+
75-79	10	12.0	222	2	2	4	13	39	41	41
80-84	2	15.5	13	13	13	15	18	18	18	18
85+	1	33.0		33	33	33	33	33	33	33
TOT. SINGLE DX	57	6.6	32	2	2	4	8	16	19	28
" MULTIPLE DX	75	10.4	186	2	2	6	12	32	40	93
TOTAL 65-69 YRS	72	6.7	38	2	2	4	8	13	22	31
70-74	39	10.2	250	2	2	5	10	28	71	99+
75-79	14	11.2	163	2	2	6	13	38	40	41
80-84	4	17.8	54	12	12	15	23	28	28	28
85+	3	18.0	241	2	2	19	29	33	33	33
GRAND TOTAL	132	8.8	122	2	2	4	11	20	33	78

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	3.5	3	<1	1	3	5	6	7	7
70-74	12	3.8	13	1	1	3	4	10	13	14
75-79	9	6.9	43	1	1	6	8	17	23	23
80-84	3	3.7	8	2	2	2	6	7	7	7
85+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	24	9.3	151	1	2	7	9	15	30	64
70-74	31	12.2	142	2	3	6	15	29	34	53
75-79	18	10.8	62	3	4	8	15	21	29	34
80-84	20	10.0	62	3	3	8	13	18	28	37
85+	12	19.7	398	2	2	14	24	51	68	71
TOT. SINGLE DX	38	4.5	18	1	1	3	6	9	12	23
" MULTIPLE DX	105	11.7	148	2	3	7	14	26	35	67
TOTAL 65-69 YRS	36	7.4	108	1	2	5	8	14	16	64
70-74	43	9.8	120	1	2	5	13	26	33	53
75-79	27	9.5	58	2	3	7	12	21	25	34
80-84	23	9.2	60	2	3	7	12	17	25	37
85+	14	17.6	365	2	2	10	22	45	65	71
GRAND TOTAL	143	9.8	123	1	2	6	12	22	33	64

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	6.5	19	1	2	5	10	14	15	17
70-74	29	6.2	40	2	2	4	8	13	16	33
75-79	14	5.6	34	2	2	4	5	10	22	25
80-84	12	7.3	49	2	2	4	10	19	23	24
85+	6	13.0	40	5	5	13	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	79	11.8	184	2	2	8	14	24	35	82
70-74	65	11.4	93	2	3	8	15	23	31	54
75-79	42	12.2	106	3	4	9	14	28	40	42
80-84	31	15.9	284	3	3	11	17	36	63	76
85+	16	14.3	133	4	5	11	15	32	44	49
TOT. SINGLE DX	97	6.8	34	2	2	5	8	15	19	29
" MULTIPLE DX	233	12.5	154	2	3	9	14	25	36	66
TOTAL 65-69 YRS	115	10.2	138	2	2	7	11	17	31	70
70-74	94	9.8	82	2	2	7	14	20	30	47
75-79	56	10.6	95	2	3	7	13	24	38	42
80-84	43	13.5	231	2	3	9	16	30	46	76
85+	22	14.0	105	4	5	12	15	24	40	49
GRAND TOTAL	330	10.8	125	2	2	8	14	21	33	59

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	4.8	8	1	2	4	7	9	10	10
70-74	4	2.3	1	1	1	2	3	4	4	4
75-79	5	2.0	1	1	1	2	3	4	4	4
80-84	2	11.0	162	2	2	11	20	20	20	20
85+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	17	6.5	25	2	2	5	9	13	19	21
70-74	13	7.0	23	3	3	5	8	14	19	20
75-79	10	10.1	108	1	1	6	16	27	30	30
80-84	5	3.2	2	<1	<1	3	4	5	5	5
85+	5	4.6	5	1	1	6	6	6	6	6
TOT. SINGLE DX	26	4.7	22	1	1	3	6	10	17	20
" MULTIPLE DX	50	6.8	39	1	2	5	8	15	21	30
TOTAL 65-69 YRS	30	5.8	18	2	2	4	8	10	14	21
70-74	17	5.9	22	1	2	4	7	12	18	20
75-79	15	7.4	86	1	1	3	10	25	29	30
80-84	7	5.4	43	<1	<1	3	5	17	20	20
85+	7	6.0	23	1	1	6	6	14	16	16
GRAND TOTAL	76	6.1	34	1	2	4	8	14	20	29

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	271	7.5	36	2	3	6	9	13	18	46
70-74	143	9.8	73	2	3	8	11	22	28	42
75-79	74	12.1	114	2	3	8	17	22	25	68
80-34	36	14.0	101	3	4	12	18	26	36	46
85+	39	17.0	140	3	4	14	22	33	42	57
2. MULTIPLE DX										
65-69 YRS	333	10.6	112	2	3	8	13	21	28	62
70-74	245	13.0	143	2	3	10	17	31	40	99+
75-79	149	15.1	168	2	3	11	20	37	42	99+
80-84	60	18.8	173	4	4	16	26	41	57	99+
85+	52	23.9	248	8	9	20	32	53	61	99
TOT. SINGLE DX	563	9.7	75	2	3	8	12	20	25	47
" MULTIPLE DX	839	13.5	156	2	3	10	18	30	42	98
TOTAL 65-69 YRS	604	9.2	81	2	3	7	11	18	23	48
70-74	388	11.8	120	2	3	8	15	28	35	73
75-79	223	14.1	152	2	3	11	18	32	40	89
80-84	96	17.0	151	4	4	15	23	36	46	99+
85+	91	20.9	212	4	8	17	25	48	57	87
GRAND TOTAL	1402	12.0	127	2	3	9	15	26	37	69

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	524	4.8	7	2	2	4	6	8	9	15
70-74	299	4.9	9	2	2	4	6	8	9	14
75-79	165	5.5	12	2	2	5	6	11	13	20
80-84	55	6.9	63	2	3	5	8	10	14	45
85+	18	7.6	69	2	2	5	10	12	28	38
2. MULTIPLE DX										
65-69 YRS	1781	5.8	24	2	3	5	7	9	11	26
70-74	1078	6.3	27	2	3	5	7	10	14	28
75-79	568	7.5	59	2	3	5	8	14	21	37
80-84	192	8.3	54	2	3	6	9	20	29	38
85+	64	11.5	120	2	3	7	16	28	31	59
TOT. SINGLE DX	1061	5.1	13	2	2	4	6	8	10	17
" MULTIPLE DX	3683	6.5	35	2	3	5	7	10	15	32
TOTAL 65-69 YRS	2305	5.6	21	2	3	5	6	9	11	25
70-74	1377	6.0	24	2	3	5	7	9	13	26
75-79	733	7.1	50	2	3	5	8	13	18	37
80-84	247	8.0	56	2	3	6	8	16	28	45
85+	82	10.6	111	2	3	7	13	27	31	55
GRAND TOTAL	4744	6.1	30	2	3	5	7	10	14	31

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	806	6.3	46	1	2	4	7	12	19	39
70-74	579	7.5	67	1	2	4	9	17	23	46
75-79	344	8.3	94	1	2	5	10	18	24	60
80-84	153	11.2	140	2	2	7	15	23	35	60
85+	86	12.3	99	2	2	9	16	25	29	49
2. MULTIPLE DX										
65-69 YRS	1504	12.7	215	2	2	7	17	31	43	86
70-74	1131	14.7	220	2	3	10	20	36	50	98
75-79	828	15.6	208	2	3	11	22	37	50	99+
80-84	421	17.7	267	2	3	13	24	41	62	99+
85+	253	19.4	251	3	4	15	26	41	57	99
TOT. SINGLE DX	1968	7.7	73	1	2	5	9	17	24	48
" MULTIPLE DX	4137	14.8	226	2	3	10	20	35	49	94
TOTAL 65-69 YRS	2310	10.5	166	2	2	6	12	26	36	74
70-74	1710	12.3	180	2	2	7	16	31	44	75
75-79	1172	13.5	186	2	2	9	18	32	43	84
80-84	574	16.0	242	2	3	12	21	36	56	99
85+	339	17.6	222	3	3	14	23	38	51	92
GRAND TOTAL	6105	12.5	188	2	2	7	16	30	43	76

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	209	12.7	89	2	3	11	15	24	30	55
70-74	223	13.1	77	2	4	12	16	22	30	47
75-79	216	14.9	67	4	6	14	17	24	32	50
80-84	195	15.9	77	5	7	15	20	25	32	47
85+	249	17.5	96	6	8	16	20	30	37	63
2. MULTIPLE DX										
65-69 YRS	294	16.5	170	3	4	14	21	35	44	99+
70-74	355	19.5	198	4	6	16	25	41	53	91
75-79	372	22.9	255	5	7	20	29	46	64	99+
80-84	423	22.4	201	7	10	19	27	41	60	99+
85+	486	23.1	237	7	9	19	29	43	62	99+
TOT. SINGLE DX	1092	14.9	85	3	5	14	18	26	33	54
" MULTIPLE DX	1930	21.2	221	5	7	18	27	41	57	99+
TOTAL 65-69 YRS	503	14.9	140	3	4	13	19	31	39	81
70-74	578	17.1	161	3	5	14	21	34	44	68
75-79	588	19.9	201	5	7	16	25	38	53	98
80-84	618	20.3	172	6	8	17	25	38	50	95
85+	735	21.2	197	7	9	18	26	38	56	99+
GRAND TOTAL	3022	18.9	181	4	6	16	24	36	49	94

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	607	5.2	40	1	1	3	6	11	16	32
70-74	527	6.5	68	1	1	4	7	14	22	47
75-79	421	7.6	69	1	2	5	9	16	23	44
80-84	247	9.7	125	2	2	6	12	19	29	62
85+	247	10.3	76	2	3	7	13	22	29	41
2. MULTIPLE DX										
65-69 YRS	442	11.5	204	2	2	6	14	28	40	75
70-74	454	14.7	258	2	2	10	18	38	50	74
75-79	456	15.6	217	2	3	11	21	36	46	78
80-84	349	16.2	185	2	3	14	22	33	50	99+
85+	373	16.5	200	3	4	13	22	35	55	99+
TOT. SINGLE DX	2049	7.2	71	1	2	4	9	16	23	43
" MULTIPLE DX	2074	14.8	218	2	3	10	20	34	48	94
TOTAL 65-69 YRS	1049	7.9	119	1	2	4	8	18	28	63
70-74	981	10.3	173	1	2	5	12	24	39	69
75-79	877	11.8	162	2	2	7	15	29	40	64
80-84	596	13.5	171	2	3	10	18	29	42	99+
85+	620	14.0	160	2	3	11	18	30	39	98
GRAND TOTAL	4123	11.0	160	1	2	6	14	26	38	71

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	15.1	77	5	7	14	18	27	30	57
70-74	215	16.2	86	6	8	14	19	27	33	64
75-79	295	17.8	100	8	9	16	20	27	36	70
80-84	307	19.5	120	8	10	17	22	34	45	74
85+	461	18.1	104	7	9	16	21	28	35	74
2. MULTIPLE DX										
65-69 YRS	306	21.8	243	8	10	18	25	41	65	99+
70-74	403	22.5	193	8	10	19	27	43	56	99+
75-79	588	22.6	180	9	10	19	28	42	53	99+
80-84	678	22.5	193	9	10	19	27	43	61	99+
85+	1027	21.9	177	8	10	18	26	38	55	99+
TOT. SINGLE DX	1424	17.7	103	7	9	16	21	28	37	68
" MULTIPLE DX	3002	22.2	190	8	10	19	27	41	56	99+
TOTAL 65-69 YRS	452	19.6	199	7	8	16	23	34	52	98
70-74	618	20.3	165	8	9	17	24	38	50	99+
75-79	883	21.0	158	8	10	18	25	38	50	99+
80-84	985	21.6	172	9	10	18	25	40	54	99+
85+	1488	20.7	158	8	10	17	25	35	49	98
GRAND TOTAL	4426	20.8	167	8	10	17	25	37	51	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	898	16.0	76	7	8	14	19	26	30	54
70-74	1204	17.8	85	8	9	16	21	28	35	56
75-79	1475	18.3	87	8	10	17	21	28	36	62
80-84	1762	19.4	97	9	10	17	23	31	39	61
85+	2557	19.1	110	8	10	17	22	31	39	75
2. MULTIPLE DX										
65-69 YRS	1641	22.5	179	9	10	19	27	40	52	86
70-74	2313	23.0	192	9	11	19	28	42	55	99+
75-79	3227	24.2	209	9	12	20	30	45	61	99+
80-84	3998	24.2	199	10	12	20	29	45	59	99+
85+	5892	23.3	194	9	11	20	28	43	59	99+
TOT. SINGLE DX	7896	18.5	97	8	9	16	22	29	37	63
" MULTIPLE DX	17071	23.5	197	9	11	20	29	43	58	99+
TOTAL 65-69 YRS	2539	20.2	153	7	9	17	24	35	47	79
70-74	3517	21.2	162	8	10	18	25	37	48	93
75-79	4702	22.4	178	9	11	19	27	40	55	99+
80-84	5760	22.7	173	9	11	19	27	41	53	99+
85+	8449	22.0	173	9	11	19	26	39	53	99+
GRAND TOTAL	24967	21.9	171	9	11	19	26	39	52	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	18.9	277	2	5	15	22	47	56	79
70-74	57	15.7	216	2	4	13	19	32	51	99
75-79	67	20.0	266	3	3	17	26	49	64	99+
80-84	62	18.4	129	4	7	16	24	33	51	94
85+	99	17.8	124	2	4	16	22	31	41	55
2. MULTIPLE DX										
65-69 YRS	75	27.4	359	8	9	24	41	73	99+	99+
70-74	97	27.7	363	8	10	22	39	54	67	89
75-79	103	24.6	302	4	7	19	35	56	62	99+
80-84	121	24.0	263	6	7	21	32	52	76	99+
85+	177	23.9	321	4	7	19	30	54	69	96
TOT. SINGLE DX	326	18.1	189	3	4	16	23	35	53	99+
" MULTIPLE DX	573	25.2	318	6	8	20	35	55	71	99+
TOTAL 65-69 YRS	116	24.4	344	5	8	20	36	65	99	99+
70-74	154	23.3	341	4	6	18	29	51	66	94
75-79	170	22.8	292	3	6	17	32	55	62	99+
80-84	183	22.1	224	6	7	19	29	47	72	99+
85+	276	21.8	259	4	7	17	27	48	59	86
GRAND TOTAL	899	22.6	283	4	7	18	29	50	66	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	293	4.7	23	1	1	3	5	10	12	28
70-74	205	4.9	30	1	1	3	6	9	14	30
75-79	173	6.3	39	1	2	4	7	15	20	32
80-84	111	7.3	35	1	2	5	11	15	19	30
85+	64	10.8	117	2	2	7	15	23	36	50
2. MULTIPLE DX										
65-69 YRS	203	10.9	135	1	2	7	15	24	34	59
70-74	171	14.2	235	2	3	9	19	30	47	90
75-79	191	12.8	121	2	2	10	19	26	35	67
80-84	113	16.7	243	2	3	12	24	37	56	99+
85+	92	17.4	292	2	3	13	22	45	58	94
TOT. SINGLE DX	846	5.9	40	1	1	4	7	13	18	32
" MULTIPLE DX	770	13.7	193	2	2	10	18	30	43	86
TOTAL 65-69 YRS	496	7.2	79	1	1	4	8	17	24	49
70-74	376	9.1	145	1	2	5	10	21	30	63
75-79	364	9.7	93	2	2	6	14	22	29	42
80-84	224	12.1	162	2	2	9	15	29	37	92
85+	156	14.7	230	2	2	10	19	37	51	87
GRAND TOTAL	1616	9.6	128	1	2	5	12	22	31	63

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1045	7.8	42	2	3	6	9	14	18	28
70-74	726	8.8	44	2	3	7	11	17	21	34
75-79	518	10.1	83	2	3	8	12	18	24	53
80-84	279	12.5	108	3	3	10	16	23	30	60
85+	198	11.8	90	3	4	10	15	20	27	58
2. MULTIPLE DX										
65-69 YRS	1201	13.1	130	3	4	10	16	28	38	64
70-74	946	14.9	157	3	5	11	19	30	40	66
75-79	777	16.3	183	3	5	13	21	33	43	81
80-84	528	18.3	226	3	5	14	23	37	54	82
85+	381	18.0	158	4	5	15	22	34	42	69
TOT. SINGLE DX	2766	9.3	63	2	3	7	11	18	22	44
" MULTIPLE DX	3833	15.4	167	3	4	12	19	32	42	71
TOTAL 65-69 YRS	2246	10.6	97	2	3	8	13	21	32	55
70-74	1672	12.3	117	3	4	9	16	23	33	58
75-79	1295	13.8	153	3	4	10	17	28	38	69
80-84	807	16.3	193	3	4	12	20	33	47	77
85+	579	15.9	143	3	5	13	20	29	40	68
GRAND TOTAL	6599	12.8	133	3	4	9	16	26	36	64

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	977	4.9	28	1	1	3	6	11	14	29
70-74	827	5.1	25	1	1	3	7	11	14	24
75-79	648	5.9	47	1	1	3	7	13	19	35
80-84	498	6.3	53	1	1	4	8	14	19	33
85+	343	6.5	71	1	1	4	8	14	20	44
2. MULTIPLE DX										
65-69 YRS	1050	10.5	134	1	2	7	13	24	33	67
70-74	1017	11.3	144	1	2	8	14	25	36	65
75-79	980	13.0	196	2	2	9	16	30	45	90
80-84	861	12.9	194	2	3	9	16	28	43	89
85+	782	13.4	208	2	3	9	16	31	52	95
TOT. SINGLE DX	3293	5.5	40	1	1	3	7	12	17	31
" MULTIPLE DX	4690	12.1	174	1	2	8	15	27	41	80
TOTAL 65-69 YRS	2027	7.8	92	1	1	5	10	17	26	53
70-74	1844	8.5	101	1	1	5	11	19	27	53
75-79	1628	10.1	149	1	1	6	13	24	36	73
80-84	1359	10.5	153	1	2	7	13	24	34	76
85+	1125	11.3	177	1	2	7	14	26	40	77
GRAND TOTAL	7983	9.4	130	1	1	6	12	21	31	67

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	230	5.1	36	1	1	3	6	13	18	29
70-74	176	4.7	31	1	1	2	6	12	16	32
75-79	133	6.1	64	1	1	3	8	13	21	40
80-84	96	7.8	132	1	1	3	9	22	29	65
85+	103	8.2	94	1	1	4	11	24	32	40
2. MULTIPLE DX										
65-69 YRS	209	9.4	114	1	1	5	13	22	30	46
70-74	227	11.0	184	1	1	6	14	25	37	68
75-79	194	12.3	210	1	2	8	16	30	49	98
80-84	170	14.0	260	1	2	9	18	35	59	99+
85+	158	12.4	213	1	2	8	15	26	31	77
TOT. SINGLE DX	738	5.9	62	1	1	3	7	14	23	37
" MULTIPLE DX	958	11.7	194	1	1	7	15	27	41	80
TOTAL 65-69 YRS	439	7.2	78	1	1	4	10	17	25	39
70-74	403	8.2	127	1	1	4	10	20	30	62
75-79	327	9.8	160	1	1	6	12	24	36	80
80-84	266	11.7	223	1	1	7	15	29	55	98
85+	261	10.8	170	1	1	6	14	26	31	77
GRAND TOTAL	1696	9.2	148	1	1	5	12	23	33	76

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	67	7.3	33	1	2	6	10	13	16	34
70-74	59	9.9	79	2	3	7	13	19	26	51
75-79	33	9.9	64	1	2	8	15	18	22	38
80-84	28	13.3	76	2	3	13	17	23	28	44
85+	18	14.2	209	2	4	11	15	23	49	67
2. MULTIPLE DX										
65-69 YRS	73	12.6	175	2	4	8	15	27	47	69
70-74	70	14.5	164	3	4	10	18	29	39	64
75-79	54	22.9	376	3	6	17	30	56	73	99
80-84	55	23.6	265	4	6	19	31	49	54	79
85+	58	21.7	162	8	9	18	27	36	54	66
TOT. SINGLE DX	205	9.9	77	2	2	7	14	18	23	48
" MULTIPLE DX	310	18.5	240	3	4	15	23	40	56	76
TOTAL 65-69 YRS	140	10.0	114	2	2	7	12	18	31	54
70-74	129	12.4	130	2	3	9	17	25	34	64
75-79	87	18.0	296	2	2	14	22	48	67	92
80-84	83	20.1	224	3	5	16	26	44	51	74
85+	76	19.9	181	6	7	17	23	36	55	67
GRAND TOTAL	515	15.0	193	2	3	11	19	32	48	71

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	232	9.8	98	1	2	6	13	22	29	49
70-74	163	13.7	215	2	2	9	16	32	41	74
75-79	139	13.8	133	2	2	10	21	30	36	52
80-84	68	15.9	240	2	2	10	22	37	54	66
85+	54	16.9	153	2	3	14	26	36	40	47
2. MULTIPLE DX										
65-69 YRS	330	16.3	245	2	3	11	21	41	53	68
70-74	318	19.6	319	2	3	15	28	44	60	89
75-79	223	20.7	289	3	4	17	28	47	66	99+
80-84	162	25.3	389	3	5	20	33	53	69	98
85+	109	20.6	234	3	5	17	31	39	46	92
TOT. SINGLE DX	656	12.9	159	2	2	8	18	29	38	59
" MULTIPLE DX	1142	19.7	301	2	3	15	28	44	60	97
TOTAL 65-69 YRS	562	13.6	195	2	2	8	19	33	45	64
70-74	481	17.6	291	2	3	12	25	40	56	83
75-79	362	18.1	240	2	3	15	25	37	54	99+
80-84	230	22.5	363	2	3	18	32	50	67	97
85+	163	19.4	210	3	4	17	28	38	44	86
GRAND TOTAL	1798	17.2	260	2	3	13	24	39	53	86

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	812	13.0	50	6	7	11	16	21	25	33
70-74	395	14.6	64	6	7	13	19	23	30	45
75-79	176	15.7	61	6	7	15	19	28	33	40
80-84	50	19.4	118	8	9	16	21	34	45	49
85+	22	17.9	147	4	5	17	21	27	43	62
2. MULTIPLE DX										
65-69 YRS	1136	17.7	114	7	8	15	22	31	39	60
70-74	788	21.4	177	8	9	18	27	38	49	72
75-79	409	22.6	175	8	10	19	27	41	48	73
80-84	132	25.0	214	11	12	20	31	46	59	99+
85+	45	25.1	232	8	10	22	29	50	69	99+
TOT. SINGLE DX	1455	14.0	61	6	7	12	17	23	28	42
" MULTIPLE DX	2510	20.2	157	7	8	17	25	37	45	73
TOTAL 65-69 YRS	1948	15.7	93	6	7	13	19	28	34	54
70-74	1183	19.1	150	7	8	16	[illegible]	34	44	64
75-79	585	20.5	151	7	9	18	25	37	44	69
80-84	182	23.5	194	9	11	19	30	44	53	96
85+	67	22.7	213	6	9	21	26	43	62	97
GRAND TOTAL	3965	17.9	131	6	8	15	22	32	40	64

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	514	4.5	28	1	1	3	5	10	14	25
70-74	306	5.4	35	1	2	3	6	12	17	30
75-79	183	6.9	65	1	2	4	8	17	26	39
80-84	58	6.4	35	1	1	4	9	16	20	26
85+	23	7.0	55	1	2	3	9	21	24	28
2. MULTIPLE DX										
65-69 YRS	705	7.9	102	1	2	5	9	17	28	54
70-74	502	8.8	119	2	2	5	10	21	29	64
75-79	281	10.1	100	1	2	6	13	24	32	47
80-84	125	15.3	258	2	3	10	20	37	49	78
85+	65	19.4	293	2	4	13	26	44	58	74
TOT. SINGLE DX	1084	5.3	38	1	1	3	6	12	17	33
" MULTIPLE DX	1678	9.6	133	2	2	5	12	23	33	60
TOTAL 65-69 YRS	1219	6.5	74	1	2	4	7	15	19	46
70-74	808	7.5	90	1	2	4	8	17	25	49
75-79	464	8.8	89	1	2	5	11	21	31	44
80-84	183	12.5	204	1	2	8	16	32	43	66
85+	88	16.2	260	2	2	11	22	41	52	72
GRAND TOTAL	2762	7.9	100	1	2	4	9	18	28	51

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	351	4.9	11	1	2	4	6	9	12	17
70-74	192	5.7	34	1	2	4	7	10	16	24
75-79	93	6.1	26	1	2	5	7	12	16	29
80-84	35	5.0	19	2	2	4	6	8	18	21
85+	10	5.7	14	1	1	5	9	11	12	12
2. MULTIPLE DX										
65-69 YRS	754	5.8	37	1	2	4	7	11	16	30
70-74	446	7.1	63	2	2	5	8	14	21	52
75-79	226	7.2	41	1	2	5	9	16	18	35
80-84	87	9.0	86	2	2	6	12	20	28	50
85+	31	12.0	198	2	3	8	13	26	53	62
TOT. SINGLE DX	681	5.3	21	1	2	4	7	9	13	22
" MULTIPLE DX	1544	6.7	53	2	2	5	8	14	19	36
TOTAL 65-69 YRS	1105	5.6	29	1	2	4	7	10	15	28
70-74	638	6.7	55	2	2	5	8	13	19	42
75-79	319	6.9	37	1	2	5	9	15	18	33
80-84	122	7.9	70	2	2	5	9	19	24	48
85+	41	10.5	160	2	2	7	11	19	43	62
GRAND TOTAL	2225	6.3	43	1	2	5	7	12	17	32

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	59	14.1	47	5	7	13	19	24	29	32
70-74	21	21.9	164	6	10	21	28	34	48	64
75-79	13	15.3	162	2	4	12	16	38	46	46
80-84										
85+	5	12.4	31	7	7	13	15	21	21	21
2. MULTIPLE DX										
65-69 YRS	123	19.6	214	7	8	14	25	42	52	87
70-74	74	22.4	356	6	7	15	30	54	94	99+
75-79	31	27.2	223	10	11	21	38	52	58	60
80-84	9	31.7	444	8	9	28	47	63	71	71
85+	8	30.0	507	9	12	29	78	99+	99+	99+
TOT. SINGLE DX	98	15.8	94	5	7	13	20	29	33	56
" MULTIPLE DX	245	22.2	283	7	8	16	30	50	72	99+
TOTAL 65-69 YRS	182	17.8	167	6	7	14	22	33	49	81
70-74	95	22.3	312	6	8	14	29	47	87	99+
75-79	44	23.7	232	5	9	20	33	48	58	60
80-84	9	31.7	445	8	9	28	47	63	71	71
85+	13	23.2	386	7	8	18	42	99+	99+	99+
GRAND TOTAL	343	20.4	237	7	8	15	25	43	58	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	291	6.0	35	1	2	4	7	12	19	31
70-74	178	6.9	44	2	2	5	9	16	19	32
75-79	118	7.2	68	1	2	4	11	17	20	43
80-84	45	8.2	95	2	2	5	7	23	26	53
85+	23	11.0	129	1	2	5	21	31	34	35
2. MULTIPLE DX										
65-69 YRS	350	8.0	73	2	2	5	9	18	23	55
70-74	226	9.0	87	2	3	6	12	20	23	97
75-79	141	9.9	118	2	2	6	12	22	31	59
80-84	84	12.3	172	2	3	7	17	29	37	72
85+	33	14.6	210	<1	2	9	23	42	46	48
TOT. SINGLE DX	655	6.8	52	1	2	4	8	16	22	34
" MULTIPLE DX	834	9.3	102	2	2	5	12	21	30	57
TOTAL 65-69 YRS	641	7.1	57	1	2	5	8	15	22	45
70-74	404	8.1	69	2	2	5	11	18	22	45
75-79	259	8.7	97	2	2	5	11	20	28	58
80-84	129	10.9	149	2	2	6	15	26	33	60
85+	56	13.1	178	1	2	6	22	35	43	48
GRAND TOTAL	1489	8.2	82	2	2	5	10	19	26	46

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1559	15.9	46	8	10	15	18	23	27	41
70-74	1435	16.3	41	9	10	15	18	23	28	40
75-79	1139	17.4	54	9	11	16	20	25	29	44
80-84	547	18.9	66	10	11	17	21	28	32	58
85+	262	19.9	79	11	12	18	23	28	36	59
2. MULTIPLE DX										
65-69 YRS	1708	19.2	103	9	11	16	22	32	39	60
70-74	1814	21.0	126	10	11	18	24	34	44	72
75-79	1556	23.1	158	11	12	20	27	39	50	83
80-84	997	23.7	157	11	13	20	28	41	50	84
85+	568	25.2	202	11	13	21	29	45	59	95
TOT. SINGLE DX	4942	16.9	52	9	10	16	19	24	29	46
" MULTIPLE DX	6643	21.8	143	10	11	18	25	36	47	79
TOTAL 65-69 YRS	3267	17.6	79	9	10	16	20	27	34	56
70-74	3249	18.9	94	9	11	17	21	30	37	62
75-79	2695	20.7	122	10	11	18	24	33	42	74
80-84	1544	22.0	131	10	12	19	26	35	46	76
85+	830	23.5	170	11	13	20	27	39	53	87
GRAND TOTAL	11585	19.7	110	9	11	17	23	31	40	69

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	605	15.7	45	8	9	14	18	24	28	39
70-74	828	16.6	54	8	9	15	20	25	30	45
75-79	1053	17.5	68	8	10	16	20	26	32	54
80-84	1157	18.6	88	9	10	16	21	29	35	60
85+	1246	18.7	81	8	11	17	22	29	36	67
2. MULTIPLE DX										
65-69 YRS	982	22.0	170	9	11	18	26	38	50	99
70-74	1514	21.7	135	10	11	19	26	37	48	78
75-79	2024	23.0	166	10	12	20	27	39	52	97
80-84	2305	23.8	185	10	12	20	29	41	56	99+
85+	2906	23.5	174	10	12	20	29	41	54	99+
TOT. SINGLE DX	4889	17.7	72	8	10	16	21	27	33	54
" MULTIPLE DX	9731	23.0	170	10	12	20	27	40	53	99+
TOTAL 65-69 YRS	1587	19.6	132	9	10	17	23	34	42	80
70-74	2342	19.9	113	9	10	17	23	33	41	70
75-79	3077	21.1	140	9	11	18	24	35	46	88
80-84	3462	22.0	159	10	11	19	26	37	50	89
85+	4152	22.1	152	10	11	19	26	38	49	99+
GRAND TOTAL	14620	21.3	143	9	11	18	25	36	47	88

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1207	16.7	53	8	9	16	19	25	30	43
70-74	1260	17.4	50	8	10	16	21	26	31	38
75-79	874	17.7	55	8	10	16	21	26	31	44
80-84	386	19.2	81	8	10	17	23	31	37	57
85+	113	20.2	86	9	10	18	24	33	41	49
2. MULTIPLE DX										
65-69 YRS	1310	18.6	99	6	9	17	22	30	38	60
70-74	1417	20.5	127	9	11	18	24	33	42	74
75-79	1168	21.3	122	9	11	19	25	35	43	71
80-84	579	22.3	126	9	12	20	27	36	45	66
85+	191	24.8	152	11	13	22	31	41	49	96
TOT. SINGLE DX	3840	17.5	58	8	10	16	21	26	31	44
" MULTIPLE DX	4665	20.6	122	8	11	18	24	34	42	69
TOTAL 65-69 YRS	2517	17.7	78	7	9	16	21	28	33	52
70-74	2677	19.0	94	8	10	17	22	30	36	62
75-79	2042	19.7	97	9	11	18	23	31	38	62
80-84	965	21.1	111	9	11	19	25	34	41	64
85+	304	23.1	133	10	12	21	28	38	46	81
GRAND TOTAL	8505	19.2	95	8	10	17	23	31	38	61

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	472	5.9	29	2	2	4	7	12	14	26
70-74	259	6.4	23	2	2	5	8	13	16	24
75-79	151	8.1	43	2	2	6	11	17	22	31
80-84	51	8.7	53	2	2	6	13	19	20	37
85+	19	9.0	55	1	2	5	14	19	24	28
2. MULTIPLE DX										
65-69 YRS	592	7.6	45	2	3	6	9	15	21	38
70-74	355	9.1	80	2	3	6	11	19	26	53
75-79	202	11.1	100	2	3	8	15	23	32	48
80-84	93	10.5	83	2	2	8	16	24	29	81
85+	42	19.1	225	2	3	15	28	45	49	52
TOT. SINGLE DX	952	6.6	33	2	2	5	8	13	17	28
" MULTIPLE DX	1284	9.2	77	2	3	6	11	20	27	47
TOTAL 65-69 YRS	1064	6.9	39	2	2	5	8	13	17	36
70-74	614	8.0	58	2	2	5	10	17	22	36
75-79	353	9.8	78	2	3	7	12	21	29	43
80-84	144	9.9	73	2	2	7	14	21	26	58
85+	61	16.0	193	2	2	11	25	37	47	52
GRAND TOTAL	2236	8.1	60	2	2	5	10	17	24	40

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	265	3.4	19	<1	<1	2	3	8	10	28
70-74	168	3.6	19	<1	<1	2	4	8	12	24
75-79	78	3.9	35	<1	<1	2	3	8	21	33
80-84	41	5.9	57	<1	<1	3	6	16	27	30
85+	16	4.1	10	1	1	3	6	10	11	11
2. MULTIPLE DX										
65-69 YRS	239	8.8	148	1	1	5	10	18	30	76
70-74	163	11.7	178	<1	1	6	16	30	37	61
75-79	114	12.9	205	2	2	7	17	33	48	92
80-84	52	13.7	138	1	2	12	18	28	33	58
85+	57	14.4	116	2	3	12	20	33	36	47
TOT. SINGLE DX	568	3.7	24	<1	<1	2	4	8	12	28
" MULTIPLE DX	625	11.2	166	1	2	7	15	28	36	65
TOTAL 65-69 YRS	504	6.0	87	<1	<1	3	7	13	19	51
70-74	331	7.6	114	<1	<1	3	9	21	30	54
75-79	192	9.2	155	<1	1	4	11	28	35	76
80-84	93	10.3	117	<1	1	5	15	26	30	54
85+	73	12.1	111	2	2	8	18	32	35	45
GRAND TOTAL	1193	7.7	112	<1	1	3	9	20	30	56

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	457	3.6	17	<1	1	2	4	6	11	25
70-74	289	4.2	19	<1	1	3	4	9	13	22
75-79	160	5.6	56	<1	1	3	6	12	20	40
80-84	82	7.6	81	<1	1	5	9	16	27	50
85+	34	4.3	13	1	1	3	5	9	11	18
2. MULTIPLE DX										
65-69 YRS	556	9.8	147	1	2	5	12	23	33	65
70-74	399	11.1	155	1	2	7	13	26	35	62
75-79	258	11.7	139	2	2	8	15	30	36	87
80-84	151	12.2	170	2	2	8	16	29	39	67
85+	87	14.1	193	1	2	10	19	31	40	79
TOT. SINGLE DX	1022	4.4	30	<1	1	3	5	9	13	29
" MULTIPLE DX	1451	11.0	154	1	2	7	14	26	36	65
TOTAL 65-69 YRS	1013	7.0	98	<1	1	3	6	17	25	55
70-74	688	8.2	110	<1	1	4	10	19	30	57
75-79	418	9.4	116	1	2	5	13	24	35	53
80-84	233	10.6	143	1	2	6	13	25	36	59
85+	121	11.3	162	1	2	8	16	26	32	67
GRAND TOTAL	2473	8.3	113	1	1	4	10	20	30	56

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	530	2.6	3	1	1	2	3	4	5	8
70-74	354	2.7	2	1	1	2	3	4	5	9
75-79	149	2.8	3	1	1	2	3	5	7	12
80-84	50	2.9	4	<1	1	2	3	5	6	15
85+	12	6.8	86	2	2	3	6	18	33	35
2. MULTIPLE DX										
65-69 YRS	299	4.0	19	1	2	3	4	8	14	25
70-74	185	4.7	32	1	2	3	4	9	16	30
75-79	106	6.0	87	1	2	3	5	14	22	58
80-84	42	5.2	29	1	1	3	6	12	14	31
85+	17	7.6	57	<1	1	5	11	19	25	28
TOT. SINGLE DX	1095	2.7	4	1	1	2	3	4	5	10
" MULTIPLE DX	649	4.7	36	1	2	3	4	9	17	29
TOTAL 65-69 YRS	829	3.1	10	1	1	2	3	5	7	20
70-74	539	3.4	14	1	1	2	3	5	9	21
75-79	255	4.2	41	1	1	2	4	7	13	29
80-84	92	3.9	17	<1	1	3	4	8	13	24
85+	29	7.3	67	1	1	4	9	18	28	35
GRAND TOTAL	1744	3.4	17	1	1	2	3	5	9	24

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	2.4	2	<1	1	2	3	4	5	9
70-74	51	2.6	4	<1	<1	2	3	5	9	10
75-79	33	3.4	28	1	1	2	3	5	8	32
80-84	8	3.6	4	1	1	3	4	7	8	8
85+	7	3.4	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	104	4.3	17	1	1	3	5	9	12	25
70-74	78	5.9	50	1	1	3	6	16	23	34
75-79	42	5.7	48	1	2	3	5	12	22	33
80-84	18	4.3	29	1	1	2	4	10	18	23
85+	8	3.8	5	2	2	3	5	7	8	8
TOT. SINGLE DX	195	2.7	8	<1	1	2	3	5	6	10
" MULTIPLE DX	250	5.0	34	1	1	3	5	11	16	33
TOTAL 65-69 YRS	200	3.4	11	<1	1	2	4	6	9	19
70-74	129	4.6	35	1	1	3	5	9	18	34
75-79	75	4.7	41	1	1	3	4	10	14	33
80-84	26	4.1	21	1	1	3	4	9	13	23
85+	15	3.6	4	1	2	3	5	6	8	8
GRAND TOTAL	445	4.0	24	1	1	3	4	8	12	32

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	345	5.2	30	1	2	4	6	9	12	20
70-74	193	5.4	13	1	2	5	7	10	13	16
75-79	93	5.5	33	1	2	4	6	11	17	32
80-84	49	5.9	36	1	2	5	7	9	12	41
85+	14	5.5	11	2	2	5	7	12	13	13
2. MULTIPLE DX										
65-69 YRS	313	8.0	104	2	2	5	8	17	28	64
70-74	239	9.0	96	2	2	5	10	21	30	62
75-79	129	10.5	133	2	2	6	13	26	39	77
80-84	57	8.9	58	1	2	6	15	21	26	32
85+	40	15.6	304	2	3	8	25	49	65	99+
TOT. SINGLE DX	694	5.3	26	1	2	4	6	9	13	26
" MULTIPLE DX	778	9.2	116	2	2	5	10	22	32	64
TOTAL 65-69 YRS	658	6.5	68	1	2	4	7	12	19	49
70-74	432	7.4	62	2	2	5	8	15	24	47
75-79	222	8.4	97	1	2	5	10	19	32	55
80-84	106	7.5	50	1	2	5	9	17	21	36
85+	54	13.0	247	2	2	7	14	35	54	99
GRAND TOTAL	1472	7.4	77	1	2	5	8	15	25	54

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	138	6.4	62	1	2	4	7	12	17	37
70-74	83	6.2	19	1	2	5	9	12	16	21
75-79	50	9.2	39	2	2	8	14	18	21	25
80-84	19	7.5	40	1	2	5	10	15	22	27
85+	10	8.7	23	2	2	11	14	48	96	99+
2. MULTIPLE DX										
65-69 YRS	139	9.7	64	2	3	7	14	19	26	59
70-74	92	13.4	162	2	3	9	17	29	40	63
75-79	52	13.8	144	3	3	10	21	36	53	99+
80-84	29	18.2	325	2	2	12	32	51	64	99+
85+	13	26.6	554	4	5	22	33	52	86	94
TOT. SINGLE DX	300	7.0	45	1	2	5	9	15	18	30
" MULTIPLE DX	325	12.8	159	2	3	9	17	32	41	99+
TOTAL 65-69 YRS	277	8.1	66	1	2	6	10	17	25	50
70-74	175	10.0	107	1	2	7	12	21	30	59
75-79	102	11.5	98	2	3	9	15	27	36	99+
80-84	48	13.9	237	2	2	9	15	46	52	99+
85+	23	18.8	394	2	3	13	29	46	96	99+
GRAND TOTAL	625	10.0	113	2	2	7	13	22	33	76

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	74	3.7	31	1	1	2	4	7	12	37
70-74	61	3.2	9	1	1	2	4	7	9	16
75-79	40	3.7	49	<1	1	2	3	6	14	43
80-84	25	3.3	6	<1	1	3	4	7	8	10
85+	18	3.5	28	1	1	2	3	6	17	24
2. MULTIPLE DX										
65-69 YRS	95	8.2	130	1	1	4	9	25	41	99+
70-74	87	9.5	132	1	1	5	12	25	32	61
75-79	67	12.2	312	1	1	5	14	36	66	98
80-84	44	11.6	118	1	2	7	20	27	32	45
85+	19	7.7	23	1	2	7	11	15	16	17
TOT. SINGLE DX	218	3.5	25	1	1	2	4	7	10	30
" MULTIPLE DX	312	9.8	163	1	1	5	12	26	37	91
TOTAL 65-69 YRS	169	6.2	92	1	1	3	7	17	25	93
70-74	148	6.9	91	1	1	3	8	19	26	37
75-79	107	9.0	230	1	1	3	9	29	44	92
80-84	69	8.6	93	1	1	4	10	24	28	44
85+	37	5.6	30	1	1	4	8	14	16	24
GRAND TOTAL	530	7.2	116	1	1	3	8	20	29	71

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	7.4	19	1	1	7	10	13	13	13
70-74	4	33.0	484	9	9	32	50	59	59	59
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85+	5	11.8	81	4	4	9	18	26	26	26
2. MULTIPLE DX										
65-69 YRS	16	17.0	492	2	3	11	18	80	95	99+
70-74	16	20.7	561	<1	1	11	29	64	75	79
75-79	16	25.3	288	9	10	17	35	50	60	65
80-84	7	19.3	174	9	10	17	19	42	48	48
85+	10	22.1	407	2	6	15	30	52	74	74
TOT. SINGLE DX	16	14.8	249	2	3	9	18	40	54	59
" MULTIPLE DX	65	21.0	397	2	3	14	30	54	75	98
TOTAL 65-69 YRS	21	14.7	390	1	2	10	16	64	92	99+
70-74	20	23.2	545	<1	2	14	38	63	73	79
75-79	17	24.0	300	5	9	17	35	50	60	65
80-84	8	17.5	175	5	6	15	18	39	48	48
85+	15	18.7	310	2	4	14	24	31	63	74
GRAND TOTAL	81	19.8	371	2	3	13	24	51	70	96

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	10.6	173	1	2	6	11	26	40	62
70-74	77	13.1	311	1	2	7	14	32	45	94
75-79	97	11.3	168	1	2	7	14	25	35	74
80-84	47	11.9	249	1	2	6	11	32	52	68
85+	51	12.5	174	1	2	8	15	27	36	65
2. MULTIPLE DX										
65-69 YRS	680	22.7	343	3	5	17	33	50	65	99+
70-74	615	23.7	363	3	5	19	33	50	68	98
75-79	501	21.7	305	3	4	17	30	47	56	91
80-84	351	22.0	277	4	6	19	30	48	68	99+
85+	313	22.2	271	4	6	18	28	48	61	95
TOT. SINGLE DX	340	11.8	212	1	2	7	13	28	40	71
" MULTIPLE DX	2460	22.6	322	3	5	18	31	49	64	99+
TOTAL 65-69 YRS	748	21.6	340	3	4	16	30	49	64	99+
70-74	692	22.5	369	3	4	17	31	49	65	99
75-79	598	20.0	297	2	3	15	28	45	55	90
80-84	398	20.8	285	3	4	17	29	47	66	99+
85+	364	20.8	269	3	5	17	27	45	59	91
GRAND TOTAL	2800	21.3	321	3	4	16	29	48	62	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	20.8	163	7	9	16	25	40	47	63
70-74	70	22.8	157	9	10	20	29	37	47	73
75-79	51	24.2	295	8	9	18	31	46	67	82
80-84	33	20.6	151	9	9	17	23	37	53	60
85+	39	22.4	179	8	9	18	31	42	59	99+
2. MULTIPLE DX										
65-69 YRS	777	32.2	359	10	13	28	44	64	85	99+
70-74	788	33.4	382	11	13	29	46	69	89	99+
75-79	717	32.9	416	10	12	29	46	74	92	99+
80-84	472	31.7	422	9	12	28	45	71	92	99+
85+	476	30.6	435	8	10	25	42	71	89	99+
TOT. SINGLE DX	230	22.4	190	8	9	18	29	41	49	78
" MULTIPLE DX	3230	32.3	398	9	12	28	45	70	89	99+
TOTAL 65-69 YRS	814	31.7	356	9	12	28	43	63	82	99+
70-74	858	32.5	372	10	13	28	45	67	87	99+
75-79	768	32.3	413	9	12	28	45	73	91	99+
80-84	505	31.0	412	9	11	27	43	70	90	99+
85+	515	30.0	421	8	10	24	41	67	88	99+
GRAND TOTAL	3460	31.7	391	9	12	27	44	68	88	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	17.6	131	5	6	16	22	30	46	57
70-74	59	20.8	234	6	7	17	26	39	60	74
75-79	54	24.4	295	7	9	18	28	45	57	93
80-84	44	21.2	286	5	7	16	25	49	69	99+
85+	78	17.4	110	6	7	16	20	34	45	86
2. MULTIPLE DX										
65-69 YRS	542	30.6	378	10	12	25	44	65	80	99+
70-74	642	28.1	320	9	11	23	39	64	96	99+
75-79	692	28.4	350	8	10	25	39	64	91	99+
80-84	691	26.9	336	7	10	22	37	58	81	99+
85+	897	23.7	279	7	9	19	31	49	68	99+
TOT. SINGLE DX	280	20.1	207	6	7	16	24	42	54	88
" MULTIPLE DX	3464	27.2	333	8	10	22	37	59	82	99+
TOTAL 65-69 YRS	587	29.6	372	9	11	24	42	64	78	99+
70-74	701	27.4	317	9	11	23	38	61	93	99+
75-79	746	28.1	347	8	10	24	38	62	88	99+
80-84	735	26.6	335	7	9	21	37	58	79	99+
85+	975	23.2	269	7	8	19	30	48	66	99+
GRAND TOTAL	3744	26.6	327	8	10	21	36	58	79	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	18.2	62	3	9	17	25	27	29	30
70-74	12	16.5	151	3	4	15	25	35	36	36
75-79	12	22.3	94	11	12	19	29	38	40	40
80-84	7	19.7	467	8	8	10	18	58	68	68
85+	5	22.4	252	3	3	23	32	45	45	45
2. MULTIPLE DX										
65-69 YRS	212	31.5	323	10	14	28	43	57	82	99+
70-74	176	32.0	390	7	12	27	46	65	84	99+
75-79	134	31.8	350	8	10	30	46	66	84	99+
80-84	88	33.4	373	11	12	31	49	63	82	99+
85+	74	34.5	468	5	10	32	52	76	82	99+
TOT. SINGLE DX	49	19.4	157	3	5	17	26	36	40	68
" MULTIPLE DX	684	32.3	367	8	12	29	46	65	82	99+
TOTAL 65-69 YRS	225	30.8	318	10	13	27	42	56	82	99+
70-74	188	31.0	389	6	10	27	43	65	84	99+
75-79	146	31.0	336	8	11	27	45	65	80	99+
80-84	95	32.4	388	9	11	30	49	64	79	99+
85+	79	33.7	460	5	9	31	51	75	81	99+
GRAND TOTAL	733	31.4	363	8	11	28	45	64	82	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	3.8	8	1	1	3	5	9	9	9
70-74	4	4.5	4	2	2	4	6	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	5.0	20	1	1	4	8	11	11	11
70-74	6	10.0	127	3	3	5	12	30	32	32
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	8.0	32	4	4	8	12	12	12	12
85+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	10	4.1	6	1	1	4	5	8	9	9
" MULTIPLE DX	14	8.6	72	1	2	5	12	21	30	32
TOTAL 65-69 YRS	10	4.3	12	1	1	3	6	10	11	11
70-74	10	7.8	80	2	2	5	7	22	32	32
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	8.0	32	4	4	8	12	12	12	12
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	24	6.8	48	1	2	4	8	13	24	32

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	7.4	49	1	1	6	9	18	23	36
70-74	46	12.2	170	1	2	8	14	30	39	61
75-79	31	13.5	178	1	2	7	20	36	46	48
80-84	17	11.7	37	3	4	12	15	22	24	24
85+	18	18.1	260	5	6	11	25	38	57	68
2. MULTIPLE DX										
65-69 YRS	142	19.0	287	3	4	13	26	45	66	99+
70-74	131	17.0	162	2	4	14	23	32	39	74
75-79	92	18.0	212	2	4	15	24	36	53	95
80-84	56	20.6	243	5	6	15	35	47	51	98
85+	41	19.1	271	4	5	14	26	43	55	74
TOT. SINGLE DX	170	11.3	135	1	1	8	14	25	37	58
" MULTIPLE DX	462	18.4	230	3	4	14	25	41	51	98
TOTAL 65-69 YRS	200	15.6	246	1	3	10	22	41	53	99+
70-74	177	15.7	168	1	2	13	21	32	38	70
75-79	123	16.8	206	2	3	14	23	36	47	92
80-84	73	18.6	209	5	6	13	24	43	49	93
85+	59	18.8	264	4	5	14	25	41	56	73
GRAND TOTAL	632	16.5	214	2	3	13	22	37	48	86

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	9.7	48	2	2	7	13	20	25	25
70-74	10	11.2	39	3	3	10	15	20	23	23
75-79	5	14.8	81	3	3	16	21	26	26	26
80-84										
85+	3	14.3	54	6	6	17	19	20	20	20
2. MULTIPLE DX										
65-69 YRS	7	17.6	67	9	9	17	18	31	34	34
70-74	14	15.3	47	3	6	17	20	23	26	27
75-79	8	16.1	107	7	8	12	20	34	38	38
80-84	3	9.7	65	5	5	5	16	19	19	19
85+	4	17.8	251	4	4	15	31	36	36	36
TOT. SINGLE DX	28	11.6	50	3	3	10	17	22	25	26
" MULTIPLE DX	36	15.7	80	4	5	16	20	27	35	38
TOTAL 65-69 YRS	17	12.9	68	2	3	12	17	24	31	34
70-74	24	13.6	47	3	4	13	19	22	24	27
75-79	13	15.6	90	4	6	12	21	28	36	38
80-84	3	9.7	65	5	5	5	16	19	19	19
85+	7	16.3	147	4	4	17	24	34	36	36
GRAND TOTAL	64	13.9	70	3	4	12	19	25	29	38

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1680	3.3	9	1	1	2	3	7	9	16
70-74	1167	3.6	15	1	1	2	4	8	10	17
75-79	728	4.1	11	1	2	3	5	9	11	16
80-84	380	4.3	12	1	2	3	5	9	12	16
85+	224	5.6	28	1	2	4	7	11	14	32
2. MULTIPLE DX										
65-69 YRS	1865	6.7	62	1	2	4	8	14	21	43
70-74	1454	7.9	82	2	2	5	10	17	23	52
75-79	1037	9.7	128	2	2	6	12	21	30	75
80-84	627	10.8	122	2	2	7	14	23	31	69
85+	483	10.8	124	2	2	8	14	23	31	72
TOT. SINGLE DX	4179	3.8	13	1	2	2	4	8	11	17
" MULTIPLE DX	5466	8.4	95	2	2	5	11	18	26	58
TOTAL 65-69 YRS	3545	5.1	40	1	2	3	6	11	15	33
70-74	2621	6.0	57	1	2	3	7	13	18	40
75-79	1765	7.4	88	2	2	4	9	16	23	63
80-84	1007	8.3	91	2	2	5	11	18	26	51
85+	707	9.1	100	2	2	6	11	19	27	61
GRAND TOTAL	9645	6.4	65	1	2	3	8	14	20	44

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	144	6.3	23	2	2	5	8	11	16	22
70-74	146	7.0	19	2	2	6	9	12	15	25
75-79	144	8.3	39	2	3	8	10	14	16	26
80-84	162	8.6	41	3	4	8	10	13	16	65
85+	172	7.8	14	2	4	7	9	13	16	22
2. MULTIPLE DX										
65-69 YRS	268	9.9	91	2	2	7	12	22	28	52
70-74	296	11.6	101	2	3	8	14	23	32	49
75-79	292	12.2	88	2	4	10	15	23	32	46
80-84	271	12.7	89	4	5	10	16	24	33	75
85+	331	13.4	130	4	5	11	16	23	34	96
TOT. SINGLE DX	768	7.6	28	2	3	7	9	13	16	25
" MULTIPLE DX	1458	12.0	102	2	4	9	15	23	31	55
TOTAL 65-69 YRS	412	8.7	71	2	2	6	10	17	25	49
70-74	442	10.1	78	2	3	8	12	19	28	43
75-79	436	11.0	75	2	4	9	13	20	27	45
80-84	433	11.1	75	3	5	9	13	20	29	71
85+	503	11.4	98	3	4	9	14	20	29	90
GRAND TOTAL	2226	10.5	81	2	3	8	13	20	28	53

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1345	8.7	14	4	5	8	10	13	15	21
70-74	1072	9.1	13	5	5	9	11	14	16	22
75-79	764	9.2	15	5	5	9	11	14	16	21
80-84	352	9.4	16	5	5	9	11	15	17	26
85+	180	10.1	24	5	5	9	12	15	18	33
2. MULTIPLE DX										
65-69 YRS	1925	11.1	41	5	6	9	13	18	23	37
70-74	1618	11.7	50	5	6	10	14	19	24	37
75-79	1210	12.5	59	5	6	11	15	21	25	47
80-84	680	12.7	55	5	6	11	15	21	26	45
85+	339	12.8	56	5	6	11	16	22	28	38
TOT. SINGLE DX	3713	9.0	15	5	5	8	10	13	16	22
" MULTIPLE DX	5772	11.9	51	5	6	10	14	19	24	39
TOTAL 65-69 YRS	3270	10.1	32	5	5	9	11	16	20	33
70-74	2690	10.7	38	5	6	9	12	17	21	34
75-79	1974	11.2	45	5	6	10	13	18	22	37
80-84	1032	11.6	44	5	6	10	14	19	24	41
85+	519	11.9	47	5	6	10	14	19	24	37
GRAND TOTAL	9485	10.8	39	5	6	9	12	17	22	35

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	4.1	13	1	1	4	5	7	8	28
70-74	77	3.6	9	1	2	3	4	6	8	20
75-79	49	4.2	25	1	1	3	4	8	12	32
80-84	23	6.7	29	1	2	4	9	14	18	24
85+	15	4.2	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	200	5.6	19	2	2	4	7	11	15	23
70-74	130	5.9	62	2	2	4	7	9	12	50
75-79	55	8.6	93	2	2	5	10	18	28	53
80-84	33	8.2	58	2	3	5	10	16	25	39
85+	19	11.2	76	2	3	8	15	27	29	31
TOT. SINGLE DX	303	4.2	15	1	1	3	5	7	9	26
" MULTIPLE DX	437	6.5	49	2	2	4	8	12	18	39
TOTAL 65-69 YRS	339	5.0	18	1	2	4	6	9	13	25
70-74	207	5.0	44	2	2	4	5	8	11	32
75-79	104	6.5	66	1	2	4	7	14	22	46
80-84	56	7.6	47	2	2	5	10	14	23	38
85+	34	8.1	57	2	2	6	9	19	27	31
GRAND TOTAL	740	5.6	36	1	2	4	6	10	15	31

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	4.6	7	2	2	4	5	8	10	16
70-74	20	7.6	52	1	2	5	9	19	25	28
75-79	3	2.3		2	2	2	3	3	3	3
80-84	7	7.4	79	2	2	4	7	23	27	27
85+	4	8.8	61	2	2	6	13	20	20	20
2. MULTIPLE DX										
65-69 YRS	28	8.9	93	3	3	6	11	16	21	53
70-74	24	8.0	44	2	2	5	11	15	24	27
75-79	6	13.2	62	3	3	13	18	24	25	25
80-84	6	12.8	103	4	4	11	28	86	99+	99+
85+	4	15.8	164	6	6	12	25	33	33	33
TOT. SINGLE DX	65	6.0	33	2	2	4	6	15	20	28
" MULTIPLE DX	68	9.7	78	2	3	7	13	21	32	91
TOTAL 65-69 YRS	59	6.6	52	2	3	4	8	13	16	50
70-74	44	7.8	47	2	2	5	11	17	24	28
75-79	9	9.6	69	2	2	7	16	22	25	25
80-84	13	9.9	90	2	2	7	15	39	86	99+
85+	8	12.3	111	2	3	7	19	29	33	33
GRAND TOTAL	133	7.9	59	2	2	5	10	17	26	60

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1279	4.0	24	<1	<1	2	4	8	14	27
70-74	981	4.5	34	<1	<1	3	5	10	15	30
75-79	703	5.2	44	<1	<1	3	5	12	19	32
80-84	413	6.3	90	<1	1	3	7	15	23	41
85+	371	6.1	57	<1	1	3	7	13	22	41
2. MULTIPLE DX										
65-69 YRS	2743	9.8	117	1	2	6	12	22	30	61
70-74	2324	10.9	130	2	2	8	14	23	33	69
75-79	1967	11.6	135	2	2	8	15	26	35	72
80-84	1468	13.1	171	2	2	9	16	29	40	74
85+	1285	13.6	178	2	2	10	17	30	43	84
TOT. SINGLE DX	3747	4.8	42	<1	<1	3	5	11	17	32
" MULTIPLE DX	9787	11.4	142	2	2	8	14	25	35	71
TOTAL 65-69 YRS	4022	8.0	95	<1	1	5	10	18	26	51
70-74	3305	9.0	111	1	2	6	12	20	29	60
75-79	2670	9.9	120	1	2	6	13	23	32	63
80-84	1881	11.6	162	1	2	8	15	26	38	68
85+	1656	11.9	161	1	2	8	15	27	39	77
GRAND TOTAL	13534	9.6	123	1	2	6	12	22	31	63

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	912	9.0	122	1	1	5	11	21	31	62
70-74	734	9.1	112	1	2	5	12	22	32	53
75-79	561	9.7	126	1	2	6	13	21	31	57
80-84	412	9.6	114	1	2	6	12	23	33	53
85+	330	9.7	120	1	1	6	12	25	32	51
2. MULTIPLE DX										
65-69 YRS	2944	15.3	237	2	2	10	20	37	52	98
70-74	2913	16.6	279	2	2	11	22	42	58	98
75-79	2451	16.9	272	2	3	12	22	40	58	99+
80-84	1994	17.7	296	2	3	12	24	46	67	99+
85+	2076	17.5	290	2	3	12	24	43	61	99+
TOT. SINGLE DX	2949	9.3	119	1	1	5	12	22	32	54
" MULTIPLE DX	12378	16.7	273	2	2	12	22	42	58	99+
TOTAL 65-69 YRS	3856	13.8	217	1	2	9	18	34	47	90
70-74	3647	15.1	255	1	2	10	20	38	54	93
75-79	3012	15.6	253	2	2	11	21	37	53	99+
80-84	2406	16.3	275	2	2	11	22	42	62	99+
85+	2406	16.4	274	2	2	11	22	41	57	99+
GRAND TOTAL	15327	15.3	252	1	2	10	20	38	54	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	224	14.0	165	1	2	11	20	32	38	57
70-74	208	15.0	161	1	2	12	21	31	37	66
75-79	193	18.3	193	2	3	15	25	35	46	68
80-84	121	18.9	271	1	2	16	26	40	50	99
85+	116	19.4	228	2	3	16	25	37	45	76
2. MULTIPLE DX										
65-69 YRS	533	25.9	373	4	6	22	35	59	75	99+
70-74	500	26.8	356	4	7	23	37	54	66	97
75-79	474	28.7	332	5	8	25	40	57	71	99+
80-84	315	28.9	309	7	9	26	39	55	71	99+
85+	329	28.9	320	5	9	26	39	57	75	99+
TOT. SINGLE DX	862	16.6	198	1	2	13	23	34	42	71
" MULTIPLE DX	2151	27.6	344	4	7	24	38	56	72	99+
TOTAL 65-69 YRS	757	22.4	341	2	3	18	31	50	69	99+
70-74	708	23.3	328	3	5	19	32	49	62	94
75-79	667	25.7	315	3	6	22	35	53	66	99+
80-84	436	26.1	318	2	6	23	37	52	67	99+
85+	445	26.4	313	4	8	23	36	52	70	99+
GRAND TOTAL	3013	24.5	327	3	5	21	34	51	66	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	10.2	298	1	1	3	12	31	43	94
70-74	35	8.6	113	1	1	5	10	24	38	42
75-79	27	9.9	150	1	1	4	13	23	40	53
80-84	21	14.6	298	2	2	6	20	41	51	63
85+	5	4.4	15	<1	<1	3	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	87	16.5	216	2	2	11	25	39	52	84
70-74	78	22.1	444	1	2	15	38	59	72	95
75-79	72	24.2	664	2	2	16	43	85	99+	99+
80-84	55	30.3	643	2	2	32	51	88	99+	99+
85+	28	26.3	819	4	5	15	30	83	89	98
TOT. SINGLE DX	133	10.2	209	1	1	4	11	31	42	68
" MULTIPLE DX	320	22.8	514	2	2	16	38	62	88	99+
TOTAL 65-69 YRS	132	14.4	251	1	1	7	23	39	51	95
70-74	113	17.9	379	1	2	10	26	46	62	89
75-79	99	20.3	562	1	2	13	35	79	98	99+
80-84	76	26.0	592	2	2	23	48	68	99	99+
85+	33	23.0	756	1	3	9	29	82	87	98
GRAND TOTAL	453	19.1	457	1	2	11	30	55	81	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	277	2.8	4	1	1	2	3	5	7	13
70-74	167	3.1	9	1	1	2	3	6	8	16
75-79	95	4.1	17	1	1	3	4	7	15	22
80-84	46	3.8	11	1	1	3	5	6	12	18
85+	26	5.4	15	<1	1	4	7	12	14	15
2. MULTIPLE DX										
65-69 YRS	567	8.2	108	1	2	5	10	17	24	63
70-74	427	10.5	120	1	2	7	14	24	33	75
75-79	329	12.3	161	2	2	8	16	28	48	99+
80-84	232	14.2	226	2	3	10	16	37	54	99+
85+	154	14.9	198	3	4	10	20	41	65	99+
TOT. SINGLE DX	611	3.3	9	1	1	2	4	6	9	17
" MULTIPLE DX	1709	11.0	151	2	2	7	14	25	40	99+
TOTAL 65-69 YRS	844	6.4	81	1	1	3	7	14	21	55
70-74	594	8.4	100	1	1	5	11	20	28	64
75-79	424	10.5	140	1	2	6	14	25	43	99+
80-84	278	12.5	206	2	2	9	15	27	47	98
85+	180	13.5	183	3	3	9	17	38	54	99+
GRAND TOTAL	2320	8.9	125	1	2	5	11	21	32	85

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	5.4	47	1	1	3	6	11	21	35
70-74	25	7.2	56	1	1	6	7	14	27	34
75-79	31	8.5	102	1	2	5	9	20	26	51
80-84	11	9.8	38	2	3	8	15	19	21	21
85+	8	9.6	34	4	4	8	13	19	21	21
2. MULTIPLE DX										
65-69 YRS	170	12.6	118	3	3	10	15	25	32	57
70-74	187	12.0	75	3	4	10	15	23	29	43
75-79	178	12.7	132	3	4	10	15	25	31	86
80-84	108	13.8	144	3	4	11	16	25	39	65
85+	76	11.9	72	3	4	9	15	22	33	40
TOT. SINGLE DX	116	7.3	63	1	1	5	8	16	26	40
" MULTIPLE DX	719	12.5	110	3	4	10	15	24	32	58
TOTAL 65-69 YRS	211	11.2	112	2	3	9	14	23	30	52
70-74	212	11.4	75	2	4	9	14	23	29	43
75-79	209	12.0	130	2	4	9	15	25	30	76
80-84	119	13.4	136	3	4	10	16	24	37	64
85+	84	11.7	69	3	4	9	15	22	31	40
GRAND TOTAL	835	11.8	106	2	3	9	15	23	30	54

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1016	6.3	37	1	1	4	9	14	18	29
70-74	569	7.1	51	1	1	4	10	16	23	34
75-79	270	7.7	71	1	2	5	10	17	22	50
80-84	98	8.6	50	1	2	7	13	20	24	29
85+	40	7.9	103	1	2	4	10	15	27	55
2. MULTIPLE DX										
65-69 YRS	1867	10.3	96	1	2	8	14	21	29	48
70-74	1346	12.1	130	2	2	9	16	27	33	62
75-79	806	12.6	121	2	3	9	17	27	33	66
80-84	329	14.8	151	2	3	11	20	31	43	76
85+	100	16.0	234	2	3	12	20	34	44	78
TOT. SINGLE DX	1993	6.9	48	1	1	4	9	15	20	33
" MULTIPLE DX	4448	11.7	121	2	2	9	15	26	33	59
TOTAL 65-69 YRS	2883	8.9	79	1	2	6	12	19	26	44
70-74	1915	10.6	113	1	2	8	14	24	31	55
75-79	1076	11.3	114	2	2	8	16	25	31	63
80-84	427	13.4	135	2	3	10	18	28	37	65
85+	140	13.7	210	2	2	9	16	32	41	76
GRAND TOTAL	6441	10.2	103	1	2	7	14	23	30	51

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1056	4.8	31	1	1	3	6	10	15	27
70-74	854	5.0	30	1	2	3	6	10	14	33
75-79	507	5.1	32	1	2	3	6	10	15	32
80-84	175	6.2	45	1	2	3	8	14	19	31
85+	57	5.9	31	1	2	3	8	13	16	27
2. MULTIPLE DX										
65-69 YRS	2834	8.6	81	2	2	6	11	18	25	49
70-74	2446	9.2	92	2	2	7	11	19	26	55
75-79	1525	9.9	104	2	2	7	12	21	29	53
80-84	623	9.6	75	2	2	7	13	19	25	46
85+	204	10.1	73	2	2	8	13	21	27	43
TOT. SINGLE DX	2649	5.0	32	1	2	3	6	10	15	31
" MULTIPLE DX	7632	9.2	89	2	2	7	12	19	26	52
TOTAL 65-69 YRS	3890	7.6	71	1	2	5	10	16	22	44
70-74	3300	8.1	80	2	2	5	10	17	24	48
75-79	2032	8.7	91	1	2	6	11	19	26	52
80-84	798	8.8	71	2	2	6	11	18	24	45
85+	261	9.2	68	1	2	7	12	19	25	40
GRAND TOTAL	10281	8.1	78	1	2	5	10	17	24	47

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	3.3	7	<1	1	2	3	6	9	15
70-74	59	3.3	7	1	1	2	4	8	10	13
75-79	16	4.7	11	1	2	3	7	10	12	13
80-84	6	4.3	22	2	2	3	3	13	14	14
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	593	5.7	31	1	2	3	8	12	16	25
70-74	222	6.3	37	1	2	4	8	14	18	30
75-79	72	8.0	54	1	2	6	12	18	22	36
80-84	11	6.5	9	2	3	6	9	10	12	12
85+	3	9.3	44	2	2	11	14	15	15	15
TOT. SINGLE DX	202	3.4	8	1	1	2	4	7	10	14
" MULTIPLE DX	901	6.0	35	1	2	4	8	13	18	25
TOTAL 65-69 YRS	713	5.3	28	1	2	3	7	11	16	24
70-74	281	5.7	33	1	1	4	7	12	17	25
75-79	88	7.4	48	1	2	5	11	18	20	33
80-84	17	5.7	14	2	2	5	8	11	13	14
85+	4	7.5	43	2	2	7	13	15	15	15
GRAND TOTAL	1103	5.6	31	1	2	3	7	12	16	25

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1633	5.2	28	1	1	3	7	12	16	23
70-74	1236	5.7	31	1	1	3	8	13	16	26
75-79	810	5.9	39	1	2	3	8	13	16	32
80-84	370	6.3	38	1	2	4	9	14	17	30
85+	188	8.1	82	1	2	5	10	17	22	47
2. MULTIPLE DX										
65-69 YRS	5513	9.2	76	2	2	7	12	19	25	42
70-74	4763	9.7	86	2	2	7	13	20	26	49
75-79	3499	10.4	94	2	2	8	14	21	28	51
80-84	1865	11.8	107	2	2	9	15	23	30	57
85+	1087	12.9	128	2	3	10	16	25	34	64
TOT. SINGLE DX	4237	5.7	35	1	1	3	8	13	16	26
" MULTIPLE DX	16727	10.1	91	2	2	8	13	21	27	50
TOTAL 65-69 YRS	7146	8.3	68	1	2	6	11	18	23	40
70-74	5999	8.9	78	1	2	7	12	18	24	45
75-79	4309	9.5	87	2	2	7	13	20	26	48
80-84	2235	10.9	100	2	2	8	14	22	28	54
85+	1275	12.2	125	2	2	10	16	24	32	63
GRAND TOTAL	20964	9.2	83	1	2	7	12	19	25	46

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12636	7.0	41	1	2	5	9	14	18	34
70-74	10839	7.5	43	2	2	6	9	15	19	35
75-79	8583	7.9	50	2	2	6	10	15	20	36
80-84	5710	8.4	53	2	2	6	10	16	21	37
85+	4556	8.7	59	2	2	7	11	17	22	41
2. MULTIPLE DX										
65-69 YRS	77919	9.6	67	2	3	7	12	18	25	45
70-74	81214	10.3	76	2	3	8	13	20	26	48
75-79	74399	10.9	83	3	3	8	13	21	28	51
80-84	56984	11.5	93	3	4	9	14	22	29	55
85+	47740	11.8	95	3	4	9	15	23	30	57
TOT. SINGLE DX	42324	7.7	48	2	2	6	10	15	20	36
" MULTIPLE DX	338256	10.7	82	3	3	8	13	21	27	50
TOTAL 65-69 YRS	90555	9.3	65	2	3	7	11	18	24	44
70-74	92053	9.9	74	2	3	8	12	19	25	46
75-79	82982	10.6	81	2	3	8	13	20	27	50
80-84	62694	11.2	90	3	3	9	14	22	29	54
85+	52296	11.5	93	3	3	9	14	22	30	56
GRAND TOTAL	380580	10.3	79	2	3	8	13	20	27	49

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3035	9.2	62	2	3	7	11	17	22	42
70-74	2695	9.9	75	2	3	8	12	19	24	47
75-79	2175	10.1	75	2	3	8	12	19	26	50
80-84	1597	11.0	97	2	3	8	14	20	28	52
85+	1434	11.0	86	2	3	9	14	21	29	49
2. MULTIPLE DX										
65-69 YRS	14641	11.3	85	3	4	9	14	21	28	53
70-74	15623	11.8	90	3	4	9	15	22	30	53
75-79	14894	12.6	100	3	4	10	15	24	31	56
80-84	11985	13.1	103	3	4	10	16	25	32	57
85+	11286	13.7	115	3	4	11	17	26	34	63
TOT. SINGLE DX	10936	10.0	77	2	3	8	12	19	26	48
" MULTIPLE DX	68429	12.4	99	3	4	10	15	23	31	56
TOTAL 65-69 YRS	17676	10.9	82	3	3	9	13	20	27	52
70-74	18318	11.5	88	3	4	9	14	22	29	52
75-79	17069	12.2	98	3	4	10	15	23	31	56
80-84	13582	12.8	103	3	4	10	16	24	32	56
85+	12720	13.4	113	3	4	11	17	25	33	63
GRAND TOTAL	79365	12.1	96	3	4	10	15	23	30	55

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4705	7.6	39	2	2	6	10	14	19	31
70-74	4043	7.9	47	2	2	6	10	15	20	35
75-79	3148	8.1	50	2	2	6	10	16	21	36
80-84	2219	8.5	59	2	2	6	11	17	22	41
85+	1939	8.8	65	2	3	7	11	16	21	48
2. MULTIPLE DX										
65-69 YRS	32971	9.6	63	2	3	7	12	18	23	42
70-74	34237	10.1	71	2	3	8	13	19	25	45
75-79	30799	10.6	76	2	3	8	13	20	26	48
80-84	23932	11.0	82	3	3	9	14	21	28	49
85+	22333	11.6	90	3	4	9	14	22	30	54
TOT. SINGLE DX	16054	8.0	50	2	2	6	10	15	20	36
" MULTIPLE DX	144272	10.5	76	2	3	8	13	20	26	47
TOTAL 65-69 YRS	37676	9.3	61	2	3	7	12	18	23	41
70-74	38280	9.9	70	2	3	8	12	19	25	45
75-79	33947	10.3	75	2	3	8	13	20	26	46
80-84	26151	10.8	81	2	3	8	13	21	27	49
85+	24272	11.4	89	3	4	9	14	22	29	54
GRAND TOTAL	160326	10.2	74	2	3	8	13	20	26	46

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number — Title

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number Title

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number **Title**

- Sphincterotomy (continued)
  - 638 Bladder neck
- Spinal
  - 720 Fusion
  - 512 Tap or puncture
- 586 Splenectomy
- 721 Stabilization of joint, except foot and knee
  - 725 Foot
  - 724 Knee
- 535 Stapedectomy
- 535 Stapes mobilization
- 644 Stress incontinence repair, except by urethral suspension
  - 643 Urethral suspension
- Stress test
  - 764 Cardiac
  - 764 Fetal
  - 764 Uterine
- 541 Submucous nasal resection
- 690 Surgical induction of labor for delivery
- Suspension
  - 643 Urethra, except with bladder neck
    - 644 With bladder neck
  - 644 Urethrovesical
- Suture – *see also Repair, by site*
  - 730 Muscle, except of hand
    - 729 Hand
  - 748 Skin
  - 730 Tendon, except of hand
    - 729 Hand
- 510 Sympathectomy
- 719 Synovectomy

- 554 T and A
- Takedown – *see Closure*
- 730 Tenosynovectomy, except of hand
  - 728 Hand
- 726 Tenotomy, except of hand
  - 728 Hand
- Termination of pregnancy
  - 676 Aspiration curettage
  - 674 Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin